

Yongsoon Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/52976/publications.pdf>

Version: 2024-02-01

134
papers

3,624
citations

136950

32
h-index

161849

54
g-index

136
all docs

136
docs citations

136
times ranked

4986
citing authors

#	ARTICLE	IF	CITATIONS
1	Mean platelet volume as an indicator of platelet activation: methodological issues. <i>Platelets</i> , 2002, 13, 301-306.	2.3	421
2	Omega-3 fatty acid supplementation accelerates chylomicron triglyceride clearance. <i>Journal of Lipid Research</i> , 2003, 44, 455-463.	4.2	285
3	Protein supplementation improves muscle mass and physical performance in undernourished prefrail and frail elderly subjects: a randomized, double-blind, placebo-controlled trial. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 1026-1033.	4.7	111
4	Associations between Dietary Pattern and Depression in Korean Adolescent Girls. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2015, 28, 533-537.	0.7	100
5	Central Obesity as a Risk Factor for Prostatic Hyperplasia. <i>Obesity</i> , 2006, 14, 172-179.	3.0	90
6	High-fat dairy product consumption increases δ^9 -18:2 (rumenic acid) and total lipid concentrations of human milk. <i>Lipids</i> , 1999, 34, 543-549.	1.7	88
7	Clinical Usefulness of the Two-site Semmes-Weinstein Monofilament Test for Detecting Diabetic Peripheral Neuropathy. <i>Journal of Korean Medical Science</i> , 2003, 18, 103.	2.5	83
8	Millet consumption decreased serum concentration of triglyceride and C-reactive protein but not oxidative status in hyperlipidemic rats. <i>Nutrition Research</i> , 2010, 30, 290-296.	2.9	83
9	Nutritional Status Predicts 10-Year Mortality in Patients with End-Stage Renal Disease on Hemodialysis. <i>Nutrients</i> , 2017, 9, 399.	4.1	70
10	Cardiovascular disease and long-chain omega-3 fatty acids. <i>Current Opinion in Lipidology</i> , 2003, 14, 9-14.	2.7	69
11	Conjugated linoleic acid concentrations of human milk and infant formula. <i>Nutrition Research</i> , 1997, 17, 1277-1283.	2.9	65
12	Anthocyanin Rich-Black Soybean Testa Improved Visceral Fat and Plasma Lipid Profiles in Overweight/Obese Korean Adults: A Randomized Controlled Trial. <i>Journal of Medicinal Food</i> , 2016, 19, 995-1003.	1.5	65
13	Sorghum extract exerts an anti-diabetic effect by improving insulin sensitivity via PPAR- β in mice fed a high-fat diet. <i>Nutrition Research and Practice</i> , 2012, 6, 322.	1.9	62
14	EPA, but not DHA, decreases mean platelet volume in normal subjects. <i>Lipids</i> , 2002, 37, 941-946.	1.7	59
15	Novel genetic variations associated with salt sensitivity in the Korean population. <i>Hypertension Research</i> , 2011, 34, 606-611.	2.7	59
16	N-3 polyunsaturated fatty acid consumption produces neurobiological effects associated with prevention of depression in rats after the forced swimming test. <i>Journal of Nutritional Biochemistry</i> , 2012, 23, 924-928.	4.2	54
17	Calcium from plant sources is beneficial to lowering the risk of osteoporosis in postmenopausal Korean women. <i>Nutrition Research</i> , 2011, 31, 27-32.	2.9	53
18	Anti-diabetic effect of sorghum extract on hepatic gluconeogenesis of streptozotocin-induced diabetic rats. <i>Nutrition and Metabolism</i> , 2012, 9, 106.	3.0	53

#	ARTICLE	IF	CITATIONS
19	Starting Construction of Frailty Cohort for Elderly and Intervention Study. <i>Annals of Geriatric Medicine and Research</i> , 2016, 20, 114-117.	1.8	49
20	<i>Doenjang</i>, a Korean Fermented Soy Food, Exerts Antiobesity and Antioxidative Activities in Overweight Subjects with the <i>PPAR- β C1431T Polymorphism: 12-Week, Double-Blind Randomized Clinical Trial. <i>Journal of Medicinal Food</i> , 2014, 17, 119-127.	1.5	48
21	Low level of n-3 polyunsaturated fatty acids in erythrocytes is a risk factor for both acute ischemic and hemorrhagic stroke in Koreans. <i>Nutrition Research</i> , 2009, 29, 825-830.	2.9	45
22	Effect of n-3 polyunsaturated fatty acid supplementation in patients with rheumatoid arthritis: a 16-week randomized, double-blind, placebo-controlled, parallel-design multicenter study in Korea. <i>Journal of Nutritional Biochemistry</i> , 2013, 24, 1367-1372.	4.2	45
23	Association between nutritional status and disease severity using the amyotrophic lateral sclerosis (ALS) functional rating scale in ALS patients. <i>Nutrition</i> , 2015, 31, 1362-1367.	2.4	44
24	Obesity is the only independent factor associated with ultrasound-diagnosed non-alcoholic fatty liver disease: A cross-sectional case-control study. <i>Scandinavian Journal of Gastroenterology</i> , 2006, 41, 566-572.	1.5	41
25	Omega-3 fatty acid supplementation increases 1,25-dihydroxyvitamin D and fetuin-A levels in dialysis patients. <i>Nutrition Research</i> , 2012, 32, 495-502.	2.9	41
26	Erythrocyte fatty acid profiles can predict acute non-fatal myocardial infarction. <i>British Journal of Nutrition</i> , 2009, 102, 1355-1361.	2.3	40
27	Association between erythrocyte n-3 polyunsaturated fatty acids and biomarkers of inflammation and oxidative stress in patients with and without depression. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2013, 89, 291-296.	2.2	39
28	<i>PPAR β C1431T Polymorphism Interacts with the Antiobesogenic Effects of <i>Kochujang</i>, a Korean Fermented, Soybean-Based Red Pepper Paste, in Overweight/Obese Subjects: A 12-Week, Double-Blind Randomized Clinical Trial. <i>Journal of Medicinal Food</i> , 2017, 20, 610-617.	1.5	39
29	Triacylglycerol-rich lipoprotein margination: a potential surrogate for whole-body lipoprotein lipase activity and effects of eicosapentaenoic and docosahexaenoic acids. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 45-50.	4.7	37
30	Erythrocyte n-3 Polyunsaturated Fatty Acid and Seafood Intake Decrease the Risk of Depression: Case-Control Study in Korea. <i>Annals of Nutrition and Metabolism</i> , 2012, 61, 25-31.	1.9	36
31	Positive Correlation between Erythrocyte Levels of n-3 Polyunsaturated Fatty Acids and Bone Mass in Postmenopausal Korean Women with Osteoporosis. <i>Annals of Nutrition and Metabolism</i> , 2012, 60, 146-153.	1.9	35
32	n-3 Polyunsaturated Fatty Acids and Atopy in Korean Preschoolers. <i>Lipids</i> , 2007, 42, 345-349.	1.7	33
33	Clinical Practice Guideline for Postoperative Rehabilitation in Older Patients With Hip Fractures. <i>Annals of Rehabilitation Medicine</i> , 2021, 45, 225-259.	1.6	33
34	Dietary supplementation with rice bran fermented with <i>Lentinus edodes</i> increases interferon- β activity without causing adverse effects: a randomized, double-blind, placebo-controlled, parallel-group study. <i>Nutrition Journal</i> , 2014, 13, 35.	3.4	32
35	Measurement of human chylomicron triglyceride clearance with a labeled commercial lipid emulsion. <i>Lipids</i> , 2001, 36, 115-120.	1.7	31
36	Association of Blood Fatty Acid Composition and Dietary Pattern with the Risk of Non-Alcoholic Fatty Liver Disease in Patients Who Underwent Cholecystectomy. <i>Annals of Nutrition and Metabolism</i> , 2017, 70, 303-311.	1.9	31

#	ARTICLE	IF	CITATIONS
37	N-3 polyunsaturated fatty acids and 17 β -estradiol injection induce antidepressant-like effects through regulation of serotonergic neurotransmission in ovariectomized rats. <i>Journal of Nutritional Biochemistry</i> , 2015, 26, 970-977.	4.2	30
38	Education and exercise program improves osteoporosis knowledge and changes calcium and vitamin D dietary intake in community dwelling elderly. <i>BMC Public Health</i> , 2017, 17, 966.	2.9	30
39	Association between the Dietary Inflammatory Index and Risk for Cancer Recurrence and Mortality among Patients with Breast Cancer. <i>Nutrients</i> , 2018, 10, 1095.	4.1	29
40	The Association between n-3 Polyunsaturated Fatty Acid Levels in Erythrocytes and the Risk of Rheumatoid Arthritis in Korean Women. <i>Annals of Nutrition and Metabolism</i> , 2013, 63, 88-95.	1.9	28
41	A new method for the study of chylomicron kinetics in vivo. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000, 279, E1258-E1263.	3.5	27
42	EPA and DHA, but not ALA, have antidepressant effects with 17 β -estradiol injection via regulation of a neurobiological system in ovariectomized rats. <i>Journal of Nutritional Biochemistry</i> , 2017, 49, 101-109.	4.2	27
43	Association between Dietary Cholesterol and Their Food Sources and Risk for Hypercholesterolemia: The 2012-2016 Korea National Health and Nutrition Examination Survey. <i>Nutrients</i> , 2019, 11, 846.	4.1	26
44	Association between the Dietary Inflammatory Index and Risk of Frailty in Older Individuals with Poor Nutritional Status. <i>Nutrients</i> , 2018, 10, 1363.	4.1	25
45	n-3 Polyunsaturated fatty acids and trans fatty acids in patients with the metabolic syndrome: a case-control study in Korea. <i>British Journal of Nutrition</i> , 2008, 100, 609-614.	2.3	24
46	Protein Intake Recommendation for Korean Older Adults to Prevent Sarcopenia: Expert Consensus by the Korean Geriatric Society and the Korean Nutrition Society. <i>Annals of Geriatric Medicine and Research</i> , 2018, 22, 167-175.	1.8	24
47	Erythrocyte α -linolenic acid is associated with the risk for mild dementia in Korean elderly. <i>Nutrition Research</i> , 2010, 30, 756-761.	2.9	23
48	Supplementation of n-3 Polyunsaturated Fatty Acids for Major Depressive Disorder: A Randomized, Double-Blind, 12-Week, Placebo-Controlled Trial in Korea. <i>Annals of Nutrition and Metabolism</i> , 2015, 66, 141-148.	1.9	23
49	Dietary n-3 polyunsaturated fatty acids increase oxidative stress in rats with intracerebral hemorrhagic stroke. <i>Nutrition Research</i> , 2009, 29, 812-818.	2.9	22
50	Relationship between HDL3 subclasses and waist circumferences on the prevalence of metabolic syndrome: KMSRI-Seoul Study. <i>Atherosclerosis</i> , 2010, 213, 288-293.	0.8	22
51	N-3 PUFA Have Antidepressant-like Effects Via Improvement of the HPA-Axis and Neurotransmission in Rats Exposed to Combined Stress. <i>Molecular Neurobiology</i> , 2020, 57, 3860-3874.	4.0	21
52	Red blood cell fatty acid patterns from 7 countries: Focus on the Omega-3 index. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2022, 179, 102418.	2.2	21
53	Dietary intake of fruits and beta-carotene is negatively associated with amyotrophic lateral sclerosis risk in Koreans: A case-control study. <i>Nutritional Neuroscience</i> , 2014, 17, 104-108.	3.1	20
54	Association between diet and gallstones of cholesterol and pigment among patients with cholecystectomy: a case-control study in Korea. <i>Journal of Health, Population and Nutrition</i> , 2017, 36, 39.	2.0	19

#	ARTICLE	IF	CITATIONS
55	A survey of research papers on the health benefits of kimchi and kimchi lactic acid bacteria. Journal of Nutrition and Health, 2018, 51, 1.	0.8	19
56	Low-linoleic acid diet and oestrogen enhance the conversion of α -linolenic acid into DHA through modification of conversion enzymes and transcription factors. British Journal of Nutrition, 2019, 121, 137-145.	2.3	19
57	Supplementation of Korean fermented soy paste doenjang reduces visceral fat in overweight subjects with mutant uncoupling protein-1 allele. Nutrition Research, 2012, 32, 8-14.	2.9	18
58	Association of Dietary Total Antioxidant Capacity with Bone Mass and Osteoporosis Risk in Korean Women: Analysis of the Korea National Health and Nutrition Examination Survey 2008–2011. Nutrients, 2021, 13, 1149.	4.1	18
59	Association between household income and overweight of Korean and American children: trends and differences. Nutrition Research, 2010, 30, 470-476.	2.9	17
60	Characteristics of Sodium Sensitivity in Korean Populations. Journal of Korean Medical Science, 2011, 26, 1061.	2.5	17
61	Association Between Vascular Calcification Scores on Plain Radiographs and Fatty Acid Contents of Erythrocyte Membrane in Hemodialysis Patients. , 2012, 22, 58-66.		17
62	Association between Urinary Sodium Excretion and Bone Health in Male and Female Adults. Annals of Nutrition and Metabolism, 2016, 68, 189-196.	1.9	17
63	Effects of dietary fish oil and trans fat on rat aorta histopathology and cardiovascular risk markers. Nutrition Research and Practice, 2009, 3, 102.	1.9	16
64	Validation of a New Food Frequency Questionnaire for Assessment of Calcium and Vitamin D Intake in Korean Women. Journal of Bone Metabolism, 2013, 20, 67.	1.3	16
65	Hypocholesterolemic metabolism of dietary red pericarp glutinous rice rich in phenolic compounds in mice fed a high cholesterol diet. Nutrition Research and Practice, 2014, 8, 632.	1.9	16
66	N-3 PUFA improved pup separation-induced postpartum depression via serotonergic pathway regulated by miRNA. Journal of Nutritional Biochemistry, 2020, 84, 108417.	4.2	16
67	Erythrocyte n-3 Polyunsaturated Fatty Acids and the Risk of Type 2 Diabetes in Koreans: A Case-Control Study. Annals of Nutrition and Metabolism, 2013, 63, 283-290.	1.9	15
68	Association between dietary intake and postlaparoscopic cholecystectomy symptoms in patients with gallbladder disease. Korean Journal of Internal Medicine, 2018, 33, 829-836.	1.7	15
69	Bone Mineral Density and Food-frequency in Korean Adults: The 2008 and 2009 Korea National Health and Nutrition Examination Survey. Korean Journal of Family Medicine, 2012, 33, 287.	1.2	15
70	Dose-Response of n-3 Polyunsaturated Fatty Acids on Lipid Profile and Tolerability in Mildly Hypertriglyceridemic Subjects. Journal of Medicinal Food, 2009, 12, 803-808.	1.5	14
71	Synergic hypocholesterolaemic effect of n-3 PUFA and oestrogen by modulation of hepatic cholesterol metabolism in female rats. British Journal of Nutrition, 2015, 114, 1766-1773.	2.3	14
72	High dietary sodium intake is associated with low bone mass in postmenopausal women: Korea National Health and Nutrition Examination Survey, 2008–2011. Osteoporosis International, 2017, 28, 1445-1452.	3.1	14

#	ARTICLE	IF	CITATIONS
73	Allium hookeri Extracts Improve Scopolamine-Induced Cognitive Impairment via Activation of the Cholinergic System and Anti-Neuroinflammation in Mice. <i>Nutrients</i> , 2021, 13, 2890.	4.1	14
74	Intakes of vegetables and related nutrients such as vitamin B complex, potassium, and calcium, are negatively correlated with risk of stroke in Korea. <i>Nutrition Research and Practice</i> , 2010, 4, 303.	1.9	13
75	Association between estimated total daily energy expenditure and stage of amyotrophic lateral sclerosis. <i>Nutrition</i> , 2017, 33, 181-186.	2.4	13
76	Association between macronutrient intake and amyotrophic lateral sclerosis prognosis. <i>Nutritional Neuroscience</i> , 2020, 23, 8-15.	3.1	13
77	Correlation of erythrocyte fatty acid composition and dietary intakes with markers of atherosclerosis in patients with myocardial infarction. <i>Nutrition Research</i> , 2009, 29, 391-396.	2.9	12
78	Sorghum extract exerts cholesterol-lowering effects through the regulation of hepatic cholesterol metabolism in hypercholesterolemic mice. <i>International Journal of Food Sciences and Nutrition</i> , 2015, 66, 308-313.	2.8	12
79	Relationship between Dietary Fiber Intake and the Prognosis of Amyotrophic Lateral Sclerosis in Korea. <i>Nutrients</i> , 2020, 12, 3420.	4.1	12
80	N-3 PUFA improved post-menopausal depression induced by maternal separation and chronic mild stress through serotonergic pathway in rats effect associated with lipid mediators. <i>Journal of Nutritional Biochemistry</i> , 2021, 91, 108599.	4.2	12
81	L-Carnitine supplemented parenteral nutrition improves fat metabolism but fails to support compensatory growth in premature Korean infants. <i>Nutrition Research</i> , 2010, 30, 233-239.	2.9	11
82	<i>Agrobacterium</i> sp.-derived β -1,3-glucan enhances natural killer cell activity in healthy adults: a randomized, double-blind, placebo-controlled, parallel-group study. <i>Nutrition Research and Practice</i> , 2017, 11, 43.	1.9	11
83	Dose-Dependent Effects of n-3 Polyunsaturated Fatty Acids on Platelet Activation in Mildly Hypertriglyceridemic Subjects. <i>Journal of Medicinal Food</i> , 2009, 12, 809-813.	1.5	10
84	Effect of dietary legumes on bone-specific gene expression in ovariectomized rats. <i>Nutrition Research and Practice</i> , 2013, 7, 185.	1.9	10
85	Association between serum fatty acid composition and innate immune markers in healthy adults. <i>Nutrition Research and Practice</i> , 2016, 10, 182.	1.9	10
86	Dietary Patterns for Women With Triple-negative Breast Cancer and Dense Breasts. <i>Nutrition and Cancer</i> , 2016, 68, 1281-1288.	2.0	10
87	Association between erythrocyte levels of n-3 polyunsaturated fatty acids and depression in postmenopausal women using or not using hormone therapy. <i>Menopause</i> , 2016, 23, 1012-1018.	2.0	10
88	Consumption of legumes improves certain bone markers in ovariectomized rats. <i>Nutrition Research</i> , 2011, 31, 397-403.	2.9	9
89	Synergistic attenuation of ovariectomy-induced bone loss by combined use of fish oil and 17 β -oestradiol. <i>British Journal of Nutrition</i> , 2017, 117, 479-489.	2.3	9
90	Association Between Erythrocyte Levels of n-3 Polyunsaturated Fatty Acids and Risk of Frailty in Community-Dwelling Older Adults: The Korean Frailty and Aging Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 499-504.	3.6	9

#	ARTICLE	IF	CITATIONS
91	Invited Review: Lipoprotein Lipase and Triglyceride-Rich Lipoprotein Metabolism. <i>Nutrition in Clinical Practice</i> , 2001, 16, 273-279.	2.4	8
92	Expression of Ezrin in Vagina Cells of Postmenopausal Rats after Dietary Administration of Omega-3 Fatty Acid Formula. <i>Journal of Menopausal Medicine</i> , 2014, 20, 97.	1.1	8
93	Eicosapentaenoic acid and docosahexaenoic acid, but not α -linolenic acid, decreased low-density lipoprotein cholesterol synergistically with estrogen via regulation of cholesterol synthesis and clearance in ovariectomized rats. <i>Nutrition Research</i> , 2019, 66, 13-21.	2.9	8
94	Mediating effect of waist:height ratio on the association between BMI and frailty: the Korean Frailty and Aging Cohort Study. <i>British Journal of Nutrition</i> , 2020, 124, 513-520.	2.3	8
95	Dietary PUFAs and Exercise Dynamic Actions on Endocannabinoids in Brain: Consequences for Neural Plasticity and Neuroinflammation. <i>Advances in Nutrition</i> , 2022, 13, 1989-2001.	6.4	8
96	Estrogen and n-3 polyunsaturated fatty acid supplementation have a synergistic hypotriglyceridemic effect in ovariectomized rats. <i>Genes and Nutrition</i> , 2015, 10, 475.	2.5	7
97	Endocannabinoids and aging—Inflammation, neuroplasticity, mood and pain. <i>Vitamins and Hormones</i> , 2021, 115, 129-172.	1.7	7
98	Association between 24-hour ambulatory blood pressure and erythrocyte n-3 polyunsaturated fatty acids in Korean subjects with hypertension. <i>Nutrition Research</i> , 2010, 30, 807-814.	2.9	6
99	Serum 25-hydroxyvitamin D concentrations are associated with erythrocyte levels of n-3 PUFA but not risk of CVD. <i>British Journal of Nutrition</i> , 2011, 106, 1529-1534.	2.3	6
100	Onion Peel Extract Increases Erythrocyte Membrane n-3 Fatty Acids in Overweight and Obese Korean Subjects. <i>Journal of Medicinal Food</i> , 2020, 23, 37-42.	1.5	6
101	Low calcium and vitamin D intake in Korean women over 50 years of age. <i>Journal of Bone and Mineral Metabolism</i> , 2017, 35, 522-528.	2.7	5
102	Omega-3 fatty acid decreases oleic acid by decreasing SCD-1 expression in the liver and kidney of a cyclosporine-induced nephropathy rat model. <i>Renal Failure</i> , 2019, 41, 211-219.	2.1	5
103	Amount of Protein Required to Improve Muscle Mass in Older Adults. <i>Nutrients</i> , 2020, 12, 1700.	4.1	5
104	Differences in omega-3 and fatty acid profiles between patients with endometriosis and those with a functional ovarian cyst. <i>Journal of Obstetrics and Gynaecology</i> , 2013, 33, 597-600.	0.9	4
105	Association between the Intake of Fermented Soy Products and Hypertension Risk in Postmenopausal Women and Men Aged 50 Years or Older: The Korea National Health and Nutrition Examination Survey 2013–2018. <i>Nutrients</i> , 2020, 12, 3621.	4.1	4
106	Association between Dietary Intake of Flavonoids and Cancer Recurrence among Breast Cancer Survivors. <i>Nutrients</i> , 2021, 13, 3049.	4.1	4
107	Association of Dietary Total Antioxidant Capacity with Cancer Recurrence and Mortality among Breast Cancer Survivors: A Prospective Cohort Study. <i>Nutrition and Cancer</i> , 2022, 74, 3253-3262.	2.0	4
108	Omega-3 and Menopause. <i>The Journal of Korean Society of Menopause</i> , 2012, 18, 75.	0.6	3

#	ARTICLE	IF	CITATIONS
109	Expression of Vitamin D Receptor by Pulse Consumption in the Uterus of Menopausal Mouse Model. The Journal of Korean Society of Menopause, 2013, 19, 1.	0.6	3
110	Relationship between Low Muscle Strength, and Protein Intake: A Preliminary Study of Elderly Patients with Hip Fracture. Journal of Bone Metabolism, 2022, 29, 17-21.	1.3	3
111	Influence of dietary fat and feeding period on phosphoinositide metabolism in rat colonocytes. Nutrition and Cancer, 1994, 21, 71-81.	2.0	2
112	The effect of high dose simvastatin on, platelet size in patients with, type 2 diabetes mellitus. Platelets, 2006, 17, 292-295.	2.3	2
113	N-3 PUFA ameliorated bone loss induced by postmenopausal depression following exposure to chronic mild stress and maternal separation by regulating neuronal processes. Journal of Nutritional Biochemistry, 2022, 100, 108909.	4.2	2
114	Isolation of Density Enrichment Fraction of Adipose-Derived Stem Cells from Stromal Vascular Fraction by Gradient Centrifugation Method. Endocrinology and Metabolism, 2010, 25, 103.	3.0	1
115	SY 16-1 DIETARY APPROACHES TO PREVENT AND CONTROL ELEVATED BLOOD PRESSURE. Journal of Hypertension, 2016, 34, e534.	0.5	1
116	Validation of a New Food Frequency Questionnaire for Protein Intake Assessment in Korean. Journal of Bone Metabolism, 2022, 29, 35-42.	1.3	1
117	Augmented response of nighttime and morning blood pressure by high sodium diet. International Journal of Cardiology, 2011, 152, S101-S102.	1.7	0
118	Fermented Soy pastes, Doenjang and Cheonggukjang, and Obesity. , 2014, , 227-237.		0
119	Past 50 years, present, and future of the Korean Nutrition Society. Nutrition Research, 2019, 70, 1-2.	2.9	0
120	Effect of pravastatin on erythrocyte membrane fatty acid contents in patients with chronic kidney disease. Kidney Research and Clinical Practice, 2021, 40, 392-400.	2.2	0
121	Conjugated Linoleic Acid and Cancer. Nutrition and Disease Prevention, 2005, , .	0.1	0
122	Omega-3 Index as a risk factor of ischemic and haemorrhagic stroke: a pilot case-control study. FASEB Journal, 2009, 23, 543.8.	0.5	0
123	Red blood cell fatty acid profiles in risk prediction of nonfatal myocardial infarction: a case-control study in Korea. FASEB Journal, 2009, 23, 543.9.	0.5	0
124	Dietary n-3 polyunsaturated fatty acids increased oxidative stress in rats with intracerebral hemorrhagic stroke. FASEB Journal, 2010, 24, 927.1.	0.5	0
125	Erythrocytes fatty acid composition and dietary intakes are correlated with markers of atherosclerosis in patients with myocardial infarction. FASEB Journal, 2010, 24, 937.1.	0.5	0
126	Calcium from plant sources and osteoporosis of postmenopausal Korean women. FASEB Journal, 2011, 25, 971.42.	0.5	0

#	ARTICLE	IF	CITATIONS
127	Legume consumption and bone mass in ovariectomized rats. FASEB Journal, 2012, 26, 1b416.	0.5	0
128	Association between erythrocyte n-3 fatty acid levels and the risk of depression: case-control study in Korea. FASEB Journal, 2012, 26, 1016.1.	0.5	0
129	Erythrocyte levels of omega-3 polyunsaturated fatty acids were negatively associated with the risk of rheumatoid arthritis in Korean women. FASEB Journal, 2013, 27, 1072.12.	0.5	0
130	Sorghum extracts reduced hepatic cholesterol biosynthesis in mice fed high cholesterol diet. FASEB Journal, 2013, 27, 1079.2.	0.5	0
131	Comparison of Muscle Mass Indexes According to Protein Intake in Obese Patients. The Korean Journal of Obesity, 2016, 25, 215-224.	0.2	0
132	Cognitive-enhancing Effects of Black Rice Aleurone Layer Extract on Scopolamine-induced Memory Impairment in Mice. Korean Journal of Medicinal Crop Science, 2021, 29, 328-336.	0.4	0
133	Validation of the Updated Korean Calcium Assessment Tool. Journal of Bone Metabolism, 2021, 28, 325-332.	1.3	0
134	Dietary Reference Intake of n-3 polyunsaturated fatty acids for Koreans. Nutrition Research and Practice, 2022, 16, S47.	1.9	0