

Baker S Mohammad

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5297694/baker-s-mohammad-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

179
papers

1,407
citations

19
h-index

30
g-index

215
ext. papers

1,919
ext. citations

2.6
avg, IF

5.14
L-index

#	Paper	IF	Citations
179	. <i>IEEE Journal on Emerging and Selected Topics in Circuits and Systems</i> , 2014 , 4, 354-363	5.2	92
178	Novel Electronics for Flexible and Neuromorphic Computing. <i>Advanced Functional Materials</i> , 2018 , 28, 1801690	15.6	74
177	State of the art of metal oxide memristor devices. <i>Nanotechnology Reviews</i> , 2016 , 5,	6.3	73
176	Low-Power ECG-Based Processor for Predicting Ventricular Arrhythmia. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2016 , 24, 1962-1974	2.6	68
175	Robust Hybrid Memristor-CMOS Memory: Modeling and Design. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2013 , 21, 2069-2079	2.6	49
174	Ultra-Low Power QRS Detection and ECG Compression Architecture for IoT Healthcare Devices. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2019 , 66, 669-679	3.9	43
173	. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2017 , 64, 2624-2637	3.9	40
172	An Efficient Switched-Capacitor DC-DC Buck Converter for Self-Powered Wearable Electronics. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2016 , 63, 1557-1566	3.9	38
171	Modeling and Optimization of Memristor and STT-RAM-Based Memory for Low-Power Applications. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2016 , 24, 1003-1014	2.6	30
170	Human Vital Signs Detection Methods and Potential Using Radars: A Review. <i>Sensors</i> , 2020 , 20,	3.8	30
169	MemSens: Memristor-Based Radiation Sensor. <i>IEEE Sensors Journal</i> , 2018 , 18, 3198-3205	4	28
168	Bipolar Cu/HfO/p Si Memristors by Sol-Gel Spin Coating Method and Their Application to Environmental Sensing. <i>Scientific Reports</i> , 2019 , 9, 9983	4.9	26
167	An Efficient Heterogeneous Memristive XOR for In-Memory Computing. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2017 , 64, 2427-2437	3.9	26
166	Sol-gel/drop-coated micro-thick TiO ₂ memristors for X-ray sensing. <i>Materials Chemistry and Physics</i> , 2016 , 184, 72-81	4.4	25
165	MOMSense: Metal-Oxide-Metal Elementary Glucose Sensor. <i>Scientific Reports</i> , 2019 , 9, 5524	4.9	22
164	A fully bypassed six-issue integer datapath and register file on the Itanium-2 microprocessor. <i>IEEE Journal of Solid-State Circuits</i> , 2002 , 37, 1433-1440	5.5	21
163	Modeling Valance Change Memristor Device: Oxide Thickness, Material Type, and Temperature Effects. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2016 , 63, 2139-2148	3.9	20

162	An Efficient Zero Current Switching Control for L-Based DCDC Converters in TEG Applications. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2017 , 64, 294-298	3.5	19
161	NeuroMem: Analog Graphene-Based Resistive Memory for Artificial Neural Networks. <i>Scientific Reports</i> , 2020 , 10, 9473	4.9	19
160	. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2017 , 64, 705-716	3.9	18
159	Cache Design for Low Power and High Yield 2008 ,		18
158	ScanSAT 2019 ,		16
157	A Gain-Controlled, Low-Leakage Dickson Charge Pump for Energy-Harvesting Applications. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2019 , 27, 1114-1123	2.6	16
156	Memristor-Based Hardware Accelerator for Image Compression. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2018 , 26, 2749-2758	2.6	16
155	ReRAM-Based In-Memory Computing for Search Engine and Neural Network Applications. <i>IEEE Journal on Emerging and Selected Topics in Circuits and Systems</i> , 2019 , 9, 388-397	5.2	15
154	Combination of PVA with Graphene to Improve the Seebeck Coefficient for Thermoelectric Generator Applications. <i>Journal of Electronic Materials</i> , 2015 , 44, 420-424	1.9	15
153	A 28 nm DSP Powered by an On-Chip LDO for High-Performance and Energy-Efficient Mobile Applications. <i>IEEE Journal of Solid-State Circuits</i> , 2015 , 50, 81-91	5.5	15
152	Power management unit for multi-source energy harvesting in wearable electronics 2016 ,		15
151	A maximally stable extremal regions system-on-chip for real-time visual surveillance 2015 ,		13
150	Adaptive technique for P and T wave delineation in electrocardiogram signals. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2014 , 2014, 90-3	0.9	13
149	Characterization of a Graphene-Based Thermoelectric Generator Using a Cost-Effective Fabrication Process. <i>Energy Procedia</i> , 2015 , 75, 615-620	2.3	12
148	A reduced voltage swing circuit using a single supply to enable lower voltage operation for SRAM-based memory. <i>Microelectronics Journal</i> , 2012 , 43, 110-118	1.8	12
147	Comparative study of current mode and voltage mode sense amplifier used for 28nm SRAM 2012 ,		12
146	Stateful Memristor-Based Search Architecture. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2018 , 26, 2773-2780	2.6	11
145	. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2018 , 65, 4007-4016	3.9	11

144	A survey of thermal energy harvesting techniques and interface circuitry 2013 ,		11
143	On-chip tunable Memristor-based flash-ADC converter for artificial intelligence applications. <i>IET Circuits, Devices and Systems</i> , 2020 , 14, 107-114	1.1	10
142	. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2018 , 65, 2617-2630	3.9	10
141	Memristor Technology: Synthesis and Modeling for Sensing and Security Applications. <i>Analog Circuits and Signal Processing Series</i> , 2018 ,	0.2	10
140	Subthreshold Continuum Conductance Change in NbO Pt Memristor Interfaces. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 18971-18976	3.8	10
139	Novel secret key generation techniques using memristor devices. <i>AIP Advances</i> , 2016 , 6, 025107	1.5	10
138	A Nanowatt Real-Time Cardiac Autonomic Neuropathy Detector. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2018 , 12, 739-750	5.1	10
137	Mathematical modeling of a memristor device 2012 ,		10
136	Functional Reverse Engineering on SAT-Attack Resilient Logic Locking 2019 ,		9
135	Computational Power Evaluation for Energy-Constrained Wireless Communications Systems. <i>IEEE Open Journal of the Communications Society</i> , 2020 , 1, 308-319	6.7	9
134	Enhanced FPGA realization of the fractional-order derivative and application to a variable-order chaotic system. <i>Nonlinear Dynamics</i> , 2020 , 99, 3143-3154	5	9
133	A Nano-Watt ECG Feature Extraction Engine in 65-nm Technology. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2018 , 65, 1099-1103	3.5	9
132	Switching characteristics of microscale unipolar Pd/Hf/HfO ₂ /Pd memristors. <i>Microelectronic Engineering</i> , 2018 , 185-186, 35-42	2.5	9
131	Effect of device, size, activation energy, temperature, and frequency on memristor switching time 2014 ,		9
130	Embedded Memory Design for Multi-Core and Systems on Chip. <i>Analog Circuits and Signal Processing Series</i> , 2014 ,	0.2	8
129	. <i>IEEE Transactions on Information Forensics and Security</i> , 2021 , 16, 2508-2523	8	8
128	. <i>IEEE Transactions on Emerging Topics in Computing</i> , 2019 , 1-1	4.1	7
127	A Charge Pump Based Power Management Unit With 66%-Efficiency in 65 nm CMOS 2018 ,		7

126	2013,		7
125	Low-power content addressable memory (CAM) array for mobile devices. <i>Microelectronics Journal</i> , 2017 , 67, 10-18	1.8	7
124	Automated real-time video surveillance algorithms for SoC implementation: A survey 2013 ,		7
123	Cache Organization for Embeded Processors: CAM-vs-SRAM 2006 ,		7
122	Silver/(sub-10 nm)hafnium-oxide-based resistive switching devices on silicon: characteristics and switching mechanism. <i>Nanotechnology</i> , 2020 , 31, 165202	3-4	7
121	An ACDC converter for human body-based vibration energy harvesting. <i>Microelectronics Journal</i> , 2016 , 55, 1-7	1.8	7
120	Adaptive ECG interval extraction 2015 ,		6
119	Embedded memory options for ultra-low power IoT devices. <i>Microelectronics Journal</i> , 2019 , 93, 104634	1.8	6
118	Novel fast and scalable parallel union-find ASIC implementation for real-time digital image segmentation 2015 ,		6
117	Modeling and device parameter design to improve reset time in binary-oxide memristors. <i>Applied Physics A: Materials Science and Processing</i> , 2014 , 117, 1019-1023	2.6	6
116	Effects of top electrode material in hafnium-oxide-based memristive systems on highly-doped Si. <i>Scientific Reports</i> , 2020 , 10, 19541	4-9	6
115	Design Methodologies for Yield Enhancement and Power Efficiency in SRAM-Based SoCs. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2015 , 23, 2054-2064	2.6	5
114	Embedded Memory Interface Logic and Interconnect Testing. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2015 , 23, 1946-1950	2.6	5
113	Switched capacitor DC-DC converter for ultra-low power applications 2014 ,		5
112	Resistive switching in sol-gel derived microscale memristors 2016 ,		5
111	Novel microscale memristor with uniqueness property for securing communications 2016 ,		5
110	Editorial TVLSI PositioningContinuing and Accelerating an Upward Trajectory. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2019 , 27, 253-280	2.6	4
109	Memory impact on the lifetime of a Wireless Sensor Node using a Semi-Markov model 2015 ,		4

108	An all-digital, CMOS zero current switching circuit for thermal energy harvesting 2015 ,		4
107	Cascaded power management unit characterization for TEG-based IoT devices in 65 nm CMOS. <i>Microelectronics Journal</i> , 2019 , 90, 285-296	1.8	4
106	65-nm ASIC implementation of QRS detector based on Pan and Tompkins algorithm 2014 ,		4
105	LDO regulator versus switched inductor DC-DC converter 2014 ,		4
104	Memristor: Modeling read and write operations 2011 ,		4
103	2008 ,		4
102	Integrated graphene oxide resistive element in tunable RF filters. <i>Scientific Reports</i> , 2020 , 10, 13128	4.9	4
101	Effect of the Compliance Current on the Retention Time of Cu/HfO ₂ -Based Memristive Devices. <i>Journal of Electronic Materials</i> , 2021 , 50, 4397-4406	1.9	4
100	Digital Emulation of a Versatile Memristor With Speech Encryption Application. <i>IEEE Access</i> , 2019 , 7, 174280-174297	3.5	4
99	IoT for Healthcare. <i>Analog Circuits and Signal Processing Series</i> , 2019 , 7-12	0.2	4
98	Single wall carbon nanotube based optical rectenna.. <i>RSC Advances</i> , 2021 , 11, 24116-24124	3.7	4
97	A 65-nm low power ECG feature extraction system 2015 ,		3
96	RRAM Crossbar-Based In-Memory Computation of Anisotropic Filters for Image Preprocessing. <i>IEEE Access</i> , 2020 , 8, 127569-127580	3.5	3
95	Micro-Pattern of Graphene Oxide Films Using Metal Bonding. <i>Micromachines</i> , 2020 , 11,	3.3	3
94	Piezo Electric energy harvester and its interface circuit: Opportunities and challenges 2013 ,		3
93	Hybrid Memristor-CMOS memory cell: Modeling and design 2011 ,		3
92	Dynamic cache resizing architecture for high yield SOC 2009 ,		3
91	Semi-custom design flow: Leveraging Place and route tools in Custom Circuit design 2009 ,		3

90	A 65-nm pulsed latch with a single clocked transistor 2007 ,		3
89	Novel logarithmic ECG feature extraction algorithm based on pan and tompkins 2016 ,		3
88	An efficient thermal energy harvesting and power management for μ Watt wearable BioChips 2016 ,		3
87	Hyper-Dimensional Computing Challenges and Opportunities for AI Applications. <i>IEEE Access</i> , 2021 , 1-1	3.5	3
86	Impact of vacuum on the resistive switching in HfO ₂ -based conductive-bridge RAM with highly-doped silicon bottom electrode. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2021 , 271, 115267	3.1	3
85	Planar analog memimpedance behavior in reduced GO-Based Metal-Semiconductor-Metal. <i>Materials and Design</i> , 2021 , 210, 110077	8.1	3
84	Bioinspired Soft Multistate Resistive Memory Device Based on Silk Fibroin Gel for Neuromorphic Computing. <i>Advanced Engineering Materials</i> , 2200314	3.5	3
83	A novel algorithm for the prediction and detection of ventricular arrhythmia. <i>Analog Integrated Circuits and Signal Processing</i> , 2019 , 99, 413-426	1.2	2
82	A novel SIFT architecture and ASIC implementation for real time SOC application. <i>Analog Integrated Circuits and Signal Processing</i> , 2019 , 99, 325-338	1.2	2
81	Assessment of seven reconstruction methods for contemporary compressive sensing 2017 ,		2
80	Memristor Device Overview. <i>Analog Circuits and Signal Processing Series</i> , 2018 , 1-29	0.2	2
79	2013 ,		2
78	The optimum Booth radix for low power integer multipliers 2013 ,		2
77	Embedded memory design using memristor: Retention time versus write energy 2013 ,		2
76	Novel hafnium oxide memristor device: Switching behaviour and size effect 2017 ,		2
75	Evolutionary QR-Based Traffic Sign Recognition System for Next-Generation Intelligent Vehicles 2015 ,		2
74	A simple hybrid 3-level buck-boost DC-DC converter with efficient PWM regulation scheme 2015 ,		2
73	RRAM-based CAM combined with time-domain circuits for hyperdimensional computing. <i>Scientific Reports</i> , 2021 , 11, 19848	4.9	2

72	High-Density ReRAM Crossbar with Selector Device for Sneak Path Reduction 2019 ,		2
71	Analysis and characterization of leakage reduction methodologies for stacking, body biasing and DLS in 65 nm CMOS technology. <i>Analog Integrated Circuits and Signal Processing</i> , 2020 , 102, 1-8	1.2	2
70	An Efficient and Small Area Multioutput Switched Capacitor Buck Converter for IoTs 2018 ,		2
69	SecureMem: efficient flexible Pt/GO/Cu memristor for true random number generation. <i>Flexible and Printed Electronics</i> , 2021 , 6, 035004	3.1	2
68	GNN-RE: Graph Neural Networks for Reverse Engineering of Gate-Level Netlists. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , 2021 , 1-1	2.5	2
67	Nanojunction Material Effect on the Photoelectric Response of Single-Wall Carbon Nanotube Rectennas.. <i>ACS Omega</i> , 2021 , 6, 35692-35698	3.9	2
66	Synthesis and Characterization of Micro-Thick TiO ₂ and HfO ₂ Memristors. <i>Analog Circuits and Signal Processing Series</i> , 2018 , 31-51	0.2	1
65	Memristor Device Modeling. <i>Analog Circuits and Signal Processing Series</i> , 2018 , 93-104	0.2	1
64	Synthesis and Characterization of Nano-Thick HfO ₂ Memristive Crossbar. <i>Analog Circuits and Signal Processing Series</i> , 2018 , 53-64	0.2	1
63	2016 ,		1
62	A biomedical SoC architecture for predicting ventricular arrhythmia 2016 ,		1
61	Universal fused floating-point dot-product unit (UFDP) 2013 ,		1
60	The revolution of glucose monitoring methods and systems: A survey 2013 ,		1
59	Memristor for energy efficient wireless sensor node 2013 ,		1
58	Memristors for digital, memory and neuromorphic circuits 2013 ,		1
57	Characterization of RF energy harvesting at 2.4 GHz 2017 ,		1
56	Write-through method for embedded memory with compression Scan-based testing 2012 ,		1
55	Energy efficient and high bandwidth embedded memory implementation 2013 ,		1

54	Efficient power management in wireless sensor networks 2013 ,		1
53	Modeling of STT-MTJ for low power embedded memory applications: A comparative review 2013 ,		1
52	Automated flow for generating CMOS custom memory bit map between logical and physical implementation 2013 ,		1
51	Low leakage power SRAM cell for embedded memory 2011 ,		1
50	C3PU: Cross-Coupling Capacitor Processing Unit Using Analog-Mixed Signal for AI Inference. <i>IEEE Access</i> , 2021 , 9, 167353-167363	3.5	1
49	A 28-GHz Cascode Inverse Class-D Power Amplifier Utilizing Pulse Injection in 22-nm FDSOI. <i>IEEE Access</i> , 2020 , 8, 97353-97360	3.5	1
48	Energy Harvesting Sources, Models, and Circuits. <i>Analog Circuits and Signal Processing Series</i> , 2018 , 7-35	0.2	1
47	Memristor Device for Security and Radiation Applications. <i>Analog Circuits and Signal Processing Series</i> , 2018 , 75-92	0.2	1
46	ASIC Implementation of a Pre-Trained Neural Network for ECG Feature Extraction 2020 ,		1
45	A 1:4 Active Power Divider for 5G Phased-Array Transmitters in 22nm CMOS FDSOI 2021 ,		1
44	An 83% efficiency, 0.6V to 1V output switched-capacitor DC-DC converter for micro-watt power applications 2016 ,		1
43	Background on ECG Processing. <i>Analog Circuits and Signal Processing Series</i> , 2019 , 13-26	0.2	1
42	SLID: Exploiting Spatial Locality in Input Data as a Computational Reuse Method for Efficient CNN. <i>IEEE Access</i> , 2021 , 1-1	3.5	1
41	Self-powered SoC Platform for Analysis and Prediction of Cardiac Arrhythmias. <i>Analog Circuits and Signal Processing Series</i> , 2018 ,	0.2	1
40	Effect of Vacuum Annealing on Structural and Electrical Properties of Germanium Telluride Thin Films. <i>Materials Research Bulletin</i> , 2021 , 111575	5.1	1
39	Embedded Memory Design Validation and Design For Test. <i>Analog Circuits and Signal Processing Series</i> , 2014 , 75-81	0.2	1
38	Emerging Memory Technology Opportunities and Challenges. <i>Analog Circuits and Signal Processing Series</i> , 2014 , 83-89	0.2	1
37	An Efficient In-Memory Computing Architecture for Image Enhancement in AI Applications. <i>IEEE Access</i> , 2022 , 10, 48229-48241	3.5	1

36	Switched Inductor DCDC Boost Regulator Using Voltage-to-Time Controller for TEG Applications. <i>Energies</i> , 2022 , 15, 3330	3.1	1
35	Tunable Switching Behavior of GO-Based Memristors Using Thermal Reduction. <i>Nanomaterials</i> , 2022 , 12, 1812	5.4	1
34	FPGA-Based Memristor Emulator Circuit for Binary Convolutional Neural Networks. <i>IEEE Access</i> , 2020 , 8, 117736-117745	3.5	0
33	MemChar: Portable Low-Power and Low-Cost Characterization Tool for Memristor Devices. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2022 , 1-1	5.2	0
32	Introduction to TEG-Based Power Management Unit. <i>Analog Circuits and Signal Processing Series</i> , 2020 , 15-29	0.2	0
31	Design Exploration of ReRAM-Based Crossbar for AI Inference. <i>IEEE Access</i> , 2021 , 9, 70430-70442	3.5	0
30	Temperature dependence of capacitance-voltage characteristics of germanium telluride thin films. <i>Journal of Materials Research and Technology</i> , 2022 , 18, 2631-2640	5.5	0
29	A 230 mW built-in on-chip auto-calibrating RF amplitude detector in 65 nm CMOS. <i>Analog Integrated Circuits and Signal Processing</i> , 2019 , 101, 175-185	1.2	
28	Synthesis and Characterization of Wire-Based NbO Memristive Junctions. <i>Analog Circuits and Signal Processing Series</i> , 2018 , 65-74	0.2	
27	A Low-Cost, Nanowatt, Millimeter-Scale Memristive-Vacuum Sensor. <i>IEEE Sensors Journal</i> , 2022 , 1-1	4	
26	TEG-Based Power Management Designs and Characterizations. <i>Analog Circuits and Signal Processing Series</i> , 2020 , 31-46	0.2	
25	Ultra-Low Power CAN Detection and VA Prediction. <i>Analog Circuits and Signal Processing Series</i> , 2019 , 59-83	0.2	
24	Self-Powered SoC Platform for Wearable Health Care 2019 , 307-325		
23	A Low-Power, High-Resolution ZCS Control for Inductor-Based Converters 2019 , 263-275		
22	Dual-Outputs Switched Capacitor Voltage Regulator. <i>Analog Circuits and Signal Processing Series</i> , 2020 , 47-71	0.2	
21	Introduction to Power Management. <i>Analog Circuits and Signal Processing Series</i> , 2020 , 1-13	0.2	
20	Energy Combiner and Power Manager for Multi-Source Energy Harvesting. <i>Analog Circuits and Signal Processing Series</i> , 2018 , 81-89	0.2	
19	Polarity Mechanism for Thermoelectric Harvester. <i>Analog Circuits and Signal Processing Series</i> , 2018 , 61-70.2		

18	Zero Crossing Switching Control for L-Based DCDC Converters. <i>Analog Circuits and Signal Processing Series</i> , 2018 , 47-60	0.2
17	System Design and Development. <i>Analog Circuits and Signal Processing Series</i> , 2018 , 23-38	0.2
16	Performance and Results. <i>Analog Circuits and Signal Processing Series</i> , 2018 , 51-64	0.2
15	Hardware Design and Implementation. <i>Analog Circuits and Signal Processing Series</i> , 2018 , 39-49	0.2
14	Power and Yield for SRAM Memory. <i>Analog Circuits and Signal Processing Series</i> , 2014 , 53-59	0.2
13	Cache Architecture and Main Blocks. <i>Analog Circuits and Signal Processing Series</i> , 2014 , 13-28	0.2
12	Leakage Reduction. <i>Analog Circuits and Signal Processing Series</i> , 2014 , 61-68	0.2
11	SRAM-Based Memory Operation and Yield. <i>Analog Circuits and Signal Processing Series</i> , 2014 , 37-52	0.2
10	Embedded Memory Hierarchy. <i>Analog Circuits and Signal Processing Series</i> , 2014 , 29-35	0.2
9	Embedded Memory Verification. <i>Analog Circuits and Signal Processing Series</i> , 2014 , 69-74	0.2
8	Reconfigurable, Switched-Capacitor Power Converter for IoT 2019 , 277-290	
7	ACLT-Based QRS Detection and ECG Compression Architecture. <i>Analog Circuits and Signal Processing Series</i> , 2019 , 39-57	0.2
6	MSER-in-Chip: An Efficient Vision Tool for IoT Devices 2019 , 245-259	
5	Ultra-Low-Power ECG Processor for IoT SOCs 2019 , 141-152	
4	Introduction to Ultra-Low Power ECG Processor. <i>Analog Circuits and Signal Processing Series</i> , 2019 , 1-6	0.2
3	Combined CLT and DWT-Based ECG Feature Extractor. <i>Analog Circuits and Signal Processing Series</i> , 2019 , 27-38	0.2
2	DS2B: Dynamic and Secure Substitution Box for Efficient Speech Encryption Engine. <i>IEEE Access</i> , 2021 , 9, 93902-93915	3.5
1	Deep Neural Networks Based Weight Approximation and Computation Reuse for 2-D Image Classification. <i>IEEE Access</i> , 2022 , 1-1	3.5

