Ninghai Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5297926/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | SLAMF6 as a Regulator of Exhausted CD8+ T Cells in Cancer. Cancer Immunology Research, 2019, 7, 1485-1496. | 3.4 | 34 |
| 2 | The Checkpoint Regulator SLAMF3 Preferentially Prevents Expansion of Auto-Reactive B Cells Generated by Graft-vsHost Disease. Frontiers in Immunology, 2019, 10, 831. | 4.8 | 4 |
| 3 | SLAMF6 in health and disease: Implications for therapeutic targeting. Clinical Immunology, 2019, 204, 3-13. | 3.2 | 9 |
| 4 | SLAMF1 is required for TLR4-mediated TRAM-TRIF–dependent signaling in human macrophages. Journal of Cell Biology, 2018, 217, 1411-1429. | 5.2 | 38 |
| 5 | Slamf6 negatively regulates autoimmunity. Clinical Immunology, 2016, 173, 19-26. | 3.2 | 24 |
| 6 | A combination of an anti-SLAMF6 antibody and ibrutinib efficiently abrogates expansion of chronic lymphocytic leukemia cells. Oncotarget, 2016, 7, 26346-26360. | 1.8 | 12 |
| 7 | Negative Regulation of Humoral Immunity Due to Interplay between the SLAMF1, SLAMF5, and SLAMF6 Receptors. Frontiers in Immunology, 2015, 6, 158. | 4.8 | 32 |
| 8 | Migration of Myeloid Cells during Inflammation Is Differentially Regulated by the Cell Surface Receptors Slamf1 and Slamf8. PLoS ONE, 2015, 10, e0121968. | 2.5 | 33 |
| 9 | SLAMF4 Is a Negative Regulator of Expansion of Cytotoxic Intraepithelial CD8+ T Cells That Maintains Homeostasis in the Small Intestine. Gastroenterology, 2015, 148, 991-1001.e4. | 1.3 | 18 |
| 10 | The cell surface receptor Slamf6 modulates innate immune responses during <i>Citrobacter rodentium</i> -induced colitis. International Immunology, 2015, 27, 447-457. | 4.0 | 9 |
| 11 | SAP-Dependent and -Independent Regulation of Innate T Cell Development Involving SLAMF Receptors. Frontiers in Immunology, 2014, 5, 186. | 4.8 | 32 |
| 12 | GEF-H1 controls microtubule-dependent sensing of nucleic acids for antiviral host defenses. Nature Immunology, 2014, 15, 63-71. | 14.5 | 36 |
| 13 | Receptor Signaling Lymphocyte-activation Molecule Family 1 (Slamf1) Regulates Membrane Fusion and NADPH Oxidase 2 (NOX2) Activity by Recruiting a Beclin-1/Vps34/Ultraviolet Radiation Resistance-associated Gene (UVRAG) Complex. Journal of Biological Chemistry, 2012, 287, 18359-18365. | 3.4 | 40 |
| 14 | Signaling Lymphocyte Activation Molecule Regulates Development of Colitis in Mice. Gastroenterology, 2012, 143, 1544-1554.e7. | 1.3 | 18 |
| 15 | SLAM is a microbial sensor that regulates bacterial phagosome functions in macrophages. Nature Immunology, 2010, 11, 920-927. | 14.5 | 156 |
| 16 | Cutting Edge: The Adapters EAT-2A and -2B Are Positive Regulators of CD244- and CD84-Dependent NK Cell Functions in the C57BL/6 Mouse. Journal of Immunology, 2010, 185, 5683-5687. | 0.8 | 33 |
| 17 | The Cell Surface Receptor SLAM Controls T Cell and Macrophage Functions. Journal of Experimental Medicine, 2004, 199, 1255-1264. | 8.5 | 153 |
| 18 | X-LINKEDLYMPHOPROLIFERATIVEDISEASE: A Progressive Immunodeficiency. Annual Review of Immunology, 2001, 19, 657-682. | 21.8 | 209 |

Ninghai Wang

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | CD150 is a member of a family of genes that encode glycoproteins on the surface of hematopoietic cells. Immunogenetics, 2001, 53, 382-394. | 2.4 | 53 |
| 20 | SAP controls T cell responses to virus and terminal differentiation of TH2 cells. Nature Immunology, 2001, 2, 410-414. | 14.5 | 219 |
| 21 | Genomic organization and characterization of mouse SAP , the gene that is altered in X-linked lymphoproliferative disease. Immunogenetics, 2000, 51, 805-815. | 2.4 | 47 |