

# Wolfram Ruf

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5298065/wolfram-ruf-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168  
papers

9,395  
citations

54  
h-index

94  
g-index

179  
ext. papers

10,355  
ext. citations

8.1  
avg, IF

6.21  
L-index

#	Paper	IF	Citations
168	Activation of endothelial cell protease activated receptor 1 by the protein C pathway. <i>Science</i> , <b>2002</b> , 296, 1880-2	33.3	723
167	The Structural Biology of Expression and Function of Tissue Factor. <i>Thrombosis and Haemostasis</i> , <b>1991</b> , 66, 067-079	7	383
166	Disulfide isomerization switches tissue factor from coagulation to cell signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2006</b> , 103, 13932-7	11.5	294
165	Regulation of angiogenesis by tissue factor cytoplasmic domain signaling. <i>Nature Medicine</i> , <b>2004</b> , 10, 502-9	50.5	293
164	Mechanistic coupling of protease signaling and initiation of coagulation by tissue factor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2001</b> , 98, 7742-7	11.5	275
163	A role for tissue factor in cell adhesion and migration mediated by interaction with actin-binding protein 280. <i>Journal of Cell Biology</i> , <b>1998</b> , 140, 1241-53	7.3	265
162	Inhibition of tissue factor signaling suppresses tumor growth. <i>Blood</i> , <b>2008</b> , 111, 190-9	2.2	260
161	Inflammation, obesity, and thrombosis. <i>Blood</i> , <b>2013</b> , 122, 3415-22	2.2	228
160	Protease-activated receptor 2 signaling in inflammation. <i>Seminars in Immunopathology</i> , <b>2012</b> , 34, 133-49	12	198
159	Structural biology of tissue factor, the initiator of thrombogenesis in vivo <sup>1</sup> . <i>FASEB Journal</i> , <b>1994</b> , 8, 385-390	19	193
158	Specificity of coagulation factor signaling. <i>Journal of Thrombosis and Haemostasis</i> , <b>2003</b> , 1, 1495-503	15.4	175
157	Tissue factor and PAR1 promote microbiota-induced intestinal vascular remodelling. <i>Nature</i> , <b>2012</b> , 483, 627-31	50.4	172
156	Identification of surface residues mediating tissue factor binding and catalytic function of the serine protease factor VIIa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1996</b> , 93, 14379-84	11.5	170
155	Protease-Activated Receptors (PAR1 and PAR2) Contribute to Tumor Cell Motility and Metastasis. <i>Molecular Cancer Research</i> , <b>2004</b> , 2, 395-402	6.6	164
154	Evidence for activation of tissue factor by an allosteric disulfide bond. <i>Biochemistry</i> , <b>2006</b> , 45, 12020-8	3.2	163
153	Neutrophil activation by the tissue factor/Factor VIIa/PAR2 axis mediates fetal death in a mouse model of antiphospholipid syndrome. <i>Journal of Clinical Investigation</i> , <b>2008</b> , 118, 3453-61	15.9	150
152	Distinct contributions of complement factors to platelet activation and fibrin formation in venous thrombus development. <i>Blood</i> , <b>2017</b> , 129, 2291-2302	2.2	133

151	Cross-talk of integrin alpha3beta1 and tissue factor in cell migration. <i>Molecular Biology of the Cell</i> , <b>2004</b> , 15, 4416-25	3.5	130
150	Alternatively spliced tissue factor induces angiogenesis through integrin ligation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2009</b> , 106, 19497-502	11.5	117
149	Protease-activated receptor (PAR) 2, but not PAR1, signaling promotes the development of mammary adenocarcinoma in polyoma middle T mice. <i>Cancer Research</i> , <b>2008</b> , 68, 7219-27	10.1	115
148	Tissue factor and cell signalling in cancer progression and thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , <b>2011</b> , 9 Suppl 1, 306-15	15.4	113
147	Tissue factor-protease-activated receptor 2 signaling promotes diet-induced obesity and adipose inflammation. <i>Nature Medicine</i> , <b>2011</b> , 17, 1490-7	50.5	112
146	P2X7 receptor signaling contributes to tissue factor-dependent thrombosis in mice. <i>Journal of Clinical Investigation</i> , <b>2011</b> , 121, 2932-44	15.9	110
145	Activation of cancer cell migration and invasion by ectopic synthesis of coagulation factor VII. <i>Cancer Research</i> , <b>2006</b> , 66, 9453-60	10.1	108
144	Protease-activated receptor 2-dependent phosphorylation of the tissue factor cytoplasmic domain. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 23038-44	5.4	106
143	The mechanism of an inhibitory antibody on TF-initiated blood coagulation revealed by the crystal structures of human tissue factor, Fab 5G9 and TF.G9 complex. <i>Journal of Molecular Biology</i> , <b>1998</b> , 275, 873-94	6.5	105
142	Protease-activated receptors (PAR1 and PAR2) contribute to tumor cell motility and metastasis. <i>Molecular Cancer Research</i> , <b>2004</b> , 2, 395-402	6.6	98
141	PAR1 signaling regulates the retention and recruitment of EPCR-expressing bone marrow hematopoietic stem cells. <i>Nature Medicine</i> , <b>2015</b> , 21, 1307-17	50.5	94
140	Role of protease activated receptor 1 and 2 signaling in hypoxia-induced angiogenesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2007</b> , 27, 1456-62	9.4	93
139	Emerging insights in tissue factor-dependent signaling events. <i>Seminars in Thrombosis and Hemostasis</i> , <b>2006</b> , 32, 24-32	5.3	92
138	Tissue factor: molecular recognition and cofactor function. <i>FASEB Journal</i> , <b>1995</b> , 9, 852-9	0.9	92
137	Tissue factor and PAR2 signaling in the tumor microenvironment. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2009</b> , 29, 1999-2004	9.4	91
136	Tissue factor in cancer progression and angiogenesis. <i>Thrombosis Research</i> , <b>2010</b> , 125 Suppl 2, S36-8	8.2	88
135	Regulation of tissue factor cytoplasmic domain phosphorylation by palmitoylation. <i>Blood</i> , <b>2003</b> , 102, 3998-4005	2.2	84
134	Recombinant soluble human tissue factor secreted by <i>Saccharomyces cerevisiae</i> and refolded from <i>Escherichia coli</i> inclusion bodies: glycosylation of mutants, activity and physical characterization. <i>Biochemical Journal</i> , <b>1995</b> , 310 ( Pt 2), 605-14	3.8	82

133	Differential role of tissue factor pathway inhibitors 1 and 2 in melanoma vasculogenic mimicry. <i>Cancer Research</i> , <b>2003</b> , 63, 5381-9	10.1	82
132	Cooperation of tissue factor cytoplasmic domain and PAR2 signaling in breast cancer development. <i>Blood</i> , <b>2010</b> , 116, 6106-13	2.2	81
131	Rapid activation of monocyte tissue factor by antithymocyte globulin is dependent on complement and protein disulfide isomerase. <i>Blood</i> , <b>2013</b> , 121, 2324-35	2.2	79
130	Science review: role of coagulation protease cascades in sepsis. <i>Critical Care</i> , <b>2003</b> , 7, 123-9	10.8	78
129	Role of zymogen and activated factor X as scaffolds for the inhibition of the blood coagulation factor VIIa-tissue factor complex by recombinant nematode anticoagulant protein c2. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 10063-71	5.4	75
128	Reversible regulation of tissue factor-induced coagulation by glycosyl phosphatidylinositol-anchored tissue factor pathway inhibitor. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2000</b> , 20, 874-82	9.4	74
127	Regulation of tissue factor-induced signaling by endogenous and recombinant tissue factor pathway inhibitor 1. <i>Blood</i> , <b>2005</b> , 105, 2384-91	2.2	72
126	Exosite interactions determine the affinity of factor X for the extrinsic Xase complex. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 28826-33	5.4	71
125	Gut microbiota regulate hepatic von Willebrand factor synthesis and arterial thrombus formation via Toll-like receptor-2. <i>Blood</i> , <b>2017</b> , 130, 542-553	2.2	70
124	The endothelial protein C receptor supports tissue factor ternary coagulation initiation complex signaling through protease-activated receptors. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 5756-67	5.4	70
123	Duodenal bacterial proteolytic activity determines sensitivity to dietary antigen through protease-activated receptor-2. <i>Nature Communications</i> , <b>2019</b> , 10, 1198	17.4	69
122	Tissue factor at the crossroad of coagulation and cell signaling. <i>Journal of Thrombosis and Haemostasis</i> , <b>2018</b> , 16, 1941-1952	15.4	68
121	Tumor cell adhesion and migration supported by interaction of a receptor-protease complex with its inhibitor. <i>Journal of Clinical Investigation</i> , <b>1999</b> , 104, 1213-21	15.9	68
120	Caspase-1-mediated pathway promotes generation of thromboinflammatory microparticles. <i>Journal of Clinical Investigation</i> , <b>2015</b> , 125, 1471-84	15.9	67
119	Synergies of phosphatidylserine and protein disulfide isomerase in tissue factor activation. <i>Thrombosis and Haemostasis</i> , <b>2014</b> , 111, 590-7	7	66
118	An Anti-Tissue Factor Monoclonal Antibody which Inhibits TF VIIa Complex Is a Potent Anticoagulant in Plasma. <i>Thrombosis and Haemostasis</i> , <b>1991</b> , 66, 529-533	7	64
117	Evidence for tissue factor phosphorylation and its correlation with protease-activated receptor expression and the prognosis of primary breast cancer. <i>International Journal of Cancer</i> , <b>2010</b> , 126, 2330-40	7.5	59
116	Cofactor residues lysine 165 and 166 are critical for protein substrate recognition by the tissue factor-factor VIIa protease complex. <i>Journal of Biological Chemistry</i> , <b>1992</b> , 267, 6375-81	5.4	59

115	Tissue factor mediates prolonged procoagulant activity on the luminal surface of balloon-injured aortas in rabbits. <i>Circulation</i> , <b>1995</b> , 92, 3323-30	16.7	58
114	Regulation of macrophage procoagulant responses by the tissue factor cytoplasmic domain in endotoxemia. <i>Blood</i> , <b>2007</b> , 109, 5251-9	2.2	54
113	Platelet-localized FXI promotes a vascular coagulation-inflammatory circuit in arterial hypertension. <i>Science Translational Medicine</i> , <b>2017</b> , 9,	17.5	53
112	Alternatively spliced tissue factor promotes breast cancer growth in a $\beta$ integrin-dependent manner. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 11517-22	11.5	53
111	The tissue factor/factor VIIa/factor Xa complex: a model built by docking and site-directed mutagenesis. <i>Proteins: Structure, Function and Bioinformatics</i> , <b>2003</b> , 53, 640-8	4.2	50
110	Tissue factor and cancer. <i>Thrombosis Research</i> , <b>2012</b> , 130 Suppl 1, S84-7	8.2	49
109	Splice variants of tissue factor promote monocyte-endothelial interactions by triggering the expression of cell adhesion molecules via integrin-mediated signaling. <i>Journal of Thrombosis and Haemostasis</i> , <b>2011</b> , 9, 2087-96	15.4	49
108	Influence of cofactor binding and active site occupancy on the conformation of the macromolecular substrate exosite of factor VIIa. <i>Journal of Molecular Biology</i> , <b>1998</b> , 277, 959-71	6.5	48
107	Importance of factor VIIa Gla-domain residue Arg-36 for recognition of the macromolecular substrate factor X Gla-domain. <i>Biochemistry</i> , <b>1999</b> , 38, 1957-66	3.2	48
106	Endothelial protein C receptor function in murine and human breast cancer development. <i>PLoS ONE</i> , <b>2013</b> , 8, e61071	3.7	44
105	Structural biology of tissue factor, the initiator of thrombogenesis in vivo. <i>FASEB Journal</i> , <b>1994</b> , 8, 385-90.	9.9	42
104	EPCR-dependent PAR2 activation by the blood coagulation initiation complex regulates LPS-triggered interferon responses in mice. <i>Blood</i> , <b>2015</b> , 125, 2845-54	2.2	41
103	Role of PAR2 in murine pulmonary pseudomonal infection. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , <b>2008</b> , 294, L368-77	5.8	41
102	Tissue factor-dependent coagulation protease signaling in acute lung injury. <i>Critical Care Medicine</i> , <b>2003</b> , 31, S231-7	1.4	40
101	Tissue factor residues 157-167 are required for efficient proteolytic activation of factor X and factor VII.. <i>Journal of Biological Chemistry</i> , <b>1992</b> , 267, 22206-22210	5.4	40
100	Selective factor VIII activation by the tissue factor-factor VIIa-factor Xa complex. <i>Blood</i> , <b>2017</b> , 130, 1661-1670	16.70	39
99	Tissue factor residues 157-167 are required for efficient proteolytic activation of factor X and factor VII. <i>Journal of Biological Chemistry</i> , <b>1992</b> , 267, 22206-10	5.4	39
98	The Structural Basis of Function of the TF?VIIa Complex in the Cellular Initiation of Coagulation. <i>Thrombosis and Haemostasis</i> , <b>1997</b> , 78, 401-405	7	39

97	Role of residue Phe225 in the cofactor-mediated, allosteric regulation of the serine protease coagulation factor VIIa. <i>Biochemistry</i> , <b>2000</b> , 39, 14457-63	3.2	38
96	Myeloid cell-synthesized coagulation factor X dampens antitumor immunity. <i>Science Immunology</i> , <b>2019</b> , 4,	2.8	37
95	Allosteric regulation of the cofactor-dependent serine protease coagulation factor VIIa. <i>Trends in Cardiovascular Medicine</i> , <b>1998</b> , 8, 350-6	6.9	37
94	Two sites in the tissue factor extracellular domain mediate the recognition of the ligand factor VIIa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1991</b> , 88, 8430-4	11.5	37
93	Emerging roles of tissue factor in viral hemorrhagic fever. <i>Trends in Immunology</i> , <b>2004</b> , 25, 461-4	14.4	36
92	Macromolecular substrate affinity for the tissue factor-factor VIIa complex is independent of scissile bond docking. <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 24171-5	5.4	36
91	Tissue factor and glycoprotein C on herpes simplex virus type 1 are protease-activated receptor 2 cofactors that enhance infection. <i>Blood</i> , <b>2012</b> , 119, 3638-45	2.2	34
90	Paraoxonase-2 regulates coagulation activation through endothelial tissue factor. <i>Blood</i> , <b>2018</b> , 131, 2161-2172	3.3	33
89	Tissue factor and PAR signaling in tumor progression. <i>Thrombosis Research</i> , <b>2007</b> , 120 Suppl 2, S7-12	8.2	33
88	High-level secretion of tissue factor-rich extracellular vesicles from ovarian cancer cells mediated by filamin-A and protease-activated receptors. <i>Thrombosis and Haemostasis</i> , <b>2016</b> , 115, 299-310	7	32
87	Is APC activation of endothelial cell PAR1 important in severe sepsis?: Yes. <i>Journal of Thrombosis and Haemostasis</i> , <b>2005</b> , 3, 1912-4	15.4	31
86	Regulation of the catalytic function of coagulation factor VIIa by a conformational linkage of surface residue Glu 154 to the active site. <i>Biochemistry</i> , <b>1999</b> , 38, 2745-51	3.2	31
85	Identification of the integrin-binding site on coagulation factor VIIa required for proangiogenic PAR2 signaling. <i>Blood</i> , <b>2018</b> , 131, 674-685	2.2	30
84	Tissue factor is an angiogenic-specific receptor for factor VII-targeted immunotherapy and photodynamic therapy. <i>Angiogenesis</i> , <b>2017</b> , 20, 85-96	10.6	30
83	Tissue Factor Prothrombotic Activity Is Regulated by Integrin-arf6 Trafficking. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2017</b> , 37, 1323-1331	9.4	29
82	Extravascular coagulation in hematopoietic stem and progenitor cell regulation. <i>Blood</i> , <b>2018</b> , 132, 123-131	1.1	28
81	Protease-activated receptor signaling in the regulation of inflammation. <i>Critical Care Medicine</i> , <b>2004</b> , 32, S287-92	1.4	28
80	Dimerization of tissue factor supports solution-phase autoactivation of factor VII without influencing proteolytic activation of factor X. <i>Biochemistry</i> , <b>2000</b> , 39, 11467-76	3.2	28

79	Coagulation factor V mediates inhibition of tissue factor signaling by activated protein C in mice. <i>Blood</i> , <b>2015</b> , 126, 2415-23	2.2	27
78	Contributions of thrombin targets to tissue factor-dependent metastasis in hyperthrombotic mice. <i>Journal of Thrombosis and Haemostasis</i> , <b>2014</b> , 12, 71-81	15.4	26
77	Engineering of substrate selectivity for tissue factor.factor VIIa complex signaling through protease-activated receptor 2. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 19959-66	5.4	25
76	Complement C5 but not C3 is expendable for tissue factor activation by cofactor-independent antiphospholipid antibodies. <i>Blood Advances</i> , <b>2018</b> , 2, 979-986	7.8	25
75	Tissue factor pathway inhibitor primes monocytes for antiphospholipid antibody-induced thrombosis. <i>Blood</i> , <b>2019</b> , 134, 1119-1131	2.2	24
74	An anti-tissue factor monoclonal antibody which inhibits TF.VIIa complex is a potent anticoagulant in plasma. <i>Thrombosis and Haemostasis</i> , <b>1991</b> , 66, 529-33	7	23
73	New players in the sepsis-protective activated protein C pathway. <i>Journal of Clinical Investigation</i> , <b>2010</b> , 120, 3084-7	15.9	23
72	Lipid presentation by the protein C receptor links coagulation with autoimmunity. <i>Science</i> , <b>2021</b> , 371,	33.3	23
71	Hematopoietic tissue factor-protease-activated receptor 2 signaling promotes hepatic inflammation and contributes to pathways of gluconeogenesis and steatosis in obese mice. <i>American Journal of Pathology</i> , <b>2015</b> , 185, 524-35	5.8	21
70	Redundant signaling of tissue factor and thrombin in cancer progression?. <i>Journal of Thrombosis and Haemostasis</i> , <b>2007</b> , 5, 1584-7	15.4	21
69	Signal integration at the PI3K-p85-XBP1 hub endows coagulation protease activated protein C with insulin-like function. <i>Blood</i> , <b>2017</b> , 130, 1445-1455	2.2	20
68	Vascular and dendritic cell coagulation signaling in sepsis progression. <i>Journal of Thrombosis and Haemostasis</i> , <b>2009</b> , 7 Suppl 1, 118-21	15.4	19
67	Tissue factor pathways linking obesity and inflammation. <i>Hamostaseologie</i> , <b>2015</b> , 35, 279-83	1.9	18
66	Spectroscopic Characterization of Successive Phosphorylation of the Tissue Factor Cytoplasmic Region. <i>The Open Spectroscopy Journal</i> , <b>2009</b> , 3, 58-64		17
65	The procoagulant envelope virus surface: contribution to enhanced infection. <i>Thrombosis Research</i> , <b>2014</b> , 133 Suppl 1, S15-7	8.2	16
64	Tissue Factor residue Asp44 regulates catalytic function of the bound proteinase Factor VIIa. <i>Biochemical Journal</i> , <b>1996</b> , 315 ( Pt 1), 145-51	3.8	15
63	Syndecan-3 and TFPI colocalize on the surface of endothelial-, smooth muscle-, and cancer cells. <i>PLoS ONE</i> , <b>2015</b> , 10, e0117404	3.7	15
62	Targeting clotting proteins in cancer therapy - progress and challenges. <i>Thrombosis Research</i> , <b>2016</b> , 140 Suppl 1, S1-7	8.2	15



61	Tissue factor signaling. <i>Thrombosis and Haemostasis</i> , <b>1999</b> , 82, 175-82	7	14
60	Role of thiol pathways in TF procoagulant regulation. <i>Thrombosis Research</i> , <b>2012</b> , 129 Suppl 2, S11-2	8.2	13
59	Nox2+ myeloid cells drive vascular inflammation and endothelial dysfunction in heart failure after myocardial infarction via angiotensin II receptor type 1. <i>Cardiovascular Research</i> , <b>2021</b> , 117, 162-177	9.9	13
58	Course of D-Dimer and C-Reactive Protein Levels in Survivors and Nonsurvivors with COVID-19 Pneumonia: A Retrospective Analysis of 577 Patients. <i>Thrombosis and Haemostasis</i> , <b>2021</b> , 121, 98-101	7	13
57	Role of the protein C receptor in cancer progression. <i>Thrombosis Research</i> , <b>2014</b> , 133 Suppl 2, S85-9	8.2	11
56	Endothelial protein C receptor is required for tissue factor ternary complex signaling in the mouse. <i>Journal of Thrombosis and Haemostasis</i> , <b>2011</b> , 9, 2516-8	15.4	11
55	Tissue factor as a mediator of coagulation and signaling in cancer and chronic inflammation. <i>Thrombosis Research</i> , <b>2018</b> , 164 Suppl 1, S143-S147	8.2	10
54	Diverse functions of protease receptor tissue factor in inflammation and metastasis. <i>Immunologic Research</i> , <b>2000</b> , 21, 289-92	4.3	10
53	Germ-free housing conditions do not affect aortic root and aortic arch lesion size of late atherosclerotic low-density lipoprotein receptor-deficient mice. <i>Gut Microbes</i> , <b>2020</b> , 11, 1809-1823	8.8	9
52	Structural and cellular mechanisms of peptidyl-prolyl isomerase Pin1-mediated enhancement of Tissue Factor gene expression, protein half-life, and pro-coagulant activity. <i>Haematologica</i> , <b>2018</b> , 103, 1073-1082	6.6	9
51	Tissue Factor Coagulant Activity is Regulated by the Plasma Membrane Microenvironment. <i>Thrombosis and Haemostasis</i> , <b>2018</b> , 118, 990-1000	7	8
50	Virus envelope tissue factor promotes infection in mice. <i>Journal of Thrombosis and Haemostasis</i> , <b>2019</b> , 17, 482-491	15.4	7
49	Tissue factor-dependent signaling in tumor biology. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , <b>2003</b> , 33 Suppl 1, 28-30		7
48	Engineering of a membrane-triggered activity switch in coagulation factor VIIa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, 12454-12459	11.5	6
47	Pathogenic lipid-binding antiphospholipid antibodies are associated with severity of COVID-19. <i>Journal of Thrombosis and Haemostasis</i> , <b>2021</b> , 19, 2335-2347	15.4	6
46	Regulation of tissue factor in NT2 germ cell tumor cells by cisplatin chemotherapy. <i>Thrombosis Research</i> , <b>2015</b> , 136, 673-81	8.2	5
45	Anticoagulation with Factor Xa Inhibitors Is Associated with Improved Overall Response and Progression-Free Survival in Patients with Metastatic Malignant Melanoma Receiving Immune Checkpoint Inhibitors-A Retrospective, Real-World Cohort Study. <i>Cancers</i> , <b>2021</b> , 13,	6.6	5
44	Alternatively spliced tissue factor is not sufficient for embryonic development. <i>PLoS ONE</i> , <b>2014</b> , 9, e977937	3.7	4



43	Coagulation signaling and cancer immunotherapy. <i>Thrombosis Research</i> , <b>2020</b> , 191 Suppl 1, S106-S111	8.2	4
42	Hemostasis keeps the stem cell niche in order. <i>Blood</i> , <b>2016</b> , 128, 1027-9	2.2	4
41	Tissue factor and its procoagulant activity on cancer-associated thromboembolism in pancreatic cancer. <i>Cancer Science</i> , <b>2021</b> , 112, 4679-4691	6.9	4
40	Molecular regulation of blood clotting in tumor biology. <i>Haemostasis</i> , <b>2001</b> , 31 Suppl 1, 5-7		4
39	Advances in Clinical and Basic Science of Coagulation: Illustrated abstracts of the 9th Chapel Hill Symposium on Hemostasis. <i>Research and Practice in Thrombosis and Haemostasis</i> , <b>2018</b> , 2, 407-428	5.1	3
38	Inflammatory Monocyte Counts Determine Venous Blood Clot Formation and Resolution.. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2021</b> , ATVBAHA121317176	9.4	3
37	Theme 1: Pathogenesis of venous thromboembolism (and post-thrombotic syndrome). <i>Thrombosis Research</i> , <b>2015</b> , 136 Suppl 1, S3-7	8.2	2
36	EPCR/PAR1 Signaling Navigates Long-Term Repopulating Hematopoietic Stem Cell Bone Marrow Homing to Thrombomodulin-Enriched Blood Vessels. <i>Blood</i> , <b>2015</b> , 126, 33-33	2.2	2
35	Mechanism of Action of Hydroxychloroquine in the Antiphospholipid Syndrome. <i>Blood</i> , <b>2016</b> , 128, 5023-5023		2
34	Roles of factor Xa beyond coagulation. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2021</b> , 52, 391-396	5.1	2
33	Procoagulant activities of skeletal muscle and cardiac myosins require both myosin protein and myosin-associated anionic phospholipids. <i>Blood</i> , <b>2021</b> , 137, 1839-1842	2.2	2
32	Factor VIIa-induced interaction with integrin controls the release of tissue factor on extracellular vesicles from endothelial cells. <i>Journal of Thrombosis and Haemostasis</i> , <b>2019</b> , 17, 627-634	15.4	2
31	Bacitracin and Rutin Regulate Tissue Factor Production in Inflammatory Monocytes and Acute Myeloid Leukemia Blasts. <i>Cancers</i> , <b>2021</b> , 13,	6.6	2
30	LIM-only protein FHL2 attenuates vascular tissue factor activity, inhibits thrombus formation in mice and genetic variation associates with human venous thrombosis. <i>Haematologica</i> , <b>2020</b> , 105, 1677-1685	6.6	1
29	S1P/S1PR3 signalling axis protects against obesity-induced metabolic dysfunction.. <i>Adipocyte</i> , <b>2022</b> , 11, 69-83	3.2	1
28	Signaling by Activated Protein C in Endothelial Cells Is PAR1 Dependent but Distinct from Thrombin Signaling.. <i>Blood</i> , <b>2004</b> , 104, 221-221	2.2	1
27	Contribution of Intrinsic and Extrinsic Coagulation Pathways to Thrombus Formation in the Mouse Carotid Artery.. <i>Blood</i> , <b>2008</b> , 112, 1900-1900	2.2	1
26	Factor Xa and Factor VIIa Utilize Herpes Simplex Virus-Associated Tissue Factor to Increase Infection through Cellular Protease Activated Receptor 2.. <i>Blood</i> , <b>2009</b> , 114, 2130-2130	2.2	1

25	Tissue Factor (TF) Activation by Antithymocyte Globulin Is Inhibited by a Novel Monoclonal Antibody Specific for Reduced TF Mutated at the Allosteric Cys186-Cys209 Disulfide.. <i>Blood</i> , <b>2010</b> , 116, 1132-1132	2.2	1
24	P2 $\gamma$ Signaling Triggers Tissue Factor Activation and Protein Disulfide Isomerase-Dependent Release of TF+ Microparticles In Thrombosis. <i>Blood</i> , <b>2010</b> , 116, 344-344	2.2	1
23	Factor V Inhibits PAR2-Mediated Lethal Inflammation. <i>Blood</i> , <b>2012</b> , 120, 3360-3360	2.2	1
22	Tissue Factor On The Herpes Simplex Virus Type 1 Surface Enhances Infection In Vivo. <i>Blood</i> , <b>2013</b> , 122, 2332-2332	2.2	1
21	Rationale and design of a study to assess the safety and efficacy of rNAPc2 in COVID-19: the Phase 2b ASPEN-COVID-19 trial.. <i>American Heart Journal</i> , <b>2022</b> , 246, 136-136	4.9	1
20	Is VITT really a HIT. <i>Nature Immunology</i> , <b>2021</b> , 22, 1352-1353	19.1	1
19	Macrophage protease-activated receptor 2 regulates fetal liver erythropoiesis in mice. <i>Blood Advances</i> , <b>2020</b> , 4, 5810-5824	7.8	1
18	OC-09 - Microparticle-mediated transfer of TF hypercoagulability between cancer cells. <i>Thrombosis Research</i> , <b>2016</b> , 140 Suppl 1, S172	8.2	1
17	Advocacy of targeting protease-activated receptors in severe coronavirus disease 2019. <i>British Journal of Pharmacology</i> , <b>2021</b> ,	8.6	1
16	The interaction of activated factor VII with tissue factor: insight into the mechanism of cofactor-mediated activation of activated factor VII. <i>Blood Coagulation and Fibrinolysis</i> , <b>1998</b> , 9 Suppl 1, S73-8	1	1
15	Enhanced thrombin/PAR1 activity promotes G-CSF- and AMD3100-induced mobilization of hematopoietic stem and progenitor cells via NO upregulation. <i>Leukemia</i> , <b>2021</b> , 35, 3334-3338	10.7	0
14	CD248 enhances tissue factor procoagulant function, promoting arterial and venous thrombosis in mouse models. <i>Journal of Thrombosis and Haemostasis</i> , <b>2021</b> , 19, 1932-1947	15.4	0
13	Murine tissue factor disulfide mutation causes a bleeding phenotype with sex specific organ pathology and lethality. <i>Haematologica</i> , <b>2020</b> , 105, 2484-2495	6.6	
12	Discussion of talks from the symposium: Factor X: From thrombokinase to oral anti-coagulants and beyond. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2021</b> , 52, 408-413	5.1	
11	Protease Signaling in Severe Systemic Inflammation.. <i>Blood</i> , <b>2006</b> , 108, 63-63	2.2	
10	Integrin Alphav-beta3 on Podocytes Orchestrates Coagulation Protease Signaling through Protease-Activated Receptors. <i>Blood</i> , <b>2018</b> , 132, 137-137	2.2	
9	GpIb $\beta$ Engagement Induces Activation of Human Platelet TF and Association with Constitutively Platelet Surface-Bound FVIIa. <i>Blood</i> , <b>2019</b> , 134, 2337-2337	2.2	
8	EPCR Guides Hematopoietic Stem Cells Homing to the Bone Marrow Independently of Niche Clearance. <i>Blood</i> , <b>2016</b> , 128, 4538-4538	2.2	

- 7 The Endothelial Protein C Receptor Supports TF-VIIa-Xa Ternary Complex Signaling through Protease-Activated Receptors.. *Blood*, **2010**, 116, 1144-1144 2.2
- 6 Novel Infrared Fluorescence Methodology Defines An Essential Role for Endothelial Protein C Receptor (EPCR) for Protection Against Vascular Leakage In Inflammation. *Blood*, **2010**, 116, 653-653 2.2
- 5 Distinct Roles of the Extrinsic and the Intrinsic Coagulation Pathways In Different Murine Thrombosis Models,. *Blood*, **2011**, 118, 3278-3278 2.2
- 4 Regulation Of Hematopoietic Stem Cell Trafficking By The Coagulation Pathway. *Blood*, **2013**, 122, 456-456 2.2
- 3 EPCR Limits Nitric Oxide Levels, Mediating Human and Murine Stem Cell Adhesion and Retention In The Bone Marrow, By Conjugating PAR1 and CXCR4 Signaling. *Blood*, **2013**, 122, 795-795 2.2
- 2 Identification Of The Coagulation Factor VIIa Integrin Binding Site Essential For Pro-Angiogenic Tissue Factor Signaling. *Blood*, **2013**, 122, 3566-3566 2.2
- 1 TRIF turns the switch for DIC in sepsis. *Blood*, **2020**, 135, 1073-1074 2.2