Toms Adam

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5298318/tomas-adam-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68	924	17	27
papers	citations	h-index	g-index
70	1,032 ext. citations	3.5	3.8
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
68	CROP: correlation-based reduction of feature multiplicities in untargeted metabolomic data. <i>Bioinformatics</i> , 2020 , 36, 2941-2942	7.2	8
67	Bayesian multiple hypotheses testing in compositional analysis of untargeted metabolomic data. <i>Analytica Chimica Acta</i> , 2020 , 1097, 49-61	6.6	1
66	Cellwise outlier detection and biomarker identification in metabolomics based on pairwise log ratios. <i>Journal of Chemometrics</i> , 2020 , 34, e3182	1.6	2
65	A newborn screening approach to diagnose 3-hydroxy-3-methylglutaryl-CoA lyase deficiency. <i>JIMD Reports</i> , 2020 , 54, 79-86	1.9	3
64	Impact of sample dimensionality on orthogonality metrics in comprehensive two-dimensional separations. <i>Analytica Chimica Acta</i> , 2019 , 1064, 138-149	6.6	6
63	Urease-immobilized magnetic microparticles in urine sample preparation for metabolomic analysis by gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2019 , 1605, 360355	4.5	4
62	Epidemiology of rare diseases detected by newborn screening in the Czech Republic. <i>Central European Journal of Public Health</i> , 2019 , 27, 153-159	1.2	7
61	Prognostic value of cystatin C in relation to other markers of renal function in early prediction of hospital mortality and major cardiac adverse events in patients with ST elevation myocardial infarction treated by primary percutaneous coronary intervention. <i>Cor Et Vasa</i> , 2018 , 60, e352-e360	0.3	
60	Role of echocardiography and cardiac biomarkers in prediction of in-hospital mortality and long-term risk of brain infarction in pulmonary embolism patients. <i>Cor Et Vasa</i> , 2018 , 60, e105-e113	0.3	
59	Patent Foramen Ovale and the Risk of Cerebral Infarcts in Acute Pulmonary Embolism-A Prospective Observational Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018 , 27, 357-364	2.8	15
58	Toll-Like Receptor 7/8 Ligand, S28463, Suppresses Ascaris suum-induced Allergic Asthma in Nonhuman Primates. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2018 , 58, 55-65	5.7	4
57	Structural elucidation of novel biomarkers of known metabolic disorders based on multistage fragmentation mass spectra. <i>Journal of Inherited Metabolic Disease</i> , 2018 , 41, 407-414	5.4	16
56	Mass spectrometric analysis of purine de novo biosynthesis intermediates. <i>PLoS ONE</i> , 2018 , 13, e02089	43 .7	9
55	Serum concentrations of TFF3, S100-A11 and AIF-1 in association with systemic inflammatory response, disease stage and nodal involvement in endometrial cancer. <i>Pteridines</i> , 2018 , 29, 6-12	0.6	
54	Novel sulphur-containing imatinib metabolites found by untargeted LC-HRMS analysis. <i>European Journal of Pharmaceutical Sciences</i> , 2017 , 104, 335-343	5.1	9
53	Metabolic status of CSF distinguishes rats with tauopathy from controls. <i>Alzheimerl</i> s <i>Research and Therapy</i> , 2017 , 9, 78	9	7
52	Sample-independent approach to normalize two-dimensional data for orthogonality evaluation using whole separation space scaling. <i>Journal of Chromatography A</i> , 2017 , 1511, 1-8	4.5	3

(2015-2017)

51	Neoadjuvant combination therapy with trastuzumab in a breast cancer patient with synchronous rectal carcinoma: a case report and biomarker study. <i>Pteridines</i> , 2017 , 28, 233-241	0.6	3
50	Mass Spectrometry for the Sensitive Analysis of Intracellular Nucleotides and Analogues 2017 ,		1
49	Influence of Mass Resolving Power in Orbital Ion-Trap Mass Spectrometry-Based Metabolomics. <i>Analytical Chemistry</i> , 2016 , 88, 11429-11435	7.8	16
48	Ultrafast Online SPE-MS/MS Method for Quantification of 3 Tyrosine Kinase Inhibitors in Human Plasma. <i>Therapeutic Drug Monitoring</i> , 2016 , 38, 516-24	3.2	6
47	Risk factors of atherosclerosis during systemic therapy targeting vascular endothelial growth factor. <i>Oncology Letters</i> , 2016 , 11, 939-944	2.6	11
46	Normalization techniques for PARAFAC modeling of urine metabolomic data. <i>Metabolomics</i> , 2016 , 12, 1	4.7	10
45	A lower dosage of imatinib is sufficient to maintain undetectable disease in patients with chronic myeloid leukemia with long-term low-grade toxicity of the treatment. <i>Leukemia and Lymphoma</i> , 2016 , 57, 370-375	1.9	16
44	Citrulline as a biomarker of gastrointestinal toxicity in patients with rectal carcinoma treated with chemoradiation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, 305-14	5.9	15
43	Dr Jekyll and Mr Hyde: a strange case of 5-ethynyl-2adeoxyuridine and 5-ethynyl-2adeoxycytidine. <i>Open Biology</i> , 2016 , 6, 150172	7	12
42	Metabolite Profiling of the Plasma and Leukocytes of Chronic Myeloid Leukemia Patients. <i>Journal of Proteome Research</i> , 2016 , 15, 3158-66	5.6	19
41	Prognostic Significance of Serum and Urinary Neopterin Concentrations in Patients with Rectal Carcinoma Treated with Chemoradiation. <i>Anticancer Research</i> , 2016 , 36, 287-92	2.3	6
40	Systemic Inflammatory Response After Open, Laparoscopic and Robotic Surgery in Endometrial Cancer Patients. <i>Anticancer Research</i> , 2016 , 36, 2909-22	2.3	11
39	Detailed study of imatinib metabolization using high-resolution mass spectrometry. <i>Journal of Chromatography A</i> , 2015 , 1409, 173-81	4.5	10
38	Oxidized phosphatidylcholines suggest oxidative stress in patients with medium-chain acyl-CoA dehydrogenase deficiency. <i>Talanta</i> , 2015 , 139, 62-6	6.2	29
37	PLS-DA for compositional data with application to metabolomics. <i>Journal of Chemometrics</i> , 2015 , 29, 21-28	1.6	53
36	Correlations of neutrophil-to-lymphocyte, lymphocyte-to-monocyte and platelet-to-lymphocyte ratios with biomarkers of atherosclerosis risk and inflammatory response in patients with a history of breast cancer. <i>Pteridines</i> , 2015 , 26, 161-172	0.6	5
35	A fatal combination: a thymidylate synthase inhibitor with DNA damaging activity. <i>PLoS ONE</i> , 2015 , 10, e0117459	3.7	22
34	Analysis of thymidine kinase serum levels by novel method DiviTum in multiple myeloma and monoclonal gammopathy of undetermined significance - comparison with imaging methods 99mTc-MIBI scintigraphy and 18F-FDG PET/CT. <i>Biomedical Papers of the Medical Faculty of the</i>	1.7	1

33	Untargeted metabolomic analysis of urine samples in the diagnosis of some inherited metabolic disorders. <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia,</i> 2015 , 159, 582-5	1.7	12
32	Fenretinide prevents inflammation and airway hyperresponsiveness in a mouse model of allergic asthma. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2014 , 51, 783-92	5.7	19
31	Risk factors of atherosclerosis in patients with history of breast cancer. <i>Pteridines</i> , 2013 , 24, 201-210	0.6	6
30	Systemic immune response and peripheral blood cell count in patients with a history of breast cancer. <i>Pteridines</i> , 2013 , 24, 211-217	0.6	2
29	Isotope dilution direct injection mass spectrometry method for determination of four tyrosine kinase inhibitors in human plasma. <i>Talanta</i> , 2012 , 93, 307-13	6.2	16
28	Imatinib trough plasma levels do not correlate with the response to therapy in patients with chronic myeloid leukemia in routine clinical setting. <i>Annals of Hematology</i> , 2012 , 91, 923-9	3	18
27	Targeted metabolomic analysis of plasma samples for the diagnosis of inherited metabolic disorders. <i>Journal of Chromatography A</i> , 2012 , 1226, 11-7	4.5	40
26	Highly sensitive GC/MS/MS method for quantitation of amino and nonamino organic acids. <i>Analytical Chemistry</i> , 2011 , 83, 2705-11	7.8	105
25	Application of comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometry in human metabolomic studies. <i>Journal of Analytical Chemistry</i> , 2011 , 66, 1333-1340	1.1	4
24	Flow injection analysis vs. ultra high performance liquid chromatography coupled with tandem mass spectrometry for determination of imatinib in human plasma. <i>Clinica Chimica Acta</i> , 2010 , 411, 1957	7 ⁶ -2 7-62	33
23	Oligodendroglia from ADSL-deficient patient produce SAICAribotide and SAMP. <i>Molecular Genetics and Metabolism</i> , 2010 , 101, 286-8	3.7	1
22	Evaluation of comprehensive two-dimensional gas chromatography coupled to time-of-flight mass spectrometry for the diagnosis of inherited metabolic disorders using an automated data processing strategy. <i>Journal of Chromatography A</i> , 2010 , 1217, 8054-61	4.5	20
21	Imatinib dose escalation in two patients with chronic myeloid leukemia, with low trough imatinib plasma levels measured at various intervals from the beginning of therapy and with suboptimal treatment response, leads to the chrievement of higher plasma levels and major molecular	2.3	12
20	response. International Journal of Hematology, 2010 , 91, 897-902 Capillary electrophoresis determination of thiopurine methyl transferase activity in erythrocytes. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009 , 877, 1943	3 ³ 5 ²	4
19	Capillary electrophoretic method for nucleotide analysis in cells: application on inherited metabolic disorders. <i>Electrophoresis</i> , 2007 , 28, 373-80	3.6	23
18	Determination of ITPase activity by capillary electrophoresis. Clinical Chemistry, 2007, 53, 1164-5	5.5	4
17	Analysis of aminoimidazole ribosides by capillary electrophoresisdiagnosing defects in second part of purine biosynthetic pathway. <i>Clinica Chimica Acta</i> , 2007 , 376, 184-9	6.2	4
16	Analysis of intracellular nucleotides by capillary electrophoresis-mass spectrometry. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2006 , 25, 1233-6	1.4	7

LIST OF PUBLICATIONS

15	Synthesis and mass spectrometric fragmentation characteristics of imidazole ribosides-analogs of intermediates of purine de novo synthetic pathway. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2006 , 25, 1237-40	1.4	3
14	Diagnosing AICA-ribosiduria by capillary electrophoresis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 843, 15-9	3.2	7
13	Molecular genetic analysis of SLC3A1 and SLC7A9 genes in Czech and Slovak cystinuric patients. <i>Annals of Human Genetics</i> , 2005 , 69, 501-7	2.2	21
12	Detection of the major mutation M467T causing cystinuria by single-strand conformation polymorphism analysis using capillary electrophoresis. <i>Electrophoresis</i> , 2004 , 25, 57-64	3.6	6
11	Analytical derivatization-a tool for determination of orotic acid. <i>Journal of Chromatography B:</i> Analytical Technologies in the Biomedical and Life Sciences, 2004 , 799, 303-9	3.2	12
10	Determination of creatinine in urine by tandem mass spectrometry. Clinica Chimica Acta, 2004, 350, 99-	16 <u>6</u>	44
9	Capillary electrophoresis for detection of inherited disorders of purine and pyrimidine metabolism: a selective approach. <i>Electrophoresis</i> , 2002 , 23, 565-71	3.6	32
8	Atmospheric pressure ionization mass spectrometry of purine and pyrimidine markers of inherited metabolic disorders. <i>Journal of Mass Spectrometry</i> , 2002 , 37, 1242-8	2.2	35
7	Screening method for inherited disorders of purine and pyrimidine metabolism by capillary electrophoresis with reversed electroosmotic flow. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002 , 767, 333-40	3.2	15
6	Determination of adenosine deaminase activity in human erythrocytes by on-column capillary isotachophoresis-capillary zone electrophoresis in the presence of electroosmotic flow. <i>Electrophoresis</i> , 1999 , 20, 564-8	3.6	16
5	Study of cytokinin separation using capillary electrophoresis with cyclodextrin additives. <i>Journal of Chromatography A</i> , 1998 , 818, 231-238	4.5	10
4	Determination of purine enzyme activities in human erythrocytes by capillary electrophoresis. <i>Advances in Experimental Medicine and Biology</i> , 1998 , 431, 759-63	3.6	2
3	A rapid and simple screening method for detection of orotic aciduria by capillary zone electrophoresis. <i>Clinica Chimica Acta</i> , 1997 , 259, 73-81	6.2	25
2	Determination of purine nucleoside phosphorylase activity in human erythrocytes by capillary electrophoresis. <i>Biomedical Applications</i> , 1997 , 698, 308-11		7
1	A fast and simple screening method for detection of 2,8-dihydroxyadenine urolithiasis by capillary zone electrophoresis. <i>Clinica Chimica Acta</i> , 1996 , 245, 85-92	6.2	18