

Derek J Fairley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5298803/publications.pdf>

Version: 2024-02-01

17
papers

216
citations

1163117

8
h-index

1125743

13
g-index

17
all docs

17
docs citations

17
times ranked

384
citing authors

#	ARTICLE	IF	CITATIONS
1	Development and clinical validation of a loop-mediated isothermal amplification method for the rapid detection of <i>Neisseria meningitidis</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , 2011, 69, 137-144.	1.8	43
2	The common vaginal commensal bacterium <i>Ureaplasma parvum</i> is associated with chorioamnionitis in extreme preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 3646-3651.	1.5	40
3	Diagnostic accuracy of loop-mediated isothermal amplification as a near-patient test for meningococcal disease in children: an observational cohort study. <i>Lancet Infectious Diseases</i> , The, 2015, 15, 552-558.	9.1	29
4	Evolutionary clade affects resistance of <i>Clostridium difficile</i> spores to Cold Atmospheric Plasma. <i>Scientific Reports</i> , 2017, 7, 41814.	3.3	27
5	Association of <i>Clostridium difficile</i> ribotype 078 with detectable toxin in human stool specimens. <i>Journal of Medical Microbiology</i> , 2015, 64, 1341-1345.	1.8	14
6	Validating clinical practice guidelines for the management of children with non-blanching rashes in the UK (PIC): a prospective, multicentre cohort study. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 569-577.	9.1	13
7	A comparison of different pre-lysis methods and extraction kits for recovery of <i>Streptococcus agalacticae</i> (Lancefield group B <i>Streptococcus</i>) DNA from whole blood. <i>Journal of Microbiological Methods</i> , 2016, 129, 103-108.	1.6	11
8	<i>Clostridium difficile</i> Ribotype 023 Lacks the Ability To Hydrolyze Esculin, Leading to False-Negative Results on Chromogenic Agar. <i>Journal of Clinical Microbiology</i> , 2016, 54, 1404-1405.	3.9	8
9	Evaluation of a rapid antigen test for detection of <i>Streptococcus pneumoniae</i> in cerebrospinal fluid. <i>Journal of Clinical Pathology</i> , 2017, 70, 448-450.	2.0	8
10	The "Petechiae in children" (PIC) study: evaluating potential clinical decision rules for the management of feverish children with non-blanching rashes, including the role of point of care testing for Procalcitonin & <i>Neisseria meningitidis</i> DNA – a study protocol. <i>BMC Pediatrics</i> , 2018, 18, 246.	1.7	8
11	Parents' and clinicians' views on conducting paediatric diagnostic test accuracy studies without prior informed consent: qualitative insight from the Petechiae in Children study (PIC). <i>Archives of Disease in Childhood</i> , 2019, 104, 979-983.	1.9	7
12	Diagnostic test accuracy of point-of-care procalcitonin to diagnose serious bacterial infections in children. <i>BMC Pediatrics</i> , 2020, 20, 487.	1.7	6
13	A protocol for a systematic review and meta-analysis of the diagnostic accuracy of mid-regional pro-adrenomedullin in predicting invasive bacterial infection in children. <i>Systematic Reviews</i> , 2020, 9, 69.	5.3	2
14	Response to methodologic variables that impact growth of <i>Clostridium difficile</i> in a broth culture medium without requirement for anaerobic culture conditions. <i>Anaerobe</i> , 2019, 56, 135.	2.1	0
15	Loop-mediated isothermal amplification for the early diagnosis of invasive meningococcal disease in children. <i>Archives of Disease in Childhood</i> , 2020, 105, 1151-1156.	1.9	0
16	Improved molecular typing of toxigenic <i>Clostridium difficile</i> strains affecting animal and human health. <i>Access Microbiology</i> , 2019, 1, .	0.5	0
17	<i>Pseudomonas aeruginosa</i> antibiogram profiles are poor indicators of genetic relatedness. <i>Access Microbiology</i> , 2019, 1, .	0.5	0