

# Elisabeth Ekstrand Rpt

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/529931/publications.pdf>

Version: 2024-02-01

21  
papers

327  
citations

840119

11  
h-index

839053

18  
g-index

21  
all docs

21  
docs citations

21  
times ranked

514  
citing authors

#	ARTICLE	IF	CITATIONS
1	Grip strength is a representative measure of muscle weakness in the upper extremity after stroke. Topics in Stroke Rehabilitation, 2016, 23, 400-405.	1.0	43
2	Isometric and isokinetic muscle strength in the upper extremity can be reliably measured in persons with chronic stroke. Journal of Rehabilitation Medicine, 2015, 47, 706-713.	0.8	41
3	Test-Retest Reliability of the ABILHAND Questionnaire in Persons With Chronic Stroke. PM and R, 2014, 6, 324-331.	0.9	38
4	Perceived ability to perform daily hand activities after stroke and associated factors: a cross-sectional study. BMC Neurology, 2016, 16, 208.	0.8	37
5	Sex as predictor for achieved health outcomes and received care in ischemic stroke and intracerebral hemorrhage: a register-based study. Biology of Sex Differences, 2018, 9, 11.	1.8	35
6	Test-Retest Reliability and Convergent Validity of Three Manual Dexterity Measures in Persons With Chronic Stroke. PM and R, 2016, 8, 935-943.	0.9	24
7	Test-retest reliability of the Life Satisfaction Questionnaire (LiSat-11) and association between items in individuals with chronic stroke. Journal of Rehabilitation Medicine, 2018, 50, 713-718.	0.8	21
8	The physiotherapy clinical outcome variables scale predicts length of hospital stay, discharge destination and future home facility in the acute comprehensive stroke unit. Journal of Rehabilitation Medicine, 2008, 40, 524-528.	0.8	14
9	Test-retest reliability of the Shape/Texture Identification test <sup>TM</sup> in people with chronic stroke. Clinical Rehabilitation, 2016, 30, 1120-1127.	1.0	14
10	Construct validity, floor and ceiling effects, data completeness and magnitude of change for the eight-item HAKIR questionnaire: a patient-reported outcome in the Swedish National Healthcare Quality Registry for hand surgery. Hand Therapy, 2021, 26, 3-16.	0.5	14
11	Hospital comparison of stroke care in Sweden: a register-based study. BMJ Open, 2017, 7, e015244.	0.8	12
12	Sensory Function, Measured as Active Discriminative Touch, is Associated With Dexterity after Stroke. PM and R, 2019, 11, 821-827.	0.9	9
13	Life satisfaction after stroke and the association with upper extremity disability, sociodemographics, and participation. PM and R, 2022, 14, 922-930.	0.9	7
14	Which clinical and sociodemographic determinants are associated with self-perceived manual ability at one year after stroke?. Disability and Rehabilitation, 2020, 42, 2279-2286.	0.9	6
15	Test-retest reliability of the Participation domain of the Stroke Impact Scale in persons with chronic stroke. Journal of Rehabilitation Medicine, 2018, 50, 843-846.	0.8	3
16	Life Satisfaction in Persons With Late Effects of Polio: A Test-Retest Reliability Study. PM and R, 2020, 12, 997-1002.	0.9	3
17	Clinical interpretation and cutoff scores for manual ability measured by the ABILHAND questionnaire in people with stroke. Topics in Stroke Rehabilitation, 2023, 30, 21-31.	1.0	3
18	Poster 433 Test-Retest Reliability of Arm and Hand Muscle Strength Measurements in Persons with Chronic Stroke. PM and R, 2014, 6, S337.	0.9	1

#	ARTICLE	IF	CITATIONS
19	Longitudinal changes of self-perceived manual ability the first year after stroke: a cohort study. BMC Neurology, 2020, 20, 181.	0.8	1
20	Hand function 6 weeks following non-surgically treated proximal phalangeal fractures and factors associated to upper extremity disability. European Journal of Physiotherapy, 2023, 25, 213-222.	0.7	1
21	Poster 53 The Shape/Texture Identification Test is a Reliable Measure to Assess Active Touch after Stroke. PM and R, 2015, 7, S109-S109.	0.9	0