

Luigi Cattivelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5299600/publications.pdf>

Version: 2024-02-01

209
papers

19,560
citations

23500

58
h-index

12910

131
g-index

218
all docs

218
docs citations

218
times ranked

16231
citing authors

#	ARTICLE	IF	CITATIONS
1	High accuracy of genome-enabled prediction of belowground and physiological traits in barley seedlings. <i>G3: Genes, Genomes, Genetics</i> , 2022, , .	0.8	0
2	Plant breeding highlights master genes in major regulatory pathways. <i>Molecular Plant</i> , 2022, 15, 391-392.	3.9	1
3	Does Plant Breeding for Antioxidant-Rich Foods Have an Impact on Human Health?. <i>Antioxidants</i> , 2022, 11, 794.	2.2	10
4	Multiallelic and multilocus simple sequence repeats (SSRs) to assess the genetic diversity of a <i>Salix</i> spp. germplasm collection. <i>Journal of Forestry Research</i> , 2021, 32, 263-271.	1.7	5
5	Genetic Diversity for Barley Adaptation to Stressful Environments. , 2021, , 153-191.		1
6	Resistance of European Spring 2-Row Barley Cultivars to <i>Pyrenophora graminea</i> and Detection of Associated Loci. <i>Agronomy</i> , 2021, 11, 374.	1.3	7
7	Characterization of the Resistance to Powdery Mildew and Leaf Rust Carried by the Bread Wheat Cultivar Victo. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3109.	1.8	4
8	Editorial: Proceedings of FSTP3 Congressâ€œA Sustainable Durum Wheat Chain for Food Security and Healthy Lives. <i>Frontiers in Plant Science</i> , 2021, 12, 675510.	1.7	0
9	Genomic Prediction of Grain Yield in a Barley MAGIC Population Modeling Genotype per Environment Interaction. <i>Frontiers in Plant Science</i> , 2021, 12, 664148.	1.7	5
10	What Makes Bread and Durum Wheat Different?. <i>Trends in Plant Science</i> , 2021, 26, 677-684.	4.3	34
11	Frontiers in the Standardization of the Plant Platform for High Scale Production of Vaccines. <i>Plants</i> , 2021, 10, 1828.	1.6	4
12	Extensive allele mining discovers novel genetic diversity in the loci controlling frost tolerance in barley. <i>Theoretical and Applied Genetics</i> , 2021, , 1.	1.8	9
13	Transcriptomics, chromosome engineering and mapping identify a restorer-of-fertility region in the CMS wheat system mSH1. <i>Theoretical and Applied Genetics</i> , 2020, 133, 283-295.	1.8	9
14	Fitness Cost Shapes Differential Evolutionary Dynamics of Disease Resistance Genes in Cultivated and Wild Plants. <i>Molecular Plant</i> , 2020, 13, 1352-1354.	3.9	3
15	Elevated CO2 has concurrent effects on leaf and grain metabolism but minimal effects on yield in wheat. <i>Journal of Experimental Botany</i> , 2020, 71, 5990-6003.	2.4	27
16	The Global Durum Wheat Panel (GDP): An International Platform to Identify and Exchange Beneficial Alleles. <i>Frontiers in Plant Science</i> , 2020, 11, 569905.	1.7	44
17	Berry Quality of Grapevine under Water Stress as Affected by Rootstockâ€œScion Interactions through Gene Expression Regulation. <i>Agronomy</i> , 2020, 10, 680.	1.3	17
18	Ab initio GO-based mining for non-tandem-duplicated functional clusters in three model plant diploid genomes. <i>PLoS ONE</i> , 2020, 15, e0234782.	1.1	0

#	ARTICLE	IF	CITATIONS
19	Transcriptomic and biochemical investigations support the role of rootstock-scion interaction in grapevine berry quality. <i>BMC Genomics</i> , 2020, 21, 468.	1.2	30
20	Segmental duplications are hot spots of copy number variants affecting barley gene content. <i>Plant Journal</i> , 2020, 103, 1073-1088.	2.8	6
21	Conducting for in. <i>Methods in Molecular Biology</i> , 2020, 2156, 43-52.	0.4	1
22	Genome wide association studies for japonica rice resistance to blast in field and controlled conditions. <i>Rice</i> , 2020, 13, 71.	1.7	14
23	A roadmap for gene functional characterisation in crops with large genomes: Lessons from polyploid wheat. <i>ELife</i> , 2020, 9, .	2.8	78
24	Grapevine comparative early transcriptomic profiling suggests that <i>Flavescence dorée</i> phytoplasma represses plant responses induced by vector feeding in susceptible varieties. <i>BMC Genomics</i> , 2019, 20, 526.	1.2	22
25	GWAS for Starch-Related Parameters in Japonica Rice (<i>Oryza sativa</i> L.). <i>Plants</i> , 2019, 8, 292.	1.6	30
26	Genetic dissection of winter barley seedling response to salt and osmotic stress. <i>Molecular Breeding</i> , 2019, 39, 1.	1.0	11
27	Exome sequences and multi-environment field trials elucidate the genetic basis of adaptation in barley. <i>Plant Journal</i> , 2019, 99, 1172-1191.	2.8	50
28	Genomic Regions From an Iranian Landrace Increase Kernel Size in Durum Wheat. <i>Frontiers in Plant Science</i> , 2019, 10, 448.	1.7	20
29	Tracing the ancestry of modern bread wheats. <i>Nature Genetics</i> , 2019, 51, 905-911.	9.4	230
30	Durum wheat genome highlights past domestication signatures and future improvement targets. <i>Nature Genetics</i> , 2019, 51, 885-895.	9.4	576
31	Unraveling diversity in wheat competitive ability traits can improve integrated weed management. <i>Agronomy for Sustainable Development</i> , 2019, 39, 1.	2.2	12
32	High-resolution mapping of the pericentromeric region on wheat chromosome arm 5AS harbouring the Fusarium head blight resistance QTL <i>Qfhs.5A</i> . <i>Plant Biotechnology Journal</i> , 2018, 16, 1046-1056.	4.1	35
33	Mineral composition of durum wheat grain and pasta under increasing atmospheric CO2 concentrations. <i>Food Chemistry</i> , 2018, 242, 53-61.	4.2	29
34	Genome-Wide Association Analysis of Grain Yield-Associated Traits in a Pan-European Barley Cultivar Collection. <i>Plant Genome</i> , 2018, 11, 170073.	1.6	78
35	Comparative Transcriptome Profiles of Near-Isogenic Hexaploid Wheat Lines Differing for Effective Alleles at the 2DL FHB Resistance QTL. <i>Frontiers in Plant Science</i> , 2018, 9, 37.	1.7	46
36	Seed Dormancy Involves a Transcriptional Program That Supports Early Plastid Functionality during Imbibition. <i>Plants</i> , 2018, 7, 35.	1.6	16

#	ARTICLE	IF	CITATIONS
37	The transcriptional landscape of polyploid wheat. <i>Science</i> , 2018, 361, .	6.0	768
38	Shifting the limits in wheat research and breeding using a fully annotated reference genome. <i>Science</i> , 2018, 361, .	6.0	2,424
39	Comparative transcriptome analysis of the interaction between <i>Actinidia chinensis</i> var. <i>chinensis</i> and <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> in absence and presence of acibenzolar-S-methyl. <i>BMC Genomics</i> , 2018, 19, 585.	1.2	33
40	Genetic markers associated to arbuscular mycorrhizal colonization in durum wheat. <i>Scientific Reports</i> , 2018, 8, 10612.	1.6	45
41	Wild emmer genome architecture and diversity elucidate wheat evolution and domestication. <i>Science</i> , 2017, 357, 93-97.	6.0	781
42	microRNAs differentially modulated in response to heat and drought stress in durum wheat cultivars with contrasting water use efficiency. <i>Functional and Integrative Genomics</i> , 2017, 17, 293-309.	1.4	44
43	A major QTL on chromosome 7HS controls the response of barley seedling to salt stress in the Nure-Tremois population. <i>BMC Genetics</i> , 2017, 18, 79.	2.7	16
44	Transcriptome Analysis of the Melon-Fusarium oxysporum f. sp. melonis Race 1.2 Pathosystem in Susceptible and Resistant Plants. <i>Frontiers in Plant Science</i> , 2017, 8, 362.	1.7	43
45	Genome-Wide Analysis of japonica Rice Performance under Limited Water and Permanent Flooding Conditions. <i>Frontiers in Plant Science</i> , 2017, 8, 1862.	1.7	38
46	Survey on the phage resistance mechanisms displayed by a dairy <i>Lactobacillus helveticus</i> strain. <i>Food Microbiology</i> , 2017, 66, 110-116.	2.1	22
47	Genome-wide association mapping in winter barley for grain yield and culm cell wall polymer content using the high-throughput CoMPP technique. <i>PLoS ONE</i> , 2017, 12, e0173313.	1.1	25
48	Genome-wide association study and genetic diversity analysis on nitrogen use efficiency in a Central European winter wheat (<i>Triticum aestivum</i> L.) collection. <i>PLoS ONE</i> , 2017, 12, e0189265.	1.1	70
49	Unambiguous evidence of old soil carbon in grass biosilica particles. <i>Biogeosciences</i> , 2016, 13, 1269-1286.	1.3	33
50	Rootstock-scion interaction affecting citrus response to CTV infection: a proteomic view. <i>Physiologia Plantarum</i> , 2016, 156, 444-467.	2.6	14
51	Molecular advances in rootstock-scion interaction in grapevine. <i>Acta Horticulturae</i> , 2016, , 155-160.	0.1	3
52	Increasing atmospheric CO ₂ modifies durum wheat grain quality and pasta cooking quality. <i>Journal of Cereal Science</i> , 2016, 69, 245-251.	1.8	10
53	Photoperiod-H1 (Ppd-H1) Controls Leaf Size. <i>Plant Physiology</i> , 2016, 172, 405-415.	2.3	77
54	Genetic dissection of heading date and yield under Mediterranean dry climate in barley (<i>Hordeum</i>)	0.6	12

#	ARTICLE	IF	CITATIONS
55	The genome sequence of the outbreeding globe artichoke constructed de novo incorporating a phase-aware low-pass sequencing strategy of F1 progeny. <i>Scientific Reports</i> , 2016, 6, 19427.	1.6	106
56	Integrate genome-based assessment of safety for probiotic strains: <i>Bacillus coagulans</i> GBI-30, 6086 as a case study. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 4595-4605.	1.7	76
57	Next generation breeding. <i>Plant Science</i> , 2016, 242, 3-13.	1.7	139
58	Genetic analysis of durable resistance to <i>Magnaporthe oryzae</i> in the rice accession Gigante Vercelli identified two blast resistance loci. <i>Molecular Genetics and Genomics</i> , 2016, 291, 17-32.	1.0	13
59	QTLs for Woolly Poplar Aphid (<i>Phloeomyzus passerinii</i> L.) Resistance Detected in an Inter-Specific <i>Populus deltoides</i> x <i>P. nigra</i> Mapping Population. <i>PLoS ONE</i> , 2016, 11, e0152569.	1.1	13
60	Genome-Wide Association Study for Traits Related to Plant and Grain Morphology, and Root Architecture in Temperate Rice Accessions. <i>PLoS ONE</i> , 2016, 11, e0155425.	1.1	80
61	Deep sequencing transcriptional fingerprinting of rice kernels for dissecting grain quality traits. <i>BMC Genomics</i> , 2015, 16, 1091.	1.2	18
62	Physical Mapping of Bread Wheat Chromosome 5A: An Integrated Approach. <i>Plant Genome</i> , 2015, 8, eplantgenome2015.03.0011.	1.6	11
63	Conservation of AtTZF1, AtTZF2, and AtTZF3 homolog gene regulation by salt stress in evolutionarily distant plant species. <i>Frontiers in Plant Science</i> , 2015, 6, 394.	1.7	10
64	Identification of New Resistance Loci to African Stem Rust Race TTKSK in Tetraploid Wheats Based on Linkage and Genome-Wide Association Mapping. <i>Frontiers in Plant Science</i> , 2015, 6, 1033.	1.7	59
65	Draft Genome Sequence of <i>Lactobacillus plantarum</i> Lp90 Isolated from Wine. <i>Genome Announcements</i> , 2015, 3, .	0.8	17
66	Transcriptome changes associated with cold acclimation in leaves of olive tree (<i>Olea europaea</i> L.). <i>Tree Genetics and Genomes</i> , 2015, 11, 1.	0.6	31
67	Early transcriptional changes in <i>Beta vulgaris</i> in response to low temperature. <i>Planta</i> , 2015, 242, 187-201.	1.6	31
68	Draft Genome Sequence of Three Antibiotic-Resistant <i>Leuconostoc mesenteroides</i> Strains of Dairy Origin. <i>Genome Announcements</i> , 2015, 3, .	0.8	6
69	Metabolite profiling elucidates communalities and differences in the polyphenol biosynthetic pathways of red and white Muscat genotypes. <i>Plant Physiology and Biochemistry</i> , 2015, 86, 24-33.	2.8	20
70	Genetic analysis of root morphological traits in wheat. <i>Molecular Genetics and Genomics</i> , 2015, 290, 785-806.	1.0	37
71	Integrated views in plant breeding: from the perspective of biotechnology. , 2015, , 467-486.		2
72	Flavonoids and Melanins: A Common Strategy across Two Kingdoms. <i>International Journal of Biological Sciences</i> , 2014, 10, 1159-1170.	2.6	61

#	ARTICLE	IF	CITATIONS
73	A new genetic and deletion map of wheat chromosome 5A to detect candidate genes for quantitative traits. <i>Molecular Breeding</i> , 2014, 34, 1599-1611.	1.0	13
74	Identification and mapping of quantitative trait loci for leaf rust resistance derived from a tetraploid wheat <i>Triticum dicoccum</i> accession. <i>Molecular Breeding</i> , 2014, 34, 1659-1675.	1.0	33
75	Genome Sequence of <i>Oenococcus oeni</i> OM27, the First Fully Assembled Genome of a Strain Isolated from an Italian Wine. <i>Genome Announcements</i> , 2014, 2, .	0.8	28
76	Genome Sequences of Five <i>Oenococcus oeni</i> Strains Isolated from Nero Di Troia Wine from the Same Terroir in Apulia, Southern Italy. <i>Genome Announcements</i> , 2014, 2, .	0.8	35
77	Draft Genome Sequence of <i>Bacillus coagulans</i> GBI-30, 6086, a Widely Used Spore-Forming Probiotic Strain. <i>Genome Announcements</i> , 2014, 2, .	0.8	16
78	Characterization of polyploid wheat genomic diversity using a high-density 90,000 single nucleotide polymorphism array. <i>Plant Biotechnology Journal</i> , 2014, 12, 787-796.	4.1	1,828
79	Quantitative trait loci for agronomic traits in an elite barley population for Mediterranean conditions. <i>Molecular Breeding</i> , 2014, 33, 249-265.	1.0	52
80	Transcriptomic and proteomic analyses of a pale-green durum wheat mutant shows variations in photosystem components and metabolic deficiencies under drought stress. <i>BMC Genomics</i> , 2014, 15, 125.	1.2	37
81	The up-regulation of elongation factors in the barley leaf and the down-regulation of nucleosome assembly genes in the crown are both associated with the expression of frost tolerance. <i>Functional and Integrative Genomics</i> , 2014, 14, 493-506.	1.4	6
82	A chromosome-based draft sequence of the hexaploid bread wheat (<i>Triticum aestivum</i>) genome. <i>Science</i> , 2014, 345, 1251788.	6.0	1,479
83	Genome interplay in the grain transcriptome of hexaploid bread wheat. <i>Science</i> , 2014, 345, 1250091.	6.0	318
84	Ancient hybridizations among the ancestral genomes of bread wheat. <i>Science</i> , 2014, 345, 1250092.	6.0	629
85	De novo genome assembly of the soil-borne fungus and tomato pathogen <i>Pyrenochaeta lycopersici</i> . <i>BMC Genomics</i> , 2014, 15, 313.	1.2	39
86	Allelic variation at Fr-H1/Vrn-H1 and Fr-H2 loci is the main determinant of frost tolerance in spring barley. <i>Environmental and Experimental Botany</i> , 2014, 106, 148-155.	2.0	21
87	Improvement of marker-based predictability of Apparent Amylose Content in japonica rice through GBSSI allele mining. <i>Rice</i> , 2014, 7, 1.	1.7	147
88	Conducting Field Trials for Frost Tolerance Breeding in Cereals. <i>Methods in Molecular Biology</i> , 2014, 1166, 25-33.	0.4	0
89	Haplotype variability and identification of new functional alleles at the Rdg2a leaf stripe resistance gene locus. <i>Theoretical and Applied Genetics</i> , 2013, 126, 1575-1586.	1.8	9
90	Effect of genotype, environment and genotype-by-environment interaction on metabolite profiling in durum wheat (<i>Triticum durum</i> Desf.) grain. <i>Journal of Cereal Science</i> , 2013, 57, 183-192.	1.8	63

#	ARTICLE	IF	CITATIONS
91	Rootstock and soil induce transcriptome modulation of phenylpropanoid pathway in grape leaves. <i>Journal of Plant Interactions</i> , 2013, 8, 334-349.	1.0	16
92	Molecular mapping of stomatal conductance-related traits in durum wheat (<i>Triticum turgidum</i>) Tj ETQq1 0 0 rgBT/Ov	1.3	27
93	A first molecular investigation of monumental olive trees in Apulia region. <i>Scientia Horticulturae</i> , 2013, 162, 204-212.	1.7	30
94	Harden the chloroplast to protect the plant. <i>Physiologia Plantarum</i> , 2013, 147, 55-63.	2.6	99
95	An <i>Agrobacterium tumefaciens</i> -mediated gene silencing system for functional analysis in grapevine. <i>Plant Cell, Tissue and Organ Culture</i> , 2013, 114, 49-60.	1.2	12
96	<i>Solanum torvum</i> responses to the root-knot nematode <i>Meloidogyne incognita</i> . <i>BMC Genomics</i> , 2013, 14, 540.	1.2	41
97	Different stress responsive strategies to drought and heat in two durum wheat cultivars with contrasting water use efficiency. <i>BMC Genomics</i> , 2013, 14, 821.	1.2	93
98	Secretory Phospholipases A2 in Durum Wheat (<i>Triticum durum</i> Desf.): Gene Expression, Enzymatic Activity, and Relation to Drought Stress Adaptation. <i>International Journal of Molecular Sciences</i> , 2013, 14, 5146-5169.	1.8	29
99	Cytoplasmic genome substitution in wheat affects the nuclear-cytoplasmic cross-talk leading to transcript and metabolite alterations. <i>BMC Genomics</i> , 2013, 14, 868.	1.2	20
100	Genetic Diversity and Population Structure of Tetraploid Wheats (<i>Triticum turgidum</i> L.) Estimated by SSR, DARt and Pedigree Data. <i>PLoS ONE</i> , 2013, 8, e67280.	1.1	137
101	Structural and Temporal Variation in Genetic Diversity of European Spring Two-Row Barley Cultivars and Association Mapping of Quantitative Traits. <i>Plant Genome</i> , 2013, 6, plantgenome2013.03.0007.	1.6	95
102	Post-transcriptional and Post-translational Modifications Controlling Cold Response. , 2013, , 119-129.		1
103	A Survey of MicroRNA Length Variants Contributing to miRNome Complexity in Peach (<i>Prunus Persica</i>) Tj ETQq1 1 0.784314 rgBT/Ov	1.7	15
104	Metabolic Profiling of a Mapping Population Exposes New Insights in the Regulation of Seed Metabolism and Seed, Fruit, and Plant Relations. <i>PLoS Genetics</i> , 2012, 8, e1002612.	1.5	115
105	Identification of a Protein Network Interacting with TDRF1, a Wheat RING Ubiquitin Ligase with a Protective Role against Cellular Dehydration. <i>Plant Physiology</i> , 2012, 158, 777-789.	2.3	27
106	The E3 ubiquitin ligase WVIP2 highlights the versatility of protein ubiquitination. <i>Plant Signaling and Behavior</i> , 2012, 7, 1155-1157.	1.2	1
107	A major QTL for resistance to soil-borne cereal mosaic virus derived from an old Italian durum wheat cultivar. <i>Journal of Plant Interactions</i> , 2012, 7, 290-300.	1.0	14
108	Development of a deletion and genetic linkage map for the 5A and 5B chromosomes of wheat (<i>Triticum aestivum</i>). <i>Genome</i> , 2012, 55, 417-427.	0.9	9

#	ARTICLE	IF	CITATIONS
109	A high-density consensus map of A and B wheat genomes. <i>Theoretical and Applied Genetics</i> , 2012, 125, 1619-1638.	1.8	117
110	Proteomic characterization of the Rph15 barley resistance gene-mediated defence responses to leaf rust. <i>BMC Genomics</i> , 2012, 13, 642.	1.2	17
111	On the complexity of miRNA-mediated regulation in plants: novel insights into the genomic organization of plant miRNAs. <i>Biology Direct</i> , 2012, 7, 15.	1.9	15
112	Characterization of wheat DArT markers: genetic and functional features. <i>Molecular Genetics and Genomics</i> , 2012, 287, 741-753.	1.0	46
113	Improvement of Drought Resistance in Crops: From Conventional Breeding to Genomic Selection. , 2012, , 225-259.		10
114	Comparative Transcriptome Profiling of the Early Response to <i>Magnaporthe oryzae</i> in Durable Resistant vs Susceptible Rice (<i>Oryza sativa</i> L.) Genotypes. <i>PLoS ONE</i> , 2012, 7, e51609.	1.1	149
115	The rice <i>Osmyb4</i> gene enhances tolerance to frost and improves germination under unfavourable conditions in transgenic barley plants. <i>Journal of Applied Genetics</i> , 2012, 53, 133-143.	1.0	48
116	Relationships between grain protein content and grain yield components through quantitative trait locus analyses in a recombinant inbred line population derived from two elite durum wheat cultivars. <i>Molecular Breeding</i> , 2012, 30, 79-92.	1.0	147
117	A 7%-secalin contained decamer shows a celiac disease prevention activity. <i>Journal of Cereal Science</i> , 2012, 55, 234-242.	1.8	13
118	Emerging Knowledge from Genome Sequencing of Crop Species. <i>Molecular Biotechnology</i> , 2012, 50, 250-266.	1.3	35
119	Metabolomics and Food Processing: From Semolina to Pasta. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 9366-9377.	2.4	60
120	Biotechnological Production of Vitamin B2-Enriched Bread and Pasta. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 8013-8020.	2.4	121
121	More cold tolerant plants for a warmer world. <i>Plant Science</i> , 2011, 180, 1-2.	1.7	10
122	Genetic diversity of gluten proteins in <i>T. turgidum</i> L.. <i>Cereal Research Communications</i> , 2011, 39, 405-414.	0.8	7
123	Durum wheat salt tolerance in relation to physiological, yield and quality characters. <i>Cereal Research Communications</i> , 2011, 39, 525-534.	0.8	24
124	Quantitative trait loci for yellow pigment concentration and individual carotenoid compounds in durum wheat. <i>Journal of Cereal Science</i> , 2011, 54, 255-264.	1.8	105
125	Transcriptional responses of winter barley to cold indicate nucleosome remodelling as a specific feature of crown tissues. <i>Functional and Integrative Genomics</i> , 2011, 11, 307-325.	1.4	65
126	Expression of the H ⁺ -ATPase AHA10 proton pump is associated with citric acid accumulation in lemon juice sac cells. <i>Functional and Integrative Genomics</i> , 2011, 11, 551-563.	1.4	54

#	ARTICLE	IF	CITATIONS
127	Reactive oxygen species and transcript analysis upon excess light treatment in wild-type <i>Arabidopsis thaliana</i> vs a photosensitive mutant lacking zeaxanthin and lutein. <i>BMC Plant Biology</i> , 2011, 11, 62.	1.6	88
128	Geographical origin of durum wheat studied by ¹ H-NMR profiling. <i>Magnetic Resonance in Chemistry</i> , 2011, 49, 1-5.	1.1	38
129	Evaluation of Genotype Diversity in Oat Germplasm and Definition of Ideotypes Adapted to the Mediterranean Environment. <i>International Journal of Agronomy</i> , 2011, 2011, 1-8.	0.5	13
130	Diversity in the Response to Low Temperature in Representative Barley Genotypes Cultivated in Europe. <i>Crop Science</i> , 2011, 51, 2759-2779.	0.8	42
131	First Survey of the Wheat Chromosome 5A Composition through a Next Generation Sequencing Approach. <i>PLoS ONE</i> , 2011, 6, e26421.	1.1	57
132	Effects of genotype, location and baking on the phenolic content and some antioxidant properties of cereal species. <i>International Journal of Food Science and Technology</i> , 2010, 45, 7-16.	1.3	88
133	A micro-method for the determination of Yellow Pigment Content in durum wheat. <i>Journal of Cereal Science</i> , 2010, 52, 106-110.	1.8	27
134	Different mechanisms control lipoxygenase activity in durum wheat kernels. <i>Journal of Cereal Science</i> , 2010, 52, 121-128.	1.8	34
135	A computational-based update on microRNAs and their targets in barley (<i>Hordeum vulgare</i> L.). <i>BMC Genomics</i> , 2010, 11, 595.	1.2	57
136	Insight into durum wheat Lpx-B1: a small gene family coding for the lipoxygenase responsible for carotenoid bleaching in mature grains. <i>BMC Plant Biology</i> , 2010, 10, 263.	1.6	45
137	Development and characterization of EST-derived SSRs from a <i>de novo</i> cDNA library of durum wheat. <i>Plant Breeding</i> , 2010, 129, 715-717.	1.0	5
138	Genetic improvement effects on yield stability in durum wheat genotypes grown in Italy. <i>Field Crops Research</i> , 2010, 119, 68-77.	2.3	118
139	Integrated Views in Plant Breeding. , 2009, , 327-354.		4
140	Metabolic profiling and analysis of volatile composition of durum wheat semolina and pasta. <i>Journal of Cereal Science</i> , 2009, 49, 301-309.	1.8	67
141	Genetic variability in yellow pigment components in cultivated and wild tetraploid wheats. <i>Journal of Cereal Science</i> , 2009, 50, 210-218.	1.8	112
142	Transcriptional profiling in response to terminal drought stress reveals differential responses along the wheat genome. <i>BMC Genomics</i> , 2009, 10, 279.	1.2	137
143	Comparative expression of Cbf genes in the Triticeae under different acclimation induction temperatures. <i>Molecular Genetics and Genomics</i> , 2009, 282, 141-152.	1.0	70
144	Genetic analysis of durable resistance against leaf rust in durum wheat. <i>Molecular Breeding</i> , 2009, 24, 25-39.	1.0	41

#	ARTICLE	IF	CITATIONS
145	Parallel pigment and transcriptomic analysis of four barley Albina and Xantha mutants reveals the complex network of the chloroplast-dependent metabolism. <i>Plant Molecular Biology</i> , 2009, 71, 173-191.	2.0	17
146	Genetic variants of HvCbf14 are statistically associated with frost tolerance in a European germplasm collection of <i>Hordeum vulgare</i> . <i>Theoretical and Applied Genetics</i> , 2009, 119, 1335-1348.	1.8	54
147	Phytate and mineral elements concentration in a collection of Italian durum wheat cultivars. <i>Field Crops Research</i> , 2009, 111, 235-242.	2.3	164
148	The nuclear-cytoplasmic interaction controls carotenoid content in wheat. <i>Euphytica</i> , 2008, 159, 325-331.	0.6	21
149	Genetic progress of oats in Italy. <i>Euphytica</i> , 2008, 164, 679-687.	0.6	7
150	Effects of growth stage and hardening conditions on the association between frost resistance and the expression of the cold-induced protein COR14b in barley. <i>Environmental and Experimental Botany</i> , 2008, 62, 93-100.	2.0	27
151	Abiotic stress response in plants: When post-transcriptional and post-translational regulations control transcription. <i>Plant Science</i> , 2008, 174, 420-431.	1.7	243
152	Drought tolerance improvement in crop plants: An integrated view from breeding to genomics. <i>Field Crops Research</i> , 2008, 105, 1-14.	2.3	1,122
153	Plant Inner Membrane Anion Channel (PIMAC) Function in Plant Mitochondria. <i>Plant and Cell Physiology</i> , 2008, 49, 1039-1055.	1.5	35
154	Photosynthetic Antenna Size in Higher Plants Is Controlled by the Plastoquinone Redox State at the Post-transcriptional Rather than Transcriptional Level. <i>Journal of Biological Chemistry</i> , 2007, 282, 29457-29469.	1.6	69
155	Durum wheat genes up-regulated in the early phases of cold stress are modulated by drought in a developmental and genotype dependent manner. <i>Plant Science</i> , 2007, 172, 1005-1016.	1.7	36
156	Effects of breeding activity on durum wheat traits breed in Italy during the 20th century. <i>Italian Journal of Agronomy</i> , 2007, 2, 451.	0.4	7
157	Breeding progress in morpho-physiological, agronomical and qualitative traits of durum wheat cultivars released in Italy during the 20th century. <i>European Journal of Agronomy</i> , 2007, 26, 39-53.	1.9	286
158	Metabolism of \hat{A} -aminobutyric acid during cold acclimation and freezing and its relationship to frost tolerance in barley and wheat. <i>Journal of Experimental Botany</i> , 2006, 57, 3755-3766.	2.4	154
159	Agronomic and qualitative traits of <i>T. turgidum</i> ssp. <i>dicoccum</i> genotypes cultivated in Italy. <i>Euphytica</i> , 2006, 150, 195-205.	0.6	42
160	The E3 Ubiquitin Ligase Gene Family in Plants: Regulation by Degradation. <i>Current Genomics</i> , 2006, 7, 509-522.	0.7	219
161	Transcriptome Analysis of Cold Acclimation in Barley Albina and Xantha Mutants. <i>Plant Physiology</i> , 2006, 141, 257-270.	2.3	164
162	Low temperature promotes intron retention in two e-cor genes of durum wheat. <i>Planta</i> , 2005, 221, 705-715.	1.6	58

#	ARTICLE	IF	CITATIONS
163	The expression of several Cbf genes at the Fr-A2 locus is linked to frost resistance in wheat. <i>Molecular Genetics and Genomics</i> , 2005, 274, 506-514.	1.0	123
164	The sexual differentiation of <i>Cannabis sativa</i> L.: A morphological and molecular study. <i>Euphytica</i> , 2004, 140, 95-106.	0.6	69
165	Hv-WRKY38: a new transcription factor involved in cold- and drought-response in barley. <i>Plant Molecular Biology</i> , 2004, 55, 399-416.	2.0	273
166	Two loci on chromosome 5H determine low-temperature tolerance in a "Nure"™ (winter) – "Tremois"™ (spring) barley map. <i>Theoretical and Applied Genetics</i> , 2004, 108, 670-680.	1.8	199
167	A Look within LHClI: Differential Analysis of the Lhcb1~3 Complexes Building the Major Trimeric Antenna Complex of Higher-Plant Photosynthesis. <i>Biochemistry</i> , 2004, 43, 9467-9476.	1.2	134
168	Large scale analysis of transcripts abundance in barley subjected to several single and combined abiotic stress conditions. <i>Plant Science</i> , 2004, 167, 1359-1365.	1.7	55
169	Genetic analysis of the expression of the cold-regulated gene cor14b: a way toward the identification of components of the cold response signal transduction in Triticeae. <i>Canadian Journal of Botany</i> , 2003, 81, 1162-1167.	1.2	21
170	Diversity in abiotic stress tolerances. <i>Developments in Plant Genetics and Breeding</i> , 2003, 7, 179-199.	0.6	22
171	Cloning and characterization of barley long chain acyl-CoA oxidase and its possible regulation by glucose. <i>Physiologia Plantarum</i> , 2003, 117, 22-32.	2.6	1
172	cor Gene Expression in Barley Mutants Affected in Chloroplast Development and Photosynthetic Electron Transport. <i>Plant Physiology</i> , 2003, 131, 793-802.	2.3	62
173	Expression of Cold-Regulated (cor) Genes in Barley. , 2002, , 121-137.		1
174	Ethylene-responsive genes are differentially regulated during abscission, organ senescence and wounding in peach (<i>Prunus persica</i>). <i>Journal of Experimental Botany</i> , 2002, 53, 429-437.	2.4	59
175	Chromosome regions and stress-related sequences involved in resistance to abiotic stress in Triticeae. <i>Plant Molecular Biology</i> , 2002, 48, 649-665.	2.0	190
176	Involvement of Glutathione and Carbohydrate Biosynthesis Moreover COR14B Gene Expression in Wheat Cold Acclimation. , 2002, , 139-159.		2
177	The transcripts of several components of the protein synthesis machinery are cold-regulated in a chloroplast-dependent manner in barley and wheat. <i>Journal of Plant Physiology</i> , 2001, 158, 1541-1546.	1.6	20
178	Identification and mapping of a new leaf stripe resistance gene in barley (<i>Hordeum vulgare</i> L.). <i>Theoretical and Applied Genetics</i> , 2001, 102, 1286-1291.	1.8	34
179	Use of chlorophyll fluorescence to evaluate the cold acclimation and freezing tolerance of winter and spring oats. <i>Plant Breeding</i> , 2001, 120, 389-396.	1.0	125
180	Expressed sequence tags from cold-acclimatized barley can identify novel plant genes. <i>Plant Breeding</i> , 2001, 120, 497-502.	1.0	9

#	ARTICLE	IF	CITATIONS
181	Title is missing!. Euphytica, 2001, 119, 173-177.	0.6	11
182	The cold dependent accumulation of COR TMC-AP3 in cereals with contrasting, frost tolerance is regulated by different mRNA expression and protein turnover. Plant Science, 2000, 156, 47-54.	1.7	8
183	Poplar acclimation to cold during in vitro conservation at low non-freezing temperature: metabolic and proteic changes. Journal of Plant Physiology, 2000, 157, 117-123.	1.6	12
184	Title is missing!. Euphytica, 1999, 106, 149-157.	0.6	32
185	A leucine-rich repeat receptor-like protein kinase (LRPKm1) gene is induced in Malus x domestica by Venturia inaequalis infection and salicylic acid treatment. Plant Molecular Biology, 1999, 40, 945-957.	2.0	58
186	High expression level of a gene coding for a chloroplastic amino acid selective channel protein is correlated to cold acclimation in cereals. Plant Molecular Biology, 1999, 41, 233-243.	2.0	47
187	The Interaction between Cold and Light Controls the Expression of the Cold-Regulated Barley Gene cor14b and the Accumulation of the Corresponding Protein1. Plant Physiology, 1999, 119, 671-680.	2.3	113
188	Wild and cultivated barleys show differences in the expression pattern of a cold-regulated gene family under different light and temperature conditions. Plant Molecular Biology, 1998, 38, 1061-1069.	2.0	46
189	Uptake and agronomic efficiency of nitrogen in winter barley and winter wheat. European Journal of Agronomy, 1998, 9, 11-20.	1.9	245
190	Characterization of a hypovirulent insertional mutant of Pyrenophora graminea and analysis of the barley defence response after inoculation. Plant Pathology, 1998, 47, 657-664.	1.2	6
191	Molecular adaptation of barley to cold and drought conditions. Developments in Plant Breeding, 1997, , 237-241.	0.2	8
192	Cold Hardening In Triticale In Comparison With Rye And Wheat. Cereal Research Communications, 1997, 25, 947-954.	0.8	10
193	Molecular adaptation of barley to cold and drought conditions. Euphytica, 1996, 92, 215-219.	0.6	20
194	Physiological and Molecular Response of Barley to Cold and Drought Stress. , 1996, , 49-54.		1
195	The accumulation of a cold-regulated chloroplastic protein is light-dependent. Planta, 1995, 196, 458-63.	1.6	61
196	The Yd2 gene and enhanced resistance to barley yellow dwarf virus (BYDV) in winter barley. Plant Breeding, 1995, 114, 417-420.	1.0	11
197	Metabolic changes associated with cold-acclimation in contrasting cultivars of barley. Physiologia Plantarum, 1995, 94, 87-93.	2.6	50
198	Metabolic changes associated with cold-acclimation in contrasting cultivars of barley. Physiologia Plantarum, 1995, 94, 87-93.	2.6	34

#	ARTICLE	IF	CITATIONS
199	Characterization of two barley genes that respond rapidly to dehydration stress. <i>Plant Science</i> , 1995, 105, 71-80.	1.7	50
200	Studies for assessing the influence of hardening on cold tolerance of barley genotypes. <i>Euphytica</i> , 1994, 75, 131-138.	0.6	55
201	Accumulation and characterization of the 75 kDa protein induced by low temperature in barley. <i>Plant Science</i> , 1994, 97, 39-46.	1.7	24
202	Activation of genes in barley roots in response to infection by two <i>Drechslera graminea</i> isolates. <i>Physiological and Molecular Plant Pathology</i> , 1994, 44, 207-215.	1.3	22
203	RFLP analysis of highly polymorphic loci in barley. <i>Theoretical and Applied Genetics</i> , 1993, 85, 926-930.	1.8	9
204	Breeding and physiological strategies for improving drought resistance in barley. <i>Bulletin De La Soci��t�� Botanique De France Actualit��s Botaniques</i> , 1990, 137, 61-66.	0.0	0
205	Molecular Cloning and Characterization of Cold-Regulated Genes in Barley. <i>Plant Physiology</i> , 1990, 93, 1504-1510.	2.3	147
206	Physiological and molecular studies of heat and drought tolerance in barley. <i>Bulletin De La Soci��t�� Botanique De France Actualit��s Botaniques</i> , 1990, 137, 73-80.	0.0	0
207	Cold-induced mRNAs accumulate with different kinetics in barley coleoptiles. <i>Planta</i> , 1989, 178, 184-188.	1.6	36
208	Genetic Characterization of a Fusarium Head Blight Resistance QTL from <i>Triticum turgidum</i> ssp. <i>dicoccoides</i> . <i>Plant Molecular Biology Reporter</i> , 0, , 1.	1.0	2
209	Capturing Wheat Phenotypes at the Genome Level. <i>Frontiers in Plant Science</i> , 0, 13, .	1.7	8