

Shaham Beg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5299952/publications.pdf>

Version: 2024-02-01

37
papers

645
citations

567281
15
h-index

610901
24
g-index

38
all docs

38
docs citations

38
times ranked

1197
citing authors

#	ARTICLE	IF	CITATIONS
1	Chromatin profiles classify castration-resistant prostate cancers suggesting therapeutic targets. Science, 2022, 376, .	12.6	75
2	Identification of novel <i>BRCA</i> founder mutations in Middle Eastern breast cancer patients using capture and Sanger sequencing analysis. International Journal of Cancer, 2016, 139, 1091-1097.	5.1	52
3	Loss of PTEN expression is associated with aggressive behavior and poor prognosis in Middle Eastern triple-negative breast cancer. Breast Cancer Research and Treatment, 2015, 151, 541-553.	2.5	43
4	Bone biopsy protocol for advanced prostate cancer in the era of precision medicine. Cancer, 2018, 124, 1008-1015.	4.1	42
5	Genomic Profiling of Thyroid Cancer Reveals a Role for Thyroglobulin in Metastasis. American Journal of Human Genetics, 2016, 98, 1170-1180.	6.2	41
6	XIAP over-expression is an independent poor prognostic marker in Middle Eastern breast cancer and can be targeted to induce efficient apoptosis. BMC Cancer, 2017, 17, 640.	2.6	39
7	Prevalence of Lynch syndrome in a Middle Eastern population with colorectal cancer. Cancer, 2015, 121, 1762-1771.	4.1	34
8	Role of X-Linked Inhibitor of Apoptosis as a Prognostic Marker and Therapeutic Target in Papillary Thyroid Carcinoma. Journal of Clinical Endocrinology and Metabolism, 2015, 100, E974-E985.	3.6	34
9	Co-targeting of Cyclooxygenase-2 and FoxM1 is a viable strategy in inducing anticancer effects in colorectal cancer cells. Molecular Cancer, 2015, 14, 131.	19.2	33
10	A very low incidence of BRAF mutations in Middle Eastern colorectal carcinoma. Molecular Cancer, 2014, 13, 168.	19.2	31
11	ALK alteration is a frequent event in aggressive breast cancers. Breast Cancer Research, 2015, 17, 127.	5.0	29
12	Integrative Molecular Analysis of Patients With Advanced and Metastatic Cancer. JCO Precision Oncology, 2019, 3, 1-12.	3.0	24
13	PTEN loss is associated with follicular variant of Middle Eastern papillary thyroid carcinoma. British Journal of Cancer, 2015, 112, 1938-1943.	6.4	22
14	Cancer-Specific Thresholds Adjust for Whole Exome Sequencing-Based Tumor Mutational Burden Distribution. JCO Precision Oncology, 2019, 3, 1-12.	3.0	21
15	Molecular markers and pathway analysis of colorectal carcinoma in the Middle East. Cancer, 2015, 121, 3799-3808.	4.1	19
16	A comparison of cytological and histopathological findings and role of immunostains in the diagnosis of soft tissue tumors. Journal of Cytology, 2012, 29, 125.	0.6	14
17	Fusions involving BCOR and CREBBP are rare events in infiltrating glioma. Acta Neuropathologica Communications, 2020, 8, 80.	5.2	12
18	Validation of a Circulating Tumor DNA-Based Next-Generation Sequencing Assay in a Cohort of Patients with Solid tumors: A Proposed Solution for Decentralized Plasma Testing. Oncologist, 2021, 26, e1971-e1981.	3.7	11

#	ARTICLE	IF	CITATIONS
19	Dual Targeting of mTOR Activity with Torin2 Potentiates Anticancer Effects of Cisplatin in Epithelial Ovarian Cancer. Molecular Medicine, 2015, 21, 466-478.	4.4	10
20	Integration of whole-exome and anchored PCR-based next generation sequencing significantly increases detection of actionable alterations in precision oncology. Translational Oncology, 2021, 14, 100944.	3.7	10
21	Bilateral, multicentric metanephric adenoma associated with Wilms' tumor in a child: A rare presentation with important diagnostic and therapeutic implications. International Journal of Urology, 2012, 19, 1114-1117.	1.0	9
22	RET Fusion-Positive Papillary Thyroid Cancers are Associated with a More Aggressive Phenotype. Annals of Surgical Oncology, 2022, , 1.	1.5	8
23	Mucinous carcinoma in a male breast. Journal of Cytology, 2011, 28, 84.	0.6	6
24	Collision tumors revealed by prospectively assessing subtype-defining molecular alterations in 904 individual prostate cancer foci. JCI Insight, 2022, 7, .	5.0	6
25	Inhibition of FGF receptor blocks adaptive resistance to RET inhibition in <i>CCDC6-RET</i>“rearranged thyroid cancer. Journal of Experimental Medicine, 2022, 219, .	8.5	6
26	Spindle cell lipoma breast. Indian Journal of Pathology and Microbiology, 2008, 51, 234.	0.2	5
27	Endometrial adenocarcinoma with osteoclastic giant cells in stroma: a case report and review of literature. Archives of Gynecology and Obstetrics, 2012, 285, 1157-1160.	1.7	2
28	Erythema nodosum leprosum: Report of two cases. Diagnostic Cytopathology, 2013, 41, 366-368.	1.0	2
29	Abstract 17: Xiap over-expression is a poor prognostic marker in breast cancer and can be targeted to induce efficient apoptosis. , 2015, , .		1
30	Abstract 2727: Molecular markers and pathway analysis of Middle Eastern colorectal carcinoma. , 2015, , .		1
31	The role of HER2 overexpression in Middle Eastern papillary thyroid cancer. Translational Cancer Research, 2017, 6, 366-373.	1.0	1
32	Reply to specific gene patterns and molecular pathways related to human carcinogenesis in different populations among various geographic locations. Cancer, 2016, 122, 1135-1137.	4.1	0
33	Giant Cell Tumor of Bone in Northern India -Incidence, Clinical Presentation, Radiology, Histopathology and Treatment Approach. Indian Journal of Public Health Research and Development, 2013, 4, 215.	0.0	0
34	Abstract 4323: ALK overexpression is associated with activation of PI3K/AKT signaling pathway in PTC. , 2015, , .		0
35	Abstract 55: Over-expression of FoxM1 in breast cancer can be therapeutically targeted using thiostrepton. , 2015, , .		0
36	Abstract 3945: PTEN loss is associated with aggressive behavior and poor prognosis in Middle Eastern Triple Negative Breast Cancer. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
37	ASO Visual Abstract: RET Fusion-Positive Papillary Thyroid Cancers are Associated with a More Aggressive Phenotype. Annals of Surgical Oncology, 2022, , 1.	1.5	0