

Yonghao Ni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/530000/publications.pdf>

Version: 2024-02-01

278
papers

11,565
citations

20759

60
h-index

51492

86
g-index

279
all docs

279
docs citations

279
times ranked

9437
citing authors

#	ARTICLE	IF	CITATIONS
1	Houttuynia-derived nitrogen-doped hierarchically porous carbon for high-performance supercapacitor. <i>Carbon</i> , 2020, 161, 62-70.	5.4	282
2	Jute as raw material for the preparation of microcrystalline cellulose. <i>Cellulose</i> , 2011, 18, 451-459.	2.4	248
3	3D printing using plant-derived cellulose and its derivatives: A review. <i>Carbohydrate Polymers</i> , 2019, 203, 71-86.	5.1	232
4	Biocompatible, self-wrinkled, antifreezing and stretchable hydrogel-based wearable sensor with PEDOT:sulfonated lignin as conductive materials. <i>Chemical Engineering Journal</i> , 2019, 370, 1039-1047.	6.6	230
5	A bionic tactile plastic hydrogel-based electronic skin constructed by a nerve-like nanonetwork combining stretchable, compliant, and self-healing properties. <i>Chemical Engineering Journal</i> , 2020, 379, 122271.	6.6	171
6	Ultraflexible Self-Healing Guar Gum-Glycerol Hydrogel with Injectable, Antifreeze, and Strain-Sensitive Properties. <i>ACS Biomaterials Science and Engineering</i> , 2018, 4, 3397-3404.	2.6	163
7	Anti-freezing and moisturizing conductive hydrogels for strain sensing and moist-electric generation applications. <i>Journal of Materials Chemistry A</i> , 2020, 8, 3109-3118.	5.2	158
8	Mussel-inspired blue-light-activated cellulose-based adhesive hydrogel with fast gelation, rapid haemostasis and antibacterial property for wound healing. <i>Chemical Engineering Journal</i> , 2021, 417, 129329.	6.6	157
9	An integrated transparent, UV-filtering organohydrogel sensor via molecular-level ion conductive channels. <i>Journal of Materials Chemistry A</i> , 2019, 7, 4525-4535.	5.2	143
10	A simple and effective approach to fabricate lignin nanoparticles with tunable sizes based on lignin fractionation. <i>Green Chemistry</i> , 2020, 22, 2011-2017.	4.6	140
11	All-Lignin-Based Hydrogel with Fast pH-Stimuli Responsiveness for Mechanical Switching and Actuation. <i>Chemistry of Materials</i> , 2020, 32, 4324-4330.	3.2	136
12	Ultrafast gelling using sulfonated lignin-Fe ³⁺ chelates to produce dynamic crosslinked hydrogel/coating with charming stretchable, conductive, self-healing, and ultraviolet-blocking properties. <i>Chemical Engineering Journal</i> , 2020, 396, 125341.	6.6	130
13	Cellulose Nanofibers/Reduced Graphene Oxide/Polypyrrole Aerogel Electrodes for High-Capacitance Flexible All-Solid-State Supercapacitors. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 11175-11185.	3.2	127
14	Robust Guar Gum/Cellulose Nanofibrils Multilayer Films with Good Barrier Properties. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 5477-5485.	4.0	122
15	Ultrasensitive Physical, Bio, and Chemical Sensors Derived from 1 st , 2 nd , and 3 rd Nanocellulosic Materials. <i>Small</i> , 2020, 16, e1906567.	5.2	122
16	Applications of Cellulose-based Materials in Sustained Drug Delivery Systems. <i>Current Medicinal Chemistry</i> , 2019, 26, 2485-2501.	1.2	120
17	Adsorption of polyethylene glycol (PEG) onto cellulose nano-crystals to improve its dispersity. <i>Carbohydrate Polymers</i> , 2015, 123, 157-163.	5.1	116
18	Preparation of cellulose nanocrystals from asparagus (<i>Asparagus officinalis</i> L.) and their applications to palm oil/water Pickering emulsion. <i>Carbohydrate Polymers</i> , 2016, 151, 1-8.	5.1	110

#	ARTICLE	IF	CITATIONS
19	A process for enhancing the accessibility and reactivity of hardwood kraft-based dissolving pulp for viscose rayon production by cellulase treatment. <i>Bioresource Technology</i> , 2014, 154, 109-113.	4.8	108
20	A smart porous wood-supported flower-like NiS/Ni conjunction with vitrimer co-effect as a multifunctional material with reshaping, shape-memory, and self-healing properties for applications in high-performance supercapacitors, catalysts, and sensors. <i>Journal of Materials Chemistry A</i> , 2020, 8, 10898-10908.	5.2	107
21	Lignin-Based Nanoparticles Stabilized Pickering Emulsion for Stability Improvement and Thermal-Controlled Release of <i>trans</i> -Resveratrol. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 13497-13504.	3.2	103
22	Cellulose nanocrystal/hexadecyltrimethylammonium bromide/silver nanoparticle composite as a catalyst for reduction of 4-nitrophenol. <i>Carbohydrate Polymers</i> , 2017, 156, 253-258.	5.1	101
23	Cellulosic Nanomaterials in Food and Nutraceutical Applications: A Review. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 8-19.	2.4	100
24	Synthesis of novel cellulose-based antibacterial composites of Ag nanoparticles@ metal-organic frameworks@ carboxymethylated fibers. <i>Carbohydrate Polymers</i> , 2018, 193, 82-88.	5.1	100
25	TEMPO-oxidized cellulose nanofibers (TOCNs) as a green reinforcement for waterborne polyurethane coating (WPU) on wood. <i>Carbohydrate Polymers</i> , 2016, 151, 326-334.	5.1	96
26	Regenerated cellulose by the Lyocell process, a brief review of the process and properties. <i>BioResources</i> , 2018, 13, 4577-4592.	0.5	94
27	A smart paper@ polyaniline nanofibers incorporated vitrimer bifunctional device with reshaping, shape-memory and self-healing properties applied in high-performance supercapacitors and sensors. <i>Chemical Engineering Journal</i> , 2020, 396, 125318.	6.6	93
28	Modified Ti3C2TX (MXene) nanosheet-catalyzed self-assembled, anti-aggregated, ultra-stretchable, conductive hydrogels for wearable bioelectronics. <i>Chemical Engineering Journal</i> , 2020, 401, 126129.	6.6	92
29	A lignin-containing cellulose hydrogel for lignin fractionation. <i>Green Chemistry</i> , 2019, 21, 5222-5230.	4.6	89
30	Ultrasoft Self-Healing Nanoparticle-Hydrogel Composites with Conductive and Magnetic Properties. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 6395-6403.	3.2	87
31	Carbohydrates-rich corn cobs supported metal-organic frameworks as versatile biosorbents for dye removal and microbial inactivation. <i>Carbohydrate Polymers</i> , 2019, 222, 115042.	5.1	86
32	Production of highly electro-conductive cellulosic paper via surface coating of carbon nanotube/graphene oxide nanocomposites using nanocrystalline cellulose as a binder. <i>Cellulose</i> , 2014, 21, 4569-4581.	2.4	84
33	Preparation and Characterization of Lignin-Containing Cellulose Nanofibril from Poplar High-Yield Pulp via TEMPO-Mediated Oxidation and Homogenization. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 6131-6139.	3.2	84
34	Mussel-Inspired Nanocomposite Hydrogel-Based Electrodes with Reusable and Injectable Properties for Human Electrophysiological Signals Detection. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 7918-7925.	3.2	83
35	A self-cleaning and photocatalytic cellulose-fiber-supported Ag@AgCl@MOF- cloth™ membrane for complex wastewater remediation. <i>Carbohydrate Polymers</i> , 2020, 247, 116691.	5.1	83
36	Facile synthesis of Ag NPs@ MIL-100(Fe)/ guar gum hybrid hydrogel as a versatile photocatalyst for wastewater remediation: Photocatalytic degradation, water/oil separation and bacterial inactivation. <i>Carbohydrate Polymers</i> , 2020, 230, 115642.	5.1	82

#	ARTICLE	IF	CITATIONS
37	Lignin and cellulose derivatives-induced hydrogel with asymmetrical adhesion, strength, and electriferous properties for wearable bioelectrodes and self-powered sensors. <i>Chemical Engineering Journal</i> , 2021, 414, 128903.	6.6	80
38	Ethylene Control Technologies in Extending Postharvest Shelf Life of Climacteric Fruit. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 7308-7319.	2.4	79
39	Flame retardant nanocomposites based on 2D layered nanomaterials: a review. <i>Journal of Materials Science</i> , 2019, 54, 13070-13105.	1.7	75
40	Recovering/concentrating of hemicellulosic sugars and acetic acid by nanofiltration and reverse osmosis from prehydrolysis liquor of kraft based hardwood dissolving pulp process. <i>Bioresource Technology</i> , 2014, 155, 111-115.	4.8	73
41	Flexible N-Doped reduced graphene oxide/carbon Nanotube-MnO ₂ film as a Multifunctional Material for High-Performance supercapacitors, catalysts and sensors. <i>Journal of Materiomics</i> , 2020, 6, 523-531.	2.8	72
42	Carbonized wood cell chamber-reduced graphene oxide@PVA flexible conductive material for supercapacitor, strain sensing and moisture-electric generation applications. <i>Chemical Engineering Journal</i> , 2021, 418, 129518.	6.6	72
43	Screen printing fabricating patterned and customized full paper-based energy storage devices with excellent photothermal, self-healing, high energy density and good electromagnetic shielding performances. <i>Journal of Materials Science and Technology</i> , 2022, 97, 190-200.	5.6	71
44	Cellulose-supported magnetic Fe ₃ O ₄ @MOF composites for enhanced dye removal application. <i>Cellulose</i> , 2019, 26, 4909-4920.	2.4	69
45	Lignin-Directed Control of Silver Nanoparticles with Tunable Size in Porous Lignocellulose Hydrogels and Their Application in Catalytic Reduction. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 12655-12663.	3.2	69
46	A self-healing, stretchable, and conductive Poly(N-vinylpyrrolidone)/gallic acid composite hydrogel formed via hydrogen bonding for wearable electronic sensors. <i>Composites Science and Technology</i> , 2020, 198, 108294.	3.8	69
47	Cellulose-based electrospun nanofiber membrane with core-sheath structure and robust photocatalytic activity for simultaneous and efficient oil emulsions separation, dye degradation and Cr(VI) reduction. <i>Carbohydrate Polymers</i> , 2021, 258, 117676.	5.1	69
48	Cellulose nanocrystals (CNC) as carriers for a spirooxazine dye and its effect on photochromic efficiency. <i>Carbohydrate Polymers</i> , 2014, 111, 419-424.	5.1	68
49	Multifunctional self-assembling hydrogel from guar gum. <i>Chemical Engineering Journal</i> , 2017, 330, 1044-1051.	6.6	68
50	Using Green γ -Valerolactone/Water Solvent To Decrease Lignin Heterogeneity by Gradient Precipitation. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 10112-10120.	3.2	68
51	Fabrication of thermo- and pH-sensitive cellulose nanofibrils-reinforced hydrogel with biomass nanoparticles. <i>Carbohydrate Polymers</i> , 2019, 215, 289-295.	5.1	68
52	A Facile Preparation of Super Long-Term Stable Lignin Nanoparticles from Black Liquor. <i>ChemSusChem</i> , 2019, 12, 5239-5245.	3.6	67
53	Vitrimer-Cellulose Paper Composites: A New Class of Strong, Smart, Green, and Sustainable Materials. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 36090-36099.	4.0	67
54	Green and sustainable cellulose-derived humidity sensors: A review. <i>Carbohydrate Polymers</i> , 2021, 270, 118385.	5.1	66

#	ARTICLE	IF	CITATIONS
55	Fast and selective organocatalytic ring-opening polymerization by fluorinated alcohol without a cocatalyst. <i>Nature Communications</i> , 2019, 10, 3590.	5.8	65
56	An all-paper, scalable and flexible supercapacitor based on vertically aligned polyaniline (PANI) nano-dendrites@fibers. <i>Journal of Power Sources</i> , 2021, 498, 229886.	4.0	65
57	Biomaterials- and biostructures Inspired high-performance flexible stretchable strain sensors: A review. <i>Chemical Engineering Journal</i> , 2021, 425, 129949.	6.6	65
58	Biopolymers for surface engineering of paper-based products. <i>Cellulose</i> , 2014, 21, 3145-3160.	2.4	64
59	Preparation of CNC-dispersed Fe ₃ O ₄ nanoparticles and their application in conductive paper. <i>Carbohydrate Polymers</i> , 2015, 126, 175-178.	5.1	64
60	New Kind of Lignin/Polyhydroxyurethane Composite: Green Synthesis, Smart Properties, Promising Applications, and Good Reprocessability and Recyclability. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 28938-28948.	4.0	64
61	Oil/water interfaces of guar gum-based biopolymer hydrogels and application to their separation. <i>Carbohydrate Polymers</i> , 2017, 169, 9-15.	5.1	63
62	Chemically modified self-doped biocarbon via novel sulfonation assisted sacrificial template method for high performance flexible all solid-state supercapacitor. <i>Journal of Colloid and Interface Science</i> , 2020, 574, 33-42.	5.0	63
63	Temperature and pH responsive cellulose filament/poly (NIPAM-co-AAc) hybrids as novel adsorbent towards Pb(II) removal. <i>Carbohydrate Polymers</i> , 2018, 195, 495-504.	5.1	62
64	A novel method to prepare lignocellulose nanofibrils directly from bamboo chips. <i>Cellulose</i> , 2018, 25, 7043-7051.	2.4	61
65	Fabrication of Bacterial Cellulose/Polyaniline Nanocomposite Paper with Excellent Conductivity, Strength, and Flexibility. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 8215-8225.	3.2	60
66	Preparation of High-Strength Sustainable Lignocellulose Gels and Their Applications for Antiultraviolet Weathering and Dye Removal. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 2998-3009.	3.2	60
67	Chitosan oligosaccharide-based dual pH responsive nano-micelles for targeted delivery of hydrophobic drugs. <i>Carbohydrate Polymers</i> , 2019, 223, 115061.	5.1	58
68	A multifunctional self-crosslinked chitosan/cationic guar gum composite hydrogel and its versatile uses in phosphate-containing water treatment and energy storage. <i>Carbohydrate Polymers</i> , 2020, 244, 116472.	5.1	58
69	Chitin nanofibers as versatile bio-templates of zeolitic imidazolate frameworks for N-doped hierarchically porous carbon electrodes for supercapacitor. <i>Carbohydrate Polymers</i> , 2021, 251, 117107.	5.1	58
70	Wearable lignin-based hydrogel electronics: A mini-review. <i>International Journal of Biological Macromolecules</i> , 2021, 181, 45-50.	3.6	58
71	Recent advances on cellulose-based nanofiltration membranes and their applications in drinking water purification: A review. <i>Journal of Cleaner Production</i> , 2022, 333, 130171.	4.6	57
72	Asymmetrically Patterned Cellulose Nanofibers/Graphene Oxide Composite Film for Humidity Sensing and Moist-Induced Electricity Generation. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 55205-55214.	4.0	56

#	ARTICLE	IF	CITATIONS
73	Lignocellulose-derived hydrogel/aerogel-based flexible quasi-solid-state supercapacitors with high-performance: a review. <i>Journal of Materials Chemistry A</i> , 2021, 9, 14233-14264.	5.2	55
74	Applications of enzymatic technologies to the production of high-quality dissolving pulp: A review. <i>Bioresource Technology</i> , 2019, 281, 440-448.	4.8	54
75	An adaptive ionic skin with multiple stimulus responses and moist-electric generation ability. <i>Journal of Materials Chemistry A</i> , 2020, 8, 17498-17506.	5.2	53
76	Highly Selective Conversion of Furfural to Furfural Alcohol or Levulinate Ester in One Pot over $ZrO_2@SBA-15$ and Its Kinetic Behavior. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 5584-5594.	3.2	53
77	Enhancing antibacterium and strength of cellulosic paper by coating triclosan-loaded nanofibrillated cellulose (NFC). <i>Carbohydrate Polymers</i> , 2015, 117, 996-1001.	5.1	52
78	Lignin sulfonate induced ultrafast polymerization of double network hydrogels with anti-freezing, high strength and conductivity and their sensing applications at extremely cold conditions. <i>Composites Part B: Engineering</i> , 2021, 217, 108879.	5.9	52
79	Recovery of lignocelluloses from pre-hydrolysis liquor in the lime kiln of kraft-based dissolving pulp production process by adsorption to lime mud. <i>Bioresource Technology</i> , 2011, 102, 10035-10039.	4.8	51
80	Preparation of the CNC/Ag/beeswax composites for enhancing antibacterial and water resistance properties of paper. <i>Carbohydrate Polymers</i> , 2016, 142, 183-188.	5.1	51
81	Characterization of high-yield pulp (HYP) by the solute exclusion technique. <i>Bioresource Technology</i> , 2009, 100, 6630-6634.	4.8	50
82	Microstructure, distribution and properties of conductive polypyrrole/cellulose fiber composites. <i>Cellulose</i> , 2013, 20, 1587-1601.	2.4	50
83	Super-ductile, injectable, fast self-healing collagen-based hydrogels with multi-responsive and accelerated wound-repair properties. <i>Chemical Engineering Journal</i> , 2021, 405, 126756.	6.6	49
84	Improving dispersion stability of hydrochloric acid hydrolyzed cellulose nano-crystals. <i>Carbohydrate Polymers</i> , 2019, 222, 115037.	5.1	47
85	Green mussel-inspired lignin magnetic nanoparticles with high adsorptive capacity and environmental friendliness for chromium(III) removal. <i>International Journal of Biological Macromolecules</i> , 2019, 132, 478-486.	3.6	47
86	Palladium nano-catalyst supported on cationic nanocellulose- <i>alginate</i> hydrogel for effective catalytic reactions. <i>Cellulose</i> , 2020, 27, 6995-7008.	2.4	47
87	Self-assembled all-polysaccharide hydrogel film for versatile paper-based food packaging. <i>Carbohydrate Polymers</i> , 2021, 271, 118425.	5.1	47
88	Methods to increase the reactivity of dissolving pulp in the viscose rayon production process: a review. <i>Cellulose</i> , 2018, 25, 3733-3753.	2.4	46
89	Preparation and Characterization of Cellulose-Based Nanofiltration Membranes by Interfacial Polymerization with Piperazine and Trimesoyl Chloride. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 13168-13176.	3.2	46
90	Molded fiber and pulp products as green and sustainable alternatives to plastics: A mini review. <i>Journal of Bioresources and Bioproducts</i> , 2022, 7, 14-25.	11.8	45

#	ARTICLE	IF	CITATIONS
91	Fabrication of carboxymethylated cellulose fibers supporting Ag NPs@MOF@199s nanocatalysts for catalytic reduction of 4-nitrophenol. Applied Organometallic Chemistry, 2019, 33, e4865.	1.7	44
92	Organic solar cells based on cellulose nanopaper from agroforestry residues with an efficiency of over 16% and effectively wide-angle light capturing. Journal of Materials Chemistry A, 2020, 8, 5442-5448.	5.2	44
93	Fabrication of reduced graphene oxide-cellulose nanofibers based hybrid film with good hydrophilicity and conductivity as electrodes of supercapacitor. Cellulose, 2021, 28, 3733-3743.	2.4	44
94	Pre-cryocrushing of natural carbon precursors to prepare nitrogen, sulfur co-doped porous microcellular carbon as an efficient ORR catalyst. Carbon, 2021, 173, 800-808.	5.4	44
95	Lignin nanofiller-reinforced composites hydrogels with long-lasting adhesiveness, toughness, excellent self-healing, conducting, ultraviolet-blocking and antibacterial properties. Composites Part B: Engineering, 2021, 225, 109316.	5.9	44
96	Improving salt tolerance and thermal stability of cellulose nanofibrils by grafting modification. Carbohydrate Polymers, 2019, 211, 257-265.	5.1	43
97	Nature-inspired self-powered cellulose nanofibrils hydrogels with high sensitivity and mechanical adaptability. Carbohydrate Polymers, 2021, 264, 117995.	5.1	43
98	Nanolignin filled conductive hydrogel with improved mechanical, anti-freezing, UV-shielding and transparent properties for strain sensing application. International Journal of Biological Macromolecules, 2022, 205, 442-451.	3.6	43
99	Mechanical pretreatment improving hemicelluloses removal from cellulosic fibers during cold caustic extraction. Bioresource Technology, 2015, 192, 501-506.	4.8	42
100	Catalytic Transfer Hydrogenation of Biobased HMF to 2,5-Bis-(Hydroxymethyl)Furan over Ru/Co ₃ O ₄ . Catalysts, 2017, 7, 92.	1.6	42
101	Nanocellulose-assisted synthesis of ultrafine Co nanoparticles-loaded bimodal micro-mesoporous N-rich carbon as bifunctional oxygen electrode for Zn-air batteries. Journal of Power Sources, 2020, 450, 227640.	4.0	42
102	Fruit-battery-inspired self-powered stretchable hydrogel-based ionic skin that works effectively in extreme environments. Journal of Materials Chemistry A, 2021, 9, 3968-3975.	5.2	42
103	Enhancing hemicelluloses removal from a softwood sulfite pulp. Bioresource Technology, 2015, 192, 11-16.	4.8	41
104	Spider web-inspired ultra-stable 3D Ti ₃ C ₂ TX (MXene) hydrogels constructed by temporary ultrasonic alignment and permanent in-situ self-assembly fixation. Composites Part B: Engineering, 2020, 197, 108187.	5.9	41
105	Silver nanoparticles-containing dual-function hydrogels based on a guar gum-sodium borohydride system. Scientific Reports, 2016, 6, 36497.	1.6	40
106	A multifunctional nanocellulose-based hydrogel for strain sensing and self-powering applications. Carbohydrate Polymers, 2021, 268, 118210.	5.1	40
107	Combined mechanical and enzymatic treatments for improving the Fock reactivity of hardwood kraft-based dissolving pulp. Cellulose, 2015, 22, 803-809.	2.4	39
108	Effects of Cellulose Nanofibers Filling and Palmitic Acid Emulsions Coating on the Physical Properties of Fish Gelatin Films. Food Biophysics, 2017, 12, 23-32.	1.4	38

#	ARTICLE	IF	CITATIONS
109	Diallyl dimethyl ammonium chloride-grafted cellulose filter membrane via ATRP for selective removal of anionic dye. <i>Cellulose</i> , 2018, 25, 7261-7275.	2.4	38
110	A New Kind of Nonconventional Luminogen Based on Aliphatic Polyhydroxyurethane and Its Potential Application in Ink-Free Anticounterfeiting Printing. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 11005-11015.	4.0	38
111	Sustainable and Biodegradable Copolymers from SO ₂ and Renewable Eugenol: A Novel Urea Fertilizer Coating Material with Superior Slow Release Performance. <i>Macromolecules</i> , 2020, 53, 936-945.	2.2	38
112	Non-Wood Fibers: Relationships of Fiber Properties with Pulp Properties. <i>ACS Omega</i> , 2021, 6, 21613-21622.	1.6	38
113	Conductive regenerated cellulose film as counter electrode for efficient dye-sensitized solar cells. <i>Cellulose</i> , 2018, 25, 5113-5122.	2.4	37
114	A bioinspired gallol-functionalized collagen as wet-tissue adhesive for biomedical applications. <i>Chemical Engineering Journal</i> , 2021, 417, 127962.	6.6	37
115	Self-Healing Cellulose Nanocrystals-Containing Gels via Reshuffling of Thiuram Disulfide Bonds. <i>Polymers</i> , 2018, 10, 1392.	2.0	36
116	Nano-Cellulose/MOF Derived Carbon Doped CuO/Fe ₃ O ₄ Nanocomposite as High Efficient Catalyst for Organic Pollutant Remedy. <i>Nanomaterials</i> , 2019, 9, 277.	1.9	36
117	Improvement of high-yield pulp properties by using a small amount of bleached wheat straw pulp. <i>Bioresource Technology</i> , 2011, 102, 2829-2833.	4.8	35
118	Using carboxylated cellulose nanofibers to enhance mechanical and barrier properties of collagen fiber film by electrostatic interaction. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 3089-3097.	1.7	35
119	Stabilization of Pickering emulsions with cellulose nanofibers derived from oil palm fruit bunch. <i>Cellulose</i> , 2020, 27, 839-851.	2.4	35
120	Conductive Regenerated Cellulose Film and Its Electronic Devices – A Review. <i>Carbohydrate Polymers</i> , 2020, 250, 116969.	5.1	35
121	A facile method for in situ fabrication of silica/cellulose aerogels and their application in CO ₂ capture. <i>Carbohydrate Polymers</i> , 2020, 236, 116079.	5.1	35
122	A tough organohydrogel-based multiresponsive sensor for a triboelectric nanogenerator and supercapacitor toward wearable intelligent devices. <i>Journal of Materials Chemistry A</i> , 2022, 10, 12092-12103.	5.2	35
123	Lignin-containing cellulose nanocrystals/sodium alginate beads as highly effective adsorbents for cationic organic dyes. <i>International Journal of Biological Macromolecules</i> , 2019, 139, 640-646.	3.6	34
124	Mild One-Pot Lignocellulose Fractionation Based on Acid-Catalyzed Biphasic Water/Phenol System to Enhance Components' Processability. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 2772-2782.	3.2	34
125	Aqueous Dispersion of Carbon Fibers and Expanded Graphite Stabilized from the Addition of Cellulose Nanocrystals to Produce Highly Conductive Cellulose Composites. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 3291-3298.	3.2	33
126	Ultra-low pressure cellulose-based nanofiltration membrane fabricated on layer-by-layer assembly for efficient sodium chloride removal. <i>Carbohydrate Polymers</i> , 2021, 255, 117352.	5.1	33

#	ARTICLE	IF	CITATIONS
127	Fabrication of lignin nanospheres by emulsification in a binary γ -valerolactone/glycerol system and their application as a bifunctional reducer and carrier for Pd nanoparticles with enhanced catalytic activity. <i>Green Chemistry</i> , 2020, 22, 8594-8603.	4.6	32
128	Chitosan-based Polymer Matrix for Pharmaceutical Excipients and Drug Delivery. <i>Current Medicinal Chemistry</i> , 2019, 26, 2502-2513.	1.2	32
129	Design of Fe ³⁺ -Rich, High-Conductivity Lignin Hydrogels for Supercapacitor and Sensor Applications. <i>Biomacromolecules</i> , 2022, 23, 766-778.	2.6	32
130	Adsorption of Lignocelluloses Dissolved in Prehydrolysis Liquor of Kraft-Based Dissolving Pulp Process on Oxidized Activated Carbons. <i>Industrial & Engineering Chemistry Research</i> , 2011, 50, 11706-11711.	1.8	31
131	Synthesis of mesoporous γ -Fe ₂ O ₃ via sol-gel methods using cellulose nano-crystals (CNC) as template and its photo-catalytic properties. <i>Materials Letters</i> , 2015, 159, 218-220.	1.3	31
132	A cellulose-based nanofiltration membrane with a stable three-layer structure for the treatment of drinking water. <i>Cellulose</i> , 2020, 27, 8237-8253.	2.4	31
133	Improving enzymatic hydrolysis of mechanically refined poplar branches with assistance of hydrothermal and Fenton pretreatment. <i>Bioresource Technology</i> , 2020, 316, 123920.	4.8	31
134	An oriented Fe ³⁺ -regulated lignin-based hydrogel with desired softness, conductivity, stretchability, and asymmetric adhesiveness towards anti-interference pressure sensors. <i>International Journal of Biological Macromolecules</i> , 2021, 184, 282-288.	3.6	31
135	Development of poly(acrylic acid)/nanofibrillated cellulose superabsorbent composites by ultraviolet light induced polymerization. <i>Cellulose</i> , 2015, 22, 2499-2506.	2.4	30
136	A thin and flexible solid electrolyte templated by controllable porous nanocomposites toward extremely high performance all-solid-state lithium-ion batteries. <i>Chemical Engineering Journal</i> , 2021, 425, 130632.	6.6	30
137	Fractionation and cellulase treatment for enhancing the properties of kraft-based dissolving pulp. <i>Bioresource Technology</i> , 2017, 224, 439-444.	4.8	29
138	Super-stable, solvent-resistant and uniform lignin nanorods and nanospheres with a high yield in a mild and facile process. <i>Green Chemistry</i> , 2020, 22, 8734-8744.	4.6	29
139	Integrating phosphotungstic acid-assisted prerefining with cellulase treatment for enhancing the reactivity of kraft-based dissolving pulp. <i>Bioresource Technology</i> , 2021, 320, 124283.	4.8	29
140	Fabrication of high value cellulose nanofibers@Ni foam by non carbonization: various application developed during the preparation. <i>Cellulose</i> , 2021, 28, 1455-1468.	2.4	29
141	Chitosan-Nanocellulose Composites for Regenerative Medicine Applications. <i>Current Medicinal Chemistry</i> , 2020, 27, 4584-4592.	1.2	29
142	Dialdehyde modified cellulose nanofibers enhanced the physical properties of decorative paper impregnated by aldehyde-free adhesive. <i>Carbohydrate Polymers</i> , 2020, 250, 116941.	5.1	28
143	Efficient Fractionation of Corn Stover for Biorefinery Using a Sustainable Pathway. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 3454-3464.	3.2	28
144	Adhesive, Antibacterial, Conductive, Anti-UV, Self-Healing, and Tough Collagen-Based Hydrogels from a Pyrogallol-Ag Self-Catalysis System. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 8728-8742.	4.0	28

#	ARTICLE	IF	CITATIONS
145	C-nanocoated ZnO by TEMPO-oxidized cellulose templating for improved photocatalytic performance. <i>Carbohydrate Polymers</i> , 2020, 235, 115958.	5.1	27
146	Preparation of lignosulfonate ionic hydrogels for supercapacitors, sensors and dye adsorbent applications. <i>International Journal of Biological Macromolecules</i> , 2021, 187, 189-199.	3.6	27
147	Lime Treatment of Prehydrolysis Liquor from the Kraft-Based Dissolving Pulp Production Process. <i>Industrial & Engineering Chemistry Research</i> , 2012, 51, 662-667.	1.8	26
148	Imparting Cellulosic Paper of High Conductivity by Surface Coating of Dispersed Graphite. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 10119-10124.	1.8	26
149	A three dimensional interconnected Li ₇ La ₃ Zr ₂ O ₁₂ framework composite solid electrolyte utilizing lignosulfonate/ cellulose nanofiber bio-template for high performance lithium ion batteries. <i>Journal of Power Sources</i> , 2020, 477, 228752.	4.0	26
150	High efficiency pyrolysis of used cigarette filters for ester-rich bio-oil through microwave-assisted heating. <i>Journal of Cleaner Production</i> , 2020, 257, 120596.	4.6	26
151	Further Understanding on the Cationic Demand of Dissolved Substances During Peroxide Bleaching of a Spruce TMP. <i>Journal of Wood Chemistry and Technology</i> , 2005, 24, 153-168.	0.9	25
152	Fiber Quality Analysis: OpTest Fiber Quality Analyzer versus L&W Fiber Tester. <i>Industrial & Engineering Chemistry Research</i> , 2011, 50, 12572-12578.	1.8	25
153	Cellulase pretreatment for enhancing cold caustic extraction-based separation of hemicelluloses and cellulose from cellulosic fibers. <i>Bioresource Technology</i> , 2018, 251, 1-6.	4.8	25
154	Injectable all-polysaccharide self-assembling hydrogel: a promising scaffold for localized therapeutic proteins. <i>Cellulose</i> , 2019, 26, 6891-6901.	2.4	25
155	Breaking the lignin conversion bottleneck for multiple products: Co-production of aryl monomers and carbon nanospheres using one-step catalyst-free depolymerization. <i>Fuel</i> , 2021, 285, 119211.	3.4	25
156	Separation of hemicellulose and cellulose from wood pulp using a γ -valerolactone (GVL)/water mixture. <i>Separation and Purification Technology</i> , 2020, 248, 117071.	3.9	25
157	Co-N-Doped Directional Multichannel PAN/CA-Based Electrospun Carbon Nanofibers as High-Efficiency Bifunctional Oxygen Electrocatalysts for Zn-Air Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 17068-17077.	3.2	25
158	Anchoring 20(R)-Ginsenoside Rg3 onto Cellulose Nanocrystals To Increase the Hydroxyl Radical Scavenging Activity. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 7507-7513.	3.2	24
159	Heteropoly acid catalytic treatment for reactivity enhancement and viscosity control of dissolving pulp. <i>Bioresource Technology</i> , 2018, 253, 182-187.	4.8	24
160	Alternative initiatives for non-wood chemical pulping and integration with the biorefinery concept: A review. <i>Biofuels, Bioproducts and Biorefining</i> , 2021, 15, 100-118.	1.9	24
161	Influence of Lignins on the Degradation of Cellulose During Ozone Treatment. <i>Journal of Wood Chemistry and Technology</i> , 1995, 15, 413-430.	0.9	23
162	Nonmetal Schiff-Base Complex-Anchored Cellulose as a Novel and Reusable Catalyst for the Solvent-Free Ring-Opening Addition of CO ₂ with Epoxides. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 17255-17265.	1.8	23

#	ARTICLE	IF	CITATIONS
163	Preparation of highly hazy transparent cellulose film from dissolving pulp. <i>Cellulose</i> , 2019, 26, 4061-4069.	2.4	23
164	Research progress of smart response composite hydrogels based on nanocellulose. <i>Carbohydrate Polymers</i> , 2022, 275, 118741.	5.1	23
165	A highly efficient thermo responsive palladium nanoparticles incorporated guar gum hydrogel for effective catalytic reactions. <i>Carbohydrate Polymers</i> , 2019, 226, 115289.	5.1	22
166	High lignin containing hydrogels with excellent conducting, self-healing, antibacterial, dye adsorbing, sensing, moist-induced power generating and supercapacitance properties. <i>International Journal of Biological Macromolecules</i> , 2022, 207, 48-61.	3.6	22
167	Plant-inspired conductive adhesive organohydrogel with extreme environmental tolerance as a wearable dressing for multifunctional sensors. <i>Colloids and Surfaces B: Biointerfaces</i> , 2022, 215, 112509.	2.5	22
168	Electrically Conductive Fibre Composites Prepared from Polypyrrole-Engineered Pulp Fibres. <i>Canadian Journal of Chemical Engineering</i> , 2008, 83, 896-903.	0.9	21
169	An Eco-Friendly Method to Get a Bio-Based Dicarboxylic Acid Monomer 2,5-Furandicarboxylic Acid and Its Application in the Synthesis of Poly(hexylene 2,5-furandicarboxylate) (PHF). <i>Polymers</i> , 2019, 11, 197.	2.0	21
170	Conversion of Loblolly pine biomass residues to bio-oil in a two-step process: Fast pyrolysis in the presence of zeolite and catalytic hydrogenation. <i>Industrial Crops and Products</i> , 2020, 148, 112318.	2.5	21
171	Construction of flexible cellulose nanofiber fiber@graphene quantum dots hybrid film applied in supercapacitor and sensor. <i>Cellulose</i> , 2021, 28, 10359-10372.	2.4	21
172	Carbonized porous wood as an effective scaffold for loading flower-like CoS, NiS nanofibers with Co, Ni nanoparticles served as electrode material for high-performance supercapacitors. <i>Industrial Crops and Products</i> , 2021, 167, 113545.	2.5	21
173	Modification of PEDOT:PSS towards high-efficiency OLED electrode via synergistic effect of carboxy and phenol groups from biomass derivatives. <i>Chemical Engineering Journal</i> , 2022, 430, 133014.	6.6	21
174	Design of asymmetric-adhesion lignin reinforced hydrogels with anti-interference for strain sensing and moist air induced electricity generator. <i>International Journal of Biological Macromolecules</i> , 2022, 201, 104-110.	3.6	21
175	Further Understanding of the Chemistry of Manganese-Induced Peroxide Decomposition. <i>Canadian Journal of Chemical Engineering</i> , 2003, 81, 968-972.	0.9	20
176	Cellulosic Cr(salen) complex as an efficient and recyclable catalyst for copolymerization of SO ₂ with epoxide. <i>Carbohydrate Polymers</i> , 2018, 194, 170-176.	5.1	20
177	Enhanced enzymatic hydrolysis of cellulose from waste paper fibers by cationic polymers addition. <i>Carbohydrate Polymers</i> , 2018, 200, 248-254.	5.1	20
178	Microwave-Assisted Catalytic Cleavage of C-C Bond in Lignin Models by Bifunctional Pt/CDC-SiC. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 38-43.	3.2	20
179	Preparation and Characterization of Various Kraft Lignins and Impact on Their Pyrolysis Behaviors. <i>Industrial & Engineering Chemistry Research</i> , 2020, 59, 3310-3320.	1.8	20
180	Improving the sensitivity of cellulose fiber-based lateral flow assay by incorporating a water-dissolvable polyvinyl alcohol dam. <i>Cellulose</i> , 2021, 28, 8641-8651.	2.4	20

#	ARTICLE	IF	CITATIONS
181	Tannic acid modified hemicellulose nanoparticle reinforced ionic hydrogels with multi-functions for human motion strain sensor applications. <i>Industrial Crops and Products</i> , 2022, 176, 114412.	2.5	20
182	Binding of Sodium Cholate In Vitro by Cationic Microfibrillated Cellulose. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 18508-18513.	1.8	19
183	Combination of microsized mineral particles and rosin as a basis for converting cellulosic fibers into "stickily" superhydrophobic paper. <i>Carbohydrate Polymers</i> , 2017, 174, 95-102.	5.1	19
184	Biocompatible Catechol-Functionalized Cellulose-Based Adhesives with Strong Water Resistance. <i>Macromolecular Materials and Engineering</i> , 2021, 306, 2100232.	1.7	19
185	Lignin reinforced hydrogels with multi-functional sensing and moist-electric generating applications. <i>International Journal of Biological Macromolecules</i> , 2021, 193, 941-947.	3.6	19
186	Kinetics and mechanism of hemicelluloses removal from cellulosic fibers during the cold caustic extraction process. <i>Bioresource Technology</i> , 2017, 234, 61-66.	4.8	18
187	Urea/NaOH system for enhancing the removal of hemicellulose from cellulosic fibers. <i>Cellulose</i> , 2019, 26, 6393-6400.	2.4	18
188	Adhesive, Transparent Tannic Acid@ Sulfonated Lignin-PAM Ionic Conductive Hydrogel Electrode with Anti-UV, Antibacterial and Mild Antioxidant Function. <i>Materials</i> , 2019, 12, 4135.	1.3	18
189	A green all-polysaccharide hydrogel platform for sensing and electricity harvesting/storage. <i>Journal of Power Sources</i> , 2021, 493, 229711.	4.0	18
190	Lignin-containing hydrogels with anti-freezing, excellent water retention and super-flexibility for sensor and supercapacitor applications. <i>International Journal of Biological Macromolecules</i> , 2022, 214, 77-90.	3.6	18
191	Redispersion of dried plant nanocellulose: A review. <i>Carbohydrate Polymers</i> , 2022, 294, 119830.	5.1	18
192	Superhydrophobic wood grafted by poly(2-(perfluorooctyl)ethyl methacrylate) via ATRP with self-cleaning, abrasion resistance and anti-mold properties. <i>Holzforschung</i> , 2020, 74, 799-809.	0.9	17
193	Cationic amphiphilic microfibrillated cellulose (MFC) for potential use for bile acid sorption. <i>Carbohydrate Polymers</i> , 2015, 132, 598-605.	5.1	16
194	Facile preparation of regenerated cellulose film from cotton linter using organic electrolyte solution (OES). <i>Cellulose</i> , 2017, 24, 1631-1639.	2.4	16
195	A facile preparation strategy for conductive and magnetic agarose hydrogels with reversible restorability composed of nanofibrillated cellulose, polypyrrole, and Fe ₃ O ₄ . <i>Cellulose</i> , 2018, 25, 4565-4575.	2.4	16
196	Transparent and conductive cellulose film by controllably growing aluminum doped zinc oxide on regenerated cellulose film. <i>Cellulose</i> , 2020, 27, 4847-4855.	2.4	16
197	Transparent, smooth, and sustainable cellulose-derived conductive film applied for the flexible electronic device. <i>Carbohydrate Polymers</i> , 2021, 260, 117820.	5.1	16
198	Improvement of Stability of Tea Polyphenols: A Review. <i>Current Pharmaceutical Design</i> , 2018, 24, 3410-3423.	0.9	16

#	ARTICLE	IF	CITATIONS
199	Use of sulfated cellulose nanocrystals towards stability enhancement of gelatin-encapsulated tea polyphenols. <i>Cellulose</i> , 2018, 25, 5157-5173.	2.4	15
200	Isolation and Characterization of Microcrystalline Cellulose from Bamboo Pulp Through Extremely Low Acid Hydrolysis. <i>Journal of Wood Chemistry and Technology</i> , 2019, 39, 242-254.	0.9	15
201	Dual-functionalized hyaluronic acid as a facile modifier to prepare polyanionic collagen. <i>Carbohydrate Polymers</i> , 2019, 215, 358-365.	5.1	15
202	Effect of Various Microwave Absorbents on the Microwave-Assisted Lignin Depolymerization Process. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 16086-16090.	3.2	15
203	A Synthetic Method for Site-Specific Functionalized Polypeptides: Metal-Free, Highly Active, and Selective at Room Temperature. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 889-895.	7.2	15
204	A chitosan/dopamine-TiO ₂ composite nanofiltration membrane for antifouling in water purification. <i>Cellulose</i> , 2021, 28, 4959-4973.	2.4	15
205	Cellulose-based flexible organic light-emitting diodes with enhanced stability and external quantum efficiency. <i>Journal of Materials Chemistry C</i> , 2021, 9, 4496-4504.	2.7	15
206	High-Sensitivity Multiresponses Cellulose-Based Actuators with Configurable Amplitude. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 6414-6425.	3.2	15
207	Improvement of Furfural Production from Concentrated PreHydrolysis Liquor (PHL) of a Kraft-Based Hardwood Dissolving Pulp Production Process. <i>Journal of Wood Chemistry and Technology</i> , 2015, 35, 260-269.	0.9	14
208	Enhancing the Fock reactivity of dissolving pulp by the combined prerefining and poly dimethyl diallyl ammonium chloride-assisted cellulase treatment. <i>Bioresource Technology</i> , 2018, 260, 135-140.	4.8	14
209	Novel Modification of Collagen: Realizing Desired Water Solubility and Thermostability in a Conflict-Free Way. <i>ACS Omega</i> , 2020, 5, 5772-5780.	1.6	14
210	Novel functionalization of ZIF-67 for an efficient broad-spectrum photocatalyst: formaldehyde degradation at room temperature. <i>New Journal of Chemistry</i> , 2022, 46, 2962-2970.	1.4	14
211	Energy harvesting by vitrimer-based moist-electric generators. <i>Journal of Materials Chemistry A</i> , 2022, 10, 11524-11534.	5.2	14
212	Interaction of cationic modified poly vinyl alcohol with high yield pulp. <i>Cellulose</i> , 2010, 17, 1021-1031.	2.4	13
213	Viscosity of Prehydrolysis Liquor of a Hardwood Kraft-Based Dissolving Pulp Production Process. <i>Industrial & Engineering Chemistry Research</i> , 2013, 52, 3974-3979.	1.8	13
214	Lignin reinforced hydrogels with fast self-recovery, multi-functionalities via calcium ion bridging for flexible smart sensing applications. <i>International Journal of Biological Macromolecules</i> , 2022, 200, 226-233.	3.6	13
215	Preparation of Hemicellulose Nanoparticle-Containing Ionic Hydrogels with High Strength, Self-Healing, and UV Resistance and Their Applications as Strain Sensors and Asymmetric Pressure Sensors. <i>Biomacromolecules</i> , 2022, 23, 2272-2279.	2.6	13
216	Cellulose Hollow Annular Nanoparticles Prepared from High-Intensity Ultrasonic Treatment. <i>ACS Nano</i> , 2022, 16, 8928-8938.	7.3	13

#	ARTICLE	IF	CITATIONS
217	Using Liquid Smoke to Improve Mechanical and Water Resistance Properties of Gelatin Films. <i>Journal of Food Science</i> , 2016, 81, E1151-7.	1.5	12
218	Poly dimethyl diallyl ammonium chloride assisted cellulase pretreatment for pulp refining efficiency enhancement. <i>Carbohydrate Polymers</i> , 2019, 203, 342-348.	5.1	12
219	Using ionic liquid (EmimAc)-water mixture in selective removal of hemicelluloses from a paper-grade bleached hardwood kraft pulp. <i>Cellulose</i> , 2020, 27, 9653-9661.	2.4	12
220	Novel melamine-based porous organic materials as metal-free catalysts for copolymerization of SO ₂ with epoxide. <i>Polymer</i> , 2021, 217, 123434.	1.8	12
221	A new approach to improve dissolving pulp properties: spraying cellulase on rewetted pulp at a high fiber consistency. <i>Cellulose</i> , 2018, 25, 6989-7002.	2.4	11
222	A facile template approach to preparing stable NFC/Ag/polyaniline nanocomposites for imparting multifunctionality to paper. <i>Carbohydrate Polymers</i> , 2018, 194, 97-102.	5.1	10
223	A Comparison of the Performance of Two Kinds of Waterborne Coatings on Bamboo and Bamboo Scrimber. <i>Coatings</i> , 2019, 9, 161.	1.2	10
224	Tendon-inspired fibers from liquid crystalline collagen as the pre-oriented bioink. <i>International Journal of Biological Macromolecules</i> , 2021, 185, 739-749.	3.6	10
225	Coordination-driven hierarchically structured composites with N-CNTs-grafted graphene-confined ultra-small Co nanoparticles as effective oxygen electrocatalyst in rechargeable Zn-air battery. <i>Ceramics International</i> , 2021, 47, 30091-30098.	2.3	10
226	An environmentally friendly and highly transparent ZnO/cellulose nanocomposite membrane for UV sensing and shielding. <i>Cellulose</i> , 2022, 29, 4439-4453.	2.4	10
227	Towards sustainable oil/gas fracking by reusing its process water: A review on fundamentals, challenges, and opportunities. <i>Journal of Petroleum Science and Engineering</i> , 2022, 213, 110422.	2.1	10
228	Mechanism and kinetics of chlorine dioxide reaction with hydrogen peroxide under acidic conditions. <i>Canadian Journal of Chemical Engineering</i> , 1997, 75, 31-36.	0.9	9
229	A Review of Recent Technological Advances in the Brightening of High-Yield Pulps. <i>Canadian Journal of Chemical Engineering</i> , 2008, 83, 610-617.	0.9	9
230	TEMPO-Oxidized Waste Cellulose as Reinforcement for Recycled Fiber Networks. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 15065-15071.	1.8	9
231	Effects of hemicellulose content on TEMPO-mediated selective oxidation, and the properties of films prepared from bleached chemical pulp. <i>Cellulose</i> , 2020, 27, 1043-1054.	2.4	9
232	Study on the Anti-Biodegradation Property of Tunicate Cellulose. <i>Polymers</i> , 2020, 12, 3071.	2.0	9
233	Immobilization and Characterization of Pectinase onto the Cationic Polystyrene Resin. <i>ACS Omega</i> , 2021, 6, 31683-31688.	1.6	9
234	A multifunctional MXene-assembled anhydrous gel electronics. <i>Journal of Colloid and Interface Science</i> , 2022, 623, 1151-1159.	5.0	9

#	ARTICLE	IF	CITATIONS
253	Effect of using regenerated combined FAU and MOR zeolites as catalysts during the pyrolysis of kraft lignin. <i>BioResources</i> , 2020, 16, 417-440.	0.5	6
254	Improving Peroxide Bleaching of Chemical Pulps by Stabilizing Manganese. <i>Journal of Wood Chemistry and Technology</i> , 1999, 19, 323-334.	0.9	5
255	TEMPO-mediated oxidized cellulose nanofibers-Cd ²⁺ derived hierarchically porous carbon aerogel for oxygen reduction electrocatalysis. <i>Journal of Electroanalytical Chemistry</i> , 2022, 910, 116168.	1.9	5
256	Highly ordered asymmetric cellulose-based honeycomb membrane for moisture-electricity generation and humidity sensing. <i>Carbohydrate Polymers</i> , 2022, 294, 119809.	5.1	5
257	Determination of the Acetyl Group in Biomass and Its Products by Headspace Gas Chromatography. <i>Energy & Fuels</i> , 2018, 32, 450-454.	2.5	4
258	Photochromic nanocellulose composite films with excellent anti-UV capacity. <i>Applied Physics A: Materials Science and Processing</i> , 2020, 126, 1.	1.1	4
259	Quantification of N-methyl morpholine N-oxide in biorefinery process solution by headspace gas chromatography. <i>Cellulose</i> , 2020, 27, 6861-6870.	2.4	4
260	Comparison of single-stage and two-stage hydrothermal pretreatments for improving hemicellulose separation from bamboo chips. <i>Wood Science and Technology</i> , 2020, 54, 547-557.	1.4	4
261	Flexible and conductive cellulose substrate by layered growth of silver nanowires and indium-doped tin oxide. <i>BioResources</i> , 2020, 15, 4699-4710.	0.5	4
262	A Synthetic Method for Site-Specific Functionalized Polypeptides: Metal-Free, Highly Active, and Selective at Room Temperature. <i>Angewandte Chemie</i> , 2021, 133, 902-908.	1.6	3
263	3D hollow-structured hydrogels with editable macrostructure, function, and mechanical properties induced by segmented adjustments. <i>RSC Advances</i> , 2021, 11, 26876-26882.	1.7	3
264	Role of nanocellulose in colored paper preparation. <i>International Journal of Biological Macromolecules</i> , 2022, 206, 355-362.	3.6	3
265	Determination of Interfiber Bonded Area Based on the Confocal Laser Scanning Microscopy Technique. <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 6153-6160.	1.8	2
266	An effective metal controller used for enhancing cellulose protection in oxygen delignification. <i>Cellulose</i> , 2019, 26, 7099-7106.	2.4	2
267	Effect of the particle size of magnesium hydroxide on the cellulose polymerization during the oxygen delignification of radiata pine kraft pulp. <i>Cellulose</i> , 2019, 26, 6571-6581.	2.4	2
268	Further understanding on polyethyleneimine-induced rosin ester sizing. <i>Nordic Pulp and Paper Research Journal</i> , 2003, 18, 5-9.	0.3	2
269	Near-Infrared Shielding Performance of Tungsten-Doped Tin Dioxide Nanoparticles. <i>Industrial & Engineering Chemistry Research</i> , 2022, 61, 1578-1587.	1.8	2
270	Mussel-Inspired Magnetic Dissolving Pulp Fibers Toward the Adsorption and Degradation of Organic Dyes. <i>Frontiers in Chemistry</i> , 2022, 10, 840133.	1.8	2

#	ARTICLE	IF	CITATIONS
271	Lignin-Reinforced Paper with Excellent Stability and Thermal Properties for an Efficient Heat Spreader. ACS Sustainable Chemistry and Engineering, 2022, 10, 5569-5581.	3.2	2
272	Fruit Peel-Inspired Super-Stable Ionic Organohydrogel Electronics with Dense Hydrophobic Skin. ACS Applied Polymer Materials, 2022, 4, 4673-4680.	2.0	2
273	Simulating the impact of kraft pulping and bleaching parameters on Eucalyptus camaldulensis pulp properties using MATLAB. Canadian Journal of Chemical Engineering, 2010, 88, 455-461.	0.9	1
274	Achieving Higher Signal Response Than Splitless GC Injection by High-Pressure Headspace Sampling and Full Evaporation Technique. Chromatographia, 2022, 85, 507.	0.7	1
275	Determination of pinene content in black liquor by solvent-assisted/pyrogallol-protected headspace gas chromatography (HS-GC). Holzforschung, 2018, 72, 973-978.	0.9	0
276	Using cupriethylenediamine (CED) solution to decrease cellulose fibre network strength for removal of pulp fibre plugs. Canadian Journal of Chemical Engineering, 2019, 97, 662-667.	0.9	0
277	Nano-SiO ₂ used with cationic polymer to improve the strength of sack paper. BioResources, 2021, 16, 3348-3359.	0.5	0
278	What are the differences between caustic extractions of Cl ₂ and of ClO ₂ bleached pulps?. Nordic Pulp and Paper Research Journal, 1995, 10, 57-61.	0.3	0