
Ezequiel Palmanovich

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5300336/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Plasma rich in growth factors (PRGF) as a treatment for high ankle sprain in elite athletes: a randomized control trial. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 3383-3392.	4.2	72
2	Clinical outcomes following ankle fracture: a crossâ€sectional observational study. Journal of Foot and Ankle Research, 2014, 7, 50.	1.9	41
3	Anatomic Reconstruction Technique for a Plantar Calcaneonavicular (Spring) Ligament Tear. Journal of Foot and Ankle Surgery, 2015, 54, 1124-1126.	1.0	26
4	MICA: A Learning Curve. Journal of Foot and Ankle Surgery, 2020, 59, 781-783.	1.0	25
5	Correction of Moderate and Severe Hallux Valgus Deformity with a Distal Metatarsal Osteotomy Using an Intramedullary Plate. Foot and Ankle Clinics, 2014, 19, 191-201.	1.3	24
6	The effect of minimally displaced posterior malleolar fractures on decision making in minimally displaced lateral malleolus fractures. International Orthopaedics, 2014, 38, 1051-1056.	1.9	21
7	Tear of peroneus longus in long distance runners due to enlarged peroneal tubercle. BMC Sports Science, Medicine and Rehabilitation, 2014, 6, 1.	1.7	16
8	The Epidemiology of Injuries in Contact Flag Football. Clinical Journal of Sport Medicine, 2013, 23, 39-44.	1.8	13
9	Lower Extremity Kinematic Profile of Gait of Patients After Ankle Fracture: A Case-Control Study. Journal of Foot and Ankle Surgery, 2016, 55, 918-921.	1.0	13
10	Peroneus longus tear and its relation to the peroneal tubercle: A review of the literature. Muscles, Ligaments and Tendons Journal, 2011, 1, 153-60.	0.3	13
11	Femoroacetabular impingement syndrome is associated with alterations in hindfoot mechanics: A three-dimensional gait analysis study. Clinical Biomechanics, 2015, 30, 1189-1193.	1.2	12
12	The incidence of life threatening iatrogenic vessel injury following closed or open reduction and internal fixation of intertrochanteric femoral factures. International Orthopaedics, 2017, 41, 1845-1850.	1.9	12
13	Novel reconstruction technique for an isolated plantar calcaneonavicular (SPRING) ligament tear. Foot, 2017, 30, 1-4.	1.1	11
14	Routine early post-operative X-ray following internal fixation of intertrochanteric femoral fractures is unjustified: a quality improvement study. Journal of Orthopaedic Surgery and Research, 2018, 13, 189.	2.3	10
15	Chronic Tibialis Anterior Tendon Tear Treated With an Achilles Tendon Allograft Technique. Orthopedics, 2013, 36, 850-853.	1.1	10
16	Use of a Spinal Cage for Creating Stable Constructs in Ankle and Subtalar Fusion. Journal of Foot and Ankle Surgery, 2015, 54, 254-257.	1.0	9
17	Value of Early Postoperative Computed Tomography Assessment inÂAnkle Fractures Defining Joint Congruity and Criticizing the Need for Early Revision Surgery. Journal of Foot and Ankle Surgery, 2016, 55, 465-469.	1.0	9
18	Cerebrovascular accidents associated with hip fractures: morbidity and mortality—5-year survival. Journal of Orthopaedic Surgery and Research, 2018, 13, 161.	2.3	8

#	Article	IF	CITATIONS
19	Preoperative planning and surgical technique for optimizing internal fixation of posterior malleolar fractures: CT versus standard radiographs. Journal of Orthopaedic Surgery and Research, 2020, 15, 119.	2.3	8
20	Sonographic evaluation of anterior inferior iliac spine morphology demonstrates excellent accuracy when compared to false profile view. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 1413-1419.	4.2	8
21	The prevention of injuries in contact flag football. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 26-32.	4.2	7
22	Injuries can be prevented in contact flag football!. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 2002-2008.	4.2	6
23	Using a cervical spine cage to reconstruct malunited fibular fractures. International Orthopaedics, 2013, 37, 447-450.	1.9	5
24	Arthroscopic Excision of Osteoid Osteoma of the Talus. Arthroscopy Techniques, 2017, 6, e839-e843.	1.3	5
25	Measurement of transverse forces between the first and second metatarsals: a cadaveric study. Journal of Orthopaedic Surgery and Research, 2016, 11, 121.	2.3	4
26	Correction of Severe Hallux Valgus with Metatarsal Adductus Applying the Concepts of Minimally Invasive Surgery. Foot and Ankle Clinics, 2020, 25, 337-343.	1.3	4
27	Flexor Digitorum Longus (FDL) or Flexor Hallucis Longus (FHL) Harvesting: Technical Tip and Case Studies. Foot and Ankle International, 2017, 38, 1267-1270.	2.3	4
28	Insertional Achilles tendinopathy is associated with arthritic changes of the posterior calcaneal cartilage: a retrospective study. Journal of Foot and Ankle Research, 2015, 8, 44.	1.9	3
29	Distal Chevron Osteotomy vs The Simple, Effective, Rapid, Inexpensive Technique (SERI) for Mild to Moderate Isolated Hallux Valgus: A Randomized Controlled Study. Indian Journal of Orthopaedics, 2021, 55, 110-118.	1.1	3
30	Third-degree chemical burns from chlorhexidine local antisepsis. Israel Medical Association Journal, 2013, 15, 323-4.	0.1	3
31	The effect of army vest design on the occurrence of stress fractures and overuse injuries in female military recruits. Journal of the Royal Army Medical Corps, 2017, 163, 251-254.	0.8	2
32	The effect of eliminating leg length difference on plantar foot pressure distribution in patients wearing forefoot offloading shoe. Foot, 2017, 33, 39-43.	1.1	2
33	Does the IOFix implant improve union rates?. BMC Musculoskeletal Disorders, 2020, 21, 654.	1.9	2
34	Treating hallux valgus associated metatarsus adductus by minimally invasive surgery: A simple solution for a difficult problem. Journal of Foot and Ankle Surgery, 2022, , .	1.0	2
35	Proximal Derotation Phalangeal Osteotomy for Medial First Toe Diabetic Ulcer. Indian Journal of Orthopaedics, 2021, 55, 97-102.	1.1	1
36	Pedal coral injury: A case report. Foot, 2013, 23, 50-52.	1.1	0

#	Article	IF	CITATIONS
37	Clinical Implications of Changing Parameters on an Elliptical Trainer. Orthopaedic Journal of Sports Medicine, 2014, 2, 232596711453555.	1.7	ο
38	Bone graft substitute prepared with the patient's blood. Technical tip. Foot, 2015, 25, 277-279.	1.1	0