

# Hideo Kimura

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5300374/hideo-kimura-publications-by-year.pdf>

**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79 papers	12,568 citations	49 h-index	89 g-index
89 ext. papers	13,731 ext. citations	5.8 avg, IF	7.16 L-index

#	Paper	IF	Citations
79	Hydrogen Sulfide (HS) and Polysulfide (HS) Signaling: The First 25 Years. <i>Biomolecules</i> , <b>2021</b> , 11,	5.9	19
78	Polysulfide inhibits hypoxia-elicited hypoxia-inducible factor activation in a mitochondria-dependent manner. <i>Mitochondrion</i> , <b>2021</b> , 59, 255-266	4.9	4
77	Hydrogen sulfide signalling in the CNS - Comparison with NO. <i>British Journal of Pharmacology</i> , <b>2020</b> , 177, 5031-5045	8.6	10
76	Signalling by hydrogen sulfide and polysulfides via protein S-sulfuration. <i>British Journal of Pharmacology</i> , <b>2020</b> , 177, 720-733	8.6	42
75	Signaling by hydrogen sulfide (HS) and polysulfides (HS) in the central nervous system. <i>Neurochemistry International</i> , <b>2019</b> , 126, 118-125	4.4	49
74	Sulfite protects neurons from oxidative stress. <i>British Journal of Pharmacology</i> , <b>2019</b> , 176, 571-582	8.6	23
73	Excess hydrogen sulfide and polysulfides production underlies a schizophrenia pathophysiology. <i>EMBO Molecular Medicine</i> , <b>2019</b> , 11, e10695	12	25
72	Signaling by hydrogen polysulfides (H <sub>2</sub> Sn) produced by the chemical interaction between hydrogen sulfide (H <sub>2</sub> S) and nitric oxide (NO). <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , <b>2019</b> , 92, 3-S21-2	0	
71	Sulfite protects neurons from oxidative stress.. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , <b>2019</b> , 92, 1-O-20	0	
70	Signaling molecules hydrogen sulfide (H <sub>2</sub> S), polysulfides (H <sub>2</sub> Sn) and sulfite (H <sub>2</sub> SO <sub>3</sub> ). <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , <b>2019</b> , 92, 2-S17-1	0	
69	Pharmacological polysulfide suppresses glucose-stimulated insulin secretion in an ATP-sensitive potassium channel-dependent manner. <i>Scientific Reports</i> , <b>2019</b> , 9, 19377	4.9	4
68	Alternative pathway of HS and polysulfides production from sulfurated catalytic-cysteine of reaction intermediates of 3-mercaptopyruvate sulfurtransferase. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 496, 648-653	3.4	30
67	Hydrogen Sulfide (H <sub>2</sub> S) and polysulfides (H <sub>2</sub> Sn) as signaling molecules. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , <b>2018</b> , WCP2018, PO4-1-80	0	
66	Hydrogen trisulfide induced modulation of vascular tone in mice aorta. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , <b>2018</b> , WCP2018, PO4-2-30	0	
65	The production and role of hydrogen sulfide and hydrogen polysulfides in mammalian cells. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , <b>2018</b> , WCP2018, PO4-1-23	0	
64	Discovery and Mechanistic Characterization of Selective Inhibitors of HS-producing Enzyme: 3-Mercaptopyruvate Sulfurtransferase (3MST) Targeting Active-site Cysteine Persulfide. <i>Scientific Reports</i> , <b>2017</b> , 7, 40227	4.9	51
63	Polysulfides (HS) produced from the interaction of hydrogen sulfide (HS) and nitric oxide (NO) activate TRPA1 channels. <i>Scientific Reports</i> , <b>2017</b> , 7, 45995	4.9	79

62	Development of a reversible fluorescent probe for reactive sulfur species, sulfane sulfur, and its biological application. <i>Chemical Communications</i> , <b>2017</b> , 53, 1064-1067	5.8	55
61	Analysis of endogenous HS and HS in mouse brain by high-performance liquid chromatography with fluorescence and tandem mass spectrometric detection. <i>Free Radical Biology and Medicine</i> , <b>2017</b> , 113, 355-362	7.8	41
60	3-Mercaptopyruvate sulfurtransferase produces potential redox regulators cysteine- and glutathione-persulfide (Cys-SSH and GSSH) together with signaling molecules HS, HS and HS. <i>Scientific Reports</i> , <b>2017</b> , 7, 10459	4.9	79
59	Hydrogen polysulfide (HS <sub>n</sub> ) signaling along with hydrogen sulfide (HS) and nitric oxide (NO). <i>Journal of Neural Transmission</i> , <b>2016</b> , 123, 1235-1245	4.3	46
58	Physiological Roles of Hydrogen Sulfide and Polysulfides. <i>Handbook of Experimental Pharmacology</i> , <b>2015</b> , 230, 61-81	3.2	58
57	Polysulfide promotes neuroblastoma cell differentiation by accelerating calcium influx. <i>Biochemical and Biophysical Research Communications</i> , <b>2015</b> , 459, 488-92	3.4	16
56	Signaling molecules: hydrogen sulfide and polysulfide. <i>Antioxidants and Redox Signaling</i> , <b>2015</b> , 22, 362-76	6.4	204
55	Hydrogen sulfide and polysulfides as signaling molecules. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , <b>2015</b> , 91, 131-59	4	84
54	Identification of H <sub>2</sub> S <sub>3</sub> and H <sub>2</sub> S produced by 3-mercaptopyruvate sulfurtransferase in the brain. <i>Scientific Reports</i> , <b>2015</b> , 5, 14774	4.9	143
53	Polysulfide evokes acute pain through the activation of nociceptive TRPA1 in mouse sensory neurons. <i>Molecular Pain</i> , <b>2015</b> , 11, 24	3.4	50
52	The physiological role of hydrogen sulfide and beyond. <i>Nitric Oxide - Biology and Chemistry</i> , <b>2014</b> , 41, 4-10	5	199
51	Production and physiological effects of hydrogen sulfide. <i>Antioxidants and Redox Signaling</i> , <b>2014</b> , 20, 783-93	8.4	210
50	Hydrogen sulfide and polysulfides as biological mediators. <i>Molecules</i> , <b>2014</b> , 19, 16146-57	4.8	109
49	Hydrogen sulfide is produced by cystathionine $\gamma$ -lyase at the steady-state low intracellular Ca <sup>2+</sup> concentrations. <i>Biochemical and Biophysical Research Communications</i> , <b>2013</b> , 431, 131-5	3.4	54
48	Physiological role of hydrogen sulfide and polysulfide in the central nervous system. <i>Neurochemistry International</i> , <b>2013</b> , 63, 492-7	4.4	195
47	Polysulfide exerts a protective effect against cytotoxicity caused by t-butylhydroperoxide through Nrf2 signaling in neuroblastoma cells. <i>FEBS Letters</i> , <b>2013</b> , 587, 3548-55	3.8	137
46	A novel pathway for the production of hydrogen sulfide from D-cysteine in mammalian cells. <i>Nature Communications</i> , <b>2013</b> , 4, 1366	17.4	341
45	Polysulfides are possible H <sub>2</sub> S-derived signaling molecules in rat brain. <i>FASEB Journal</i> , <b>2013</b> , 27, 2451-7	0.9	255

44	Nutritional essentiality of sulfur in health and disease. <i>Nutrition Reviews</i> , <b>2013</b> , 71, 413-32	6.4	64
43	Production of hydrogen sulfide from d-cysteine and its therapeutic potential. <i>Frontiers in Endocrinology</i> , <b>2013</b> , 4, 87	5.7	53
42	Hydrogen Sulfide-Mediated Cellular Signaling and Cytoprotection <b>2013</b> , 181-202		1
41	Protein phosphorylation involved in the gene expression of the hydrogen sulphide producing enzyme cystathionine $\gamma$ -lyase in the pancreatic $\beta$ -cell. <i>Molecular and Cellular Endocrinology</i> , <b>2012</b> , 350, 31-8	4.4	19
40	Physiological and Pathophysiological Functions of Hydrogen Sulfide <b>2012</b> , 71-98		0
39	Metabolic turnover of hydrogen sulfide. <i>Frontiers in Physiology</i> , <b>2012</b> , 3, 101	4.6	36
38	Hydrogen sulfide is a signaling molecule and a cytoprotectant. <i>Antioxidants and Redox Signaling</i> , <b>2012</b> , 17, 45-57	8.4	206
37	A mechanism of retinal protection from light-induced degeneration by hydrogen sulfide. <i>Communicative and Integrative Biology</i> , <b>2012</b> , 5, 169-71	1.7	8
36	Thioredoxin and dihydrolipoic acid are required for 3-mercaptopyruvate sulfurtransferase to produce hydrogen sulfide. <i>Biochemical Journal</i> , <b>2011</b> , 439, 479-85	3.8	207
35	Hydrogen sulfide: its production and functions. <i>Experimental Physiology</i> , <b>2011</b> , 96, 833-5	2.4	126
34	Development of a highly selective fluorescence probe for hydrogen sulfide. <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 18003-5	16.4	550
33	Hydrogen sulfide: its production, release and functions. <i>Amino Acids</i> , <b>2011</b> , 41, 113-21	3.5	468
32	Hydrogen sulfide protects the retina from light-induced degeneration by the modulation of $\text{Ca}^{2+}$ influx. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 39379-86	5.4	112
31	Hydrogen sulfide increases glutathione production and suppresses oxidative stress in mitochondria. <i>Antioxidants and Redox Signaling</i> , <b>2010</b> , 12, 1-13	8.4	471
30	Hydrogen sulfide: from brain to gut. <i>Antioxidants and Redox Signaling</i> , <b>2010</b> , 12, 1111-23	8.4	251
29	Glucose-induced production of hydrogen sulfide may protect the pancreatic beta-cells from apoptotic cell death by high glucose. <i>FEBS Letters</i> , <b>2009</b> , 583, 377-82	3.8	68
28	A source of hydrogen sulfide and a mechanism of its release in the brain. <i>Antioxidants and Redox Signaling</i> , <b>2009</b> , 11, 205-14	8.4	395
27	3-Mercaptopyruvate sulfurtransferase produces hydrogen sulfide and bound sulfane sulfur in the brain. <i>Antioxidants and Redox Signaling</i> , <b>2009</b> , 11, 703-14	8.4	704

26	Vascular endothelium expresses 3-mercaptopyruvate sulfurtransferase and produces hydrogen sulfide. <i>Journal of Biochemistry</i> , <b>2009</b> , 146, 623-6	3.1	352
25	Hydrogen sulfide attenuates myocardial ischemia-reperfusion injury by preservation of mitochondrial function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2007</b> , 104, 15560-5	11.5	881
24	Differentiated astrocytes acquire sensitivity to hydrogen sulfide that is diminished by the transformation into reactive astrocytes. <i>Antioxidants and Redox Signaling</i> , <b>2007</b> , 9, 257-69	8.4	23
23	Hydrogen sulfide enhances reducing activity in neurons: neurotrophic role of H <sub>2</sub> S in the brain?. <i>Antioxidants and Redox Signaling</i> , <b>2007</b> , 9, 2035-41	8.4	38
22	L-cysteine inhibits insulin release from the pancreatic beta-cell: possible involvement of metabolic production of hydrogen sulfide, a novel gasotransmitter. <i>Diabetes</i> , <b>2006</b> , 55, 1391-7	0.9	235
21	Hydrogen sulfide protects HT22 neuronal cells from oxidative stress. <i>Antioxidants and Redox Signaling</i> , <b>2006</b> , 8, 661-70	8.4	250
20	Development and Aging Expression of Cystathionine-Beta Synthase in the Temporal Lobe and Cerebellum of Down Syndrome Patients. <i>Neuroembryology and Aging</i> , <b>2006</b> , 4, 202-207		8
19	Differentiated Astrocytes Acquire Sensitivity to Hydrogen Sulfide That Is Diminished by the Transformation into Reactive Astrocytes. <i>Antioxidants and Redox Signaling</i> , <b>2006</b> , 061121054212007	8.4	
18	Cystathionine beta-synthase is enriched in the brains of Down syndrome patients. <i>Biochemical and Biophysical Research Communications</i> , <b>2005</b> , 338, 1547-50	3.4	107
17	Physiological roles of hydrogen sulfide: synaptic modulation, neuroprotection, and smooth muscle relaxation. <i>Antioxidants and Redox Signaling</i> , <b>2005</b> , 7, 795-803	8.4	179
16	Determination of oxidized and reduced nicotinamide adenine dinucleotide in cell monolayers using a single extraction procedure and a spectrophotometric assay. <i>Analytical Biochemistry</i> , <b>2005</b> , 338, 131-5	3.1	26
15	Cystathionine beta-synthase, a key enzyme for homocysteine metabolism, is preferentially expressed in the radial glia/astrocyte lineage of developing mouse CNS. <i>FASEB Journal</i> , <b>2005</b> , 19, 1854-6	0.9	182
14	Cadmium exposure alters metabolomics of sulfur-containing amino acids in rat testes. <i>Antioxidants and Redox Signaling</i> , <b>2005</b> , 7, 781-7	8.4	32
13	Hydrogen Sulfide as a Synaptic Modulator <b>2005</b> , 315-321		
12	Abnormal lipid metabolism in cystathionine beta-synthase-deficient mice, an animal model for hyperhomocysteinemia. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 52961-9	5.4	111
11	Hydrogen sulfide induces calcium waves in astrocytes. <i>FASEB Journal</i> , <b>2004</b> , 18, 557-9	0.9	261
10	Murine cystathionine gamma-lyase: complete cDNA and genomic sequences, promoter activity, tissue distribution and developmental expression. <i>Biochemical Journal</i> , <b>2004</b> , 381, 113-23	3.8	234
9	Hydrogen sulfide protects neurons from oxidative stress. <i>FASEB Journal</i> , <b>2004</b> , 18, 1165-7	0.9	666

8	Hydrogen Sulfide and the Regulation of Neuronal Activities <b>2004</b> , 315-321		o
7	Hydrogen sulfide is produced in response to neuronal excitation. <i>Journal of Neuroscience</i> , <b>2002</b> , 22, 3386-3391		149
6	Amyloid $\beta$ Toxicity Consists of a $\text{Ca}^{2+}$ -Independent Early Phase and a $\text{Ca}^{2+}$ -Dependent Late Phase. <i>Journal of Neurochemistry</i> , <b>2002</b> , 67, 2074-2078	6	59
5	Hydrogen sulfide as a neuromodulator. <i>Molecular Neurobiology</i> , <b>2002</b> , 26, 13-9	6.2	334
4	A novel enhancing mechanism for hydrogen sulfide-producing activity of cystathionine beta-synthase. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 42680-5	5.4	62
3	Brain hydrogen sulfide is severely decreased in Alzheimer's disease. <i>Biochemical and Biophysical Research Communications</i> , <b>2002</b> , 293, 1485-8	3.4	639
2	Hydrogen sulfide induces cyclic AMP and modulates the NMDA receptor. <i>Biochemical and Biophysical Research Communications</i> , <b>2000</b> , 267, 129-33	3.4	283
1	The possible role of hydrogen sulfide as an endogenous smooth muscle relaxant in synergy with nitric oxide. <i>Biochemical and Biophysical Research Communications</i> , <b>1997</b> , 237, 527-31	3.4	977