

# AurÃ©lie Affret

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5300883/publications.pdf>

Version: 2024-02-01

39  
papers

1,102  
citations

361413

20  
h-index

414414

32  
g-index

41  
all docs

41  
docs citations

41  
times ranked

2618  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. PLoS Medicine, 2016, 13, e1002094.	8.4	150
2	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. PLoS ONE, 2016, 11, e0159025.	2.5	75
3	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2016, 104, 406-414.	4.7	70
4	Dietary antioxidant capacity and risk of type 2 diabetes in the large prospective E3N-EPIC cohort. Diabetologia, 2018, 61, 308-316.	6.3	65
5	Nutritional quality of food as represented by the FSA-m-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. PLoS Medicine, 2018, 15, e1002651.	8.4	63
6	Circulating copper and zinc levels and risk of hepatobiliary cancers in Europeans. British Journal of Cancer, 2017, 116, 688-696.	6.4	53
7	Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. International Journal of Cancer, 2017, 140, 1836-1844.	5.1	50
8	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. American Journal of Clinical Nutrition, 2018, 107, 607-616.	4.7	50
9	Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Cancer, 2018, 142, 449-459.	5.1	49
10	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. British Journal of Nutrition, 2016, 116, 316-325.	2.3	30
11	Chronic Consumption of Artificial Sweetener in Packets or Tablets and Type 2 Diabetes Risk: Evidence from the E3N-European Prospective Investigation into Cancer and Nutrition Study. Annals of Nutrition and Metabolism, 2017, 70, 51-58.	1.9	30
12	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 291-301.	2.5	28
13	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. British Journal of Cancer, 2017, 116, 811-820.	6.4	27
14	High dietary phosphorus intake is associated with an increased risk of type 2 diabetes in the large prospective E3N cohort study. Clinical Nutrition, 2018, 37, 1625-1630.	5.0	27
15	Coffee and Tea Consumption and the Contribution of Their Added Ingredients to Total Energy and Nutrient Intakes in 10 European Countries: Benchmark Data from the Late 1990s. Nutrients, 2018, 10, 725.	4.1	27
16	Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. British Journal of Cancer, 2016, 115, 1430-1440.	6.4	26
17	An International Study on the Determinants of Poor Sleep Amongst 15,000 Users of Connected Devices. Journal of Medical Internet Research, 2017, 19, e363.	4.3	25
18	Ability of ecological deprivation indices to measure social inequalities in a French cohort. BMC Public Health, 2017, 17, 956.	2.9	24

#	ARTICLE	IF	CITATIONS
19	Identification of Urinary Polyphenol Metabolite Patterns Associated with Polyphenol-Rich Food Intake in Adults from Four European Countries. <i>Nutrients</i> , 2017, 9, 796.	4.1	23
20	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. <i>BMC Medicine</i> , 2017, 15, 26.	5.5	21
21	Validity and reproducibility of a short food frequency questionnaire among patients with chronic kidney disease. <i>BMC Nephrology</i> , 2017, 18, 297.	1.8	19
22	High iodine dietary intake is associated with type 2 diabetes among women of the E3N-EPIC cohort study. <i>Clinical Nutrition</i> , 2019, 38, 1651-1656.	5.0	19
23	Relative Validity and Reproducibility of a New 44-Item Diet and Food Frequency Questionnaire Among Adults: Online Assessment. <i>Journal of Medical Internet Research</i> , 2018, 20, e227.	4.3	18
24	The association of body shape trajectories over the life course with type 2 diabetes risk in adulthood: a group-based modeling approach. <i>Annals of Epidemiology</i> , 2015, 25, 785-787.	1.9	17
25	Evaluation of urinary resveratrol as a biomarker of dietary resveratrol intake in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2017, 117, 1596-1602.	2.3	17
26	Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1122-1132.	2.9	17
27	Fatty acid consumption and incident type 2 diabetes: an 18-year follow-up in the female E3N (Etude Tj ETQq1 1 0.784314 rgBT /Over cohort study. <i>British Journal of Nutrition</i> , 2016, 116, 1807-1815.	2.3	15
28	Micronutrient dietary patterns associated with type 2 diabetes mellitus among women of the E3N-EPIC (Etude Epidémiologique auprès de femmes de l'Education Nationale) cohort study. <i>Journal of Diabetes</i> , 2018, 10, 665-674.	1.8	11
29	Socio-economic factors associated with a healthy diet: results from the E3N study. <i>Public Health Nutrition</i> , 2017, 20, 1574-1583.	2.2	9
30	Influence of a cancer diagnosis on changes in fruit and vegetable consumption according to cancer site, stage at diagnosis and socioeconomic factors: Results from the large E3N-EPIC study. <i>International Journal of Cancer</i> , 2018, 143, 1678-1687.	5.1	9
31	Socio-economic factors associated with an increase in fruit and vegetable consumption: a 12-year study in women from the E3N-EPIC study. <i>Public Health Nutrition</i> , 2018, 21, 740-755.	2.2	9
32	Association Between Handedness and Type 2 Diabetes: The E3N Study: Table 1. <i>Diabetes Care</i> , 2015, 38, e199-e199.	8.6	8
33	Assessment of a glycated hemoglobin point-of-care analyzer (A1CNow+) in comparison with an immunoturbidimetric method: a diagnostic accuracy study. <i>Sao Paulo Medical Journal</i> , 2015, 133, 460-464.	0.9	5
34	Realist evaluation of a theory-based life skills programme aiming to prevent addictive behaviours in adolescents: the ERIEAS study protocol. <i>BMJ Open</i> , 2020, 10, e034530.	1.9	5
35	Associations of Physical Activity Level and Variability With 6-Month Weight Change Among 26,935 Users of Connected Devices: Observational Real-Life Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e25385.	3.7	5
36	Educational level and family structure influence the dietary changes after the diagnosis of type 2 diabetes: evidence from the E3N study. <i>Nutrition Research</i> , 2017, 44, 9-17.	2.9	4

#	ARTICLE	IF	CITATIONS
37	Development of a knowledge translation taxonomy in the field of health prevention: a participative study between researchers, decision-makers and field professionals. <i>Health Research Policy and Systems</i> , 2020, 18, 91.	2.8	2
38	Response to Comment on Bonnet et al. Association Between Handedness and Type 2 Diabetes: The E3N Study. <i>Diabetes Care</i> 2015;38:e199. <i>Diabetes Care</i> , 2016, 39, e47-e47.	8.6	0
39	What are the determinants of a concerned vision of the future when living with type 2 diabetes? Results from the E3N-AfterDiab study. <i>Chronic Illness</i> , 2019, 15, 236-241.	1.5	0