

AurÃ©lie Affret

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5300883/publications.pdf>

Version: 2024-02-01

39
papers

1,102
citations

361413

20
h-index

414414

32
g-index

41
all docs

41
docs citations

41
times ranked

2618
citing authors

#	ARTICLE	IF	CITATIONS
1	Associations of Physical Activity Level and Variability With 6-Month Weight Change Among 26,935 Users of Connected Devices: Observational Real-Life Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e25385.	3.7	5
2	Development of a knowledge translation taxonomy in the field of health prevention: a participative study between researchers, decision-makers and field professionals. <i>Health Research Policy and Systems</i> , 2020, 18, 91.	2.8	2
3	Realist evaluation of a theory-based life skills programme aiming to prevent addictive behaviours in adolescents: the ERIEAS study protocol. <i>BMJ Open</i> , 2020, 10, e034530.	1.9	5
4	High iodine dietary intake is associated with type 2 diabetes among women of the E3N-EPIC cohort study. <i>Clinical Nutrition</i> , 2019, 38, 1651-1656.	5.0	19
5	Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1122-1132.	2.9	17
6	What are the determinants of a concerned vision of the future when living with type 2 diabetes? Results from the E3N-AfterDiab study. <i>Chronic Illness</i> , 2019, 15, 236-241.	1.5	0
7	Micronutrient dietary patterns associated with type 2 diabetes mellitus among women of the E3N-EPIC (Etude Epidémiologique auprès de femmes de l'Education Nationale) cohort study. <i>Journal of Diabetes</i> , 2018, 10, 665-674.	1.8	11
8	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 607-616.	4.7	50
9	Influence of a cancer diagnosis on changes in fruit and vegetable consumption according to cancer site, stage at diagnosis and socioeconomic factors: Results from the large E3N-EPIC study. <i>International Journal of Cancer</i> , 2018, 143, 1678-1687.	5.1	9
10	Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2018, 142, 449-459.	5.1	49
11	High dietary phosphorus intake is associated with an increased risk of type 2 diabetes in the large prospective E3N cohort study. <i>Clinical Nutrition</i> , 2018, 37, 1625-1630.	5.0	27
12	Socio-economic factors associated with an increase in fruit and vegetable consumption: a 12-year study in women from the E3N-EPIC study. <i>Public Health Nutrition</i> , 2018, 21, 740-755.	2.2	9
13	Dietary antioxidant capacity and risk of type 2 diabetes in the large prospective E3N-EPIC cohort. <i>Diabetologia</i> , 2018, 61, 308-316.	6.3	65
14	Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002651.	8.4	63
15	Coffee and Tea Consumption and the Contribution of Their Added Ingredients to Total Energy and Nutrient Intakes in 10 European Countries: Benchmark Data from the Late 1990s. <i>Nutrients</i> , 2018, 10, 725.	4.1	27
16	Relative Validity and Reproducibility of a New 44-Item Diet and Food Frequency Questionnaire Among Adults: Online Assessment. <i>Journal of Medical Internet Research</i> , 2018, 20, e227.	4.3	18
17	Circulating copper and zinc levels and risk of hepatobiliary cancers in Europeans. <i>British Journal of Cancer</i> , 2017, 116, 688-696.	6.4	53
18	Chronic Consumption of Artificial Sweetener in Packets or Tablets and Type 2 Diabetes Risk: Evidence from the E3N-European Prospective Investigation into Cancer and Nutrition Study. <i>Annals of Nutrition and Metabolism</i> , 2017, 70, 51-58.	1.9	30

#	ARTICLE	IF	CITATIONS
19	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Cancer</i> , 2017, 116, 811-820.	6.4	27
20	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. <i>BMC Medicine</i> , 2017, 15, 26.	5.5	21
21	Educational level and family structure influence the dietary changes after the diagnosis of type 2 diabetes: evidence from the E3N study. <i>Nutrition Research</i> , 2017, 44, 9-17.	2.9	4
22	Socio-economic factors associated with a healthy diet: results from the E3N study. <i>Public Health Nutrition</i> , 2017, 20, 1574-1583.	2.2	9
23	Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2017, 140, 1836-1844.	5.1	50
24	Evaluation of urinary resveratrol as a biomarker of dietary resveratrol intake in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2017, 117, 1596-1602.	2.3	17
25	Identification of Urinary Polyphenol Metabolite Patterns Associated with Polyphenol-Rich Food Intake in Adults from Four European Countries. <i>Nutrients</i> , 2017, 9, 796.	4.1	23
26	Ability of ecological deprivation indices to measure social inequalities in a French cohort. <i>BMC Public Health</i> , 2017, 17, 956.	2.9	24
27	Validity and reproducibility of a short food frequency questionnaire among patients with chronic kidney disease. <i>BMC Nephrology</i> , 2017, 18, 297.	1.8	19
28	An International Study on the Determinants of Poor Sleep Amongst 15,000 Users of Connected Devices. <i>Journal of Medical Internet Research</i> , 2017, 19, e363.	4.3	25
29	Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2016, 13, e1002094.	8.4	150
30	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 406-414.	4.7	70
31	Fatty acid consumption and incident type 2 diabetes: an 18-year follow-up in the female E3N (Etude) cohort study. <i>British Journal of Nutrition</i> , 2016, 116, 1807-1815.	2.3	15
32	Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>British Journal of Cancer</i> , 2016, 115, 1430-1440.	6.4	26
33	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2016, 116, 316-325.	2.3	30
34	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 291-301.	2.5	28
35	Response to Comment on Bonnet et al. Association Between Handedness and Type 2 Diabetes: The E3N Study. <i>Diabetes Care</i> 2015;38:e199. <i>Diabetes Care</i> , 2016, 39, e47-e47.	8.6	0
36	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0159025.	2.5	75

#	ARTICLE	IF	CITATIONS
37	Assessment of a glycated hemoglobin point-of-care analyzer (A1CNow+) in comparison with an immunoturbidimetric method: a diagnostic accuracy study. Sao Paulo Medical Journal, 2015, 133, 460-464.	0.9	5
38	Association Between Handedness and Type 2 Diabetes: The E3N Study: Table 1. Diabetes Care, 2015, 38, e199-e199.	8.6	8
39	The association of body shape trajectories over the life course with type 2 diabetes risk in adulthood: a group-based modeling approach. Annals of Epidemiology, 2015, 25, 785-787.	1.9	17