

Qizhan Liu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/530123/qizhan-liu-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

2,331
citations

31
h-index

46
g-index

78
ext. papers

2,794
ext. citations

5.7
avg, IF

4.87
L-index

#	Paper	IF	Citations
76	Intrauterine exposure of mice to arsenite induces abnormal and transgenerational glycometabolism.. <i>Chemosphere</i> , 2022 , 294, 133757	8.4	0
75	Mg-HA-C/C Composites Promote Osteogenic Differentiation and Repair Bone Defects Through Inhibiting miR-16.. <i>Frontiers in Bioengineering and Biotechnology</i> , 2022 , 10, 838842	5.8	
74	Regulation of lung epithelial cell senescence in smoking-induced COPD/emphysema by microR-125a-5p via Sp1 mediation of SIRT1/HIF-1a.. <i>International Journal of Biological Sciences</i> , 2022 , 18, 661-674	11.2	0
73	METTL3-mediated mA modification of ZBTB4 mRNA is involved in the smoking-induced EMT in cancer of the lung. <i>Molecular Therapy - Nucleic Acids</i> , 2021 , 23, 487-500	10.7	14
72	The aberrant cross-talk of epithelium-macrophages via METTL3-regulated extracellular vesicle miR-93 in smoking-induced emphysema. <i>Cell Biology and Toxicology</i> , 2021 , 1	7.4	5
71	Assessing the risk of coal-burning arsenic-induced liver damage: a population-based study on hair arsenic and cumulative arsenic. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 50489-50499	5.1	3
70	MicroRNA-191 blocking the translocation of GLUT4 is involved in arsenite-induced hepatic insulin resistance through inhibiting the IRS1/AKT pathway. <i>Ecotoxicology and Environmental Safety</i> , 2021 , 215, 112130	7	5
69	MicroRNA-15b in extracellular vesicles from arsenite-treated macrophages promotes the progression of hepatocellular carcinomas by blocking the LATS1-mediated Hippo pathway. <i>Cancer Letters</i> , 2021 , 497, 137-153	9.9	16
68	microRNA-21, via the HIF-1/VEGF signaling pathway, is involved in arsenite-induced hepatic fibrosis through aberrant cross-talk of hepatocytes and hepatic stellate cells. <i>Chemosphere</i> , 2021 , 266, 129177	8.4	6
67	LncRNA H19-mediated M2 polarization of macrophages promotes myofibroblast differentiation in pulmonary fibrosis induced by arsenic exposure. <i>Environmental Pollution</i> , 2021 , 268, 115810	9.3	16
66	CircRNA_0026344 via miR-21 is involved in cigarette smoke-induced autophagy and apoptosis of alveolar epithelial cells in emphysema. <i>Cell Biology and Toxicology</i> , 2021 , 1	7.4	1
65	miR-21 in EVs from pulmonary epithelial cells promotes myofibroblast differentiation via glycolysis in arsenic-induced pulmonary fibrosis. <i>Environmental Pollution</i> , 2021 , 286, 117259	9.3	4
64	miR-21-regulated M2 polarization of macrophage is involved in arsenicosis-induced hepatic fibrosis through the activation of hepatic stellate cells. <i>Journal of Cellular Physiology</i> , 2021 , 236, 6025-6041	7	4
63	MicroRNA-16, via FGF2 Regulation of the ERK/MAPK Pathway, Is Involved in the Magnesium-Promoted Osteogenic Differentiation of Mesenchymal Stem Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 3894926	6.7	9
62	MircoRNA-143-3p regulating ARL6 is involved in the cadmium-induced inhibition of osteogenic differentiation in human bone marrow mesenchymal stem cells. <i>Toxicology Letters</i> , 2020 , 331, 159-166	4.4	11
61	Arsenite-induced transgenerational glycometabolism is associated with up-regulation of H3K4me2 via inhibiting spr-5 in caenorhabditis elegans. <i>Toxicology Letters</i> , 2020 , 326, 11-17	4.4	38
60	hOGG1 promoter methylation, hOGG1 genetic variants and their interactions for risk of coal-borne arsenicosis: A case-control study. <i>Environmental Toxicology and Pharmacology</i> , 2020 , 75, 103330	5.8	1

59	Ginkgo biloba extract attenuates the disruption of pro-and anti-inflammatory T-cell balance in peripheral blood of arsenicosis patients. <i>International Journal of Biological Sciences</i> , 2020 , 16, 483-494	11.2	10
58	Pre-miR-27a rs895819 polymorphism and risk of diffuse large B-cell lymphoma. <i>Journal of Clinical Laboratory Analysis</i> , 2020 , 34, e23088	3	3
57	The ubiquitination and acetylation of histones are associated with male reproductive disorders induced by chronic exposure to arsenite. <i>Toxicology and Applied Pharmacology</i> , 2020 , 408, 115253	4.6	1
56	Circ0061052 regulation of FoxC1/Snail pathway via miR-515-5p is involved in the epithelial-mesenchymal transition of epithelial cells during cigarette smoke-induced airway remodeling. <i>Science of the Total Environment</i> , 2020 , 746, 141181	10.2	12
55	Exosomal MALAT1 derived from hepatic cells is involved in the activation of hepatic stellate cells via miRNA-26b in fibrosis induced by arsenite. <i>Toxicology Letters</i> , 2019 , 316, 73-84	4.4	24
54	Regulation of gasdermin D by miR-379-5p is involved in arsenite-induced activation of hepatic stellate cells and in fibrosis via secretion of IL-1 β from human hepatic cells. <i>Metallomics</i> , 2019 , 11, 483-495	4.5	14
53	Andrographolide antagonizes the cigarette smoke-induced epithelial-mesenchymal transition and pulmonary dysfunction through anti-inflammatory inhibiting HOTAIR. <i>Toxicology</i> , 2019 , 422, 84-94	4.4	19
52	NF- κ B-regulation of miR-155, via SOCS1/STAT3, is involved in the PM-accelerated cell cycle and proliferation of human bronchial epithelial cells. <i>Toxicology and Applied Pharmacology</i> , 2019 , 377, 114618	4.6	20
51	Association and risk of five miRNAs with arsenic-induced multiorgan damage. <i>Science of the Total Environment</i> , 2019 , 680, 1-9	10.2	33
50	Wnt/ β Catenin Pathway Is Involved in Cadmium-Induced Inhibition of Osteoblast Differentiation of Bone Marrow Mesenchymal Stem Cells. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	21
49	Role of B-Cell Lymphoma 2 Ovarian Killer (BOK) in Acute Toxicity of Human Lung Epithelial Cells Caused by Cadmium Chloride. <i>Medical Science Monitor</i> , 2019 , 25, 5356-5368	3.2	5
48	Involvement of HIF-1 β -regulated miR-21, acting via the Akt/NF- κ B pathway, in malignant transformation of HBE cells induced by cigarette smoke extract. <i>Toxicology Letters</i> , 2018 , 289, 14-21	4.4	14
47	Exosomal circRNA_100284 from arsenite-transformed cells, via microRNA-217 regulation of EZH2, is involved in the malignant transformation of human hepatic cells by accelerating the cell cycle and promoting cell proliferation. <i>Cell Death and Disease</i> , 2018 , 9, 454	9.8	99
46	In type 2 diabetes induced by cigarette smoking, activation of p38 MAPK is involved in pancreatic β cell apoptosis. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 9817-9827	5.1	6
45	MicroRNA-191, regulated by HIF-2 α is involved in EMT and acquisition of a stem cell-like phenotype in arsenite-transformed human liver epithelial cells. <i>Toxicology in Vitro</i> , 2018 , 48, 128-136	3.6	25
44	CircLRP6 Regulation of ZEB1 via miR-455 Is Involved in the Epithelial-Mesenchymal Transition During Arsenite-Induced Malignant Transformation of Human Keratinocytes. <i>Toxicological Sciences</i> , 2018 , 162, 450-461	4.4	26
43	miR-145 via targeting ERCC2 is involved in arsenite-induced DNA damage in human hepatic cells. <i>Toxicology Letters</i> , 2018 , 295, 220-228	4.4	13
42	MicroRNA-191, acting via the IRS-1/Akt signaling pathway, is involved in the hepatic insulin resistance induced by cigarette smoke extract. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 22400-22407	5.1	6

41	Tumor-penetrating peptide fused EGFR single-domain antibody enhances radiation responses following EGFR inhibition in gastric cancer. <i>Oncology Reports</i> , 2018 , 40, 1583-1591	3.5	4
40	Identification of interneurons required for the aversive response of <i>Caenorhabditis elegans</i> to graphene oxide. <i>Journal of Nanobiotechnology</i> , 2018 , 16, 45	9.4	36
39	Circ008913, via miR-889 regulation of DAB2IP/ZEB1, is involved in the arsenite-induced acquisition of CSC-like properties by human keratinocytes in carcinogenesis. <i>Metallomics</i> , 2018 , 10, 1328-1338	4.5	40
38	NF-B-regulated miR-155, via repression of QKI, contributes to the acquisition of CSC-like phenotype during the neoplastic transformation of hepatic cells induced by arsenite. <i>Molecular Carcinogenesis</i> , 2018 , 57, 483-493	5	13
37	Exosomal microRNA-21 derived from bronchial epithelial cells is involved in aberrant epithelium-fibroblast cross-talk in COPD induced by cigarette smoking. <i>Theranostics</i> , 2018 , 8, 5419-5433 ^{12.1}		85
36	MALAT1 via microRNA-17 regulation of insulin transcription is involved in the dysfunction of pancreatic β cells induced by cigarette smoke extract. <i>Journal of Cellular Physiology</i> , 2018 , 233, 8862-8873 ⁷		12
35	Circ100284, via miR-217 regulation of EZH2, is involved in the arsenite-accelerated cell cycle of human keratinocytes in carcinogenesis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017 , 1863, 753-763	6.9	56
34	Circulating miRNAs and their target genes associated with arsenism caused by coal-burning. <i>Toxicology Research</i> , 2017 , 6, 162-172	2.6	14
33	Enhanced glycolysis, regulated by HIF-1 α via MCT-4, promotes inflammation in arsenite-induced carcinogenesis. <i>Carcinogenesis</i> , 2017 , 38, 615-626	4.6	31
32	NF-kB-regulated exosomal miR-155 promotes the inflammation associated with arsenite carcinogenesis. <i>Cancer Letters</i> , 2017 , 388, 21-33	9.9	67
31	Multi-walled carbon nanotubes-induced alterations in microRNA let-7 and its targets activate a protection mechanism by conferring a developmental timing control. <i>Particle and Fibre Toxicology</i> , 2017 , 14, 27	8.4	45
30	PKC β mediated Ca/NF-AT signalling pathway may be involved in T-cell immunosuppression in coal-burning arsenic-poisoned population. <i>Environmental Toxicology and Pharmacology</i> , 2017 , 55, 44-50	5.8	15
29	Impaired autophagic flux and p62-mediated EMT are involved in arsenite-induced transformation of L-02 cells. <i>Toxicology and Applied Pharmacology</i> , 2017 , 334, 75-87	4.6	20
28	MicroRNA-218 acts by repressing TNFR1-mediated activation of NF-B, which is involved in MUC5AC hyper-production and inflammation in smoking-induced bronchiolitis of COPD. <i>Toxicology Letters</i> , 2017 , 280, 171-180	4.4	34
27	Feedback circuitry via let-7c between lncRNA CCAT1 and c-Myc is involved in cigarette smoke extract-induced malignant transformation of HBE cells. <i>Oncotarget</i> , 2017 , 8, 19285-19297	3.3	28
26	MicroRNA-21 activation of Akt PTEN is involved in the epithelial-mesenchymal transition and malignant transformation of human keratinocytes induced by arsenite. <i>Toxicology Research</i> , 2016 , 5, 1140-1147	2.6	6
25	MicroRNA-21 activation of ERK signaling via PTEN is involved in arsenite-induced autophagy in human hepatic L-02 cells. <i>Toxicology Letters</i> , 2016 , 252, 1-10	4.4	38
24	The lncRNA MALAT1, acting through HIF-1 β stabilization, enhances arsenite-induced glycolysis in human hepatic L-02 cells. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016 , 1862, 1685-95	6.9	62

23	Epigenetic silencing of microRNA-218 via EZH2-mediated H3K27 trimethylation is involved in malignant transformation of HBE cells induced by cigarette smoke extract. <i>Archives of Toxicology</i> , 2016 , 90, 449-61	5.8	36
22	HIF-2 α -acting miR-191, is involved in angiogenesis and metastasis of arsenite-transformed HBE cells. <i>Toxicology Research</i> , 2016 , 5, 66-78	2.6	13
21	Long noncoding RNA GAS5 suppresses the migration and invasion of hepatocellular carcinoma cells via miR-21. <i>Tumor Biology</i> , 2016 , 37, 2691-702	2.9	115
20	Epigenetic silencing of p21 by long non-coding RNA HOTAIR is involved in the cell cycle disorder induced by cigarette smoke extract. <i>Toxicology Letters</i> , 2016 , 240, 60-7	4.4	28
19	STAT3-regulated exosomal miR-21 promotes angiogenesis and is involved in neoplastic processes of transformed human bronchial epithelial cells. <i>Cancer Letters</i> , 2016 , 370, 125-35	9.9	175
18	A MALAT1/HIF-2 α feedback loop contributes to arsenite carcinogenesis. <i>Oncotarget</i> , 2016 , 7, 5769-87	3.3	60
17	Epigenetic silencing of miR-218 by the lncRNA CCAT1, acting via BMI1, promotes an altered cell cycle transition in the malignant transformation of HBE cells induced by cigarette smoke extract. <i>Toxicology and Applied Pharmacology</i> , 2016 , 304, 30-41	4.6	55
16	Evodiamine exerts anti-tumor effects against hepatocellular carcinoma through inhibiting E-catenin-mediated angiogenesis. <i>Tumor Biology</i> , 2016 , 37, 12791-12803	2.9	33
15	The IL-6/STAT3 pathway via miR-21 is involved in the neoplastic and metastatic properties of arsenite-transformed human keratinocytes. <i>Toxicology Letters</i> , 2015 , 237, 191-9	4.4	35
14	Posttranscriptional silencing of the lncRNA MALAT1 by miR-217 inhibits the epithelial-mesenchymal transition via enhancer of zeste homolog 2 in the malignant transformation of HBE cells induced by cigarette smoke extract. <i>Toxicology and Applied Pharmacology</i> , 2015 , 300, 276-85	4.6	64
13	Epithelial-mesenchymal transition and cancer stem cells, mediated by a long non-coding RNA, HOTAIR, are involved in cell malignant transformation induced by cigarette smoke extract. <i>Toxicology and Applied Pharmacology</i> , 2015 , 282, 9-19	4.6	112
12	MicroRNA-21, up-regulated by arsenite, directs the epithelial-mesenchymal transition and enhances the invasive potential of transformed human bronchial epithelial cells by targeting PDCD4. <i>Toxicology Letters</i> , 2015 , 232, 301-9	4.4	42
11	MicroRNA-191, by promoting the EMT and increasing CSC-like properties, is involved in neoplastic and metastatic properties of transformed human bronchial epithelial cells. <i>Molecular Carcinogenesis</i> , 2015 , 54 Suppl 1, E148-61	5	62
10	Cell cycle changes mediated by the p53/miR-34c axis are involved in the malignant transformation of human bronchial epithelial cells by benzo[a]pyrene. <i>Toxicology Letters</i> , 2014 , 225, 275-84	4.4	23
9	The acquisition of cancer stem cell-like properties and neoplastic transformation of human keratinocytes induced by arsenite involves epigenetic silencing of let-7c via Ras/NF- κ B. <i>Toxicology Letters</i> , 2014 , 227, 91-8	4.4	46
8	EMT and CSC-like properties mediated by the IKK α /I κ B/RelA signal pathway via the transcriptional regulator, Snail, are involved in the arsenite-induced neoplastic transformation of human keratinocytes. <i>Archives of Toxicology</i> , 2013 , 87, 991-1000	5.8	41
7	The accumulations of HIF-1 α and HIF-2 α by JNK and ERK are involved in biphasic effects induced by different levels of arsenite in human bronchial epithelial cells. <i>Toxicology and Applied Pharmacology</i> , 2013 , 266, 187-97	4.6	22
6	Involvement of HIF-2 α -mediated inflammation in arsenite-induced transformation of human bronchial epithelial cells. <i>Toxicology and Applied Pharmacology</i> , 2013 , 272, 542-50	4.6	38

5	Arsenite evokes IL-6 secretion, autocrine regulation of STAT3 signaling, and miR-21 expression, processes involved in the EMT and malignant transformation of human bronchial epithelial cells. <i>Toxicology and Applied Pharmacology</i> , 2013 , 273, 27-34	4.6	57
4	NF- κ B-mediated inflammation leading to EMT via miR-200c is involved in cell transformation induced by cigarette smoke extract. <i>Toxicological Sciences</i> , 2013 , 135, 265-76	4.4	69
3	Blockade of p53 by HIF-2 α but not HIF-1 α is involved in arsenite-induced malignant transformation of human bronchial epithelial cells. <i>Archives of Toxicology</i> , 2012 , 86, 947-59	5.8	33
2	EMT and stem cell-like properties associated with HIF-2 α are involved in arsenite-induced transformation of human bronchial epithelial cells. <i>PLoS ONE</i> , 2012 , 7, e37765	3.7	39
1	The repressive effect of NF- κ B on p53 by mot-2 is involved in human keratinocyte transformation induced by low levels of arsenite. <i>Toxicological Sciences</i> , 2010 , 116, 174-82	4.4	42