

Qixin Zhong

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5301468/qixin-zhong-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130
papers

4,288
citations

36
h-index

61
g-index

132
ext. papers

5,088
ext. citations

6.8
avg, IF

6.46
L-index

#	Paper	IF	Citations
130	Enhanced dispersibility and bioactivity of curcumin by encapsulation in casein nanocapsules. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 6036-43	5.7	306
129	Zein nanoparticles produced by liquid-liquid dispersion. <i>Food Hydrocolloids</i> , 2009 , 23, 2380-2387	10.6	248
128	pH-driven encapsulation of curcumin in self-assembled casein nanoparticles for enhanced dispersibility and bioactivity. <i>Soft Matter</i> , 2014 , 10, 6820-30	3.6	238
127	Thymol nanoencapsulated by sodium caseinate: physical and antilisterial properties. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 1649-57	5.7	135
126	Casein/pectin nanocomplexes as potential oral delivery vehicles. <i>International Journal of Pharmaceutics</i> , 2015 , 486, 59-68	6.5	134
125	A novel method of preparing stable zein nanoparticle dispersions for encapsulation of peppermint oil. <i>Food Hydrocolloids</i> , 2015 , 43, 593-602	10.6	130
124	Physical and antimicrobial properties of spray-dried zein-casein nanocapsules with co-encapsulated eugenol and thymol. <i>Journal of Food Engineering</i> , 2015 , 144, 93-102	6	119
123	Processes improving the dispersibility of spray-dried zein nanoparticles using sodium caseinate. <i>Food Hydrocolloids</i> , 2014 , 35, 358-366	10.6	111
122	Glycation of whey protein to provide steric hindrance against thermal aggregation. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 9754-62	5.7	109
121	Thermal aggregation properties of whey protein glycated with various saccharides. <i>Food Hydrocolloids</i> , 2013 , 32, 87-96	10.6	101
120	Nanoscale structures of spray-dried zein microcapsules and in vitro release kinetics of the encapsulated lysozyme as affected by formulations. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 3886-94	5.7	87
119	Low energy, organic solvent-free co-assembly of zein and caseinate to prepare stable dispersions. <i>Food Hydrocolloids</i> , 2016 , 52, 600-606	10.6	81
118	Sustained release of lysozyme from zein microcapsules produced by a supercritical anti-solvent process. <i>Food Chemistry</i> , 2009 , 115, 697-700	8.5	81
117	Antimicrobial activity of thyme oil co-nanoemulsified with sodium caseinate and lecithin. <i>International Journal of Food Microbiology</i> , 2015 , 210, 1-8	5.8	80
116	Physical, chemical and biochemical properties of casein hydrolyzed by three proteases: partial characterizations. <i>Food Chemistry</i> , 2014 , 155, 146-54	8.5	77
115	Antimicrobial properties of lauric arginate alone or in combination with essential oils in tryptic soy broth and 2% reduced fat milk. <i>International Journal of Food Microbiology</i> , 2013 , 166, 77-84	5.8	74
114	Encapsulation of bixin in sodium caseinate to deliver the colorant in transparent dispersions. <i>Food Hydrocolloids</i> , 2013 , 33, 1-9	10.6	71

113	The increased viability of probiotic <i>Lactobacillus salivarius</i> NRRL B-30514 encapsulated in emulsions with multiple lipid-protein-pectin layers. <i>Food Research International</i> , 2015 , 71, 9-15	7	70
112	Thyme oil nanoemulsions coemulsified by sodium caseinate and lecithin. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 9900-7	5.7	65
111	Impacts of sample preparation methods on solubility and antilisterial characteristics of essential oil components in milk. <i>Applied and Environmental Microbiology</i> , 2014 , 80, 907-16	4.8	59
110	Antimicrobial properties of microemulsions formulated with essential oils, soybean oil, and Tween 80. <i>International Journal of Food Microbiology</i> , 2016 , 226, 20-5	5.8	57
109	Nanoemulsions of thymol and eugenol co-emulsified by lauric arginate and lecithin. <i>Food Chemistry</i> , 2016 , 206, 167-73	8.5	56
108	Thermal and UV stability of β -carotene dissolved in peppermint oil microemulsified by sunflower lecithin and Tween 20 blend. <i>Food Chemistry</i> , 2015 , 174, 630-6	8.5	55
107	Eugenol improves physical and chemical stabilities of nanoemulsions loaded with β -carotene. <i>Food Chemistry</i> , 2016 , 194, 787-96	8.5	54
106	Nanodispersing thymol in whey protein isolate-maltodextrin conjugate capsules produced using the emulsion \rightarrow evaporation technique. <i>Journal of Food Engineering</i> , 2012 , 113, 79-86	6	53
105	Thymol nanoemulsified by whey protein-maltodextrin conjugates: the enhanced emulsifying capacity and antilisterial properties in milk by propylene glycol. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 12720-6	5.7	52
104	Self-assembled curcumin-soluble soybean polysaccharide nanoparticles: Physicochemical properties and in vitro anti-proliferation activity against cancer cells. <i>Food Chemistry</i> , 2018 , 246, 82-89	8.5	51
103	Effects of thermal denaturation on binding between bixin and whey protein. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 7526-31	5.7	50
102	Properties of Ternary Biopolymer Nanocomplexes of Zein, Sodium Caseinate, and Propylene Glycol Alginate and Their Functions of Stabilizing High Internal Phase Pickering Emulsions. <i>Langmuir</i> , 2018 , 34, 9215-9227	4	49
101	Organic Nanoparticles in Foods: Fabrication, Characterization, and Utilization. <i>Annual Review of Food Science and Technology</i> , 2016 , 7, 245-66	14.7	48
100	The improved thermal stability of anthocyanins at pH 5.0 by gum arabic. <i>LWT - Food Science and Technology</i> , 2015 , 64, 706-712	5.4	46
99	Effects of acidification by glucono-delta-lactone or hydrochloric acid on structures of zein-caseinate nanocomplexes self-assembled during a pH cycle. <i>Food Hydrocolloids</i> , 2018 , 82, 173-185	10.6	44
98	Lactobionic acid enhances the synergistic effect of nisin and thymol against <i>Listeria monocytogenes</i> Scott A in tryptic soy broth and milk. <i>International Journal of Food Microbiology</i> , 2017 , 260, 36-41	5.8	42
97	Nanoscale understanding of thermal aggregation of whey protein pretreated by transglutaminase. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 435-46	5.7	40
96	Amyloid-like fibrils formed from intrinsically disordered caseins: physicochemical and nanomechanical properties. <i>Soft Matter</i> , 2015 , 11, 5898-904	3.6	38

95	High temperature-short time glycation to improve heat stability of whey protein and reduce color formation. <i>Food Hydrocolloids</i> , 2015 , 44, 453-460	10.6	37
94	Release and antilisterial properties of nisin from zein capsules spray-dried at different temperatures. <i>LWT - Food Science and Technology</i> , 2011 , 44, 1977-1985	5.4	36
93	Ovalbumin-carboxymethylcellulose complex coacervates stabilized high internal phase emulsions: Comparison of the effects of pH and polysaccharide charge density. <i>Food Hydrocolloids</i> , 2020 , 98, 105282	10.6	36
92	Yeast mannoproteins improve thermal stability of anthocyanins at pH 7.0. <i>Food Chemistry</i> , 2015 , 172, 121-8	8.5	35
91	Physical and antimicrobial properties of cinnamon bark oil co-nanoemulsified by lauric arginate and Tween 80. <i>International Journal of Food Microbiology</i> , 2016 , 233, 52-59	5.8	35
90	Application of Supercritical Anti-Solvent Technologies for the Synthesis of Delivery Systems of Bioactive Food Components. <i>Food Biophysics</i> , 2008 , 3, 186-190	3.2	35
89	Formulating essential oil microemulsions as washing solutions for organic fresh produce production. <i>Food Chemistry</i> , 2014 , 165, 113-8	8.5	34
88	S/O/W emulsions prepared with sugar beet pectin to enhance the viability of probiotic <i>Lactobacillus salivarius</i> NRRL B-30514. <i>Food Hydrocolloids</i> , 2016 , 52, 804-810	10.6	31
87	Improving clarity and stability of skim milk powder dispersions by dissociation of casein micelles at pH 11.0 and acidification with citric acid. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 9260-8	5.7	30
86	Enzymatically modified starch with low digestibility produced from amylopectin by sequential amylosucrase and pullulanase treatments. <i>Food Hydrocolloids</i> , 2019 , 95, 195-202	10.6	27
85	Inhibiting Ice Recrystallization by Nanocelluloses. <i>Biomacromolecules</i> , 2019 , 20, 1667-1674	6.9	27
84	Effect of alginate coatings with cinnamon bark oil and soybean oil on quality and microbiological safety of cantaloupe. <i>International Journal of Food Microbiology</i> , 2015 , 215, 25-30	5.8	27
83	Transglutaminase cross-linking to enhance elastic properties of soy protein hydrogels with intercalated montmorillonite nanoclay. <i>Journal of Food Engineering</i> , 2013 , 115, 33-40	6	27
82	Nonthermal inactivation of <i>Escherichia coli</i> K-12 on spinach leaves, using dense phase carbon dioxide. <i>Journal of Food Protection</i> , 2008 , 71, 1015-7	2.5	27
81	Effects of media, heat adaptation, and outlet temperature on the survival of <i>Lactobacillus salivarius</i> NRRL B-30514 after spray drying and subsequent storage. <i>LWT - Food Science and Technology</i> , 2016 , 74, 441-447	5.4	25
80	Facile and Efficient Construction of Water-Soluble Biomaterials with Tunable Mesoscopic Structures Using All-Natural Edible Proteins. <i>Advanced Functional Materials</i> , 2019 , 29, 1901830	15.6	24
79	Freeze-dried capsules prepared from emulsions with encapsulated lactase as a potential delivery system to control lactose hydrolysis in milk. <i>Food Chemistry</i> , 2018 , 241, 397-402	8.5	24
78	Nanoparticles fabricated from bulk solid lipids: Preparation, properties, and potential food applications. <i>Advances in Colloid and Interface Science</i> , 2019 , 273, 102033	14.3	23

77	Structure modification of montmorillonite nanoclay by surface coating with soy protein. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 11965-71	5.7	23
76	In vitro release kinetics of nisin as affected by Tween 20 and glycerol co-encapsulated in spray-dried zein capsules. <i>Journal of Food Engineering</i> , 2011 , 106, 65-73	6	22
75	Cooling effects on a model rennet casein gel system: part I. Rheological characterization. <i>Langmuir</i> , 2004 , 20, 7399-405	4	21
74	Properties and potential food applications of lauric arginate as a cationic antimicrobial. <i>International Journal of Food Microbiology</i> , 2020 , 315, 108417	5.8	21
73	Multiple-layered coatings on l-glutamine solid microparticles for the retention during storage and enteric delivery during in vitro digestions. <i>Food Hydrocolloids</i> , 2015 , 43, 584-592	10.6	20
72	Improved Physicochemical Properties of Curcumin-Loaded Solid Lipid Nanoparticles Stabilized by Sodium Caseinate-Lactose Maillard Conjugate. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 7072-7081 ¹⁹	5.7	19
71	Carvacrol Loaded Solid Lipid Nanoparticles of Propylene Glycol Monopalmitate and Glyceryl Monostearate: Preparation, Characterization, and Synergistic Antimicrobial Activity. <i>Nanomaterials</i> , 2019 , 9,	5.4	19
70	Single Molecules and Networks of Xanthan Gum Probed by Atomic Force Microscopy. <i>Food Science and Technology Research</i> , 2012 , 18, 741-745	0.8	19
69	Physicochemical variables affecting the rheology and microstructure of rennet casein gels. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 2688-97	5.7	19
68	Formulation and Characterization of Quercetin-loaded Oil in Water Nanoemulsion and Evaluation of Hypocholesterolemic Activity in Rats. <i>Nutrients</i> , 2019 , 11,	6.7	18
67	Nanoencapsulation of caffeic acid phenethyl ester in sucrose fatty acid esters to improve activities against cancer cells. <i>Journal of Food Engineering</i> , 2019 , 246, 125-133	6	17
66	Physical and antimicrobial properties of neutral nanoemulsions self-assembled from alkaline thyme oil and sodium caseinate mixtures. <i>International Journal of Biological Macromolecules</i> , 2020 , 148, 1046-1052	7.9	16
65	Antibacterial activity of acidified sodium benzoate against Escherichia coli O157:H7, Salmonella enterica, and Listeria monocytogenes in tryptic soy broth and on cherry tomatoes. <i>International Journal of Food Microbiology</i> , 2018 , 274, 38-44	5.8	16
64	Cooling effects on a model rennet casein gel system: part II. Permeability and microscopy. <i>Langmuir</i> , 2004 , 20, 7406-11	4	16
63	Removal of milk fat globules from whey protein concentrate 34% to prepare clear and heat-stable protein dispersions. <i>Journal of Dairy Science</i> , 2014 , 97, 6097-106	4	15
62	Casein-maltodextrin conjugate as an emulsifier for fabrication of structured calcium carbonate particles as dispersible fat globule mimetics. <i>Food Hydrocolloids</i> , 2017 , 66, 61-70	10.6	14
61	Strong, elastic, and tough high internal phase emulsions stabilized solely by cod myofibers for multidisciplinary applications. <i>Chemical Engineering Journal</i> , 2021 , 412, 128724	14.7	14
60	Quality attributes and microbial survival on whole cantaloupes with antimicrobial coatings containing chitosan, lauric arginate, cinnamon oil and ethylenediaminetetraacetic acid. <i>International Journal of Food Microbiology</i> , 2016 , 235, 103-8	5.8	14

59	Antimicrobial properties of nisin after glycation with lactose, maltodextrin and dextran and the thyme oil emulsions prepared thereof. <i>International Journal of Food Microbiology</i> , 2014 , 191, 75-81	5.8	13
58	Crystallinity and quality of spray-dried lactose powder improved by soluble soybean polysaccharide. <i>LWT - Food Science and Technology</i> , 2015 , 62, 89-96	5.4	13
57	Eugenol Nanoencapsulated by Sodium Caseinate: Physical, Antimicrobial, and Biophysical Properties. <i>Food Biophysics</i> , 2018 , 13, 37-48	3.2	12
56	High Acyl Gellan Networks Probed by Rheology and Atomic Force Microscopy. <i>Food Science and Technology Research</i> , 2013 , 19, 201-210	0.8	12
55	Solid-in-Oil-in-Water Emulsions for Delivery of Lactase To Control in Vitro Hydrolysis of Lactose in Milk. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 9522-9528	5.7	11
54	Potential of acidified sodium benzoate as an alternative wash solution of cherry tomatoes: Changes of quality, background microbes, and inoculated pathogens during storage at 4 and 21°C post-washing. <i>Food Microbiology</i> , 2019 , 82, 111-118	6	11
53	Encapsulation of vitamin D in gum arabic to enhance bioavailability and stability for beverage applications. <i>Journal of Food Science</i> , 2020 , 85, 2368-2379	3.4	11
52	Coating oil droplets with rice proteins to control the release rate of encapsulated beta-carotene during in vitro digestion. <i>RSC Advances</i> , 2016 , 6, 73627-73635	3.7	11
51	Structural basis for the low digestibility of starches recrystallized from side chains of amylopectin modified by amylosucrase to different chain lengths. <i>Carbohydrate Polymers</i> , 2020 , 241, 116352	10.3	10
50	Stable casein micelle dispersions at pH 4.5 enabled by propylene glycol alginate following a pH-cycle treatment. <i>Carbohydrate Polymers</i> , 2020 , 233, 115834	10.3	10
49	Effect of surface charge density on the ice recrystallization inhibition activity of nanocelluloses. <i>Carbohydrate Polymers</i> , 2020 , 234, 115863	10.3	10
48	Core-Shell Nanoencapsulation of Tocopherol by Blending Sodium Oleate and Rebaudioside A: Preparation, Characterization, and Antioxidant Activity. <i>Molecules</i> , 2018 , 23,	4.8	10
47	Encapsulation of ferulic acid ethyl ester in caseinate to suppress off-flavor formation in UHT milk. <i>Food Chemistry</i> , 2017 , 237, 532-537	8.5	9
46	Effect of Fibril Length on the Ice Recrystallization Inhibition Activity of Nanocelluloses. <i>Carbohydrate Polymers</i> , 2020 , 240, 116275	10.3	9
45	Potential of Cinnamon Oil Emulsions as Alternative Washing Solutions of Carrots. <i>Journal of Food Protection</i> , 2017 , 80, 994-1001	2.5	9
44	Stable aqueous foams created with intercalated montmorillonite nanoclay coated by sodium caseinate. <i>Journal of Food Engineering</i> , 2019 , 248, 36-45	6	9
43	1-Laurin-3-Palmitin as a Novel Matrix of Solid Lipid Particles: Higher Loading Capacity of Thymol and Better Stability of Dispersions Than Those of Glyceryl Monostearate and Glyceryl Tripalmitate. <i>Nanomaterials</i> , 2019 , 9,	5.4	8
42	Amylopectin-Sodium Palmitate Complexes as Sustainable Nanohydrogels with Tunable Size and Fractal Dimensions. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 3796-3805	5.7	8

41	Physicochemical properties of skim milk powder dispersions prepared with calcium-chelating sodium tripolyphosphate, trisodium citrate, and sodium hexametaphosphate. <i>Journal of Dairy Science</i> , 2020 , 103, 9868-9880	4	8
40	Caffeic Acid Phenethyl Ester Loaded in Microemulsions: Enhanced In Vitro Activity against Colon and Breast Cancer Cells and Possible Cellular Mechanisms. <i>Food Biophysics</i> , 2019 , 14, 80-89	3.2	8
39	Decolorization of Cheddar cheese whey by activated carbon. <i>Journal of Dairy Science</i> , 2015 , 98, 2982-91	4	7
38	Casein core-polysaccharide shell nanocomplexes stable at pH 4.5 enabled by chelating and complexation properties of dextran sulfate. <i>Food Hydrocolloids</i> , 2020 , 103, 105723	10.6	7
37	Self-emulsification of eugenol by modified rice proteins to design nano delivery systems for controlled release of caffeic acid phenethyl ester. <i>RSC Advances</i> , 2017 , 7, 49953-49961	3.7	7
36	Supramolecular structures of recrystallized starches with amylopectin side chains modified by amylosucrase to different chain lengths. <i>Food Hydrocolloids</i> , 2021 , 119, 106830	10.6	7
35	Dispersible Biopolymer Particles Loaded with Lactase as a Potential Delivery System To Control Lactose Hydrolysis in Milk. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 6559-6568	5.7	6
34	Magnetization of eugenol to fabricate magnetic-responsive emulsions for targeted delivery of caffeic acid phenethyl ester. <i>RSC Advances</i> , 2017 , 7, 43455-43463	3.7	6
33	Short-time ultrasonication treatment in enzymatic hydrolysis of biomass. <i>Holzforchung</i> , 2013 , 67, 891-897		6
32	Enteric rice protein-shellac composite coating to enhance the viability of probiotic <i>Lactobacillus salivarius</i> NRRL B-30514. <i>Food Hydrocolloids</i> , 2021 , 113, 106469	10.6	6
31	Physical and microbiological properties of powdered <i>Lactobacillus salivarius</i> NRRL B-30514 as affected by relative amounts of dairy proteins and lactose. <i>LWT - Food Science and Technology</i> , 2020 , 121, 109044	5.4	5
30	Novel Antimicrobial and Antioxidant Chitosan Derivatives Prepared by Green Grafting with Phenylactic Acid. <i>Food Biophysics</i> , 2017 , 12, 470-478	3.2	5
29	IMPACTS OF SUPERCRITICAL EXTRACTION ON GC/MS PROFILES OF VOLATILES IN WHEY PROTEIN ISOLATE SAMPLED BY SOLID-PHASE MICROEXTRACTION. <i>Journal of Food Processing and Preservation</i> , 2011 , 35, 869-883	2.1	5
28	Probiotic powders prepared by mixing suspension of <i>Lactobacillus salivarius</i> NRRL B-30514 and spray-dried lactose: Physical and microbiological properties. <i>Food Research International</i> , 2020 , 127, 108706	7	5
27	Caffeic Acid Phenethyl Ester Loaded in Skim Milk Microcapsules: Physicochemical Properties and Enhanced Bioaccessibility and Bioactivity against Colon Cancer Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 14978-14987	5.7	4
26	Nanostructures self-assembled from food-grade molecules with pH-cycle as functional food ingredients. <i>Trends in Food Science and Technology</i> , 2022 , 120, 36-47	15.3	4
25	Effects of polysaccharide charge density on the structure and stability of carboxymethylcellulose-casein nanocomplexes at pH 4.5 prepared with and without a pH-cycle. <i>Food Hydrocolloids</i> , 2021 , 117, 106718	10.6	4
24	Nanoencapsulation of apigenin with whey protein isolate: physicochemical properties, activity against colorectal cancer cells, and bioavailability. <i>LWT - Food Science and Technology</i> , 2022 , 154, 112751-112757	5.4	3

23	Synergistic effects of whey protein isolate and amorphous sucrose on improving the viability and stability of powdered <i>Lactobacillus salivarius</i> NRRL B-30514. <i>LWT - Food Science and Technology</i> , 2020 , 118, 108722	5.4	3
22	Gluconic acid as a chelator to improve clarity of skim milk powder dispersions at pH 3.0. <i>Food Chemistry</i> , 2021 , 344, 128639	8.5	3
21	BG-4 from Bitter Gourd () Differentially Affects Inflammation In Vitro and In Vivo. <i>Antioxidants</i> , 2019 , 8,	7.1	2
20	Nanostructures: Facile and Efficient Construction of Water-Soluble Biomaterials with Tunable Mesoscopic Structures Using All-Natural Edible Proteins (Adv. Funct. Mater. 31/2019). <i>Advanced Functional Materials</i> , 2019 , 29, 1970216	15.6	2
19	Delivery systems for food applications 2015 , 91-111		2
18	Co-loading curcumin and quercetin in freeze-dried mushroom microparticles to inhibit lipid oxidation in beef patties. <i>Food Chemistry</i> , 2021 , 374, 131625	8.5	2
17	Physicochemical properties of skim milk powder dispersions after acidification to pH 2.4-3.0 and heating. <i>Food Hydrocolloids</i> , 2020 , 100, 105435	10.6	2
16	Physical and antimicrobial properties of self-emulsified nanoemulsions containing three synergistic essential oils.. <i>International Journal of Food Microbiology</i> , 2022 , 365, 109557	5.8	1
15	Inactivation of <i>Escherichia coli</i> K12 on raw almonds using supercritical carbon dioxide and thyme oil.. <i>Food Microbiology</i> , 2022 , 103, 103955	6	1
14	Enhancing bioaccessibility of resveratrol by loading in natural porous starch microparticles. <i>International Journal of Biological Macromolecules</i> , 2021 , 194, 982-982	7.9	1
13	Impacts of preparation conditions on the structure and emulsifying properties of casein-alginate conjugates produced by transacylation reaction.. <i>International Journal of Biological Macromolecules</i> , 2022 , 201, 242-253	7.9	1
12	Improving rehydration properties of spray-dried milk protein isolates by supplementing soluble caseins. <i>Food Research International</i> , 2021 , 150, 110770	7	1
11	Synergistic anti-inflammatory activity of apigenin and curcumin co-encapsulated in caseins assessed with lipopolysaccharide-stimulated RAW 264.7 macrophages. <i>International Journal of Biological Macromolecules</i> , 2021 , 193, 702-712	7.9	1
10	Electrosterically stabilized cellulose nanocrystals demonstrate ice recrystallization inhibition and cryoprotection activities. <i>International Journal of Biological Macromolecules</i> , 2020 , 165, 2378-2386	7.9	1
9	Conjugation of β and κ Caseins with Propylene Glycol Alginate Using a Transacylation Reaction as Novel Emulsifiers. <i>Biomacromolecules</i> , 2021 , 22, 4395-4407	6.9	1
8	Alkaline conjugation of caseinate and propylene glycol alginate to prepare biopolymer complexes stabilizing oil-in-water emulsion gels. <i>Food Hydrocolloids</i> , 2022 , 123, 107192	10.6	1
7	Spray-coating as a novel strategy to supplement broiler feed pellets with probiotic <i>Lactobacillus salivarius</i> NRRL B-30514. <i>LWT - Food Science and Technology</i> , 2021 , 137, 110419	5.4	0
6	Neutral pH nonfat dry milk beverages with turbidity reduced by sodium hexametaphosphate: Physical and sensory properties during storage. <i>LWT - Food Science and Technology</i> , 2021 , 147, 111656	5.4	0

5	The Improved Properties of Zein Encapsulating and Stabilizing Sacha Inchi Oil by Surfactant Combination of Lecithin and Tween 80. <i>Food and Bioprocess Technology</i> ,1	5.1	○
4	Physicochemical properties of yogurt fortified with microencapsulated Sacha Inchi oil. <i>LWT - Food Science and Technology</i> , 2022 , 161, 113375	5.4	○
3	Caseinate nanoparticles co-loaded with quercetin and avenanthramide 2c using a novel two-step pH-driven method: Formation, characterization, and bioavailability. <i>Food Hydrocolloids</i> , 2022 , 129, 107669	10.6	○
2	Sodium benzoate and sodium bisulfate as preservatives in apple juice and alternative sanitizers for washing cherry tomatoes.. <i>International Journal of Food Microbiology</i> , 2022 , 372, 109697	5.8	○
1	Effects of NaCl on the Freezing-Thawing Induced Gelation of Egg Yolk at pH 2.0. <i>Food Biophysics</i> ,1	3.2	