
Susan L Hillier

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5301604/publications.pdf Version: 2024-02-01



SUSAN | HILLED

#	Article	IF	CITATIONS
1	Vestibular rehabilitation for unilateral peripheral vestibular dysfunction. The Cochrane Library, 2015, 1, CD005397.	1.5	296
2	Consensus on Exercise Reporting Template (CERT): Modified Delphi Study. Physical Therapy, 2016, 96, 1514-1524.	1.1	279
3	Clinical practice guidelines for the management of chronic musculoskeletal pain in primary healthcare: a systematic review. Implementation Science, 2017, 12, 1.	2.5	272
4	The effectiveness of robotic-assisted gait training for paediatric gait disorders: systematic review. Journal of NeuroEngineering and Rehabilitation, 2017, 14, 1.	2.4	216
5	Assessing Proprioception. Neurorehabilitation and Neural Repair, 2015, 29, 933-949.	1.4	208
6	Evidence for the retraining of sensation after stroke: a systematic review. Clinical Rehabilitation, 2009, 23, 27-39.	1.0	154
7	Rehabilitation for Community-Dwelling People with Stroke: Home or Centre Based? a Systematic Review. International Journal of Stroke, 2010, 5, 178-186.	2.9	113
8	Self management programmes for quality of life in people with stroke. The Cochrane Library, 2019, 2019, 2019, CD010442.	1.5	111
9	Does induction of plastic change in motor cortex improve leg function after stroke?. Neurology, 2003, 61, 982-984.	1.5	109
10	Can screening instruments accurately determine poor outcome risk in adults with recent onset low back pain? A systematic review and meta-analysis. BMC Medicine, 2017, 15, 13.	2.3	108
11	FORM: An Australian method for formulating and grading recommendations in evidence-based clinical guidelines. BMC Medical Research Methodology, 2011, 11, 23.	1.4	105
12	Physical Activity Frequency and Risk of Incident Stroke in a National US Study of Blacks and Whites. Stroke, 2013, 44, 2519-2524.	1.0	104
13	Epidemiology of traumatic brain injury in South Australia. Brain Injury, 1997, 11, 649-659.	0.6	101
14	Circuit Class Therapy Versus Individual Physiotherapy Sessions During Inpatient Stroke Rehabilitation: A Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2007, 88, 955-963.	0.5	94
15	Vestibular rehabilitation for unilateral peripheral vestibular dysfunction. , 2011, , CD005397.		93
16	Influence of Combined Afferent Stimulation and Task-Specific Training Following Stroke: A Pilot Randomized Controlled Trial. Neurorehabilitation and Neural Repair, 2007, 21, 435-443.	1.4	86
17	The effectiveness of a chair intervention in the workplace to reduce musculoskeletal symptoms. A systematic review. BMC Musculoskeletal Disorders, 2012, 13, 145.	0.8	71
18	Vestibular rehabilitation for unilateral peripheral vestibular dysfunction. , 2007, , CD005397.		68

#	Article	IF	CITATIONS
19	The sensitivity of three commonly used outcome measures to detect change amongst patients receiving inpatient rehabilitation following stroke. Clinical Rehabilitation, 2006, 20, 52-55.	1.0	66
20	Sensory Retraining of the Lower Limb After Acute Stroke: A Randomized Controlled Pilot Trial. Archives of Physical Medicine and Rehabilitation, 2007, 88, 1101-1107.	0.5	66
21	Impairments in precision grip correlate with functional measures in adult hemiplegia. Clinical Neurophysiology, 2006, 117, 1474-1480.	0.7	64
22	How Physically Active Are People with Stroke in Physiotherapy Sessions Aimed at Improving Motor Function? A Systematic Review. Stroke Research and Treatment, 2012, 2012, 1-9.	0.5	64
23	Randomized Controlled Trial of Yoga for Chronic Poststroke Hemiparesis: Motor Function, Mental Health, and Quality of Life Outcomes. Topics in Stroke Rehabilitation, 2014, 21, 256-271.	1.0	63
24	When Should Physical Rehabilitation Commence after Stroke: A Systematic Review. International Journal of Stroke, 2014, 9, 468-478.	2.9	63
25	Circuit class therapy for improving mobility after stroke. The Cochrane Library, 2017, 2017, CD007513.	1.5	60
26	Becoming connected: the lived experience of yoga participation after stroke. Disability and Rehabilitation, 2011, 33, 2404-2415.	0.9	56
27	Circuit Class Therapy or Seven-Day Week Therapy for Increasing Rehabilitation Intensity of Therapy after Stroke (CIRCIT): A Randomized Controlled Trial. International Journal of Stroke, 2015, 10, 594-602.	2.9	56
28	Safety and effectiveness of stem cell therapies in early-phase clinical trials in stroke: a systematic review and meta-analysis. Stem Cell Research and Therapy, 2017, 8, 191.	2.4	56
29	Classical Conditioning Differences Associated With Chronic Pain: A Systematic Review. Journal of Pain, 2017, 18, 889-898.	0.7	53
30	Rehabilitation Interventions for Upper Limb Function in the First Four Weeks Following Stroke: A Systematic Review and Meta-Analysis of the Evidence. Archives of Physical Medicine and Rehabilitation, 2018, 99, 367-382.	0.5	53
31	Inequities in access to inpatient rehabilitation after stroke: an international scoping review. Topics in Stroke Rehabilitation, 2017, 24, 619-626.	1.0	50
32	The Clinimetric Properties of Performance-Based Gross Motor Tests Used for Children With Developmental Coordination Disorder: A Systematic Review. Pediatric Physical Therapy, 2010, 22, 170-179.	0.3	49
33	Aquatic Physical Therapy for Children with Developmental Coordination Disorder: A Pilot Randomized Controlled Trial. Physical and Occupational Therapy in Pediatrics, 2010, 30, 111-124.	0.8	49
34	Does Sensory Retraining Improve Sensation and Sensorimotor Function Following Stroke: A Systematic Review and Meta-Analysis. Frontiers in Neuroscience, 2019, 13, 402.	1.4	49
35	TOOTH (The Open study Of dental pulp stem cell Therapy in Humans): Study protocol for evaluating safety and feasibility of autologous human adult dental pulp stem cell therapy in patients with chronic disability after stroke. International Journal of Stroke, 2016, 11, 575-585.	2.9	44
36	Circuit class therapy for improving mobility after stroke: A systematic review Journal of Rehabilitation Medicine, 2011, 43, 565-571.	0.8	42

#	Article	IF	CITATIONS
37	Sensory Impairments of the Lower Limb after Stroke: A Pooled Analysis of Individual Patient Data. Topics in Stroke Rehabilitation, 2013, 20, 441-449.	1.0	42
38	ls vestibular rehabilitation effective in improving dizziness and function after unilateral peripheral vestibular hypofunction? An abridged version of a Cochrane Review. European Journal of Physical and Rehabilitation Medicine, 2016, 52, 541-56.	1.1	42
39	Circuit class therapy for improving mobility after stroke. , 2010, , CD007513.		39
40	The Effectiveness of the Feldenkrais Method: A Systematic Review of the Evidence. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-12.	0.5	39
41	Somatosensory impairment and its association with balance limitation in people with multiple sclerosis. Gait and Posture, 2017, 57, 224-229.	0.6	39
42	Yoga and exercise for symptoms of depression and anxiety in people with poststroke disability: a randomized, controlled pilot trial. Alternative Therapies in Health and Medicine, 2012, 18, 34-43.	0.0	36
43	Level of activity and participation in adults with spastic diplegia 17-26 years after selective dorsal rhizotomy. Journal of Rehabilitation Medicine, 2011, 43, 330-337.	0.8	35
44	Use of Objective Psychomotor Tests in Health Professionals. Perceptual and Motor Skills, 2014, 118, 765-804.	0.6	33
45	Cognitive Reserve as an Emerging Concept in Stroke Recovery. Neurorehabilitation and Neural Repair, 2020, 34, 187-199.	1.4	33
46	Inequities in access to rehabilitation: exploring how acute stroke unit clinicians decide who to refer to rehabilitation. Disability and Rehabilitation, 2016, 38, 1415-1424.	0.9	32
47	Determining the potential benefits of yoga in chronic stroke care: a systematic review and meta-analysis. Topics in Stroke Rehabilitation, 2017, 24, 279-287.	1.0	32
48	Rehabilitation Assessments for Patients With Stroke in Australian Hospitals Do Not Always Reflect the Patients' Rehabilitation Requirements. Archives of Physical Medicine and Rehabilitation, 2015, 96, 782-789.	0.5	31
49	Additional weekend therapy may reduce length of rehabilitation stay after stroke: a meta-analysis of individual patient data. Journal of Physiotherapy, 2016, 62, 124-129.	0.7	31
50	The Value of Prognostic Screening for Patients With Low Back Pain in Secondary Care. Journal of Pain, 2017, 18, 673-686.	0.7	31
51	The interpretation of experience and its relationship to body movement: A clinical reasoning perspective. Manual Therapy, 2006, 11, 2-10.	1.6	30
52	The evidence for services to avoid or delay residential aged care admission: a systematic review. BMC Geriatrics, 2019, 19, 217.	1.1	30
53	Vestibular rehabilitation for unilateral peripheral vestibular dysfunction. Clinical Otolaryngology, 2011, 36, 248-249.	0.6	29
54	Physiotherapists systematically overestimate the amount of time stroke survivors spend engaged in active therapy rehabilitation: an observational study. Journal of Physiotherapy, 2013, 59, 45-51.	0.7	28

#	Article	IF	CITATIONS
55	Custom foot orthoses improve first-step pain in individuals with unilateral plantar fasciopathy: a pragmatic randomised controlled trial. BMC Musculoskeletal Disorders, 2018, 19, 222.	0.8	28
56	Access to rehabilitation for patients with stroke in Australia. Medical Journal of Australia, 2019, 210, 21-26.	0.8	28
57	Repetitive transcranial magnetic stimulation for post-stroke depression: a randomised trial with neurophysiological insight. Journal of Neurology, 2021, 268, 1474-1484.	1.8	27
58	Effectiveness of once-weekly gym-based exercise programmes for older adults post discharge from day rehabilitation: a randomised controlled trial. British Journal of Sports Medicine, 2011, 45, 978-986.	3.1	26
59	When touch predicts pain: predictive tactile cues modulate perceived intensity of painful stimulation independent of expectancy. Scandinavian Journal of Pain, 2016, 11, 11-18.	0.5	26
60	The Developmental Coordination Disorder Questionnaire and Movement Assessment Battery for Children as a Diagnostic Method in Australian Children. Pediatric Physical Therapy, 2008, 20, 39-46.	0.3	24
61	People with stroke spend more time in active task practice, but similar time in walking practice, when physiotherapy rehabilitation is provided in circuit classes compared to individual therapy sessions: an observational study. Journal of Physiotherapy, 2014, 60, 50-54.	0.7	24
62	Education-only versus a multifaceted intervention for improving assessment of rehabilitation needs after stroke; a cluster randomised trial. Implementation Science, 2015, 11, 120.	2.5	24
63	Perceptual-motor learning benefits from increased stress and anxiety. Human Movement Science, 2016, 49, 36-46.	0.6	24
64	Consumer engagement in health care policy, research and services: A systematic review and meta-analysis of methods and effects. PLoS ONE, 2022, 17, e0261808.	1.1	24
65	Strategies to implement and monitor in-home transcranial electrical stimulation in neurological and psychiatric patient populations: a systematic review. Journal of NeuroEngineering and Rehabilitation, 2019, 16, 58.	2.4	23
66	The impact of choosing words carefully: an online investigation into imaging reporting strategies and best practice care for low back pain. PeerJ, 2017, 5, e4151.	0.9	23
67	Massage therapy for people with HIV/AIDS. The Cochrane Library, 2010, , CD007502.	1.5	22
68	Circuit Class Therapy and 7-Day-Week Therapy Increase Physiotherapy Time, But Not Patient Activity. Stroke, 2014, 45, 3002-3007.	1.0	22
69	Resting State Functional Connectivity Is Associated With Motor Pathway Integrity and Upper-Limb Behavior in Chronic Stroke. Neurorehabilitation and Neural Repair, 2020, 34, 547-557.	1.4	22
70	A pilot study of sensory retraining for the hemiparetic foot post-stroke. International Journal of Rehabilitation Research, 2006, 29, 237-242.	0.7	20
71	Association between television viewing time and risk of incident stroke in a general population: Results from the REGARDS study. Preventive Medicine, 2016, 87, 1-5.	1.6	20
72	An analysis of trunk kinematics and gait parameters in people with stroke. African Journal of Disability, 2018, 7, 310.	0.7	20

#	Article	IF	CITATIONS
73	How much physical activity do people recovering from stroke do during physiotherapy sessions?. International Journal of Therapy and Rehabilitation, 2009, 16, 78-84.	0.1	19
74	Preoperative asymmetry in load distribution during quite stance persist following total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 609-614.	2.3	19
75	Neck Pain and Proprioception Revisited Using the Proprioception Incongruence Detection Test. Physical Therapy, 2016, 96, 671-678.	1.1	18
76	Non-informative vision enhances tactile acuity: A systematic review and meta-analysis. Neuropsychologia, 2015, 75, 179-185.	0.7	17
77	Task-oriented interventions for children with developmental co-ordination disorder. The Cochrane Library, 2017, 2017, CD010914.	1.5	17
78	Upper limb function in children with attention-deficit/hyperactivity disorder (ADHD). Journal of Neural Transmission, 2018, 125, 713-726.	1.4	17
79	The reassuring potential of spinal imaging results: development and testing of a brief, psycho-education intervention for patients attending secondary care. European Spine Journal, 2018, 27, 101-108.	1.0	17
80	Fronto-parietal involvement in chronic stroke motor performance when corticospinal tract integrity is compromised. NeuroImage: Clinical, 2021, 29, 102558.	1.4	17
81	Circuit Class or Seven-Day Therapy for Increasing Intensity of Rehabilitation after Stroke: Protocol of the CIRCIT Trial. International Journal of Stroke, 2011, 6, 560-565.	2.9	16
82	A qualitative study using the Theoretical Domains Framework to investigate why patients were or were not assessed for rehabilitation after stroke. Clinical Rehabilitation, 2017, 31, 966-977.	1.0	16
83	Multi-segment trunk kinematics during a loaded lifting task for elderly and young subjects. Ergonomics, 2009, 52, 222-231.	1.1	15
84	What is current practice for upper limb rehabilitation in the acute hospital setting following stroke? A systematic review. NeuroRehabilitation, 2016, 39, 431-438.	0.5	15
85	Estimating the risk of functional decline in the elderly after discharge from an Australian public tertiary hospital emergency department. Australian Health Review, 2013, 37, 341.	0.5	15
86	Self-Management Programs for Quality of Life in People With Stroke. Stroke, 2016, 47, e266-e267.	1.0	14
87	Reliability and validity of a mobile tablet for assessing left/right judgements. Musculoskeletal Science and Practice, 2019, 40, 45-52.	0.6	13
88	Stroke survivors' perspectives on two novel models of inpatient rehabilitation: seven-day a week individual therapy or five-day a week circuit class therapy. Disability and Rehabilitation, 2016, 38, 1397-1406.	0.9	11
89	Intervention for Children with Developmental Coordination Disorder: A Systematic Review. Internet Journal of Allied Health Sciences and Practice, 2007, , .	0.2	11
90	A systematic review of collaborative models for health and education professionals working in school settings and implications for training. Education for Health: Change in Learning and Practice, 2010, 23, 393.	0.1	11

6

#	Article	IF	CITATIONS
91	Change in Dexterity with Sensory Awareness Training: A Randomised Controlled Trial. Perceptual and Motor Skills, 2011, 112, 783-798.	0.6	10
92	COVID-19 Pandemic Impact on Care for Stroke in Australia: Emerging Evidence From the Australian Stroke Clinical Registry. Frontiers in Neurology, 2021, 12, 621495.	1.1	10
93	Regular group exercise is associated with improved mood but not quality of life following stroke. PeerJ, 2014, 2, e331.	0.9	10
94	Insole Plantar Pressure Measurement During Quiet Stance Post Stroke. Topics in Stroke Rehabilitation, 2009, 16, 189-195.	1.0	9
95	Development of a participatory process to address fragmented application of outcome measurement for rehabilitation in community settings. Disability and Rehabilitation, 2010, 32, 511-520.	0.9	9
96	Standardizing the Approach to Evidence-Based Upper Limb Rehabilitation after Stroke. Topics in Stroke Rehabilitation, 2013, 20, 432-440.	1.0	9
97	Economic Evaluation of Stem Cell Therapies in Neurological Diseases: A Systematic Review. Value in Health, 2019, 22, 254-262.	0.1	9
98	A quasi-randomised, controlled, feasibility trial of GLITtER (Green Light Imaging Interpretation to) Tj ETQq0 0 0 secondary care. PeerJ, 2018, 6, e4301.	rgBT /Over 0.9	lock 10 Tf 50 9
99	The relationship between sleep and physical activity in an in-patient rehabilitation stroke setting: a cross-sectional study. Topics in Stroke Rehabilitation, 2023, 30, 43-52.	1.0	9
100	Physiotherapists' attitudes toward circuit class therapy and 7 day per week therapy is influenced by normative beliefs, past experience, and perceived control: A qualitative study. Physiotherapy Theory and Practice, 2017, 33, 850-858.	0.6	8
101	Effectiveness of a structured circuit class therapy model in stroke rehabilitation: a protocol for a randomised controlled trial. BMC Neurology, 2015, 15, 88.	0.8	7
102	PERSPECTIVES: Stroke survivors' views on the design of an earlyâ€phase cell therapy trial for patients with chronic ischaemic stroke. Health Expectations, 2019, 22, 1069-1077.	1.1	7
103	Connectivity as a Predictor of Responsiveness to Transcranial Direct Current Stimulation in People with Stroke: Protocol for a Double-Blind Randomized Controlled Trial. JMIR Research Protocols, 2018, 7, e10848.	0.5	7
104	Good Heart: Telling Stories of Cardiovascular Protective and Risk Factors for Aboriginal Women. Heart Lung and Circulation, 2021, 30, 69-77.	0.2	6
105	Continuous passive movement does not influence motor maps in healthy adults. Frontiers in Human Neuroscience, 2015, 9, 230.	1.0	5
106	The reliability of the Adelaide in-shoe foot model. Gait and Posture, 2017, 56, 1-7.	0.6	5
107	A qualitative evaluation of scalpel skill teaching of podiatry students. Journal of Foot and Ankle Research, 2017, 10, 21.	0.7	5
108	Exercising Choice and Control: A Qualitative Meta-synthesis of Perspectives of People With a Spinal Cord Injury. Archives of Physical Medicine and Rehabilitation, 2019, 100, 1752-1762.	0.5	5

#	Article	IF	CITATIONS
109	Perspectives on rehabilitation for Aboriginal people with stroke: a qualitative study. Topics in Stroke Rehabilitation, 2022, 29, 295-309.	1.0	5
110	Evaluation of a geriatric day rehabilitation centre: subjective and objective outcomes in community-dwelling older adults. Australian Journal of Primary Health, 2009, 15, 117.	0.4	5
111	The Effects of Feldenkrais Classes on the Health and Function of an Ageing Australian Sample: A Pilot Study~!2009-09-14~!2010-03-04~!2010-04-13~!. The Open Rehabilitation Journal, 2010, 3, 62-66.	0.8	5
112	Co-Designing a New Yoga-Based Mindfulness Intervention for Survivors of Stroke: A Formative Evaluation. Neurology International, 2022, 14, 1-10.	1.3	5
113	Synthesis of clinical practice guideline recommendations for the primary health care of chronic musculoskeletal pain. Journal of Evaluation in Clinical Practice, 2022, 28, 454-467.	0.9	5
114	Incidence and severity of shoulder pain does not increase with the use of circuit class therapy during inpatient stroke rehabilitation: a controlled trial. Australian Journal of Physiotherapy, 2008, 54, 41-46.	0.9	4
115	The timing and achievement of mobility skills during SCI rehabilitation. Spinal Cord, 2011, 49, 416-420.	0.9	4
116	Volumes of intact gray matter outside the stroke predict gait performance. Neurology, 2014, 82, 822-823.	1.5	4
117	A Range of Service Delivery Modes for Children With Developmental Coordination Disorder Are Effective: A Randomized Controlled Trial. Pediatric Physical Therapy, 2017, 29, 230-236.	0.3	4
118	Teaching of Manual Clinical Skills in Podiatric Medicine. Journal of the American Podiatric Medical Association, 2018, 108, 158-167.	0.2	4
119	Increased Relative Functional Gain and Improved Stroke Outcomes: A Linked Registry Study of the Impact of Rehabilitation. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 106015.	0.7	4
120	Does taping control the foot during walking for people who have had a stroke?. International Journal of Therapy and Rehabilitation, 2005, 12, 72-77.	0.1	3
121	Patient perspectives about the healthcare of chronic musculoskeletal pain: Three patient cases. African Journal of Disability, 2016, 5, 216.	0.7	3
122	Evidence for the Effectiveness of the Feldenkrais Method. Kinesiology Review, 2020, 9, 228-235.	0.4	3
123	Can body awareness training improve recovery following stroke: A study to assess feasibility and preliminary efficacy. Clinical Rehabilitation, 2022, 36, 650-659.	1.0	3
124	Awareness and perceptions of outcomes after traumatic brain injury. Brain Injury, 1997, 11, 525-536.	0.6	3
125	A randomised controlled trial of sensory awareness training and additional motor practice for learning scalpel skills in podiatry students. BMC Medical Education, 2016, 16, 309.	1.0	2
126	Understanding the potential for yoga and tai chi interventions to moderate risk factors for stroke – a scoping review. Future Neurology, 2018, 13, 239-252.	0.9	2

#	Article	IF	CITATIONS
127	The Comparison of the Effects of Flexible vs Rigid Ankle-foot orthoses on Balance and Walking Performance in Individuals With Multiple Sclerosis: A Crossover Study. Iranian Rehabilitation Journal, 2021, 19, 199-206.	0.1	2
128	Traditional Chinese acupuncture does not improve outcomes from post-stroke motor rehabilitation. Australian Journal of Physiotherapy, 2003, 49, 74.	0.9	1
129	Teaching Filipino Physiotherapists On-Shore: An Australian-Filipino Collaborative Postgraduate Health Education Initiative. Education for Health: Change in Learning and Practice, 2005, 18, 166-178.	0.1	1
130	Effect of wrist position on sensorimotor processing in the grip-lift task. Clinical Neurophysiology, 2009, 120, 2114.	0.7	1
131	Teaching of manual clinical skills in podiatry: theory and recommendations. Journal of Foot and Ankle Research, 2013, 6, .	0.7	1
132	Circuit Class Therapy for Improving Mobility After Stroke. Stroke, 2017, 48, .	1.0	1
133	Regenerative neurology: meeting the need of patients with disability after stroke. Medical Journal of Australia, 2017, 206, 334-336.	0.8	1
134	Measuring dexterity in the podiatrist population: a cross-sectional comparison of novice students and experienced podiatrists. BMC Medical Education, 2018, 18, 181.	1.0	1
135	Extended Repetitive Transcranial Magnetic Stimulation Therapy for Post-stroke Depression in a Patient With a Pre-frontal Cortical Lesion: A Case Study. Frontiers in Neurology, 0, 13, .	1.1	1
136	Sze et al investigated effects of traditional Chinese acupuncture. (Response to Richardson PW,) Tj ETQq0 0 0 rg	gBT /Overlc	ck 10 Tf 50 3
137	Community-based rehabilitation improves function of patients with traumatic brain injury. Australian Journal of Physiotherapy, 2003, 49, 277.	0.9	0
138	Response to Commentary of â€~Evidence for the retraining of sensation after stroke: A systematic review'. Australian Occupational Therapy Journal, 2010, 57, 205-206.	0.6	0
139	Measuring the impact of allied health research. Journal of Multidisciplinary Healthcare, 2011, Volume 4, 191-207.	1.1	0
140	Selfâ€efficacy, motivation and anxiety in novice podiatry students. Journal of Foot and Ankle Research, 2013, 6, .	0.7	0
141	Employing physical activity to prevent strokes. Clinical Practice (London, England), 2013, 10, 671-674.	0.1	0
142	A preliminary investigation of the immediate effects of footwear and custom foot orthotics on the foot in patients with plantar fasciopathy. Footwear Science, 2015, 7, S104-S106.	0.8	0
143	Reply from Lynch <i>et al.</i> to Letter from Vedpathak and Shah Regarding â€~When Should Physical Rehabilitation Commence after Stroke: A Systematic Review'. International Journal of Stroke, 2015, 10, E12-E12.	2.9	0
144	Editorial: The Sensing Brain: The Role of Sensation in Rehabilitation and Training. Frontiers in Neuroscience, 2020, 14, 645319.	1.4	0

#	Article	IF	CITATIONS
145	The Physiotherapy in Preschools Program: Describing a Student-Led Assessment Service for Children With Possible Motor Skill Difficulties. Adapted Physical Activity Quarterly, 2020, 37, 324-337.	0.6	Ο
146	Technology-assisted stroke rehabilitation. Neurology, 2020, 95, 761-762.	1.5	0
147	Cognitive reserve modifies the relationship between neural function, neural injury and upper-limb recovery after stroke. Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106557.	0.7	Ο