

Susan L Hillier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5301604/publications.pdf>

Version: 2024-02-01

147
papers

5,138
citations

94269

37
h-index

114278

63
g-index

155
all docs

155
docs citations

155
times ranked

6979
citing authors

#	ARTICLE	IF	CITATIONS
1	The relationship between sleep and physical activity in an in-patient rehabilitation stroke setting: a cross-sectional study. <i>Topics in Stroke Rehabilitation</i> , 2023, 30, 43-52.	1.0	9
2	Perspectives on rehabilitation for Aboriginal people with stroke: a qualitative study. <i>Topics in Stroke Rehabilitation</i> , 2022, 29, 295-309.	1.0	5
3	Consumer engagement in health care policy, research and services: A systematic review and meta-analysis of methods and effects. <i>PLoS ONE</i> , 2022, 17, e0261808.	1.1	24
4	Can body awareness training improve recovery following stroke: A study to assess feasibility and preliminary efficacy. <i>Clinical Rehabilitation</i> , 2022, 36, 650-659.	1.0	3
5	Co-Designing a New Yoga-Based Mindfulness Intervention for Survivors of Stroke: A Formative Evaluation. <i>Neurology International</i> , 2022, 14, 1-10.	1.3	5
6	Synthesis of clinical practice guideline recommendations for the primary health care of chronic musculoskeletal pain. <i>Journal of Evaluation in Clinical Practice</i> , 2022, 28, 454-467.	0.9	5
7	Cognitive reserve modifies the relationship between neural function, neural injury and upper-limb recovery after stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106557.	0.7	0
8	Repetitive transcranial magnetic stimulation for post-stroke depression: a randomised trial with neurophysiological insight. <i>Journal of Neurology</i> , 2021, 268, 1474-1484.	1.8	27
9	Good Heart: Telling Stories of Cardiovascular Protective and Risk Factors for Aboriginal Women. <i>Heart Lung and Circulation</i> , 2021, 30, 69-77.	0.2	6
10	Fronto-parietal involvement in chronic stroke motor performance when corticospinal tract integrity is compromised. <i>NeuroImage: Clinical</i> , 2021, 29, 102558.	1.4	17
11	COVID-19 Pandemic Impact on Care for Stroke in Australia: Emerging Evidence From the Australian Stroke Clinical Registry. <i>Frontiers in Neurology</i> , 2021, 12, 621495.	1.1	10
12	The Comparison of the Effects of Flexible vs Rigid Ankle-foot orthoses on Balance and Walking Performance in Individuals With Multiple Sclerosis: A Crossover Study. <i>Iranian Rehabilitation Journal</i> , 2021, 19, 199-206.	0.1	2
13	Increased Relative Functional Gain and Improved Stroke Outcomes: A Linked Registry Study of the Impact of Rehabilitation. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 106015.	0.7	4
14	Resting State Functional Connectivity Is Associated With Motor Pathway Integrity and Upper-Limb Behavior in Chronic Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2020, 34, 547-557.	1.4	22
15	Cognitive Reserve as an Emerging Concept in Stroke Recovery. <i>Neurorehabilitation and Neural Repair</i> , 2020, 34, 187-199.	1.4	33
16	Editorial: The Sensing Brain: The Role of Sensation in Rehabilitation and Training. <i>Frontiers in Neuroscience</i> , 2020, 14, 645319.	1.4	0
17	Evidence for the Effectiveness of the Feldenkrais Method. <i>Kinesiology Review</i> , 2020, 9, 228-235.	0.4	3
18	The Physiotherapy in Preschools Program: Describing a Student-Led Assessment Service for Children With Possible Motor Skill Difficulties. <i>Adapted Physical Activity Quarterly</i> , 2020, 37, 324-337.	0.6	0

#	ARTICLE	IF	CITATIONS
19	Technology-assisted stroke rehabilitation. <i>Neurology</i> , 2020, 95, 761-762.	1.5	0
20	Self management programmes for quality of life in people with stroke. The Cochrane Library, 2019, CD010442.	1.5	111
21	PERSPECTIVES: Stroke survivors' views on the design of an earlyâ€phase cell therapy trial for patients with chronic ischaemic stroke. <i>Health Expectations</i> , 2019, 22, 1069-1077.	1.1	7
22	The evidence for services to avoid or delay residential aged care admission: a systematic review. <i>BMC Geriatrics</i> , 2019, 19, 217.	1.1	30
23	Reliability and validity of a mobile tablet for assessing left/right judgements. <i>Musculoskeletal Science and Practice</i> , 2019, 40, 45-52.	0.6	13
24	Strategies to implement and monitor in-home transcranial electrical stimulation in neurological and psychiatric patient populations: a systematic review. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2019, 16, 58.	2.4	23
25	Does Sensory Retraining Improve Sensation and Sensorimotor Function Following Stroke: A Systematic Review and Meta-Analysis. <i>Frontiers in Neuroscience</i> , 2019, 13, 402.	1.4	49
26	Exercising Choice and Control: A Qualitative Meta-synthesis of Perspectives of People With a Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 1752-1762.	0.5	5
27	Economic Evaluation of Stem Cell Therapies in Neurological Diseases: A Systematic Review. <i>Value in Health</i> , 2019, 22, 254-262.	0.1	9
28	Access to rehabilitation for patients with stroke in Australia. <i>Medical Journal of Australia</i> , 2019, 210, 21-26.	0.8	28
29	Upper limb function in children with attention-deficit/hyperactivity disorder (ADHD). <i>Journal of Neural Transmission</i> , 2018, 125, 713-726.	1.4	17
30	Rehabilitation Interventions for Upper Limb Function in the First Four Weeks Following Stroke: A Systematic Review and Meta-Analysis of the Evidence. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 367-382.	0.5	53
31	The reassuring potential of spinal imaging results: development and testing of a brief, psycho-education intervention for patients attending secondary care. <i>European Spine Journal</i> , 2018, 27, 101-108.	1.0	17
32	Measuring dexterity in the podiatrist population: a cross-sectional comparison of novice students and experienced podiatrists. <i>BMC Medical Education</i> , 2018, 18, 181.	1.0	1
33	Understanding the potential for yoga and tai chi interventions to moderate risk factors for stroke â€ a scoping review. <i>Future Neurology</i> , 2018, 13, 239-252.	0.9	2
34	Teaching of Manual Clinical Skills in Podiatric Medicine. <i>Journal of the American Podiatric Medical Association</i> , 2018, 108, 158-167.	0.2	4
35	An analysis of trunk kinematics and gait parameters in people with stroke. <i>African Journal of Disability</i> , 2018, 7, 310.	0.7	20
36	Custom foot orthoses improve first-step pain in individuals with unilateral plantar fasciopathy: a pragmatic randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 222.	0.8	28

#	ARTICLE	IF	CITATIONS
37	Connectivity as a Predictor of Responsiveness to Transcranial Direct Current Stimulation in People with Stroke: Protocol for a Double-Blind Randomized Controlled Trial. JMIR Research Protocols, 2018, 7, e10848.	0.5	7
38	A quasi-randomised, controlled, feasibility trial of GLITtER (Green Light Imaging Interpretation to) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 secondary care. PeerJ, 2018, 6, e4301.	0.9	9
39	Determining the potential benefits of yoga in chronic stroke care: a systematic review and meta-analysis. Topics in Stroke Rehabilitation, 2017, 24, 279-287.	1.0	32
40	Can screening instruments accurately determine poor outcome risk in adults with recent onset low back pain? A systematic review and meta-analysis. BMC Medicine, 2017, 15, 13.	2.3	108
41	Clinical practice guidelines for the management of chronic musculoskeletal pain in primary healthcare: a systematic review. Implementation Science, 2017, 12, 1.	2.5	272
42	The Value of Prognostic Screening for Patients With Low Back Pain in Secondary Care. Journal of Pain, 2017, 18, 673-686.	0.7	31
43	The effectiveness of robotic-assisted gait training for paediatric gait disorders: systematic review. Journal of NeuroEngineering and Rehabilitation, 2017, 14, 1.	2.4	216
44	The reliability of the Adelaide in-shoe foot model. Gait and Posture, 2017, 56, 1-7.	0.6	5
45	Circuit class therapy for improving mobility after stroke. The Cochrane Library, 2017, 2017, CD007513.	1.5	60
46	Classical Conditioning Differences Associated With Chronic Pain: A Systematic Review. Journal of Pain, 2017, 18, 889-898.	0.7	53
47	Circuit Class Therapy for Improving Mobility After Stroke. Stroke, 2017, 48, .	1.0	1
48	Inequities in access to inpatient rehabilitation after stroke: an international scoping review. Topics in Stroke Rehabilitation, 2017, 24, 619-626.	1.0	50
49	A qualitative study using the Theoretical Domains Framework to investigate why patients were or were not assessed for rehabilitation after stroke. Clinical Rehabilitation, 2017, 31, 966-977.	1.0	16
50	A Range of Service Delivery Modes for Children With Developmental Coordination Disorder Are Effective: A Randomized Controlled Trial. Pediatric Physical Therapy, 2017, 29, 230-236.	0.3	4
51	Physiotherapistsâ€™ attitudes toward circuit class therapy and 7 day per week therapy is influenced by normative beliefs, past experience, and perceived control: A qualitative study. Physiotherapy Theory and Practice, 2017, 33, 850-858.	0.6	8
52	Task-oriented interventions for children with developmental co-ordination disorder. The Cochrane Library, 2017, 2017, CD010914.	1.5	17
53	A qualitative evaluation of scalpel skill teaching of podiatry students. Journal of Foot and Ankle Research, 2017, 10, 21.	0.7	5
54	Somatosensory impairment and its association with balance limitation in people with multiple sclerosis. Gait and Posture, 2017, 57, 224-229.	0.6	39

#	ARTICLE	IF	CITATIONS
55	Regenerative neurology: meeting the need of patients with disability after stroke. <i>Medical Journal of Australia</i> , 2017, 206, 334-336.	0.8	1
56	Safety and effectiveness of stem cell therapies in early-phase clinical trials in stroke: a systematic review and meta-analysis. <i>Stem Cell Research and Therapy</i> , 2017, 8, 191.	2.4	56
57	The impact of choosing words carefully: an online investigation into imaging reporting strategies and best practice care for low back pain. <i>PeerJ</i> , 2017, 5, e4151.	0.9	23
58	Patient perspectives about the healthcare of chronic musculoskeletal pain: Three patient cases. <i>African Journal of Disability</i> , 2016, 5, 216.	0.7	3
59	Self-Management Programs for Quality of Life in People With Stroke. <i>Stroke</i> , 2016, 47, e266-e267.	1.0	14
60	What is current practice for upper limb rehabilitation in the acute hospital setting following stroke? A systematic review. <i>NeuroRehabilitation</i> , 2016, 39, 431-438.	0.5	15
61	Inequities in access to rehabilitation: exploring how acute stroke unit clinicians decide who to refer to rehabilitation. <i>Disability and Rehabilitation</i> , 2016, 38, 1415-1424.	0.9	32
62	TOOTH (The Open study Of dental pulp stem cell Therapy in Humans): Study protocol for evaluating safety and feasibility of autologous human adult dental pulp stem cell therapy in patients with chronic disability after stroke. <i>International Journal of Stroke</i> , 2016, 11, 575-585.	2.9	44
63	Consensus on Exercise Reporting Template (CERT): Modified Delphi Study. <i>Physical Therapy</i> , 2016, 96, 1514-1524.	1.1	279
64	Additional weekend therapy may reduce length of rehabilitation stay after stroke: a meta-analysis of individual patient data. <i>Journal of Physiotherapy</i> , 2016, 62, 124-129.	0.7	31
65	A randomised controlled trial of sensory awareness training and additional motor practice for learning scalpel skills in podiatry students. <i>BMC Medical Education</i> , 2016, 16, 309.	1.0	2
66	Perceptual-motor learning benefits from increased stress and anxiety. <i>Human Movement Science</i> , 2016, 49, 36-46.	0.6	24
67	Stroke survivors's perspectives on two novel models of inpatient rehabilitation: seven-day a week individual therapy or five-day a week circuit class therapy. <i>Disability and Rehabilitation</i> , 2016, 38, 1397-1406.	0.9	11
68	Association between television viewing time and risk of incident stroke in a general population: Results from the REGARDS study. <i>Preventive Medicine</i> , 2016, 87, 1-5.	1.6	20
69	When touch predicts pain: predictive tactile cues modulate perceived intensity of painful stimulation independent of expectancy. <i>Scandinavian Journal of Pain</i> , 2016, 11, 11-18.	0.5	26
70	Neck Pain and Proprioception Revisited Using the Proprioception Incongruence Detection Test. <i>Physical Therapy</i> , 2016, 96, 671-678.	1.1	18
71	Is vestibular rehabilitation effective in improving dizziness and function after unilateral peripheral vestibular hypofunction? An abridged version of a Cochrane Review. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2016, 52, 541-56.	1.1	42
72	Education-only versus a multifaceted intervention for improving assessment of rehabilitation needs after stroke; a cluster randomised trial. <i>Implementation Science</i> , 2015, 11, 120.	2.5	24

#	ARTICLE	IF	CITATIONS
73	The Effectiveness of the Feldenkrais Method: A Systematic Review of the Evidence. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-12.	0.5	39
74	Vestibular rehabilitation for unilateral peripheral vestibular dysfunction. The Cochrane Library, 2015, 1, CD005397.	1.5	296
75	A preliminary investigation of the immediate effects of footwear and custom foot orthotics on the foot in patients with plantar fasciopathy. Footwear Science, 2015, 7, S104-S106.	0.8	0
76	Continuous passive movement does not influence motor maps in healthy adults. Frontiers in Human Neuroscience, 2015, 9, 230.	1.0	5
77	Rehabilitation Assessments for Patients With Stroke in Australian Hospitals Do Not Always Reflect the Patients' Rehabilitation Requirements. Archives of Physical Medicine and Rehabilitation, 2015, 96, 782-789.	0.5	31
78	Assessing Proprioception. Neurorehabilitation and Neural Repair, 2015, 29, 933-949.	1.4	208
79	Effectiveness of a structured circuit class therapy model in stroke rehabilitation: a protocol for a randomised controlled trial. BMC Neurology, 2015, 15, 88.	0.8	7
80	Reply from Lynch <i>et al.</i> to Letter from Vedpathak and Shah Regarding "When Should Physical Rehabilitation Commence after Stroke: A Systematic Review". International Journal of Stroke, 2015, 10, E12-E12.	2.9	0
81	Circuit Class Therapy or Seven-Day Week Therapy for Increasing Rehabilitation Intensity of Therapy after Stroke (CIRCI): A Randomized Controlled Trial. International Journal of Stroke, 2015, 10, 594-602.	2.9	56
82	Non-informative vision enhances tactile acuity: A systematic review and meta-analysis. Neuropsychologia, 2015, 75, 179-185.	0.7	17
83	Volumes of intact gray matter outside the stroke predict gait performance. Neurology, 2014, 82, 822-823.	1.5	4
84	Use of Objective Psychomotor Tests in Health Professionals. Perceptual and Motor Skills, 2014, 118, 765-804.	0.6	33
85	Randomized Controlled Trial of Yoga for Chronic Poststroke Hemiparesis: Motor Function, Mental Health, and Quality of Life Outcomes. Topics in Stroke Rehabilitation, 2014, 21, 256-271.	1.0	63
86	Circuit Class Therapy and 7-Day-Week Therapy Increase Physiotherapy Time, But Not Patient Activity. Stroke, 2014, 45, 3002-3007.	1.0	22
87	People with stroke spend more time in active task practice, but similar time in walking practice, when physiotherapy rehabilitation is provided in circuit classes compared to individual therapy sessions: an observational study. Journal of Physiotherapy, 2014, 60, 50-54.	0.7	24
88	Preoperative asymmetry in load distribution during quiet stance persist following total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 609-614.	2.3	19
89	When Should Physical Rehabilitation Commence after Stroke: A Systematic Review. International Journal of Stroke, 2014, 9, 468-478.	2.9	63
90	Regular group exercise is associated with improved mood but not quality of life following stroke. PeerJ, 2014, 2, e331.	0.9	10

#	ARTICLE	IF	CITATIONS
91	Self-efficacy, motivation and anxiety in novice podiatry students. Journal of Foot and Ankle Research, 2013, 6, .	0.7	0
92	Teaching of manual clinical skills in podiatry: theory and recommendations. Journal of Foot and Ankle Research, 2013, 6, .	0.7	1
93	Physiotherapists systematically overestimate the amount of time stroke survivors spend engaged in active therapy rehabilitation: an observational study. Journal of Physiotherapy, 2013, 59, 45-51.	0.7	28
94	Standardizing the Approach to Evidence-Based Upper Limb Rehabilitation after Stroke. Topics in Stroke Rehabilitation, 2013, 20, 432-440.	1.0	9
95	Sensory Impairments of the Lower Limb after Stroke: A Pooled Analysis of Individual Patient Data. Topics in Stroke Rehabilitation, 2013, 20, 441-449.	1.0	42
96	Physical Activity Frequency and Risk of Incident Stroke in a National US Study of Blacks and Whites. Stroke, 2013, 44, 2519-2524.	1.0	104
97	Employing physical activity to prevent strokes. Clinical Practice (London, England), 2013, 10, 671-674.	0.1	0
98	Estimating the risk of functional decline in the elderly after discharge from an Australian public tertiary hospital emergency department. Australian Health Review, 2013, 37, 341.	0.5	15
99	How Physically Active Are People with Stroke in Physiotherapy Sessions Aimed at Improving Motor Function? A Systematic Review. Stroke Research and Treatment, 2012, 2012, 1-9.	0.5	64
100	The effectiveness of a chair intervention in the workplace to reduce musculoskeletal symptoms. A systematic review. BMC Musculoskeletal Disorders, 2012, 13, 145.	0.8	71
101	Yoga and exercise for symptoms of depression and anxiety in people with poststroke disability: a randomized, controlled pilot trial. Alternative Therapies in Health and Medicine, 2012, 18, 34-43.	0.0	36
102	Becoming connected: the lived experience of yoga participation after stroke. Disability and Rehabilitation, 2011, 33, 2404-2415.	0.9	56
103	Vestibular rehabilitation for unilateral peripheral vestibular dysfunction. , 2011, , CD005397.		93
104	Change in Dexterity with Sensory Awareness Training: A Randomised Controlled Trial. Perceptual and Motor Skills, 2011, 112, 783-798.	0.6	10
105	Measuring the impact of allied health research. Journal of Multidisciplinary Healthcare, 2011, Volume 4, 191-207.	1.1	0
106	Level of activity and participation in adults with spastic diplegia 17-26 years after selective dorsal rhizotomy. Journal of Rehabilitation Medicine, 2011, 43, 330-337.	0.8	35
107	Circuit class therapy for improving mobility after stroke: A systematic review.. Journal of Rehabilitation Medicine, 2011, 43, 565-571.	0.8	42
108	Circuit Class or Seven-Day Therapy for Increasing Intensity of Rehabilitation after Stroke: Protocol of the CIRCIT Trial. International Journal of Stroke, 2011, 6, 560-565.	2.9	16

#	ARTICLE	IF	CITATIONS
109	Vestibular rehabilitation for unilateral peripheral vestibular dysfunction. <i>Clinical Otolaryngology</i> , 2011, 36, 248-249.	0.6	29
110	The timing and achievement of mobility skills during SCI rehabilitation. <i>Spinal Cord</i> , 2011, 49, 416-420.	0.9	4
111	FORM: An Australian method for formulating and grading recommendations in evidence-based clinical guidelines. <i>BMC Medical Research Methodology</i> , 2011, 11, 23.	1.4	105
112	Effectiveness of once-weekly gym-based exercise programmes for older adults post discharge from day rehabilitation: a randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2011, 45, 978-986.	3.1	26
113	Circuit class therapy for improving mobility after stroke. , 2010, , CD007513.		39
114	Massage therapy for people with HIV/AIDS. <i>The Cochrane Library</i> , 2010, , CD007502.	1.5	22
115	Rehabilitation for Community-Dwelling People with Stroke: Home or Centre Based? a Systematic Review. <i>International Journal of Stroke</i> , 2010, 5, 178-186.	2.9	113
116	Response to Commentary of "Evidence for the retraining of sensation after stroke: A systematic review". <i>Australian Occupational Therapy Journal</i> , 2010, 57, 205-206.	0.6	0
117	The Clinimetric Properties of Performance-Based Gross Motor Tests Used for Children With Developmental Coordination Disorder: A Systematic Review. <i>Pediatric Physical Therapy</i> , 2010, 22, 170-179.	0.3	49
118	Aquatic Physical Therapy for Children with Developmental Coordination Disorder: A Pilot Randomized Controlled Trial. <i>Physical and Occupational Therapy in Pediatrics</i> , 2010, 30, 111-124.	0.8	49
119	Development of a participatory process to address fragmented application of outcome measurement for rehabilitation in community settings. <i>Disability and Rehabilitation</i> , 2010, 32, 511-520.	0.9	9
120	The Effects of Feldenkrais Classes on the Health and Function of an Ageing Australian Sample: A Pilot Study. 2009-09-14-2010-03-04-2010-04-13-. <i>The Open Rehabilitation Journal</i> , 2010, 3, 62-66.	0.8	5
121	A systematic review of collaborative models for health and education professionals working in school settings and implications for training. <i>Education for Health: Change in Learning and Practice</i> , 2010, 23, 393.	0.1	11
122	Evidence for the retraining of sensation after stroke: a systematic review. <i>Clinical Rehabilitation</i> , 2009, 23, 27-39.	1.0	154
123	Insole Plantar Pressure Measurement During Quiet Stance Post Stroke. <i>Topics in Stroke Rehabilitation</i> , 2009, 16, 189-195.	1.0	9
124	Multi-segment trunk kinematics during a loaded lifting task for elderly and young subjects. <i>Ergonomics</i> , 2009, 52, 222-231.	1.1	15
125	Effect of wrist position on sensorimotor processing in the grip-lift task. <i>Clinical Neurophysiology</i> , 2009, 120, 2114.	0.7	1
126	How much physical activity do people recovering from stroke do during physiotherapy sessions?. <i>International Journal of Therapy and Rehabilitation</i> , 2009, 16, 78-84.	0.1	19

#	ARTICLE	IF	CITATIONS
127	Evaluation of a geriatric day rehabilitation centre: subjective and objective outcomes in community-dwelling older adults. Australian Journal of Primary Health, 2009, 15, 117.	0.4	5
128	Incidence and severity of shoulder pain does not increase with the use of circuit class therapy during inpatient stroke rehabilitation: a controlled trial. Australian Journal of Physiotherapy, 2008, 54, 41-46.	0.9	4
129	The Developmental Coordination Disorder Questionnaire and Movement Assessment Battery for Children as a Diagnostic Method in Australian Children. Pediatric Physical Therapy, 2008, 20, 39-46.	0.3	24
130	Influence of Combined Afferent Stimulation and Task-Specific Training Following Stroke: A Pilot Randomized Controlled Trial. Neurorehabilitation and Neural Repair, 2007, 21, 435-443.	1.4	86
131	Vestibular rehabilitation for unilateral peripheral vestibular dysfunction. , 2007, , CD005397.		68
132	Circuit Class Therapy Versus Individual Physiotherapy Sessions During Inpatient Stroke Rehabilitation: A Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2007, 88, 955-963.	0.5	94
133	Sensory Retraining of the Lower Limb After Acute Stroke: A Randomized Controlled Pilot Trial. Archives of Physical Medicine and Rehabilitation, 2007, 88, 1101-1107.	0.5	66
134	Intervention for Children with Developmental Coordination Disorder: A Systematic Review. Internet Journal of Allied Health Sciences and Practice, 2007, , .	0.2	11
135	Impairments in precision grip correlate with functional measures in adult hemiplegia. Clinical Neurophysiology, 2006, 117, 1474-1480.	0.7	64
136	A pilot study of sensory retraining for the hemiparetic foot post-stroke. International Journal of Rehabilitation Research, 2006, 29, 237-242.	0.7	20
137	The interpretation of experience and its relationship to body movement: A clinical reasoning perspective. Manual Therapy, 2006, 11, 2-10.	1.6	30
138	The sensitivity of three commonly used outcome measures to detect change amongst patients receiving inpatient rehabilitation following stroke. Clinical Rehabilitation, 2006, 20, 52-55.	1.0	66
139	Does taping control the foot during walking for people who have had a stroke?. International Journal of Therapy and Rehabilitation, 2005, 12, 72-77.	0.1	3
140	Teaching Filipino Physiotherapists On-Shore: An Australian-Filipino Collaborative Postgraduate Health Education Initiative. Education for Health: Change in Learning and Practice, 2005, 18, 166-178.	0.1	1
141	Sze et al investigated effects of traditional Chinese acupuncture. (Response to Richardson PW,) Tj ETQq1 1 0.784314 rgBT /Qverlock 10	0.9	0
142	Community-based rehabilitation improves function of patients with traumatic brain injury. Australian Journal of Physiotherapy, 2003, 49, 277.	0.9	0
143	Traditional Chinese acupuncture does not improve outcomes from post-stroke motor rehabilitation. Australian Journal of Physiotherapy, 2003, 49, 74.	0.9	1
144	Does induction of plastic change in motor cortex improve leg function after stroke?. Neurology, 2003, 61, 982-984.	1.5	109

#	ARTICLE	IF	CITATIONS
145	Epidemiology of traumatic brain injury in South Australia. <i>Brain Injury</i> , 1997, 11, 649-659.	0.6	101
146	Awareness and perceptions of outcomes after traumatic brain injury. <i>Brain Injury</i> , 1997, 11, 525-536.	0.6	3
147	Extended Repetitive Transcranial Magnetic Stimulation Therapy for Post-stroke Depression in a Patient With a Pre-frontal Cortical Lesion: A Case Study. <i>Frontiers in Neurology</i> , 0, 13, .	1.1	1