Janika Kõrv

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5302758/publications.pdf

Version: 2024-02-01

| | | 218677 | 189892 |
|----------|----------------|--------------|----------------|
| 87 | 2,917 | 26 | 50 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| | | | |
| 90 | 90 | 90 | 4099 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|---|-----------------|----------------|
| 1 | The angiotensin-receptor blocker candesartan for treatment of acute stroke (SCAST): a randomised, placebo-controlled, double-blind trial. Lancet, The, 2011, 377, 741-750. | 13.7 | 485 |
| 2 | Primary stroke prevention worldwide: translating evidence into action. Lancet Public Health, The, 2022, 7, e74-e85. | 10.0 | 156 |
| 3 | Antithrombotic treatment for secondary prevention of stroke and other thromboembolic events in patients with stroke or transient ischemic attack and non-valvular atrial fibrillation: A European Stroke Organisation guideline. European Stroke Journal, 2019, 4, 198-223. | 5.5 | 120 |
| 4 | Sex Differences in Long-Term Mortality After Stroke in the INSTRUCT (INternational STRoke oUtComes) Tj ETQq(| 0 0 rgBT 2.2 | /Oyerlock 10 ' |
| 5 | ExStroke Pilot Trial of the effect of repeated instructions to improve physical activity after ischaemic stroke: a multinational randomised controlled clinical trial. BMJ: British Medical Journal, 2009, 339, b2810-b2810. | 2.3 | 108 |
| 6 | Factors Influencing In-Hospital Delay in Treatment With Intravenous Thrombolysis. Stroke, 2012, 43, 1578-1583. | 2.0 | 104 |
| 7 | Prestroke physical activity is associated with severity and long-term outcome from first-ever stroke. Neurology, 2008, 71, 1313-1318. | 1.1 | 100 |
| 8 | Global Impact of COVID-19 on Stroke Care and IV Thrombolysis. Neurology, 2021, 96, e2824-e2838. | 1.1 | 95 |
| 9 | European Stroke Organisation Guideline on Reversal of Oral Anticoagulants in Acute Intracerebral Haemorrhage. European Stroke Journal, 2019, 4, 294-306. | 5.5 | 86 |
| 10 | European Academy of Neurology and European Stroke Organization consensus statement and practical guidance for preâ€hospital management of stroke. European Journal of Neurology, 2018, 25, 425-433. | 3.3 | 83 |
| 11 | The state of stroke services across the globe: Report of World Stroke Organization–World Health Organization surveys. International Journal of Stroke, 2021, 16, 889-901. | 5.9 | 68 |
| 12 | Role of Preexisting Disability in Patients Treated With Intravenous Thrombolysis for Ischemic Stroke. Stroke, 2014, 45, 770-775. | 2.0 | 60 |
| 13 | The Third Stroke Registry in Tartu, Estonia. Stroke, 2005, 36, 2544-2548. | 2.0 | 55 |
| 14 | ESO guideline for the management of extracranial and intracranial artery dissection. European Stroke Journal, 2021, 6, XXXIX-LXXXVIII. | 5.5 | 54 |
| 15 | High incidence of traumatic spinal cord injury in Estonia. Spinal Cord, 2012, 50, 755-759. | 1.9 | 52 |
| 16 | Sex Differences in Severity of Stroke in the INSTRUCT Study: a Metaâ€Analysis of Individual Participant Data. Journal of the American Heart Association, 2019, 8, e010235. | 3.7 | 52 |
| 17 | Oneâ€year outcome after firstâ€ever stroke according to stroke subtype, severity, risk factors and preâ€stroke treatment. A populationâ€based study from Tartu, Estonia. European Journal of Neurology, 2007, 14, 435-439. | 3.3 | 51 |
| 18 | Factors contributing to sex differences in functional outcomes and participation after stroke. Neurology, 2018, 90, e1945-e1953. | 1.1 | 47 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Colchicine for prevention of vascular inflammation in Non-CardioEmbolic stroke (CONVINCE) – study protocol for a randomised controlled trial. European Stroke Journal, 2021, 6, 222-228. | 5.5 | 45 |
| 20 | Intravenous Alteplase in Ischemic Stroke Patients not Fully Adhering to the Current Drug License in Central and Eastern Europe. International Journal of Stroke, 2012, 7, 615-622. | 5.9 | 44 |
| 21 | Underfunding of Stroke Research. Stroke, 2004, 35, 2368-2371. | 2.0 | 40 |
| 22 | Lifestyle and late effects after poliomyelitis. A risk factor study of two populations. Acta Neurologica Scandinavica, 2004, 109, 120-125. | 2.1 | 37 |
| 23 | Long term outcome after poliomyelitis in different health and social conditions. Journal of Epidemiology and Community Health, 2003, 57, 368-372. | 3.7 | 35 |
| 24 | The Incidence and Associated Factors of Early Neurological Deterioration After Thrombolysis. Stroke, 2020, 51, 2705-2714. | 2.0 | 33 |
| 25 | Searching for Explanations for Cryptogenic Stroke in the Young: Revealing the Triggers, Causes, and Outcome (SECRETO): Rationale and design. European Stroke Journal, 2017, 2, 116-125. | 5.5 | 30 |
| 26 | Acute phase proteins and oxidised low-density lipoprotein in association with ischemic stroke subtype, severity and outcome. Free Radical Research, 2007, 41, 282-287. | 3.3 | 28 |
| 27 | Mortality and causes of death after traumatic spinal cord injury in Estonia. Journal of Spinal Cord Medicine, 2013, 36, 687-694. | 1.4 | 28 |
| 28 | Global Differences in Risk Factors, Etiology, and Outcome of Ischemic Stroke in Young Adults—A Worldwide Meta-analysis. Neurology, 2022, 98, . | 1.1 | 28 |
| 29 | The Third Stroke Registry in Tartu, Estonia, from 2001 to 2003. Acta Neurologica Scandinavica, 2007, 116, 31-36. | 2.1 | 27 |
| 30 | Safety of Statin Pretreatment in Intravenous Thrombolysis for Acute Ischemic Stroke. Stroke, 2015, 46, 2681-2684. | 2.0 | 27 |
| 31 | Intravenous thrombolysis for ischemic stroke in the golden hour: propensity-matched analysis from the SITS-EAST registry. Journal of Neurology, 2017, 264, 912-920. | 3.6 | 27 |
| 32 | Ultraearly Intravenous Thrombolysis for Acute Ischemic Stroke in Mobile Stroke Unit and Hospital Settings. Stroke, 2018, 49, 1996-1999. | 2.0 | 26 |
| 33 | Methods to improve patient recruitment and retention in stroke trials. International Journal of Stroke, 2016, 11, 663-676. | 5.9 | 24 |
| 34 | Enhancing and accelerating stroke treatment in Eastern European region: Methods and achievement of the ESO EAST program. European Stroke Journal, 2020, 5, 204-212. | 5.5 | 23 |
| 35 | Changed Incidence and Case-Fatality Rates of First-Ever Stroke Between 1970 and 1993 in Tartu, Estonia. Stroke, 1996, 27, 199-203. | 2.0 | 23 |
| 36 | Traumatic spinal cord injury in two <scp>E</scp> uropean countries: why the differences?. European Journal of Neurology, 2013, 20, 293-299. | 3.3 | 21 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Impact of fatal cases on the epidemiology of traumatic spinal cord injury in Estonia. European Journal of Neurology, 2015, 22, 768-772. | 3.3 | 21 |
| 38 | Risk Factors and Etiology of Young Ischemic Stroke Patients in Estonia. Stroke Research and Treatment, 2017, 2017, 1-7. | 0.8 | 21 |
| 39 | How satisfied are cervical dystonia patients after 3Âyears of botulinum toxin type A treatment? Results from a prospective, long-term observational study. Journal of Neurology, 2019, 266, 3038-3046. | 3.6 | 21 |
| 40 | Tenecteplase in wake-up ischemic stroke trial: Protocol for a randomized-controlled trial. International Journal of Stroke, 2021, 16, 990-994. | 5.9 | 20 |
| 41 | Stroke Registry of Tartu, Estonia, from 1991 through 1993. Cerebrovascular Diseases, 1997, 7, 154-162. | 1.7 | 19 |
| 42 | Management of ischemic stroke in Central and Eastern Europe. International Journal of Stroke, 2015, 10, 125-127. | 5.9 | 19 |
| 43 | Intravenous Thrombolysis for Stroke Recurring Within 3 Months From the Previous Event. Stroke, 2015, 46, 3184-3189. | 2.0 | 19 |
| 44 | PRECIOUS: PREvention of Complications to Improve OUtcome in elderly patients with acute Stroke. Rationale and design of a randomised, open, phase III, clinical trial with blinded outcome assessment. European Stroke Journal, 2018, 3, 291-298. | 5.5 | 19 |
| 45 | Brain activation in the acute phase of traumatic spinal cord injury. Spinal Cord, 2013, 51, 623-629. | 1.9 | 18 |
| 46 | Health-related quality of life in patients with traumatic spinal cord injury in Estonia. Spinal Cord, 2014, 52, 570-575. | 1.9 | 18 |
| 47 | Angiotensin Receptor Blockade in Acute Stroke. the Scandinavian Candesartan Acute Stroke Trial: Rationale, Methods and Design of a Multicentre, Randomised- and Placebo-Controlled Clinical Trial (NCT00120003). International Journal of Stroke, 2010, 5, 423-427. | 5.9 | 17 |
| 48 | Brain activation in the chronic phase of traumatic spinal cord injury. Spinal Cord, 2016, 54, 65-68. | 1.9 | 17 |
| 49 | Intravenous thrombolysis for patients with in-hospital stroke onset: propensity-matched analysis from the Safe Implementation of Treatments in Stroke-East registry. European Journal of Neurology, 2017, 24, 1493-1498. | 3.3 | 16 |
| 50 | Hyperdense Cerebral Artery Computed Tomography Sign Is Associated with Stroke Severity Rather than Stroke Subtype. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 2533-2539. | 1.6 | 15 |
| 51 | INTEREST IN CD2, a global patient-centred study of long-term cervical dystonia treatment with botulinum toxin. Journal of Neurology, 2018, 265, 402-409. | 3.6 | 15 |
| 52 | Clinical outcome of cardioembolic stroke treated by intravenous thrombolysis. Acta Neurologica Scandinavica, 2018, 137, 347-355. | 2.1 | 15 |
| 53 | Determinants of Long-Term Health-Related Quality of Life in Young Ischemic Stroke Patients. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 105499. | 1.6 | 15 |
| 54 | First-Year Results of the Third Stroke Registry in Tartu, Estonia. Cerebrovascular Diseases, 2004, 18, 227-231. | 1.7 | 14 |

| # | Article | lF | CITATIONS |
|----|---|-----|-----------|
| 55 | Benefit of thrombolysis for stroke is maintained around the clock: results from the <scp>SITS</scp> â€ <scp>EAST</scp> Registry. European Journal of Neurology, 2014, 21, 112-117. | 3.3 | 13 |
| 56 | The ExStroke Pilot Trial: Rationale, design, and baseline data of a randomized multicenter trial comparing physical training versus usual care after an ischemic stroke. Contemporary Clinical Trials, 2008, 29, 410-417. | 1.8 | 12 |
| 57 | Factors Influencing Door-to-Imaging Time: Analysis of the Safe Implementation of Treatments in Stroke–EAST Registry. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 2122-2129. | 1.6 | 12 |
| 58 | Functional MRI of the cortical sensorimotor system in patients with hereditary spastic paraplegia. Spinal Cord, 2012, 50, 885-890. | 1.9 | 11 |
| 59 | Obesity and the Risk of Cryptogenic Ischemic Stroke in Young Adults. Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106380. | 1.6 | 10 |
| 60 | Regulation and Governance of Multinational Drug Trials in Stroke: Barriers and Possibilities. International Journal of Stroke, 2015, 10, 425-428. | 5.9 | 9 |
| 61 | Stroke Awareness in Two Estonian Cities: Better Knowledge in Subjects with Advanced Age and Higher Education. European Neurology, 2013, 69, 89-94. | 1.4 | 8 |
| 62 | Case-Fatality and Functional Outcome after Subarachnoid Hemorrhage (SAH) in INternational STRoke oUtComes sTudy (INSTRUCT). Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106201. | 1.6 | 8 |
| 63 | Acute stroke. European Journal of Emergency Medicine, 2015, 22, 285-287. | 1.1 | 7 |
| 64 | A New Risk Factor for Traumatic Spinal Cord Injury. Journal of Neurotrauma, 2016, 33, 1946-1949. | 3.4 | 7 |
| 65 | Global Outcome Assessment Life-long after stroke in young adults initiative—the GOAL initiative: study protocol and rationale of a multicentre retrospective individual patient data meta-analysis. BMJ Open, 2019, 9, e031144. | 1.9 | 7 |
| 66 | Safety and early outcomes after intravenous thrombolysis in acute ischemic stroke patients with prestroke disability. International Journal of Stroke, 2021, 16, 710-718. | 5.9 | 7 |
| 67 | Registry of first-ever stroke in Tartu, Estonia, 1991 through 1993: outcome of stroke. Acta Neurologica Scandinavica, 1999, 99, 175-181. | 2.1 | 6 |
| 68 | SiPP (Stroke in Pregnancy and Postpartum): A prospective, observational, international, multicentre study on pathophysiological mechanisms, clinical profile, management and outcome of cerebrovascular diseases in pregnant and postpartum women. European Stroke Journal, 2020, 5, 193-203. | 5.5 | 6 |
| 69 | Sex Differences in Disease Profiles, Management, and Outcomes Among People with Atrial Fibrillation After Ischemic Stroke: Aggregated and Individual Participant Data Meta-Analyses. Women S Health Reports, 2020, 1, 190-202. | 0.8 | 5 |
| 70 | Estonian young stroke registry: High burden of risk factors and high prevalence of cardiomebolic and large-artery stroke. European Stroke Journal, 2021, 6, 239698732110409. | 5.5 | 5 |
| 71 | Long-Term Survival of Young Stroke Patients: A Population-Based Study of Two Stroke Registries from Tartu, Estonia. Stroke Research and Treatment, 2012, 2012, 1-4. | 0.8 | 4 |
| 72 | High incidence of stroke in young adults in Tartu, Estonia, 2013 to 2017: A prospective populationâ€based study. European Journal of Neurology, 2021, 28, 1984-1991. | 3.3 | 4 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Regulatory delays in a multinational clinical stroke trial. European Stroke Journal, 2021, 6, 120-127. | 5.5 | 4 |
| 74 | Stroke in the Young. Stroke Research and Treatment, 2011, 2011, 1-2. | 0.8 | 3 |
| 75 | Stroke in the Young 2012. Stroke Research and Treatment, 2012, 2012, 1-1. | 0.8 | 3 |
| 76 | Do Stroke Patients Know Their Risk Factors?. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 523-526. | 1.6 | 3 |
| 77 | Mortality in young adult patients with acute ischaemic stroke. Acta Neurologica Scandinavica, 2020, 141, 242-249. | 2.1 | 3 |
| 78 | Burden of Stroke in Estonia. International Journal of Stroke, 2013, 8, 372-373. | 5.9 | 2 |
| 79 | Subspecialty training of neurology residents and junior neurologists in the Baltic States. European Journal of Neurology, 2021, 28, 3584-3590. | 3.3 | 1 |
| 80 | Statistical analysis plan for the randomized controlled trial Tenecteplase in Wake-up Ischaemic Stroke Trial (TWIST). Trials, 2022, 23, 421. | 1.6 | 1 |
| 81 | Deceptive Adherence to Anticoagulation in Secondary Stroke Prevention. Stroke Research and Treatment, 2022, 2022, 1-7. | 0.8 | 1 |
| 82 | Diabetes mellitus and previous ischemic stroke in stroke thrombolysis: analysis of sits-East registry data. Journal of the Neurological Sciences, 2015, 357, e399. | 0.6 | 0 |
| 83 | Headaches after traumatic spinal cord injury in Estonia. Cephalalgia, 2016, 36, 403-412. | 3.9 | 0 |
| 84 | Abstract P38: Pooled Analysis of Long and Short Term Outcomes After Subarachnoid Hemorrhage - International Stroke Outcomes Study (INSTRUCT). Stroke, 2021, 52, . | 2.0 | 0 |
| 85 | Trends in traumatic spinal cord injuries in Estonia from 1997 to 2018. Journal of Spinal Cord Medicine, 2022, , 1-8. | 1.4 | 0 |
| 86 | EXPRESS: Association of statin pretreatment with baseline stroke severity and outcome in patients with acute ischemic stroke: an observational study. International Journal of Stroke, 2022, , 174749302210959. | 5.9 | 0 |
| 87 | Developments in quality of stroke care in Estonia. European Stroke Journal, 0, , 239698732211107. | 5.5 | 0 |