
Janika Kõrv

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5302758/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Primary stroke prevention worldwide: translating evidence into action. Lancet Public Health, The, 2022, 7, e74-e85.	10.0	156
2	Case-Fatality and Functional Outcome after Subarachnoid Hemorrhage (SAH) in INternational STRoke oUtComes sTudy (INSTRUCT). Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106201.	1.6	8
3	Trends in traumatic spinal cord injuries in Estonia from 1997 to 2018. Journal of Spinal Cord Medicine, 2022, , 1-8.	1.4	0
4	Obesity and the Risk of Cryptogenic Ischemic Stroke in Young Adults. Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106380.	1.6	10
5	Global Differences in Risk Factors, Etiology, and Outcome of Ischemic Stroke in Young Adults—A Worldwide Meta-analysis. Neurology, 2022, 98, .	1.1	28
6	EXPRESS: Association of statin pretreatment with baseline stroke severity and outcome in patients with acute ischemic stroke: an observational study. International Journal of Stroke, 2022, , 174749302210959.	5.9	0
7	Statistical analysis plan for the randomized controlled trial Tenecteplase in Wake-up Ischaemic Stroke Trial (TWIST). Trials, 2022, 23, 421.	1.6	1
8	Deceptive Adherence to Anticoagulation in Secondary Stroke Prevention. Stroke Research and Treatment, 2022, 2022, 1-7.	0.8	1
9	Safety and early outcomes after intravenous thrombolysis in acute ischemic stroke patients with prestroke disability. International Journal of Stroke, 2021, 16, 710-718.	5.9	7
10	Determinants of Long-Term Health-Related Quality of Life in Young Ischemic Stroke Patients. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 105499.	1.6	15
11	Tenecteplase in wake-up ischemic stroke trial: Protocol for a randomized-controlled trial. International Journal of Stroke, 2021, 16, 990-994.	5.9	20
12	Global Impact of COVID-19 on Stroke Care and IV Thrombolysis. Neurology, 2021, 96, e2824-e2838.	1.1	95
13	Abstract P38: Pooled Analysis of Long and Short Term Outcomes After Subarachnoid Hemorrhage - International Stroke Outcomes Study (INSTRUCT). Stroke, 2021, 52, .	2.0	0
14	High incidence of stroke in young adults in Tartu, Estonia, 2013 to 2017: A prospective populationâ€based study. European Journal of Neurology, 2021, 28, 1984-1991.	3.3	4
15	Regulatory delays in a multinational clinical stroke trial. European Stroke Journal, 2021, 6, 120-127.	5.5	4
16	The state of stroke services across the globe: Report of World Stroke Organization–World Health Organization surveys. International Journal of Stroke, 2021, 16, 889-901.	5.9	68
17	Colchicine for prevention of vascular inflammation in Non-CardioEmbolic stroke (CONVINCE) – study protocol for a randomised controlled trial. European Stroke Journal, 2021, 6, 222-228.	5.5	45
18	Subspecialty training of neurology residents and junior neurologists in the Baltic States. European Journal of Neurology, 2021, 28, 3584-3590.	3.3	1

Janika ΚÃμ<mark>ι</mark>ν

#	Article	IF	CITATIONS
19	Estonian young stroke registry: High burden of risk factors and high prevalence of cardiomebolic and large-artery stroke. European Stroke Journal, 2021, 6, 239698732110409.	5.5	5
20	ESO guideline for the management of extracranial and intracranial artery dissection. European Stroke Journal, 2021, 6, XXXIX-LXXXVIII.	5.5	54
21	Mortality in young adult patients with acute ischaemic stroke. Acta Neurologica Scandinavica, 2020, 141, 242-249.	2.1	3
22	SiPP (Stroke in Pregnancy and Postpartum): A prospective, observational, international, multicentre study on pathophysiological mechanisms, clinical profile, management and outcome of cerebrovascular diseases in pregnant and postpartum women. European Stroke Journal, 2020, 5, 193-203.	5.5	6
23	Sex Differences in Disease Profiles, Management, and Outcomes Among People with Atrial Fibrillation After Ischemic Stroke: Aggregated and Individual Participant Data Meta-Analyses. Women S Health Reports, 2020, 1, 190-202.	0.8	5
24	The Incidence and Associated Factors of Early Neurological Deterioration After Thrombolysis. Stroke, 2020, 51, 2705-2714.	2.0	33
25	Enhancing and accelerating stroke treatment in Eastern European region: Methods and achievement of the ESO EAST program. European Stroke Journal, 2020, 5, 204-212.	5.5	23
26	How satisfied are cervical dystonia patients after 3Âyears of botulinum toxin type A treatment? Results from a prospective, long-term observational study. Journal of Neurology, 2019, 266, 3038-3046.	3.6	21
27	European Stroke Organisation Guideline on Reversal of Oral Anticoagulants in Acute Intracerebral Haemorrhage. European Stroke Journal, 2019, 4, 294-306.	5.5	86
28	Antithrombotic treatment for secondary prevention of stroke and other thromboembolic events in patients with stroke or transient ischemic attack and non-valvular atrial fibrillation: A European Stroke Organisation guideline. European Stroke Journal, 2019, 4, 198-223.	5.5	120
29	Clobal Outcome Assessment Life-long after stroke in young adults initiative—the GOAL initiative: study protocol and rationale of a multicentre retrospective individual patient data meta-analysis. BMJ Open, 2019, 9, e031144.	1.9	7
30	Sex Differences in Severity of Stroke in the INSTRUCT Study: a Metaâ€Analysis of Individual Participant Data. Journal of the American Heart Association, 2019, 8, e010235.	3.7	52
31	INTEREST IN CD2, a global patient-centred study of long-term cervical dystonia treatment with botulinum toxin. Journal of Neurology, 2018, 265, 402-409.	3.6	15
32	Factors contributing to sex differences in functional outcomes and participation after stroke. Neurology, 2018, 90, e1945-e1953.	1.1	47
33	Clinical outcome of cardioembolic stroke treated by intravenous thrombolysis. Acta Neurologica Scandinavica, 2018, 137, 347-355.	2.1	15
34	European Academy of Neurology and European Stroke Organization consensus statement and practical guidance for preâ€hospital management of stroke. European Journal of Neurology, 2018, 25, 425-433.	3.3	83
35	PRECIOUS: PREvention of Complications to Improve OUtcome in elderly patients with acute Stroke. Rationale and design of a randomised, open, phase III, clinical trial with blinded outcome assessment. European Stroke Journal, 2018, 3, 291-298.	5.5	19
36	Ultraearly Intravenous Thrombolysis for Acute Ischemic Stroke in Mobile Stroke Unit and Hospital Settings. Stroke, 2018, 49, 1996-1999.	2.0	26

Janika ΚÃμ<mark>ι</mark>ν

#	Article	IF	CITATIONS
37	Sex Differences in Long-Term Mortality After Stroke in the INSTRUCT (INternational STRoke oUtComes) Tj ETQq1	1 0,78431 2.2	.4.rgBT /Ov
38	Intravenous thrombolysis for ischemic stroke in the golden hour: propensity-matched analysis from the SITS-EAST registry. Journal of Neurology, 2017, 264, 912-920.	3.6	27
39	Intravenous thrombolysis for patients with in-hospital stroke onset: propensity-matched analysis from the Safe Implementation of Treatments in Stroke-East registry. European Journal of Neurology, 2017, 24, 1493-1498.	3.3	16
40	Searching for Explanations for Cryptogenic Stroke in the Young: Revealing the Triggers, Causes, and Outcome (SECRETO): Rationale and design. European Stroke Journal, 2017, 2, 116-125.	5.5	30
41	Risk Factors and Etiology of Young Ischemic Stroke Patients in Estonia. Stroke Research and Treatment, 2017, 2017, 1-7.	0.8	21
42	Methods to improve patient recruitment and retention in stroke trials. International Journal of Stroke, 2016, 11, 663-676.	5.9	24
43	A New Risk Factor for Traumatic Spinal Cord Injury. Journal of Neurotrauma, 2016, 33, 1946-1949.	3.4	7
44	Headaches after traumatic spinal cord injury in Estonia. Cephalalgia, 2016, 36, 403-412.	3.9	0
45	Do Stroke Patients Know Their Risk Factors?. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 523-526.	1.6	3
46	Brain activation in the chronic phase of traumatic spinal cord injury. Spinal Cord, 2016, 54, 65-68.	1.9	17
47	Diabetes mellitus and previous ischemic stroke in stroke thrombolysis: analysis of sits-East registry data. Journal of the Neurological Sciences, 2015, 357, e399.	0.6	0
48	Acute stroke. European Journal of Emergency Medicine, 2015, 22, 285-287.	1.1	7
49	Management of ischemic stroke in Central and Eastern Europe. International Journal of Stroke, 2015, 10, 125-127.	5.9	19
50	Impact of fatal cases on the epidemiology of traumatic spinal cord injury in Estonia. European Journal of Neurology, 2015, 22, 768-772.	3.3	21
51	Safety of Statin Pretreatment in Intravenous Thrombolysis for Acute Ischemic Stroke. Stroke, 2015, 46, 2681-2684.	2.0	27
52	Regulation and Governance of Multinational Drug Trials in Stroke: Barriers and Possibilities. International Journal of Stroke, 2015, 10, 425-428.	5.9	9
53	Intravenous Thrombolysis for Stroke Recurring Within 3 Months From the Previous Event. Stroke, 2015, 46, 3184-3189.	2.0	19
54	Health-related quality of life in patients with traumatic spinal cord injury in Estonia. Spinal Cord, 2014, 52, 570-575.	1.9	18

Janika ΚÃμ<mark>ι</mark>ν

#	Article	IF	CITATIONS
55	Hyperdense Cerebral Artery Computed Tomography Sign Is Associated with Stroke Severity Rather than Stroke Subtype. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 2533-2539.	1.6	15
56	Benefit of thrombolysis for stroke is maintained around the clock: results from the <scp>SITS</scp> â€ <scp>EAST</scp> Registry. European Journal of Neurology, 2014, 21, 112-117.	3.3	13
57	Role of Preexisting Disability in Patients Treated With Intravenous Thrombolysis for Ischemic Stroke. Stroke, 2014, 45, 770-775.	2.0	60
58	Factors Influencing Door-to-Imaging Time: Analysis of the Safe Implementation of Treatments in Stroke–EAST Registry. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 2122-2129.	1.6	12
59	Burden of Stroke in Estonia. International Journal of Stroke, 2013, 8, 372-373.	5.9	2
60	Traumatic spinal cord injury in two <scp>E</scp> uropean countries: why the differences?. European Journal of Neurology, 2013, 20, 293-299.	3.3	21
61	Mortality and causes of death after traumatic spinal cord injury in Estonia. Journal of Spinal Cord Medicine, 2013, 36, 687-694.	1.4	28
62	Brain activation in the acute phase of traumatic spinal cord injury. Spinal Cord, 2013, 51, 623-629.	1.9	18
63	Stroke Awareness in Two Estonian Cities: Better Knowledge in Subjects with Advanced Age and Higher Education. European Neurology, 2013, 69, 89-94.	1.4	8
64	Functional MRI of the cortical sensorimotor system in patients with hereditary spastic paraplegia. Spinal Cord, 2012, 50, 885-890.	1.9	11
65	Stroke in the Young 2012. Stroke Research and Treatment, 2012, 2012, 1-1.	0.8	3
66	Long-Term Survival of Young Stroke Patients: A Population-Based Study of Two Stroke Registries from Tartu, Estonia. Stroke Research and Treatment, 2012, 2012, 1-4.	0.8	4
67	High incidence of traumatic spinal cord injury in Estonia. Spinal Cord, 2012, 50, 755-759.	1.9	52
68	Factors Influencing In-Hospital Delay in Treatment With Intravenous Thrombolysis. Stroke, 2012, 43, 1578-1583.	2.0	104
69	Intravenous Alteplase in Ischemic Stroke Patients not Fully Adhering to the Current Drug License in Central and Eastern Europe. International Journal of Stroke, 2012, 7, 615-622.	5.9	44
70	The angiotensin-receptor blocker candesartan for treatment of acute stroke (SCAST): a randomised, placebo-controlled, double-blind trial. Lancet, The, 2011, 377, 741-750.	13.7	485
71	Stroke in the Young. Stroke Research and Treatment, 2011, 2011, 1-2.	0.8	3
72	Angiotensin Receptor Blockade in Acute Stroke. the Scandinavian Candesartan Acute Stroke Trial: Rationale, Methods and Design of a Multicentre, Randomised- and Placebo-Controlled Clinical Trial (NCT00120003). International Journal of Stroke, 2010, 5, 423-427.	5.9	17

Janika ΚÃμrv

#	Article	IF	CITATIONS
73	ExStroke Pilot Trial of the effect of repeated instructions to improve physical activity after ischaemic stroke: a multinational randomised controlled clinical trial. BMJ: British Medical Journal, 2009, 339, b2810-b2810.	2.3	108
74	The ExStroke Pilot Trial: Rationale, design, and baseline data of a randomized multicenter trial comparing physical training versus usual care after an ischemic stroke. Contemporary Clinical Trials, 2008, 29, 410-417.	1.8	12
75	Prestroke physical activity is associated with severity and long-term outcome from first-ever stroke. Neurology, 2008, 71, 1313-1318.	1.1	100
76	Acute phase proteins and oxidised low-density lipoprotein in association with ischemic stroke subtype, severity and outcome. Free Radical Research, 2007, 41, 282-287.	3.3	28
77	Oneâ€year outcome after firstâ€ever stroke according to stroke subtype, severity, risk factors and preâ€stroke treatment. A populationâ€based study from Tartu, Estonia. European Journal of Neurology, 2007, 14, 435-439.	3.3	51
78	The Third Stroke Registry in Tartu, Estonia, from 2001 to 2003. Acta Neurologica Scandinavica, 2007, 116, 31-36.	2.1	27
79	The Third Stroke Registry in Tartu, Estonia. Stroke, 2005, 36, 2544-2548.	2.0	55
80	First-Year Results of the Third Stroke Registry in Tartu, Estonia. Cerebrovascular Diseases, 2004, 18, 227-231.	1.7	14
81	Underfunding of Stroke Research. Stroke, 2004, 35, 2368-2371.	2.0	40
82	Lifestyle and late effects after poliomyelitis. A risk factor study of two populations. Acta Neurologica Scandinavica, 2004, 109, 120-125.	2.1	37
83	Long term outcome after poliomyelitis in different health and social conditions. Journal of Epidemiology and Community Health, 2003, 57, 368-372.	3.7	35
84	Registry of first-ever stroke in Tartu, Estonia, 1991 through 1993: outcome of stroke. Acta Neurologica Scandinavica, 1999, 99, 175-181.	2.1	6
85	Stroke Registry of Tartu, Estonia, from 1991 through 1993. Cerebrovascular Diseases, 1997, 7, 154-162.	1.7	19
86	Changed Incidence and Case-Fatality Rates of First-Ever Stroke Between 1970 and 1993 in Tartu, Estonia. Stroke, 1996, 27, 199-203.	2.0	23
87	Developments in quality of stroke care in Estonia. European Stroke Journal, 0, , 239698732211107.	5.5	0