Fabienne Mackay

List of Publications by Citations

Source: https://exaly.com/author-pdf/5302847/fabienne-mackay-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 131
 21,390
 70
 144

 papers
 citations
 h-index
 g-index

 144
 23,553
 13
 6.44

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
131	Regulation of inflammatory responses by gut microbiota and chemoattractant receptor GPR43. <i>Nature</i> , 2009 , 461, 1282-6	50.4	2011
130	Mice transgenic for BAFF develop lymphocytic disorders along with autoimmune manifestations. Journal of Experimental Medicine, 1999 , 190, 1697-710	16.6	1222
129	BAFF, a novel ligand of the tumor necrosis factor family, stimulates B cell growth. <i>Journal of Experimental Medicine</i> , 1999 , 189, 1747-56	16.6	1089
128	BAFF AND APRIL: a tutorial on B cell survival. <i>Annual Review of Immunology</i> , 2003 , 21, 231-64	34.7	760
127	Cracking the BAFF code. <i>Nature Reviews Immunology</i> , 2009 , 9, 491-502	36.5	661
126	Association of BAFF/BLyS overexpression and altered B cell differentiation with Sjgreng syndrome. <i>Journal of Clinical Investigation</i> , 2002 , 109, 59-68	15.9	581
125	BAFF mediates survival of peripheral immature B lymphocytes. <i>Journal of Experimental Medicine</i> , 2000 , 192, 1453-66	16.6	574
124	Excess BAFF rescues self-reactive B cells from peripheral deletion and allows them to enter forbidden follicular and marginal zone niches. <i>Immunity</i> , 2004 , 20, 785-98	32.3	570
123	BAFF: a fundamental survival factor for B cells. <i>Nature Reviews Immunology</i> , 2002 , 2, 465-75	36.5	531
122	Disrupted cardiac development but normal hematopoiesis in mice deficient in the second CXCL12/SDF-1 receptor, CXCR7. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 14759-64	11.5	466
121	Circulating precursor CCR7(lo)PD-1(hi) CXCR5+ CD4+ T cells indicate Tfh cell activity and promote antibody responses upon antigen reexposure. <i>Immunity</i> , 2013 , 39, 770-81	32.3	449
120	Toll-like receptor 9-dependent and -independent dendritic cell activation by chromatin-immunoglobulin G complexes. <i>Journal of Experimental Medicine</i> , 2004 , 199, 1631-40	16.6	434
119	B cell-activating factor belonging to the TNF family (BAFF)-R is the principal BAFF receptor facilitating BAFF costimulation of circulating T and B cells. <i>Journal of Immunology</i> , 2004 , 173, 807-17	5.3	388
118	BAFF selectively enhances the survival of plasmablasts generated from human memory B cells. Journal of Clinical Investigation, 2003 , 112, 286-97	15.9	362
117	Surface lymphotoxin alpha/beta complex is required for the development of peripheral lymphoid organs. <i>Journal of Experimental Medicine</i> , 1996 , 184, 1999-2006	16.6	336
116	BAFF binds to the tumor necrosis factor receptor-like molecule B cell maturation antigen and is important for maintaining the peripheral B cell population. <i>Journal of Experimental Medicine</i> , 2000 , 192, 129-35	16.6	332
115	Tumor necrosis factor alpha (TNF-alpha)-induced cell adhesion to human endothelial cells is under dominant control of one TNF receptor type, TNF-R55. <i>Journal of Experimental Medicine</i> , 1993 , 177, 127	7-86 ⁶	332

(2008-2010)

114	Control systems and decision making for antibody production. <i>Nature Immunology</i> , 2010 , 11, 681-8	19.1	303
113	BAFF and MyD88 signals promote a lupuslike disease independent of T cells. <i>Journal of Experimental Medicine</i> , 2007 , 204, 1959-71	16.6	303
112	Impaired prion replication in spleens of mice lacking functional follicular dendritic cells. <i>Science</i> , 2000 , 288, 1257-9	33.3	300
111	Analysis of microRNA turnover in mammalian cells following Dicer1 ablation. <i>Nucleic Acids Research</i> , 2011 , 39, 5692-703	20.1	295
110	Antidrug antibodies (ADAb) to tumour necrosis factor (TNF)-specific neutralising agents in chronic inflammatory diseases: a real issue, a clinical perspective. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 165-78	2.4	273
109	Association of BAFF/BLyS overexpression and altered B cell differentiation with Sjgren's syndrome. <i>Journal of Clinical Investigation</i> , 2002 , 109, 59-68	15.9	263
108	Lymph node genesis is induced by signaling through the lymphotoxin beta receptor. <i>Immunity</i> , 1998 , 9, 71-9	32.3	254
107	The BAFF/APRIL system in SLE pathogenesis. <i>Nature Reviews Rheumatology</i> , 2014 , 10, 365-73	8.1	253
106	The BAFF/APRIL system: emerging functions beyond B cell biology and autoimmunity. <i>Cytokine and Growth Factor Reviews</i> , 2013 , 24, 203-15	17.9	250
105	B cells and the BAFF/APRIL axis: fast-forward on autoimmunity and signaling. <i>Current Opinion in Immunology</i> , 2007 , 19, 327-36	7.8	229
104	TACI, unlike BAFF-R, is solely activated by oligomeric BAFF and APRIL to support survival of activated B cells and plasmablasts. <i>Blood</i> , 2008 , 111, 1004-12	2.2	228
103	Cxcr7 controls neuronal migration by regulating chemokine responsiveness. <i>Neuron</i> , 2011 , 69, 77-90	13.9	221
102	Mcl-1 is essential for the survival of plasma cells. <i>Nature Immunology</i> , 2013 , 14, 290-7	19.1	214
101	Targeted inactivation of Gh/tissue transglutaminase II. <i>Journal of Biological Chemistry</i> , 2001 , 276, 2067	3 -8 .4	211
100	B cell-activating factor belonging to the TNF family acts through separate receptors to support B cell survival and T cell-independent antibody formation. <i>Journal of Immunology</i> , 2004 , 173, 2331-41	5.3	206
99	Dock8 mutations cripple B cell immunological synapses, germinal centers and long-lived antibody production. <i>Nature Immunology</i> , 2009 , 10, 1283-91	19.1	202
98	The sequential role of lymphotoxin and B cells in the development of splenic follicles. <i>Journal of Experimental Medicine</i> , 1998 , 187, 997-1007	16.6	200
97	TRAF2 and TRAF3 signal adapters act cooperatively to control the maturation and survival signals delivered to B cells by the BAFF receptor. <i>Immunity</i> , 2008 , 28, 391-401	32.3	199

96	Maturation of marginal zone and follicular B cells requires B cell activating factor of the tumor necrosis factor family and is independent of B cell maturation antigen. <i>Journal of Experimental Medicine</i> , 2001 , 194, 1691-7	16.6	199
95	Temporary inactivation of follicular dendritic cells delays neuroinvasion of scrapie. <i>Nature Medicine</i> , 2000 , 6, 719-20	50.5	194
94	Positive regulation of immune cell function and inflammatory responses by phosphatase PAC-1. <i>Nature Immunology</i> , 2006 , 7, 274-83	19.1	193
93	Microbiota-Derived Short-Chain Fatty Acids Promote the Memory Potential of Antigen-Activated CD8 T Cells. <i>Immunity</i> , 2019 , 51, 285-297.e5	32.3	175
92	Turning off follicular dendritic cells. <i>Nature</i> , 1998 , 395, 26-7	50.4	170
91	Lymphotoxin but not tumor necrosis factor functions to maintain splenic architecture and humoral responsiveness in adult mice. <i>European Journal of Immunology</i> , 1997 , 27, 2033-42	6.1	169
90	A fundamental bimodal role for neuropeptide Y1 receptor in the immune system. <i>Journal of Experimental Medicine</i> , 2005 , 202, 1527-38	16.6	160
89	TNF deficiency fails to protect BAFF transgenic mice against autoimmunity and reveals a predisposition to B cell lymphoma. <i>Journal of Immunology</i> , 2004 , 172, 812-22	5.3	145
88	Both the lymphotoxin and tumor necrosis factor pathways are involved in experimental murine models of colitis. <i>Gastroenterology</i> , 1998 , 115, 1464-75	13.3	139
87	The BAFF/APRIL system: an important player in systemic rheumatic diseases. <i>Current Directions in Autoimmunity</i> , 2005 , 8, 243-65		138
86	The TNF family members BAFF and APRIL: the growing complexity. <i>Cytokine and Growth Factor Reviews</i> , 2003 , 14, 311-24	17.9	137
85	B-cell stage and context-dependent requirements for survival signals from BAFF and the B-cell receptor. <i>Immunological Reviews</i> , 2010 , 237, 205-25	11.3	136
84	Recirculating Intestinal IgA-Producing Cells Regulate Neuroinflammation via IL-10. <i>Cell</i> , 2019 , 176, 610)-6 3/3 .æ1	18133
83	Signaling through the lymphotoxin beta receptor induces the death of some adenocarcinoma tumor lines. <i>Journal of Experimental Medicine</i> , 1996 , 183, 867-78	16.6	131
82	The role of the BAFF/APRIL system on T cell function. <i>Seminars in Immunology</i> , 2006 , 18, 284-9	10.7	130
81	Potential antiinflammatory role of insulin via the preferential polarization of effector T cells toward a T helper 2 phenotype. <i>Endocrinology</i> , 2007 , 148, 346-53	4.8	126
80	Regulation of B-cell survival by BAFF-dependent PKCdelta-mediated nuclear signalling. <i>Nature</i> , 2004 , 431, 456-61	50.4	126
79	Depletion of B2 but not B1a B cells in BAFF receptor-deficient ApoE mice attenuates atherosclerosis by potently ameliorating arterial inflammation. <i>PLoS ONE</i> , 2012 , 7, e29371	3.7	119

78	The BAFF/APRIL system: life beyond B lymphocytes. <i>Molecular Immunology</i> , 2005 , 42, 763-72	4.3	118
77	BAFF augments certain Th1-associated inflammatory responses. <i>Journal of Immunology</i> , 2005 , 174, 553	7 ₅ 454	114
76	TACI, an enigmatic BAFF/APRIL receptor, with new unappreciated biochemical and biological properties. <i>Cytokine and Growth Factor Reviews</i> , 2008 , 19, 263-76	17.9	107
75	Increased expression of CD27 on activated human memory B cells correlates with their commitment to the plasma cell lineage. <i>Journal of Immunology</i> , 2005 , 174, 4034-42	5.3	107
74	The role of the BAFF/APRIL system in B cell homeostasis and lymphoid cancers. <i>Current Opinion in Pharmacology</i> , 2004 , 4, 347-54	5.1	102
73	Clinical associations of serum interleukin-17 in systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2013 , 15, R97	5.7	101
7 2	BAFF overexpression and accelerated glomerular disease in mice with an incomplete genetic predisposition to systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2005 , 52, 2080-91		101
71	TNF ligands and receptors in autoimmunity: an update. <i>Current Opinion in Immunology</i> , 2002 , 14, 783-90	7.8	94
70	Marginal-zone B-cells of nonobese diabetic mice expand with diabetes onset, invade the pancreatic lymph nodes, and present autoantigen to diabetogenic T-cells. <i>Diabetes</i> , 2008 , 57, 395-404	0.9	88
69	NPY and receptors in immune and inflammatory diseases. <i>Current Topics in Medicinal Chemistry</i> , 2007 , 7, 1743-52	3	88
68	NIK overexpression amplifies, whereas ablation of its TRAF3-binding domain replaces BAFF:BAFF-R-mediated survival signals in B cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 10883-8	11.5	87
67	Increased CD4+Foxp3+ T cells in BAFF-transgenic mice suppress T cell effector responses. <i>Journal of Immunology</i> , 2009 , 182, 793-801	5.3	83
66	Targeting the lymphotoxin-beta receptor with agonist antibodies as a potential cancer therapy. <i>Cancer Research</i> , 2006 , 66, 9617-24	10.1	81
65	B-cell tolerance breakdown in Sjgren's syndrome: focus on BAFF. <i>Autoimmunity Reviews</i> , 2010 , 9, 604-8	13.6	72
64	The anti-apoptotic factor Bcl-2 can functionally substitute for the B cell survival but not for the marginal zone B cell differentiation activity of BAFF. <i>European Journal of Immunology</i> , 2004 , 34, 509-18	6.1	72
63	CD4(+)CD25(+) T-cells control autoimmunity in the absence of B-cells. <i>Diabetes</i> , 2009 , 58, 1568-77	0.9	71
62	B cell survival, surface BCR and BAFFR expression, CD74 metabolism, and CD8- dendritic cells require the intramembrane endopeptidase SPPL2A. <i>Journal of Experimental Medicine</i> , 2013 , 210, 31-40	16.6	68
61	BAFF costimulation of Toll-like receptor-activated B-1 cells. <i>European Journal of Immunology</i> , 2006 , 36, 1837-46	6.1	67

60	Development of nephritis but not sialadenitis in autoimmune-prone BAFF transgenic mice lacking marginal zone B cells. <i>European Journal of Immunology</i> , 2006 , 36, 2504-14	6.1	64
59	BAFF and innate immunity: new therapeutic targets for systemic lupus erythematosus. <i>Immunology and Cell Biology</i> , 2012 , 90, 293-303	5	62
58	Association of serum B cell activating factor from the tumour necrosis factor family (BAFF) and a proliferation-inducing ligand (APRIL) with central nervous system and renal disease in systemic lupus erythematosus. <i>Lupus</i> , 2013 , 22, 873-84	2.6	62
57	The tetraspanin CD37 orchestrates the [4][1] integrin-Akt signaling axis and supports long-lived plasma cell survival. <i>Science Signaling</i> , 2012 , 5, ra82	8.8	62
56	CXCR7 prevents excessive CXCL12-mediated downregulation of CXCR4 in migrating cortical interneurons. <i>Development (Cambridge)</i> , 2014 , 141, 1857-63	6.6	60
55	Lymphotoxin beta receptor triggering induces activation of the nuclear factor kappaB transcription factor in some cell types. <i>Journal of Biological Chemistry</i> , 1996 , 271, 24934-8	5.4	56
54	Obesity is associated with activated and insulin resistant immune cells. <i>Diabetes/Metabolism Research and Reviews</i> , 2012 , 28, 447-54	7.5	55
53	The Y1 receptor for NPY: a key modulator of the adaptive immune system. <i>Peptides</i> , 2007 , 28, 453-8	3.8	55
52	Targeting BAFF: immunomodulation for autoimmune diseases and lymphomas 2006, 112, 774-86		53
51	Human C5aR knock-in mice facilitate the production and assessment of anti-inflammatory monoclonal antibodies. <i>Nature Biotechnology</i> , 2006 , 24, 1279-84	44.5	49
50	The TACI receptor regulates T-cell-independent marginal zone B cell responses through innate activation-induced cell death. <i>Immunity</i> , 2013 , 39, 573-83	32.3	47
49	Manipulation of lymphoid microenvironments in nonhuman primates by an inhibitor of the lymphotoxin pathway. <i>Journal of Clinical Investigation</i> , 2002 , 110, 1359-1369	15.9	47
48	Mutation of the BAFF furin cleavage site impairs B-cell homeostasis and antibody responses. <i>European Journal of Immunology</i> , 2011 , 41, 787-97	6.1	45
47	An important role for B-cell activation factor and B cells in the pathogenesis of Sjgren's syndrome. <i>Current Opinion in Rheumatology</i> , 2007 , 19, 406-13	5.3	45
46	Foxp3 Tregs are recruited to the retina to repair pathological angiogenesis. <i>Nature Communications</i> , 2017 , 8, 748	17.4	39
45	Deleting the BAFF receptor TACI protects against systemic lupus erythematosus without extensive reduction of B cell numbers. <i>Journal of Autoimmunity</i> , 2015 , 61, 9-16	15.5	37
44	CXC chemokine receptor 7 (CXCR7) regulates CXCR4 protein expression and capillary tuft development in mouse kidney. <i>PLoS ONE</i> , 2012 , 7, e42814	3.7	32
43	Neuropeptide Y1 receptor in immune cells regulates inflammation and insulin resistance associated with diet-induced obesity. <i>Diabetes</i> , 2012 , 61, 3228-38	0.9	31

(2013-2012)

42	Malaria infection alters the expression of B-cell activating factor resulting in diminished memory antibody responses and survival. <i>European Journal of Immunology</i> , 2012 , 42, 3291-301	6.1	29
41	NF B 1 is essential to prevent the development of multiorgan autoimmunity by limiting IL-6 production in follicular B cells. <i>Journal of Experimental Medicine</i> , 2016 , 213, 621-41	16.6	28
40	B cells flying solo. <i>Immunology and Cell Biology</i> , 2008 , 86, 40-6	5	28
39	BAFF/BLyS inhibitors: A new prospect for treatment of systemic lupus erythematosus. <i>IUBMB Life</i> , 2012 , 64, 595-602	4.7	27
38	BAFF-driven autoimmunity requires CD19 expression. <i>Journal of Autoimmunity</i> , 2015 , 62, 1-10	15.5	25
37	CXC chemokine receptor 7 (CXCR7) affects the migration of GnRH neurons by regulating CXCL12 availability. <i>Journal of Neuroscience</i> , 2013 , 33, 17527-37	6.6	25
36	MHC class II expression in human basophils: induction and lack of functional significance. <i>PLoS ONE</i> , 2013 , 8, e81777	3.7	25
35	The activin A antagonist follistatin inhibits cystic fibrosis-like lung inflammation and pathology. <i>Immunology and Cell Biology</i> , 2015 , 93, 567-74	5	23
34	Y1 signalling has a critical role in allergic airway inflammation. <i>Immunology and Cell Biology</i> , 2011 , 89, 882-8	5	23
33	Development of autoimmune nephritis in genetically asplenic and splenectomized BAFF transgenic mice. <i>Journal of Autoimmunity</i> , 2011 , 36, 125-34	15.5	22
32	Machine learning applied to whole-blood RNA-sequencing data uncovers distinct subsets of patients with systemic lupus erythematosus. <i>Clinical and Translational Immunology</i> , 2019 , 8, e01093	6.8	22
31	Roles of ligands from the TNF superfamily in B cell development, function, and regulation. <i>Seminars in Immunology</i> , 2014 , 26, 191-202	10.7	21
30	Arginine methylation catalyzed by PRMT1 is required for B cell activation and differentiation. <i>Nature Communications</i> , 2017 , 8, 891	17.4	20
29	IL-10 regulates Aicda expression through miR-155. <i>Journal of Leukocyte Biology</i> , 2015 , 97, 71-8	6.5	19
28	Travelling with the BAFF/BLyS family: are we there yet?. Seminars in Immunology, 2006, 18, 261-2	10.7	19
27	A loop region of BAFF controls B cell survival and regulates recognition by different inhibitors. <i>Nature Communications</i> , 2018 , 9, 1199	17.4	18
26	Manipulation of lymphoid microenvironments in nonhuman primates by an inhibitor of the lymphotoxin pathway. <i>Journal of Clinical Investigation</i> , 2002 , 110, 1359-69	15.9	18
25	Focus on systemic lupus erythematosus in indigenous Australians: towards a better understanding of autoimmune diseases. <i>Internal Medicine Journal</i> , 2013 , 43, 227-34	1.6	17

24	Methotrexate and BAFF interaction prevents immunization against TNF inhibitors. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1463-1470	2.4	17
23	Analysis of serum B cell-activating factor from the tumor necrosis factor family (BAFF) and its soluble receptors in systemic lupus erythematosus. <i>Clinical and Translational Immunology</i> , 2019 , 8, e010	67 ⁸	15
22	Chemokine Signaling Controls Integrity of Radial Glial Scaffold in Developing Spinal Cord and Consequential Proper Position of Boundary Cap Cells. <i>Journal of Neuroscience</i> , 2015 , 35, 9211-24	6.6	13
21	Antibodies That Block or Activate Mouse B Cell Activating Factor of the Tumor Necrosis Factor (TNF) Family (BAFF), Respectively, Induce B Cell Depletion or B Cell Hyperplasia. <i>Journal of Biological Chemistry</i> , 2016 , 291, 19826-34	5.4	13
20	The tyrosine kinase Lyn limits the cytokine responsiveness of plasma cells to restrict their accumulation in mice. <i>Science Signaling</i> , 2014 , 7, ra77	8.8	12
19	Distinguishing naive- from memory-derived human B cells during acute responses. <i>Clinical and Translational Immunology</i> , 2019 , 8, e01090	6.8	10
18	Analysis of urinary macrophage migration inhibitory factor in systemic lupus erythematosus. <i>Lupus Science and Medicine</i> , 2018 , 5, e000277	4.6	8
17	Protective Effect of Inflammasome Activation by Hydrogen Peroxide in a Mouse Model of Septic Shock. <i>Critical Care Medicine</i> , 2017 , 45, e184-e194	1.4	7
16	Associations of serum soluble Fas and Fas ligand (FasL) with outcomes in systemic lupus erythematosus. <i>Lupus Science and Medicine</i> , 2020 , 7,	4.6	7
15	Gene therapy delivery of myelin oligodendrocyte glycoprotein (MOG) via hematopoietic stem cell transfer induces MOG-specific B cell deletion. <i>Journal of Immunology</i> , 2014 , 192, 2593-601	5.3	7
14	Induction of germinal centers by MMTV encoded superantigen on B cells. <i>Autoimmunity</i> , 2001 , 8, 201-1	1	7
13	Molecular control of B-cell homeostasis in health and malignancy. <i>Immunology and Cell Biology</i> , 2018 , 96, 453-462	5	5
12	B-cells expressing NgR1 and NgR3 are localized to EAE-induced inflammatory infiltrates and are stimulated by BAFF. <i>Scientific Reports</i> , 2021 , 11, 2890	4.9	4
11	Not from Venus, not from Mars - all equally superstars. <i>Nature Immunology</i> , 2020 , 21, 238	19.1	1
10	The Role of the BAFF and Lymphotoxin Pathways in B Cell Biology 2015 , 251-276		1
9	Efficient conditional gene expression following transplantation of retrovirally transduced bone marrow stem cells. <i>Journal of Immunological Methods</i> , 2015 , 416, 183-8	2.5	1
8	Chemokine receptor CXCR7 non-cell-autonomously controls pontine neuronal migration and nucleus formation. <i>Scientific Reports</i> , 2020 , 10, 11830	4.9	1
7	Serum soluble Fas and Fas ligand (FasL) in primary Sjören's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37 Suppl 118, 254-256	2.2	1

LIST OF PUBLICATIONS

6	Understand SLE heterogeneity in the era of omics, big data, and artificial intelligence. <i>Rheumatology & Autoimmunity</i> , 2021 , 1, 38-49		О
5	The bigger B cell picture. <i>Nature Reviews Immunology</i> , 2016 , 16, 133	36.5	
4	B Cells and Autoimmunity 2006 , 139-156		
3	NF B 1 is essential to prevent the development of multiorgan autoimmunity by limiting IL-6 production in follicular B cells. <i>Journal of Cell Biology</i> , 2016 , 213, 2131OIA67	7:3	
2	The BAFF/APRIL System in Autoimmunity 2009 , 125-160		
1	Long-term exposure to monoclonal anti-TNF is associated with an increased risk of lymphoma in BAFF-transgenic mice. <i>Clinical and Experimental Immunology</i> , 2021 , 205, 169-181	6.2	