

Annmarie Nelson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5303603/publications.pdf>

Version: 2024-02-01

102
papers

1,466
citations

304602

22
h-index

395590

33
g-index

107
all docs

107
docs citations

107
times ranked

1970
citing authors

#	ARTICLE	IF	CITATIONS
1	Patients' Experiences of Living with CANcer-associated thrombosis: the PELICAN study. Patient Preference and Adherence, 2015, 9, 337.	0.8	83
2	Acceptability of low molecular weight heparin thromboprophylaxis for inpatients receiving palliative care: qualitative study. BMJ: British Medical Journal, 2006, 332, 577-580.	2.4	81
3	The care needs of patients with idiopathic pulmonary fibrosis and their carers (CaNoPy): results of a qualitative study. BMC Pulmonary Medicine, 2015, 15, 155.	0.8	79
4	Cancer-associated thrombosis, low-molecular- weight heparin, and the patient experience: a qualitative study. Patient Preference and Adherence, 2014, 8, 453.	0.8	61
5	Prevalence, symptom burden, and natural history of deep vein thrombosis in people with advanced cancer in specialist palliative care units (HIDDEN): a prospective longitudinal observational study. Lancet Haematology, 2019, 6, e79-e88.	2.2	54
6	It still haunts me whether we did the right thing: a qualitative analysis of free text survey data on the bereavement experiences and support needs of family caregivers. BMC Palliative Care, 2016, 15, 92.	0.8	44
7	It's alright to ask for help: findings from a qualitative study exploring the information and support needs of family carers at the end of life. BMC Palliative Care, 2014, 13, 22.	0.8	41
8	Factors influencing hospice thromboprophylaxis policy: a qualitative study. Palliative Medicine, 2008, 22, 808-813.	1.3	39
9	Neuromuscular Electrical Stimulation of the Quadriceps in Patients with Non-Small Cell Lung Cancer Receiving Palliative Chemotherapy: A Randomized Phase II Study. PLoS ONE, 2013, 8, e86059.	1.1	38
10	The practice of palliative care from the perspective of patients and carers. BMJ Supportive and Palliative Care, 2014, 4, 291-298.	0.8	34
11	Why do patients decline surgical trials? Findings from a qualitative interview study embedded in the Cancer Research UK BOLERO trial (Bladder cancer: Open versus Laparoscopic or RObotic) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tj 5	0.784314	33
12	Symptom management, nutrition and hydration at end-of-life: a qualitative exploration of patients', carers' and health professionals' experiences and further research questions. BMC Palliative Care, 2018, 17, 60.	0.8	33
13	Considerations and recommendations for conducting qualitative research interviews with palliative and end-of-life care patients in the home setting: a consensus paper. BMJ Supportive and Palliative Care, 2019, 9, e14-e14.	0.8	33
14	Managing, making sense of and finding meaning in advanced illness: a qualitative exploration of the coping and wellbeing experiences of patients with lung cancer. Sociology of Health and Illness, 2017, 39, 1448-1464.	1.1	32
15	The impacts and effectiveness of support for people bereaved through advanced illness: A systematic review and thematic synthesis. Palliative Medicine, 2020, 34, 871-888.	1.3	30
16	Coping and wellbeing in bereavement: two core outcomes for evaluating bereavement support in palliative care. BMC Palliative Care, 2020, 19, 29.	0.8	29
17	"Oh God, not a Palliative": out-of-hours general practitioners within the domain of palliative care. Palliative Medicine, 2010, 24, 501-509.	1.3	28
18	A feasibility study testing four hypotheses with phase II outcomes in advanced colorectal cancer (MRC) Tj ETQq0 0 0 rgBT /Overlock 10 Tj 5 Journal of Cancer, 2014, 110, 2178-2186.	2.9	27

#	ARTICLE	IF	CITATIONS
19	â€œI didn't really understand it, I just thought itâ€™d helpâ€ exploring the motivations, understandings and experiences of patients with advanced lung cancer participating in a non-placebo clinical IMP trial. <i>Trials</i> , 2016, 17, 329.	0.7	26
20	Patient Experience of Living With Cancer-Associated Thrombosis in Canada (PELICANADA). <i>Research and Practice in Thrombosis and Haemostasis</i> , 2020, 4, 154-160.	1.0	26
21	A feasibility study to inform the design of a randomised controlled trial to identify the most clinically effective and cost-effective length of Anticoagulation with Low-molecular-weight heparin in the treatment of Cancer-Associated Thrombosis (ALICAT). <i>Health Technology Assessment</i> , 2015, 19, 1-94.	1.3	26
22	Support needs and barriers to accessing support: Baseline results of a mixed-methods national survey of people bereaved during the COVID-19 pandemic. <i>Palliative Medicine</i> , 2021, 35, 1985-1997.	1.3	26
23	Patients' Experience of Living with Cancer-associated thrombosis in Spain (PELICANOS). <i>Supportive Care in Cancer</i> , 2018, 26, 3233-3239.	1.0	25
24	Palliative radiotherapy after oesophageal cancer stenting (ROCS): a multicentre, open-label, phase 3 randomised controlled trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2021, 6, 292-303.	3.7	25
25	Palliative radiotherapy in addition to self-expanding metal stent for improving dysphagia and survival in advanced oesophageal cancer (ROCS: Radiotherapy after Oesophageal Cancer Stenting): study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 402.	0.7	19
26	â€œIt was brutal. It still isâ€: a qualitative analysis of the challenges of bereavement during the COVID-19 pandemic reported in two national surveys. <i>Palliative Care and Social Practice</i> , 2022, 16, 263235242210924.	0.6	19
27	Out-of-hours GPs and palliative care-a qualitative study exploring information exchange and communication issues. <i>BMC Palliative Care</i> , 2010, 9, 18.	0.8	17
28	Patients with established cancer cachexia lack the motivation and self-efficacy to undertake regular structured exercise. <i>Psycho-Oncology</i> , 2018, 27, 458-464.	1.0	17
29	The Three-item ALERT-B Questionnaire Provides a Validated Screening Tool to Detect Chronic Gastrointestinal Symptoms after Pelvic Radiotherapy in Cancer Survivors. <i>Clinical Oncology</i> , 2016, 28, e139-e147.	0.6	16
30	Immediate chest X-ray for patients at risk of lung cancer presenting in primary care: randomised controlled feasibility trial. <i>British Journal of Cancer</i> , 2017, 116, 293-302.	2.9	15
31	The acceptability of an information leaflet explaining cardiopulmonary resuscitation policy in the hospice setting: a qualitative study exploring patients' views. <i>Palliative Medicine</i> , 2008, 22, 647-652.	1.3	14
32	What challenges good palliative care provision out-of-hours? A qualitative interview study of out-of-hours general practitioners. <i>BMJ Supportive and Palliative Care</i> , 2011, 1, 13-18.	0.8	14
33	QUALZICE: A QUALitative exploration of the experiences of the participants from the ZICE clinical trial (metastatic breast cancer) receiving intravenous or oral bisphosphonates. <i>Trials</i> , 2013, 14, 325.	0.7	14
34	Patients experience of living with cancer associated thrombosis in France (Le PELICAN). <i>Thrombosis Research</i> , 2020, 194, 66-71.	0.8	14
35	Impact of a dedicated cancer-associated thrombosis service on clinical outcomes: a mixed-methods evaluation of a clinical improvement exercise. <i>BMJ Open</i> , 2016, 6, e013321.	0.8	12
36	The challenge pathway: A mixed methods evaluation of an innovative care model for the palliative and end-of-life care of people with dementia (Innovative practice). <i>Dementia</i> , 2018, 17, 252-257.	1.0	12

#	ARTICLE	IF	CITATIONS
37	Development of a core outcome set to use in the research and assessment of malignant bowel obstruction: protocol for the RAMBO study. <i>BMJ Open</i> , 2020, 10, e039154.	0.8	12
38	Challenges faced by palliative care physicians when caring for doctors with advanced cancer. <i>Palliative Medicine</i> , 2008, 22, 71-76.	1.3	11
39	A feasibility study to inform the design of a randomized controlled trial to identify the most clinically and cost effective Anticoagulation Length with low molecular weight heparin In the treatment of Cancer Associated Thrombosis (ALICAT): study protocol for a mixed-methods study. <i>Trials</i> , 2014, 15, 122.	0.7	11
40	Symptom burden and lived experiences of patients, caregivers and healthcare professionals on the management of malignant bowel obstruction: A qualitative systematic review. <i>Palliative Medicine</i> , 2022, 36, 895-911.	1.3	11
41	Defining the palliative care patient: its challenges and implications for service delivery. <i>BMJ Supportive and Palliative Care</i> , 2013, 3, 46-52.	0.8	10
42	Systematic review of behavioural smoking cessation interventions for older smokers from deprived backgrounds. <i>BMJ Open</i> , 2019, 9, e032727.	0.8	10
43	Carer administration of as-needed subcutaneous medication for breakthrough symptoms in people dying at home: the CARIAD feasibility RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-150.	1.3	10
44	A feasibility study examining the effect on lung cancer diagnosis of offering a chest X-ray to higher-risk patients with chest symptoms: protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 405.	0.7	9
45	Defining the palliative care patient: its challenges and implications for service delivery. <i>BMJ Supportive and Palliative Care</i> , 2015, 5, 46-52.	0.8	9
46	Patient understanding and acceptability of an early lung cancer diagnosis trial: a qualitative study. <i>Trials</i> , 2018, 19, 419.	0.7	9
47	A mixed-methods study to evaluate a patient-designed tool to reduce harm from cancer-associated thrombosis: The EMPOWER study. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2021, 5, e12545.	1.0	9
48	THE PALLIATIVE AND END OF LIFE CARE PRIORITY SETTING PARTNERSHIP (PEOLCPSP): DETERMINING EVIDENCE UNCERTAINTIES FROM THE PERSPECTIVE OF THE END USER OF RESEARCH. <i>BMJ Supportive and Palliative Care</i> , 2014, 4, A42.1-A42.	0.8	8
49	“Don’t blame the middle man”: an exploratory qualitative study to explore the experiences of translators breaking bad news. <i>Journal of the Royal Society of Medicine</i> , 2014, 107, 271-276.	1.1	8
50	Improving the well-being of men by Evaluating and Addressing the Gastrointestinal Late Effects (EAGLE) of radical treatment for prostate cancer: study protocol for a mixed-method implementation project. <i>BMJ Open</i> , 2016, 6, e011773.	0.8	8
51	Using the United Kingdom standards for public involvement to evaluate the impact of public involvement in a multinational clinical study. <i>Research Involvement and Engagement</i> , 2021, 7, 22.	1.1	8
52	Before the 2020 Pandemic: an observational study exploring public knowledge, attitudes, plans, and preferences towards death and end of life care in Wales. <i>BMC Palliative Care</i> , 2021, 20, 116.	0.8	8
53	Hope and meaning-making in phase 1 oncology trials: a systematic review and thematic synthesis of qualitative evidence on patient-participant experiences. <i>Trials</i> , 2022, 23, 409.	0.7	8
54	CARer-ADministration of as-needed subcutaneous medication for breakthrough symptoms in homebased dying patients (CARIAD): study protocol for a UK-based open randomised pilot trial. <i>Trials</i> , 2019, 20, 105.	0.7	7

#	ARTICLE	IF	CITATIONS
55	The Trigger Project: The Challenge of Introducing Electronic Patient-Reported Outcome Measures Into a Radiotherapy Service. <i>Clinical Oncology</i> , 2020, 32, e76-e79.	0.6	7
56	Chemotherapy decision-making in advanced lung cancer: a prospective qualitative study. <i>BMJ Supportive and Palliative Care</i> , 2020, , bmjspcare-2020-002395.	0.8	7
57	Palliative care research centre's move into social media: constructing a framework for ethical research, a consensus paper. <i>BMJ Supportive and Palliative Care</i> , 2019, 9, 219-224.	0.8	6
58	“Wolverine, I think it's called: Blood thinners but in tablets.” Patients experience of living with cancer associated thrombosis in New Zealand (PELICANZ). <i>Thrombosis Research</i> , 2020, 189, 35-38.	0.8	6
59	Early palliative interventions for improving outcomes in people with a primary malignant brain tumour and their carers. <i>The Cochrane Library</i> , 2022, 2022, CD013440.	1.5	5
60	A mixed-methods study of the Care Needs of individuals with idiopathic Pulmonary fibrosis and their carers”CaNoPy: a study protocol: Table A1. <i>BMJ Open</i> , 2013, 3, e003537.	0.8	4
61	Development of an intervention to support patients and clinicians with advanced lung cancer when considering systematic anticancer therapy: protocol for the PACT study. <i>BMJ Open</i> , 2017, 7, e015277.	0.8	4
62	Palliative Care Evidence Review Service (PaCERS): a knowledge transfer partnership. <i>Health Research Policy and Systems</i> , 2019, 17, 100.	1.1	4
63	Gaining an accurate reflection of the reality of palliative care through the use of free-text feedback in questionnaires: the AFTER study. <i>BMJ Supportive and Palliative Care</i> , 2019, 9, e17-e17.	0.8	4
64	Optimised clinical study recruitment in palliative care: success strategies and lessons learned. <i>BMJ Supportive and Palliative Care</i> , 2020, 10, 216-220.	0.8	4
65	The ALERT-B questionnaire: A screening tool for the detection of gastroenterological late effects after radiotherapy for prostate cancer. <i>Clinical and Translational Radiation Oncology</i> , 2020, 21, 98-103.	0.9	4
66	012”Improving the transition process for young people with life-limiting conditions. <i>BMJ Supportive and Palliative Care</i> , 2013, 3, A5.1-A5.	0.8	3
67	Identifying the key elements of an education package to up-skill multidisciplinary adult specialist palliative care teams caring for young adults with life-limiting conditions: an online Delphi study. <i>BMJ Supportive and Palliative Care</i> , 2015, 5, 306-315.	0.8	3
68	Psychosocial determinants of quit motivation in older smokers from deprived backgrounds: a cross-sectional survey. <i>BMJ Open</i> , 2021, 11, e044815.	0.8	3
69	Heartsink encounters: a qualitative study of end-of-life care in out-of-hours general practice. <i>JRSM Short Reports</i> , 2011, 2, 1-9.	0.6	2
70	The role of the public in developing interventions: a reflection and critique of a cancer clinical trials unit’s model. <i>Patient Preference and Adherence</i> , 2014, 8, 1527.	0.8	2
71	HIGH FIDELITY SIMULATION: A MODALITY FOR TEACHING END OF LIFE CARE?. <i>BMJ Supportive and Palliative Care</i> , 2014, 4, A33.1-A33.	0.8	2
72	”Hospice inpatient deep vein thrombosis detection (HIDDEN) in advanced non-malignant diseases”™: a longitudinal pilot study. <i>BMJ Supportive and Palliative Care</i> , 2020, , bmjspcare-2019-002039.	0.8	2

#	ARTICLE	IF	CITATIONS
73	Palliative radiotherapy combined with stent insertion to reduce recurrent dysphagia in oesophageal cancer patients: the ROCS RCT. Health Technology Assessment, 2021, 25, 1-144.	1.3	2
74	FOCUS 3: A study to determine the feasibility of molecular selection of therapy using K-RAS, B-RAF, and topo-1 in patients with advanced colorectal cancer (ACRC).. Journal of Clinical Oncology, 2012, 30, 563-563.	0.8	2
75	P109â€...Transition in palliative care study day series. BMJ Supportive and Palliative Care, 2013, 3, A48.3-A49.	0.8	1
76	TACT: Research Partner involvement in a cancer clinical trials unit and academic research centre; evaluating its impact. Trials, 2015, 16, .	0.7	1
77	THE POTENTIAL FOR NURSE INDEPENDENT PRESCRIBING BY THE CLINICAL NURSE SPECIALIST IN PALLIATIVE CARE IN THE COMMUNITY; ATTITUDES AND EXPERIENCES OF GENERAL PRACTITIONERS. BMJ Supportive and Palliative Care, 2015, 5, 105.2-105.	0.8	1
78	Involving High-Grade Glioma Patients and Their Carers in Qualitative Research to Promote Structured Physical Activity: A Mixed-Methods Study Protocol. International Journal of Qualitative Methods, The, 2021, 20, 160940692098213.	1.3	1
79	27â€...Understanding public attitudes: a crucial component for developing palliative care services. BMJ Supportive and Palliative Care, 2018, 8, 370.1-370.	0.8	1
80	54â€...Interventions and support for people bereaved through advanced progressive illness: a mixed-methods systematic review. BMJ Supportive and Palliative Care, 2018, 8, 380.2-381.	0.8	1
81	Early palliative interventions for improving outcomes in people with a primary malignant brain tumour and their carers. The Cochrane Library, 0, , .	1.5	1
82	Maximising recruitment of research participants into a general practice based randomised controlled trial concerning lung diagnosisâ€”staff insights from an embedded qualitative study. Trials, 2022, 23, 225.	0.7	1
83	iWantGreatCare Survey: analysis of free text responses by patients and carers. BMJ Supportive and Palliative Care, 2012, 2, A30.2-A30.	0.8	0
84	The experiences of palliative lung cancer patients participating in a clinical trial. BMJ Supportive and Palliative Care, 2012, 2, A23.3-A24.	0.8	0
85	Prepared to care: managing home based care and the information needs of carers at end of life. BMJ Supportive and Palliative Care, 2012, 2, A40.2-A40.	0.8	0
86	Developing an intervention to support lung cancer patients and their clinicians when considering systemic anti-cancer therapy: pact study. Trials, 2013, 14, .	0.7	0
87	â€“Once I knew there was a choice, I wanted to exercise that choice’: using qualitative methods to understand why patients decline surgical trials. Trials, 2013, 14, .	0.7	0
88	ELCID: early lung cancer identification and diagnosis - an embedded interview study to explore patient participation and recruitment. Trials, 2013, 14, .	0.7	0
89	IS LONG-TERM LOW-MOLECULAR-WEIGHT HEPARIN STILL ACCEPTABLE TO PALLIATIVE CARE PATIENTS IN THE TREATMENT OF CANCER-ASSOCIATED THROMBOSIS? A QUALITATIVE STUDY REVISITED. BMJ Supportive and Palliative Care, 2014, 4, A25.2-A25.	0.8	0
90	AFTER IWANTGREATCARE: SERVICE USER FEEDBACK AS A MEANS OF REFINING THE IWANTGREATCARE QUESTIONNAIRE. BMJ Supportive and Palliative Care, 2014, 4, A47.3-A48.	0.8	0

#	ARTICLE	IF	CITATIONS
91	Developing meaningful public involvement in a cancer clinical trials unit. <i>Trials</i> , 2015, 16, .	0.7	0
92	C08-C Decision-Making of Treatment In Advanced Lung Cancer: Results from the First Three Stages of the PACT Study (An Intervention to Support Advanced Lung Cancer Patients and Their Clinicians When) Tj ETQq0 000rgBT /Overlock 10		
93	â€œGo home with your family and a lot of kit, and weâ€™ll leave you to itâ€™: perceptions of out of hours care by the PeolcPSP respondents. <i>BMJ Supportive and Palliative Care</i> , 2016, 6, 400.2-400.	0.8	0
94	P1â€œ...Notions of safety and risk in palliative care: the role of qualitative health research. , 2019, , .		0
95	Methods of assessing late radiotherapy effects on bowel function. <i>Current Opinion in Supportive and Palliative Care</i> , 2019, 13, 134-141.	0.5	0
96	Raising awareness of research in palliative care â€œ the roadshow!. <i>BMJ Supportive and Palliative Care</i> , 2012, 2, A106.1-A106.	0.8	0
97	O-13â€œ...Understanding dying: Supplementary report from the palliative and end of life care priority setting partnership (PEOLCPSP). <i>BMJ Supportive and Palliative Care</i> , 2015, 5, A77.2-A77.	0.8	0
98	Late effects of pelvic radiation treatment (EAGLE study).. <i>Journal of Clinical Oncology</i> , 2016, 34, 159-159.	0.8	0
99	57â€œ...Evidence into practice: novel approaches to underpinning evidence-based innovations in care. <i>BMJ Supportive and Palliative Care</i> , 2018, 8, 382.1-382.	0.8	0
100	Patients Experience of Living with Cancer Associated Thrombosis in France (LE PELICAN). <i>Blood</i> , 2019, 134, 3684-3684.	0.6	0
101	25â€œ...â€œThere is nowhere to place the angerâ€™: accounts of bereavement experiences during the COVID-19 pandemic. , 2022, , .		0
102	15â€œ...Parentsâ€™ accounts of the grief experiences and support needs of children and young people bereaved during the COVID-19 pandemic: results from a UK-wide online survey. , 2022, , .		0