## Annmarie Nelson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5303603/publications.pdf

Version: 2024-02-01

102 papers 1,466 citations

304602 22 h-index 33 g-index

107 all docs

107 docs citations

107 times ranked

1970 citing authors

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Early palliative interventions for improving outcomes in people with a primary malignant brain tumour and their carers. The Cochrane Library, 2022, 2022, CD013440.  | 1.5 | 5         |
| 2  | 25â€â€There is nowhere to place the anger': accounts of bereavement experiences during the COVID-19 pandemic. , 2022, , .  |     | 0         |
| 3  | 15 Parents' accounts of the grief experiences and support needs of children and young people bereaved during the COVID-19 pandemic: results from a UK-wide online survey. , 2022, , .  |     | 0         |
| 4  | Maximising recruitment of research participants into a general practice based randomised controlled trial concerning lung diagnosisâ€"staff insights from an embedded qualitative study. Trials, 2022, 23, 225.                      | 0.7 | 1         |
| 5  | Symptom burden and lived experiences of patients, caregivers and healthcare professionals on the management of malignant bowel obstruction: A qualitative systematic review. Palliative Medicine, 2022, 36, 895-911.                 | 1.3 | 11        |
| 6  | â€~It was brutal. It still is': a qualitative analysis of the challenges of bereavement during the COVID-19 pandemic reported in two national surveys. Palliative Care and Social Practice, 2022, 16, 263235242210924.               | 0.6 | 19        |
| 7  | Hope and meaning-making in phase 1 oncology trials: a systematic review and thematic synthesis of qualitative evidence on patient-participant experiences. Trials, 2022, 23, 409.  | 0.7 | 8         |
| 8  | Using the United Kingdom standards for public involvement to evaluate the impact of public involvement in a multinational clinical study. Research Involvement and Engagement, 2021, 7, 22.  | 1.1 | 8         |
| 9  | Palliative radiotherapy after oesophageal cancer stenting (ROCS): a multicentre, open-label, phase 3 randomised controlled trial. The Lancet Gastroenterology and Hepatology, 2021, 6, 292-303.                                      | 3.7 | 25        |
| 10 | Palliative radiotherapy combined with stent insertion to reduce recurrent dysphagia in oesophageal cancer patients: the ROCS RCT. Health Technology Assessment, 2021, 25, 1-144.   | 1.3 | 2         |
| 11 | Psychosocial determinants of quit motivation in older smokers from deprived backgrounds: a cross-sectional survey. BMJ Open, 2021, 11, e044815.  | 0.8 | 3         |
| 12 | Before the 2020 Pandemic: an observational study exploring public knowledge, attitudes, plans, and preferences towards death and end of life care in Wales. BMC Palliative Care, 2021, 20, 116.                                      | 0.8 | 8         |
| 13 | A mixedâ€methods study to evaluate a patientâ€designed tool to reduce harm from cancerâ€associated thrombosis: The EMPOWER study. Research and Practice in Thrombosis and Haemostasis, 2021, 5, e12545.                              | 1.0 | 9         |
| 14 | Involving High-Grade Glioma Patients and Their Carers in Qualitative Research to Promote Structured Physical Activity: A Mixed-Methods Study Protocol. International Journal of Qualitative Methods, The, 2021, 20, 160940692098213. | 1.3 | 1         |
| 15 | Support needs and barriers to accessing support: Baseline results of a mixed-methods national survey of people bereaved during the COVID-19 pandemic. Palliative Medicine, 2021, 35, 1985-1997.                                      | 1.3 | 26        |
| 16 | The Trigger Project: The Challenge of Introducing Electronic Patient-Reported Outcome Measures Into a Radiotherapy Service. Clinical Oncology, 2020, 32, e76-e79.  | 0.6 | 7         |
| 17 | Patient Experience of Living With Cancerâ€Associated Thrombosis in Canada (PELICANADA). Research and Practice in Thrombosis and Haemostasis, 2020, 4, 154-160.   | 1.0 | 26        |
| 18 | Chemotherapy decision-making in advanced lung cancer: a prospective qualitative study. BMJ Supportive and Palliative Care, 2020, , bmjspcare-2020-002395.  | 0.8 | 7         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Patients experience of living with cancer associated thrombosis in France (Le PELICAN). Thrombosis Research, 2020, 194, 66-71.   | 0.8 | 14        |
| 20 | The impacts and effectiveness of support for people bereaved through advanced illness: A systematic review and thematic synthesis. Palliative Medicine, 2020, 34, 871-888.   | 1.3 | 30        |
| 21 | "Wolverine, I think it's called: Blood thinners but in tablets.―Patients experience of living with cancer associated thrombosis in New Zealand (PELICANZ). Thrombosis Research, 2020, 189, 35-38.  | 0.8 | 6         |
| 22 | Optimised clinical study recruitment in palliative care: success strategies and lessons learned. BMJ Supportive and Palliative Care, 2020, 10, 216-220.  | 0.8 | 4         |
| 23 | Coping and wellbeing in bereavement: two core outcomes for evaluating bereavement support in palliative care. BMC Palliative Care, 2020, 19, 29.   | 0.8 | 29        |
| 24 | Development of a core outcome set to use in the research and assessment of malignant bowel obstruction: protocol for the RAMBO study. BMJ Open, 2020, 10, e039154.   | 0.8 | 12        |
| 25 | â€~Hospice inpatient deep vein thrombosis detection (HIDDen) in advanced non-malignant diseases': a<br>longitudinal pilot study. BMJ Supportive and Palliative Care, 2020, , bmjspcare-2019-002039.  | 0.8 | 2         |
| 26 | The ALERT-B questionnaire: A screening tool for the detection of gastroenterological late effects after radiotherapy for prostate cancer. Clinical and Translational Radiation Oncology, 2020, 21, 98-103.                                     | 0.9 | 4         |
| 27 | Carer administration of as-needed subcutaneous medication for breakthrough symptoms in people dying at home: the CARiAD feasibility RCT. Health Technology Assessment, 2020, 24, 1-150.  | 1.3 | 10        |
| 28 | Prevalence, symptom burden, and natural history of deep vein thrombosis in people with advanced cancer in specialist palliative care units (HIDDen): a prospective longitudinal observational study. Lancet Haematology,the, 2019, 6, e79-e88. | 2.2 | 54        |
| 29 | CARer-ADministration of as-needed subcutaneous medication for breakthrough symptoms in homebased dying patients (CARiAD): study protocol for a UK-based open randomised pilot trial. Trials, 2019, 20, 105.                                    | 0.7 | 7         |
| 30 | P1â€Notions of safety and risk in palliative care: the role of qualitative health research. , 2019, , .  |     | 0         |
| 31 | Systematic review of behavioural smoking cessation interventions for older smokers from deprived backgrounds. BMJ Open, 2019, 9, e032727.  | 0.8 | 10        |
| 32 | Methods of assessing late radiotherapy effects on bowel function. Current Opinion in Supportive and Palliative Care, 2019, 13, 134-141.  | 0.5 | 0         |
| 33 | Palliative Care Evidence Review Service (PaCERS): a knowledge transfer partnership. Health Research Policy and Systems, 2019, 17, 100.   | 1.1 | 4         |
| 34 | Gaining an accurate reflection of the reality of palliative care through the use of free-text feedback in questionnaires: the AFTER study. BMJ Supportive and Palliative Care, 2019, 9, e17-e17.   | 0.8 | 4         |
| 35 | Palliative care research centre's move into social media: constructing a framework for ethical research, a consensus paper. BMJ Supportive and Palliative Care, 2019, 9, 219-224.  | 0.8 | 6         |
| 36 | Considerations and recommendations for conducting qualitative research interviews with palliative and end-of-life care patients in the home setting: a consensus paper. BMJ Supportive and Palliative Care, 2019, 9, e14-e14.                  | 0.8 | 33        |

3

| #  | Article  | IF         | Citations    |
|----|--|------------|--------------|
| 37 | Patients Experience of Living with Cancer Associated Thrombosis in France (LE PELICAN). Blood, 2019, 134, 3684-3684.   | 0.6        | O            |
| 38 | Patients' Experience of Living with Cancer-associated thrombosis in Spain (PELICANOS). Supportive Care in Cancer, 2018, 26, 3233-3239.   | 1.0        | 25           |
| 39 | Patients with established cancer cachexia lack the motivation and selfâ€efficacy to undertake regular structured exercise. Psycho-Oncology, 2018, 27, 458-464.   | 1.0        | 17           |
| 40 | The challenge pathway: A mixed methods evaluation of an innovative care model for the palliative and end-of-life care of people with dementia (Innovative practice). Dementia, 2018, 17, 252-257.                                      | 1.0        | 12           |
| 41 | Patient understanding and acceptability of an early lung cancer diagnosis trial: a qualitative study. Trials, 2018, 19, 419.   | 0.7        | 9            |
| 42 | Symptom management, nutrition and hydration at end-of-life: a qualitative exploration of patients', carers' and health professionals' experiences and further research questions. BMC Palliative Care, 2018, 17, 60.                   | 0.8        | 33           |
| 43 | 27â€Understanding public attitudes: a crucial component for developing palliative care services. BMJ<br>Supportive and Palliative Care, 2018, 8, 370.1-370.  | 0.8        | 1            |
| 44 | 54â€Interventions and support for people bereaved through advanced progressive illness: a mixed-methods systematic review. BMJ Supportive and Palliative Care, 2018, 8, 380.2-381.   | 0.8        | 1            |
| 45 | 57â€Evidence into practice: novel approaches to underpinning evidence-based innovations in care. BMJ Supportive and Palliative Care, 2018, 8, 382.1-382.   | 0.8        | 0            |
| 46 | Immediate chest X-ray for patients at risk of lung cancer presenting in primary care: randomised controlled feasibility trial. British Journal of Cancer, 2017, 116, 293-302.  | 2.9        | 15           |
| 47 | Managing, making sense of and finding meaning in advanced illness: a qualitative exploration of the coping and wellbeing experiences of patients with lung cancer. Sociology of Health and Illness, 2017, 39, 1448-1464.               | 1.1        | 32           |
| 48 | Development of an intervention to support patients and clinicians with advanced lung cancer when considering systematic anticancer therapy: protocol for the PACT study. BMJ Open, 2017, 7, e015277.                                   | 0.8        | 4            |
| 49 | Improving the well-being of men by Evaluating and Addressing the Gastrointestinal Late Effects (EAGLE) of radical treatment for prostate cancer: study protocol for a mixed-method implementation project. BMJ Open, 2016, 6, e011773. | 0.8        | 8            |
| 50 | CO8-C Decision-Making of Treatment In Advanced Lung Cancer: Results from the First Three Stages of the PACT Study (An Intervention to Support Advanced Lung Cancer Patients and Their Clinicians When) Tj ETQqC                        | ) 0o0orgBT | /Overlock 10 |
| 51 | The Three-item ALERT-B Questionnaire Provides a Validated Screening Tool to Detect Chronic Gastrointestinal Symptoms after Pelvic Radiotherapy in Cancer Survivors. Clinical Oncology, 2016, 28, e139-e147.                            | 0.6        | 16           |
| 52 | Impact of a dedicated cancer-associated thrombosis service on clinical outcomes: a mixed-methods evaluation of a clinical improvement exercise. BMJ Open, 2016, 6, e013321.  | 0.8        | 12           |
| 53 | Go home with your family and a lot of kit, and we'll leave you to it': perceptions of out of hours care by the PeolcPSP respondents. BMJ Supportive and Palliative Care, 2016, 6, 400.2-400.   | 0.8        | 0            |
| 54 | $\hat{a}$ €œIt still haunts me whether we did the right thing $\hat{a}$ € a qualitative analysis of free text survey data on the bereavement experiences and support needs of family caregivers. BMC Palliative Care, 2016, 15, 92.    | 0.8        | 44           |

| #  | Article   | IF                 | CITATIONS       |
|----|---|--------------------|-----------------|
| 55 | "I didn't really understand it, I just thought it'd help― exploring the motivations, understandings and experiences of patients with advanced lung cancer participating in a non-placebo clinical IMP trial. Trials, 2016, 17, 329.   | 0.7                | 26              |
| 56 | Why do patients decline surgical trials? Findings from a qualitative interview study embedded in the Cancer Research UK BOLERO trial (Bladder cancer: Open versus Lapararoscopic or RObotic) Tj ETQq0 0 0 rgBT /Ov  | v <b>ælø</b> ck 10 | ) Tsf 350 697 1 |
| 57 | Late effects of pelvic radiation treatment (EAGLE study) Journal of Clinical Oncology, 2016, 34, 159-159.   | 0.8                | 0               |
| 58 | Defining the palliative care patient: its challenges and implications for service delivery. BMJ Supportive and Palliative Care, 2015, 5, 46-52.   | 0.8                | 9               |
| 59 | Developing meaningful public involvement in a cancer clinical trials unit. Trials, 2015, 16, .  | 0.7                | O               |
| 60 | TACT: Research Partner involvement in a cancer clinical trials unit and academic research centre; evaluating its impact. Trials, 2015, 16, .  | 0.7                | 1               |
| 61 | The care needs of patients with idiopathic pulmonary fibrosis and their carers (CaNoPy): results of a qualitative study. BMC Pulmonary Medicine, 2015, 15, 155.   | 0.8                | 79              |
| 62 | Patients' Experiences of Living with CANcer-associated thrombosis: the PELICAN study. Patient Preference and Adherence, 2015, 9, 337.   | 0.8                | 83              |
| 63 | Identifying the key elements of an education package to up-skill multidisciplinary adult specialist palliative care teams caring for young adults with life-limiting conditions: an online Delphi study. BMJ Supportive and Palliative Care, 2015, 5, 306-315.  | 0.8                | 3               |
| 64 | THE POTENTIAL FOR NURSE INDEPENDENT PRESCRIBING BY THE CLINICAL NURSE SPECIALIST IN PALLIATIVE CARE IN THE COMMUNITY; ATTITUDES AND EXPERIENCES OF GENERAL PRACTITIONERS. BMJ Supportive and Palliative Care, 2015, 5, 105.2-105.   | 0.8                | 1               |
| 65 | A feasibility study to inform the design of a randomised controlled trial to identify the most clinically effective and cost-effective length of Anticoagulation with Low-molecular-weight heparin In the treatment of Cancer-Associated Thrombosis (ALICAT). Health Technology Assessment, 2015, 19, 1-94. | 1.3                | 26              |
| 66 | O-13â€Understanding dying: Supplementary report from the palliative and end of life care priority setting partnership (PEOLCPSP). BMJ Supportive and Palliative Care, 2015, 5, A77.2-A77.   | 0.8                | 0               |
| 67 | Cancer-associated thrombosis, low-molecular- weight heparin, and the patient experience: a qualitative study. Patient Preference and Adherence, 2014, 8, 453.   | 0.8                | 61              |
| 68 | The role of the public in developing interventions: a reflection and critique of a cancer clinical trials unit's model. Patient Preference and Adherence, 2014, 8, 1527.  | 0.8                | 2               |
| 69 | IS LONG-TERM LOW-MOLECULAR-WEIGHT HEPARIN STILL ACCEPTABLE TO PALLIATIVE CARE PATIENTS IN THE TREATMENT OF CANCER-ASSOCIATED THROMBOSIS? A QUALITATIVE STUDY REVISITED. BMJ Supportive and Palliative Care, 2014, 4, A25.2-A25.   | 0.8                | 0               |
| 70 | HIGH FIDELITY SIMULATION: A MODALITY FOR TEACHING END OF LIFE CARE?. BMJ Supportive and Palliative Care, 2014, 4, A33.1-A33.  | 0.8                | 2               |
| 71 | The practice of palliative care from the perspective of patients and carers. BMJ Supportive and Palliative Care, 2014, 4, 291-298.  | 0.8                | 34              |
| 72 | Palliative radiotherapy in addition to self-expanding metal stent for improving dysphagia and survival in advanced oesophageal cancer (ROCS: Radiotherapy after Oesophageal Cancer Stenting): study protocol for a randomized controlled trial. Trials, 2014, 15, 402.                                      | 0.7                | 19              |

| #  | Article  | IF                | CITATIONS         |
|----|--|-------------------|-------------------|
| 73 | THE PALLIATIVE AND END OF LIFE CARE PRIORITY SETTING PARTNERSHIP (PEOLCPSP): DETERMINING EVIDENCE UNCERTAINTIES FROM THE PERSPECTIVE OF THE END USER OF RESEARCH. BMJ Supportive and Palliative Care, 2014, 4, A42.1-A42.  | 0.8               | 8                 |
| 74 | AFTER IWANTGREATCARE: SERVICE USER FEEDBACK AS A MEANS OF REFINING THE IWANTGREATCARE QUESTIONNAIRE. BMJ Supportive and Palliative Care, 2014, 4, A47.3-A48.   | 0.8               | 0                 |
| 75 | Don't blame the middle man': an exploratory qualitative study to explore the experiences of translators breaking bad news. Journal of the Royal Society of Medicine, 2014, 107, 271-276.   | 1.1               | 8                 |
| 76 | A feasibility study testing four hypotheses with phase II outcomes in advanced colorectal cancer (MRC) Tj ETQq0 Journal of Cancer, 2014, 110, 2178-2186.   | 0 0 rgBT /<br>2.9 | Overlock 10<br>27 |
| 77 | "It's alright to ask for help― findings from a qualitative study exploring the information and support needs of family carers at the end of life. BMC Palliative Care, 2014, 13, 22.   | 0.8               | 41                |
| 78 | A feasibility study to inform the design of a randomized controlled trial to identify the most clinically and cost effective Anticoagulation Length with low molecular weight heparin In the treatment of Cancer Associated Thrombosis (ALICAT): study protocol for a mixed-methods study.  Trials, 2014, 15, 122. | 0.7               | 11                |
| 79 | QUALZICE: A QUALitative exploration of the experiences of the participants from the ZICE clinical trial (metastatic breast cancer) receiving intravenous or oral bisphosphonates. Trials, 2013, 14, 325.   | 0.7               | 14                |
| 80 | A feasibility study examining the effect on lung cancer diagnosis of offering a chest X-ray to higher-risk patients with chest symptoms: protocol for a randomized controlled trial. Trials, 2013, 14, 405.  | 0.7               | 9                 |
| 81 | Developing an intervention to support lung cancer patients and their clinicians when considering systemic anti-cancer therapy: pact study. Trials, 2013, 14, .   | 0.7               | 0                 |
| 82 | $\hat{a}$ €¯Once I knew there was a choice, I wanted to exercise that choice': using qualitative methods to understand why patients decline surgical trials. Trials, 2013, 14, .   | 0.7               | 0                 |
| 83 | ELCID: early lung cancer identification and diagnosis - an embedded interview study to explore patient participation and recruitment. Trials, 2013, 14, .  | 0.7               | 0                 |
| 84 | Defining the palliative care patient: its challenges and implications for service delivery. BMJ Supportive and Palliative Care, 2013, 3, 46-52.  | 0.8               | 10                |
| 85 | A mixed-methods study of the Care Needs of individuals with idiopathic Pulmonary fibrosis and their carersâ€"CaNoPy: a study protocol: TableÂ1. BMJ Open, 2013, 3, e003537.  | 0.8               | 4                 |
| 86 | P109â€Transition in palliative care study day series. BMJ Supportive and Palliative Care, 2013, 3, A48.3-A49.  | 0.8               | 1                 |
| 87 | 012â€Improving the transition process for young people with life-limiting conditions. BMJ Supportive and Palliative Care, 2013, 3, A5.1-A5.  | 0.8               | 3                 |
| 88 | Neuromuscular Electrical Stimulation of the Quadriceps in Patients with Non-Small Cell Lung Cancer Receiving Palliative Chemotherapy: A Randomized Phase II Study. PLoS ONE, 2013, 8, e86059.  | 1.1               | 38                |
| 89 | iWantGreatCare Survey: analysis of free text responses by patients and carers. BMJ Supportive and Palliative Care, 2012, 2, A30.2-A30.   | 0.8               | 0                 |
| 90 | The experiences of palliative lung cancer patients participating in a clinical trial. BMJ Supportive and Palliative Care, 2012, 2, A23.3-A24.  | 0.8               | 0                 |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Prepared to care: managing home based care and the information needs of carers at end of life. BMJ Supportive and Palliative Care, 2012, 2, A40.2-A40.   | 0.8 | 0         |
| 92  | FOCUS 3: A study to determine the feasibility of molecular selection of therapy using K-RAS, B-RAF, and topo-1 in patients with advanced colorectal cancer (ACRC) Journal of Clinical Oncology, 2012, 30, 563-563. | 0.8 | 2         |
| 93  | Raising awareness of research in palliative care – the roadshow!. BMJ Supportive and Palliative Care, 2012, 2, A106.1-A106.  | 0.8 | 0         |
| 94  | Heartsink encounters: a qualitative study of end-of-life care in out-of-hours general practice. JRSM Short Reports, 2011, 2, 1-9.  | 0.6 | 2         |
| 95  | What challenges good palliative care provision out-of-hours? A qualitative interview study of out-of-hours general practitioners. BMJ Supportive and Palliative Care, 2011, 1, 13-18.                              | 0.8 | 14        |
| 96  | Out-of-hours GPs and palliative care-a qualitative study exploring information exchange and communication issues. BMC Palliative Care, 2010, 9, 18.  | 0.8 | 17        |
| 97  | â€~Oh God, not a Palliative': out-of-hours general practitioners within the domain of palliative care.<br>Palliative Medicine, 2010, 24, 501-509.  | 1.3 | 28        |
| 98  | Factors influencing hospice thromboprophylaxis policy: a qualitative study. Palliative Medicine, 2008, 22, 808-813.  | 1.3 | 39        |
| 99  | The acceptability of an information leaflet explaining cardiopulmonary resuscitation policy in the hospice setting: a qualitative study exploring patients' views. Palliative Medicine, 2008, 22, 647-652.         | 1.3 | 14        |
| 100 | Challenges faced by palliative care physicians when caring for doctors with advanced cancer. Palliative Medicine, 2008, 22, 71-76.   | 1.3 | 11        |
| 101 | Acceptability of low molecular weight heparin thromboprophylaxis for inpatients receiving palliative care: qualitative study. BMJ: British Medical Journal, 2006, 332, 577-580.                                    | 2.4 | 81        |
| 102 | Early palliative interventions for improving outcomes in people with a primary malignant brain tumour and their carers. The Cochrane Library, 0, , .   | 1.5 | 1         |