Maria Cepeda

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5303882/publications.pdf

Version: 2024-02-01

19608 31759 15,552 384 61 101 citations h-index g-index papers 390 390 390 9026 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	1.4	541
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	1.4	499
3	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	1.4	355
4	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	1.4	342
5	Observation of a new boson with mass near 125 GeV in pp collisions at $\$ sqrt{s}=7 $\$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	320
6	Search for dark matter, extra dimensions, and unparticles in monojet events in protonâ \in "proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75, 235.	1.4	320
7	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	1.4	241
8	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $q=0.9\$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.	1.6	230
9	Suppression of non-prompt J/ $\tilde{\Gamma}$, prompt J/ $\tilde{\Gamma}$, and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt $\{\{s_{ext}\}\}\}$ = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	200
10	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	1.4	198
11	Measurement of the differential cross section for top quark pair production in pp collisions at $s=0.01$ \$\\$ sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 542.	1.4	191

#	Article	IF	CITATIONS
19	Evidence for the 125 GeV Higgs boson decaying to a pair of Ï,, leptons. Journal of High Energy Physics, 2014, 2014, 1.	1.6	123
20	Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	1.4	123
21	Measurements of inclusive W and Z cross sections in pp collisions at sqrt = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	122
22	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.	1.4	120
23	Search for a light charged Higgs boson in top quark decays in pp collisions at $\$$ sqrt $\{s\}$ = 7;TeV $\$$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	117
24	Charged particle multiplicities in pp interactions at $\$$ sqrt $\$$ = 0.9 $\$$, 2.36, and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	106
25	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$$ sqrt{s_{mathrm{N};mathrm{N}}}= $5.02 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	103
26	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	101
27	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $ \text{sqrt}\{s\} $ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	100
28	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\{\{s_{\infty}\}\}\}\}$ = 2.76 $\{$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	99
29	Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final state produced in proton–proton collisions at \$\$\$qrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710.	1.4	98
30	Measurement of the underlying event activity at the LHC with $\$ sqrt $\{s\}$ = 7 $\$ TeV and comparison with $\$ sqrt $\{s\}$ = 0.9 $\$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	97
31	Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	95
32	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	1.6	92
33	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	86
34	Study of double parton scattering using W + 2-jet events in proton-proton collisions at $q = 7$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
35	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
36	Performance of the CMS Level-1 trigger in proton-proton collisions at $\hat{a} \cdot \hat{s} < i > s < i> = 13$ TeV. Journal of Instrumentation, 2020, 15, P10017-P10017.	0.5	84

3

#	Article	lF	CITATIONS
37	Measurement of the single-top-quark t-channel cross section in pp collisions at $q=0$ \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	83
38	Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ ightarrow mathrm $\{W^{pm}\}+X$ pp $\mbox{mathrm } p \mbox{mathrm } p \mbox$	1.4	83
39	Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509.	1.4	83
40	Suppression and azimuthal anisotropy of prompt and nonprompt $f(J)^{r} = 1$ production in PbPb collisions at $f(L) = 1$ and $f(L) = 1$ production Physical Journal C, 2017, 77, 252.	1.4	82
41	Search for narrow and broad dijet resonances in proton-proton collisions at $\$\$$ sqrt $\$=13$ $\$\$$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.	1.6	82
42	J/ Γ and Γ (2S) production in pp collisions at \$ sqrt {s} = 7{ext{Tev}} \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	81
43	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	1.6	81
44	Search for a charged Higgs boson in pp collisions at s = 8 $\$$ sqrt $\{s\}$ =8 $\$$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	81
45	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	78
46	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	1.4	78
47	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\$sqrt{s_{mathrm{NN}}} = 5.02\$$ s NN = 5.02 $\$$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 1.	1.4	75
48	Search for additional neutral MSSM Higgs bosons in the $\ddot{\parallel}$, $\ddot{\parallel}$, final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	73
49	Measurement of the t-channel single-top-quark production cross section and of the $ Vtb $ CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	70
50	Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 3.	1.4	70
51	Measurement of the \mbox{mathrm}_{t} overline{mathrm $\{t\}$ } production cross section in the dilepton channel in pp collisions at $\mbox{sqrt}_{s}=7 \mbox{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	69
52	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	69
53	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	1.4	68
54	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	1.4	68

#	Article	IF	Citations
55	Measurement of the \$\${mathrm {t}}overline{mathrm {t}}}\$\$ t t \hat{A}^- production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	1.4	68
56	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $q=7 \text{ mbox}$ European Physical Journal C, 2013, 73, 2283.	1.4	64
57	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	1.4	64
58	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	63
59	Measurement of the W+Wâ $^{\circ}$ cross section in pp collisions at \$sqrt{s} = 7mbox{ TeV}\$ and limits on anomalous WWÎ 3 and WWZ couplings. European Physical Journal C, 2013, 73, 1.	1.4	62
60	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\$$ sqrt $\{s\}$ =8,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	1.4	62
61	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	62
62	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	62
63	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $sqrts = 7 $ mathrm TeV and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1.	1.4	60
64	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\$$ sqrt $\{s\}$ = 7; $\{ext\{TeV\}\}$ $\$$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	59
65	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	1.6	58
66	Jet production rates in association with W and Z bosons in pp collisions at $\$$ sqrt $\{s\} = 7$ {ext{TeV}} $\$$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	58
67	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	1.6	58
68	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\frac{s_{y}}{TeV}$ TeV. European Physical Journal C, 2015, 75, 237.	1.4	58
69	Measurement of the weak mixing angle using the forward–backward asymmetry of Drell–Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	1.4	58
70	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in protonâ \in "proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2017, 77, 578.	1.4	57
71	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	57
72	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	57

#	Article	IF	Citations
73	Event activity dependence of $Y $ (nS) production in $q = 1.76$ sqrt{{s_{NN}}}} = 5.02 TeV pPb and $q = 1.76$ TeV pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	1.6	56
74	Measurement of masses in the $mathrm{t}$ overline $mathrm{t}$ system by kinematic endpoints in pp collisions at $q=0$ mathrm $q=0$. European Physical Journal C, 2013, 73, 2494.	1.4	55
75	Measurement of associated W + charm production in pp collisions at $\$ sqrt $\{s\}$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	55
76	Measurement of the double-differential inclusive jet cross section in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.	1.4	55
77	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\frac{s}{r} = 7$ s, ext TeV TeV. European Physical Journal C, 2015, 75, 288.	1.4	54
78	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	54
79	Search for charged Higgs bosons in the H± â†' τ±ντ decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	54
80	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	54
81	Measurement of the $\{m t\}$ production cross section and the top quark mass in the dilepton channel in pp collisions at $\$ sqrt $\{s\}$ = 7 $\$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	53
82	Measurement of prompt and nonprompt $\$$ mathrm{J}/{psi}\$\$ J / $\ddot{\Gamma}$ production in $\$$ mathrm {p}mathrm {p}\$\$ p p and $\$$ mathrm {p}mathrm {Pb}\$\$ p Pb collisions at $\$$ sqrt{s_{mathrm {NN}}} =5.02,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	1.4	53
83	Measurement of the $\$ toverline{t} $\$ production cross section in the dilepton channel in pp collisions at $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	52
84	Measurement of double-differential cross sections for top quark pair production in pp collisions at $\$$ sqrt $\{s\} = 8$ \$ $s = 8$ \$,ext $\{TeV\}$ \$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	1.4	52
85	Measurements of the $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{Z\}$ mathrm $\{Z\}$ p p → Z Z production cross section and the $\mbox{mathrm} \{Z\}$ ightarrow 4ell $\mbox{s} Z$ → 4 â," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	1.4	52
86	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	1.6	51
87	First measurement of the underlying event activity atÂtheÂLHCÂwith \$sqrt{s} = 0.9\$ ÂTeV. European Physical Journal C, 2010, 70, 555-572.	1.4	50
88	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	1.6	50
89	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\$$ sqrt $\{s\}=13$,ext $\{Te\}$ ext $\{V\}$ $\$$ s. European Physical Journal C, 2019, 79, 564.	1.4	50
90	Search for leptonic decays of \hat{W} bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	49

#	Article	IF	CITATIONS
91	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	1.4	49
92	Search for new physics in events with same-sign dileptons and jets in pp collisions at $q = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	48
93	Observation of Y(1S) pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	48
94	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.	1.4	48
95	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $ = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	1.6	47
96	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	1.6	46
97	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ qrt{s}=13,ext {Te}ext {V} $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	1.4	46
98	Search for microscopic black holes in pp collisions at $q=8$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	44
99	Search for a light charged Higgs boson decaying to c s \hat{A}^- \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	1.6	44
100	Search for standard model production of four top quarks with same-sign and multilepton final states in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	1.4	44
101	Measurement of top quarkâ \in "antiquark pair production in association with a W or Z boson in pp collisions at $\$$ sqrt $\{s\}$ = 8 $\$$ s = 8 $\$$ s,ext $\{TeV\}$ \$\$ TeV. European Physical Journal C, 2014, 74, 3060.	1.4	43
102	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	1.6	43
103	Search for natural and split supersymmetry in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	1.6	43
104	Evidence for exclusive $\hat{I}^3\hat{I}^3$ \hat{a}^4 ' $W+W$ \hat{a}^2 ' production and constraints on anomalous quartic gauge couplings in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	42
105	Search for vector-like T and B quark pairs in final states with leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	42
106	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	42
107	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the eli/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	41
108	Measurement of the $\frac{t}{v}$ mathrm $t}$ overline $mathrm\{t\}$ \$ \$ \$ \$ \$ \$ production cross section in the all-jets final state in pp collisions at \$\$ \text{s}=8\$\$ \$ = 8 \$\$, ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128.	1.4	41

#	Article	IF	Citations
109	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13 \$\$ $ sqrt $\{s\}=13 \$\$ $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	41
110	Measurement of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$\$ t t \hat{A}^- production cross section using events in the \$\$mathrm {e}mu \$\$ e \hat{I} /4 final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	1.4	40
111	Search for new physics in dijet angular distributions using proton–proton collisions at \$\$sqrt{s}=13hbox {TeV}\$\$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	1.4	40
112	Measurement of the top quark mass in the all-jets final state at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ $\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	1.4	40
113	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	40
114	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\$$ sqrt $\{s\} = 13$,ext $\{Te\}$ ext $\{V\}$ $\$$. European Physical Journal C, 2021, 81, 378.	1.4	40
115	Measurement of the $Z \hat{l}^3*\hat{a}\in \infty+\hat{a}\in \infty$ b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	39
116	Measurement of the ZZ production cross section and search for anomalous couplings in 2â, "2â, "′ final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	39
117	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $$$ sqrt ${s}$ $$$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	39
118	Measurement of differential cross sections for $\{Z\}$ boson production in association with jets in proton-proton collisions at $\{S\} = 13$, ext $\{TeV\}$ \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 965.	1.4	39
119	Measurement of the top-quark mass in $\mbox{mathrm{t}}$ where the top-quark mass in $\mbox{mathrm{t}}$ mathrm{t}, sevents with lepton+jets final states in pp collisions at \mbox{quark} TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	38
120	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ \$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	1.4	38
121	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$$ sqrt $\{s\}$ = 13 $\$$ s = 13 $\$$,ext $\{TeV\}$ \$\$ TeV. European Physical Journal C, 2017, 77, 636.	1.4	38
122	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying \ddot{l} , leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
123	Measurement of the \$mathrm{{tar{t}}}\$ production cross section in pp collisions at \$sqrt{s}=7\$ TeV using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011, 71, 1.	1.4	37
124	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	37
125	Measurement of the WZ production cross section in pp collisions at $\$\$qrt\{s\} = 7\$\$ s = 7$ and 8 $\$\$,ext\{TeV\}\$$ TeV and search for anomalous triple gauge couplings at $\$\$qrt\{s\} = 8,ext\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	1.4	37
126	Search for resonant and nonresonant Higgs boson pair production in the b b $\hat{A}^ \hat{a}$, " $\hat{1}/2\hat{a}$, " $\hat{1}/2\hat{a}$," " $\hat{1}/2\hat{a}$, " $\hat{1}/2\hat{a}$," " \hat	1.6	36

#	Article	IF	CITATIONS
127	Measurement of the top-quark mass in all-jets $\frac{t}{ar}{mathrm{t}}$ t t \hat{A}^- events in pp collisions at $\frac{\hat{A}^-}{ar}$ s = 7 TeV. European Physical Journal C, 2014, 74, 2758.	1.4	35
128	Search for heavy Majorana neutrinos in e $\hat{A}\pm e\hat{A}\pm +$ jets and e $\hat{A}\pm \hat{l}$ \hat{l} 4 $\hat{A}\pm +$ jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	35
129	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s = 7 $ \$\$ sqrt $s=7 $ \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	35
130	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	35
131	Measurement of exclusive $\mbox{mathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$	1.4	35
132	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	1.4	35
133	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or $\hat{a}\%$ 43 b-quark jets in 7 TeV pp collisions using the variable $\hat{l}\pm$ T. Journal of High Energy Physics, 2013, 2013, 1.	1.6	34
134	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	34
135	Measurement of $\$ mathrm {t}overline{mathrm {t}}\$\$ t t production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	1.4	34
136	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}}\$\$ t t $\mbox{$\hat{A}$}$ production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to $7\mbox{$\hat{A}$}$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	1.4	34
137	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two \ddot{l} , leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	34
138	Measurement of the top quark mass with lepton+jets final states using $\$$ mathrm {p} $\$$ mathrm {p} $\$$ s collisions at $\$$ sqrt{s}=13,ext {TeV} $\$$ s. European Physical Journal C, 2018, 78, 891.	1.4	34
139	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	34
140	Search for single production of vector-like quarks decaying to a top quark and a $\$$ mathrm $\{W\}$ $\$$ W boson in protonâ \in "proton collisions at $\$$ sqrt $\{s\}$ = 13 ,ext $\{TeV\}$ $\$$ \$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	1.4	34
141	Measurement of the underlying event in the Drellâ€"Yan process in protonâ€"proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	33
142	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $q=0$ sqrt $q=0$ feV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	33
143	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	1.4	33
144	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two \ddot{l} , leptons and two jets in proton-proton collisions at \$\$ q^{1} \$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	33

#	Article	IF	Citations
145	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:	1.4	33
146	Search for dark matter produced in association with a leptonically decaying $\$\{mathrm\{Z\}\}\$ boson in protonâ \in "proton collisions at $\$sqrt\{s\}=13$,ext $Te\}$ ext $V\}$. European Physical Journal C, 2021, 81, 13.	1.4	33
147	Search for top squark pair production using dilepton final states in $\{p\}$ {ext $\{p\}$ } \$\$ collision data collected at $\{p\}$ = 13,ext $\{e\}$ \$\$. European Physical Journal C, 2021, 81, 3.	1.4	33
148	Measurement of $\$\hox {t}{ar{hbox {t}}}$ normalised multi-differential cross sections in $\$\{ext {p}}\$ scollisions at $\$sqrt{s}=13,\{ext {TeV}\}$ s, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C, 2020, 80, 1.	1.4	33
149	Measurement of $\ \{ext\{B\}\}\$ angular correlations based on secondary vertex reconstruction at $\$ sqrt $\$ = 7, $\$ ext $\$ TeV $\$ } $\$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	32
150	Measurements of the \frac{Z} $2 $ $3 $ $4 $ $4 $ $4 $ $4 $ $4 $ $4 $ 4	1.4	32
151	Searches for pair production of third-generation squarks in $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	1.4	32
152	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $q=7$; TeV $q=$	1.6	31
153	Measurement of the triple-differential cross section for photon $+$ jets production in proton-proton collisions at $\$ sqrt $\{s\}$ $\$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	31
154	Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	1.4	31
155	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
156	Search for top squark pair production in pp collisions at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
157	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
158	A multi-dimensional search for new heavy resonances decaying to boosted $\$ ext{ W }{}{}\$\$ \$\$ext{ W }{}{}\$\$ \$\$ext{ W }{}{}\$\$, \$\$ext{ Z }{}{}\$\$, or \$\$ext{ Z }{}{}\$\$ boson pairs in the dijet final state at 13Â\$\$ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 237.	1.4	31
159	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	30
160	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ â, " $1\frac{1}{2}$ b b A^- final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$-ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	1.4	30
161	Measurements of the associated production of a Z boson and b jets in pp collisions at $\$\{$ sqrt $\{$ s $\}\}$ = 8,ext $\{$ TeV $\}$ $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	1.4	30
162	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\frac{s_{mod}}{s_{mod}} = 5.02$, mathrm{TeV} \$\$ s NN. European Physical Journal C, 2016, 76, 372.	1.4	29

#	Article	IF	CITATIONS
163	Correlations between jets and charged particles in PbPb and pp collisions at s N N = $2.76 \$\$$ sqrt{s_{mathrm{NN}}}= $2.76 \$\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	29
164	A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ T} $\$$ \$ \hat{I} ± T variable. European Physical Journal C, 2017, 77, 294.	1.4	29
165	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
166	Search for lepton flavour violating decays of the Higgs boson to 14 , and el, in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
167	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
168	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	1.4	29
169	Measurements of $\$$ mathrm{t}overline{mathrm{t}} $\$$ differential cross sections in proton-proton collisions at $\$$ sqrt{mathrm{s}}=13 $\$$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
170	Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}} \$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
171	Measurements of differential Z boson production cross sections in proton-proton collisions at \$\$ $qrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
172	Search for anomalous single top quark production in association with a photon in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	27
173	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	27
174	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in protonâ \in "proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	1.4	27
175	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\hat{a} \le x = 13$ TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.	0.5	27
176	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
177	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton–proton collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	26
178	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	26
179	Measurement of the inclusive jet cross section in pp collisions at $\$\$qrt\{s\} = 2.76$,ext $\{TeV\}$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	1.4	26
180	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	26

#	Article	IF	CITATIONS
181	Measurement of energy flow at large pseudorapidities in pp collisions at $\$$ sqrt $\{s\}$ = 0. $\{9\}$ $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	25
182	Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	1.4	25
183	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	25
184	Measurement of the $mathrm{t}ar{mathrm{t}}$ production cross section in the $\ddot{\}$, +jets channel in pp collisions at $q=1$ mbox $q=1$ m	1.4	24
185	Search for third-generation scalar leptoquarks in the tï,, channel in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
186	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
187	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.	1.6	24
188	Measurements of $f^{p}} {\mathrm{p}} {\mathrm{p}$	1.4	24
189	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	23
190	Measurement of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ we will be supported by the property of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ is a supported by the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ is a supported by the jet mass in highly boosted $f(t)=0$ is a supported by the jet mass in highly by the jet mass in highly boosted $f(t)=0$ is a supported by the jet mass in highly by the jet mass in	1.4	23
191	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
192	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
193	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ and $s=8$ s = 8 ÂTeV. European Physical Journal C, 2017, 77, 354.	1.4	23
194	Measurement of the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the triple-differential dijet cross section in the triple-differential dijet cross section differential dijet cross sec	1.4	23
195	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	23
196	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $$$ sqrt ${s}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	23
197	Search for resonant $\$ mathrm{t}overline{mathrm{t}} \$\$ production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	23
198	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\frac{13}{ext}$ European Physical Journal C, 2020, 80, 752.	1.4	23

#	Article	IF	CITATIONS
199	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
200	Search for physics beyond the standard model in events with \ddot{l} , leptons, jets, and large transverse momentum imbalance in pp collisions at $\frac{5}{7}$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2493.	1.4	22
201	Search for t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
202	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
203	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13 $ sqrt $\{s\}=13 $ FeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
204	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \ddot{l} , leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
205	Search for direct pair production of supersymmetric partners to the \$\${uptau }_{}}^{}\$\$ lepton in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	1.4	22
206	Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 370.	1.4	22
207	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	21
208	Search for supersymmetry in events with a \ddot{l} , lepton pair and missing transverse momentum in proton-proton collisions at \$\$ $q=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	21
209	Search for beyond the standard model Higgs bosons decaying into a $\$$ mathrm{b}overline{mathrm{b}} $\$$ pair in pp collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	21
210	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	1.3	21
211	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	1.6	21
212	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	20
213	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
214	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
215	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the all-jet final state in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
216	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20

#	Article	IF	Citations
217	Search for rare decays of $\$$ mathrm {Z}\$\$ Z and Higgs bosons to $\$$ {mathrm {J}/psi } $\$$ \$ J / Γ and a photon in proton-proton collisions at $\$$ sqrt{s}\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94.	1.4	20
218	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	20
219	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
220	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
221	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton–proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical Journal C, 2021, 81, 723.	1.4	19
222	Search for quark compositeness in dijet angular distributions from pp collisions at sqrt = 7 } TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	18
223	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = $2.76 \$$ sqrt{s_{mathrm{N};mathrm{N}}}= $2.76 \$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	18
224	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$$ qrt $\{s\} = 8$; ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	1.4	18
225	Measurement of normalized differential $\$ mathrm{t}overline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
226	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
227	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
228	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ qrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 20.	1.4	18
229	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	18
230	MUSiC: a model-unspecific search for new physics in protonâ€"proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.	1.4	18
231	Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.	1.4	18
232	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	1.4	18
233	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	17
234	Probing color coherence effects in pp collisions at $\$$ sqrt $\{s\}$ =7,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901.	1.4	17

#	Article	lF	CITATIONS
235	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
236	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
237	Search for new physics in the monophoton final state in proton-proton collisions at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
238	Measurement of electroweak-induced production of \hat{W}^3 with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
239	Measurements of jet charge with dijet events in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
240	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
241	Charged-particle nuclear modification factors in XeXe collisions at $\$$ sqrt $\{s_{mathrm{NN}}\} = 5.44$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
242	Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
243	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
244	Search for the decay of a Higgs boson in the \hat{a} , " \hat{a} ," " \hat{a} " channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
245	Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	1.4	17
246	Electroweak production of two jets in association with a Z boson in protonâ \in "proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	1.4	17
247	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	17
248	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at	1.6	16
249	Measurement of the $\mbox{mathrm}\{t\}$ overline{mathrm} $\{t\}$ production cross section in the all-jet final state in pp collisions at $\mbox{sqrt}\{s\}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
250	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
251	Measurement of jet multiplicity distributions in $\frac{t}{\text{TeV}} $ s = 7 TeV. European Physical Journal C, 2014, 74, 3014.	1.4	16
252	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an $\$$ mathrm {e}mu \$\$ e ν pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	1.4	16

#	Article	IF	CITATIONS
253	Measurement of dijet azimuthal decorrelation in pp \hat{A} collisions at $\$$ sqrt $\{s\}=8$,mathrm $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	1.4	16
254	Search for excited leptons in proton-proton collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
255	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
256	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt{s} = 8{,mathrm{{TeV}}} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	1.4	16
257	Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	1.4	16
258	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
259	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s. European Physical Journal C, 2019, 79, 886.	1.4	16
260	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
261	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
262	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
263	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
264	Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 $ \$ sqrt $s=13 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
265	Search for a singly produced third-generation scalar leptoquark decaying to a \ddot{I} , lepton and a bottom quark in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
266	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
267	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $\$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	14
268	Search for s channel single top quark production in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
269	Search for supersymmetry in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
270	Search for associated production of dark matter with a Higgs boson decaying to b b \hat{A}^- \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14

#	Article	IF	CITATIONS
271	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
272	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
273	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13 $ sqrt $s=13 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
274	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	14
275	Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 \hat{a} — (5840) 0 and \$\${mathrm {B}}		

#	Article	lF	Citations
289	Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
290	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
291	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
292	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $\$$ sqrt{s} $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
293	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	13
294	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	12
295	Phenomenological MSSM interpretation of CMS searches in pp collisions at $s=7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	12
296	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $\$$ sqrt $s_{NN}}=5.02 \$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
297	Measurement of the groomed jet mass in PbPb and pp collisions at $\$$ sqrt $\{s_{mathrm{NN}}\}=5.02 \$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
298	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
299	Search for dark matter produced in association with a Higgs boson decaying to $\hat{I}^3\hat{I}^3$ or \hat{I}_3 , $+\hat{I}_3$, \hat{a}^2 at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
300	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$sqrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	1.4	12
301	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	12
302	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 893.	1.4	12
303	Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	1.4	12
304	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\$$ sqrt $\{s\}$ \$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	12
305	Measurement of the $Z\hat{l}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	1.6	11
306	Search for electroweak production of charginos in final states with two \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11

#	Article	IF	CITATIONS
307	Measurement of the semileptonic t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ + \hat{I}^3 production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
308	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV using H \hat{a} †' WW decays. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
309	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
310	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
311	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	1.4	11
312	Search for nonresonant Higgs boson pair production in the \$\$ mathrm{b}overline{mathrm{b}} mathrm{b} \$\$ final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	11
313	Study of the underlying event in top quark pair production in $\$$ mathrm $\{p\}$ mathrm $\{p\}$ \$\$ p p collisions at 13 $\$$ ext $\{Te\}$ ext $\{V\}$ \$\$ Te. European Physical Journal C, 2019, 79, 123.	1.4	11
314	Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 43.	1.4	11
315	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s=2.76 \$$ sqrt $\{s\}=2.76 \$$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	10
316	Measurements of the pp \hat{a} †' $\hat{W}^{\hat{j}\hat{l}\hat{j}}$ and pp \hat{a} †' $\hat{Z}^{\hat{l}\hat{j}\hat{l}\hat{j}}$ cross sections and limits on anomalous quartic gauge couplings at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	S 1.6	10
317	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
318	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\$$ sqrt $\{s\}$ =8 $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
319	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at \$\$\$qrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.	1.4	10
320	Measurement of the \$\$mathrm {Z}/gamma ^{*} ightarrow au au \$\$ Z / \hat{I} 3 â — â†' Ï,, Ï,, cross section in pp collisions at \$\$sqrt{s} = 13 hbox { TeV}\$\$\$ s = 13 TeV and validation of \$\$. European Physical Journal C, 2018, 78, 708.	1.4	10
321	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
322	Search for resonances decaying to a pair of Higgs bosons in the b\$\$ overline{mathrm{b}} \$\$q\$\$ overline{mathrm{q}} \$\$a $^{1}/2$ final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	10
323	Evidence for \$\$ext {W}ext {W}\$\$ production from double-parton interactions in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 1.	1.4	10
324	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $$$ sqrt ${s}=8$ \$\$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9

#	Article	IF	CITATIONS
325	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to e \hat{l} /4 final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
326	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\$$ sqrt $\{s\}$ = 13~hbox $\{TeV\}$ \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 1.	1.4	9
327	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton $+$ jets final state in pp collisions at $\frac{1}{5} = 13$,ext $\frac{1}{5} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	9
328	Search for a low-mass Ï,,â~Ï,,+ resonance in association with a bottom quark in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	9
329	Search for a heavy vector resonance decaying to a $f(z)=\frac{1}{2}$ mathrm $f(z)=\frac{1}{2}$ mathrm $f(z)=\frac{1}{2}$ hoson and a Higgs boson in proton-proton collisions at $f(z)=\frac{1}{2}$ and a Higgs boson in proton-proton collisions at $f(z)=\frac{1}{2}$ and a Higgs boson in proton-proton collisions at $f(z)=\frac{1}{2}$ hysical Journal C, 2021, 81, 688.	1.4	9
330	Searches for W′ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
331	Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 \$$ sqrt{s_{mathrm{NN}}}= $5.02 \$$ and 8.16 TeV . Journal of High Energy Physics, 2018, 2018, 1.	1.6	8
332	Search for a heavy resonance decaying into a Z boson and a Z or W boson in 2â,, "2q final states at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	8
333	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
334	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$, ext $f(x) = 13$,	1.4	8
335	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 $ \$\$ sqrt $\{s\}=13 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
336	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	7
337	Search for high-mass $Z^{\hat{1}_3}$ resonances in e+eâ ⁻ ' $\hat{1}^3$ and $\hat{1}^1/4 + \hat{1}^1/4$ â ⁻ ' $\hat{1}^3$ final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	7
338	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV via Higgs boson decays to \ddot{I} , leptons. Journal of High Energy Physics, 2019, 2019, 1.	1.6	7
339	Study of central exclusive "Equation missing" No EquationSource Format="TEX", only image production in proton-proton collisions at $\$$ sqrt $\{s\} = 5.02\$$ and 13TeV. European Physical Journal C, 2020, 80, 718.	1.4	7
340	Comparison of the $Z \hat{1}^3 = -+$ jets to $\hat{1}^3 +$ jets cross sections in pp collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	6
341	Measurement of the mass of the top quark in decays with a J/ $\hat{\Gamma}$ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	6
342	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13 $ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	6

#	Article	IF	Citations
343	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
344	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.		6
345	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
346	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
347	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
348	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 $ \$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
349	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	5
350	The CMS Level-1 Calorimeter Trigger for the LHC Run II. Journal of Instrumentation, 2017, 12, C01065-C01065.	0.5	5
351	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	1.6	5
352	Search for a W′ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
353	Search for the pair production of light top squarks in the e± $\hat{1}$ /4 \hat{a} ° final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
354	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\}$ = 0. $\{9\}$) and 7 TeV. , 2011, 2011, 1.		5
355	Measurement of single-diffractive dijet production in proton–proton collisions at \$\$\$qrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	1.4	5
356	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $$$ sqrt $\{s\}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
357	Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	1.6	5
358	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
359	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
360	Search for dark matter particles in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4

#	Article	IF	CITATIONS
361	Search for CP violation in t t \hat{A}^- \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	4
362	Measurement of differential cross sections in the kinematic angular variable i^* for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
363	Search for ZZ resonances in the 2â,,"2ν final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
364	Event shape variables measured using multijet final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
365	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.	1.4	4
366	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $$$ sqrt $\{s\}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	4
367	Search for Wâ \in 2 â†' tb in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	3
368	Search for top quark partners with charge 5/3 in proton-proton collisions at $s=13 \$\$ $ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
369	Inclusive search for supersymmetry in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.	1.6	3
370	Search for excited leptons in \hat{a} , \hat{a} , \hat{a} final states in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	3
371	Calibration of the CMS hadron calorimeters using proton-proton collision data at â^šs = 13 TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.	0.5	3
372	Measurement of the (toverline $\{t\}$) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}$) = 8 TeV., 2014, 2014, 1.		3
373	Measurements of the (mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt{s} = 13 ,ext {TeV})., 2018 , 78 , 1 .		3
374	Search for new phenomena with multiple charged leptons in protonâ \in "proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	1.4	2
375	Measurements of angular distance and momentum ratio distributions in three-jet and $\{z\}$ + two-jet final states in $\{p\}$ ext $\{p\}$ collisions. European Physical Journal C, 2021, 81, 852.	1.4	2
376	Search for new physics in events with same-sign dileptons and b jets in pp collisions at (sqrt{s}=8) TeV. , 2013, 2013, 1.		2
377	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
378	Measurement of the inclusive $\mbox{mathrm{t}}\$ mathrm{t} yeerline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2

#	Article	lF	CITATIONS
379	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	2
380	Run 2 upgrades to the CMS Level-1 calorimeter trigger. Journal of Instrumentation, 2016, 11, C01051-C01051.	0.5	1
381	Study of dijet events with large rapidity separation in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	1
382	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .	1.4	1
383	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\$\$$ sqrt $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	0
384	Exotic decays of the Higgs boson. , 2017, , .		0