

Li Jia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5304093/publications.pdf>

Version: 2024-02-01

56
papers

2,249
citations

236612

25
h-index

214527

47
g-index

57
all docs

57
docs citations

57
times ranked

3275
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhibition of autophagy abrogates tumour necrosis factor α induced apoptosis in human T α lymphoblastic leukaemic cells. <i>British Journal of Haematology</i> , 1997, 98, 673-685.	1.2	221
2	Apaf-1 protein deficiency confers resistance to cytochrome c dependent apoptosis in human leukemic cells. <i>Blood</i> , 2001, 98, 414-421.	0.6	136
3	Inhibition of HIF-1 α by PX-478 enhances the anti-tumor effect of gemcitabine by inducing immunogenic cell death in pancreatic ductal adenocarcinoma. <i>Oncotarget</i> , 2015, 6, 2250-2262.	0.8	110
4	Extracellular HMGB1 promotes differentiation of nurse-like cells in chronic lymphocytic leukemia. <i>Blood</i> , 2014, 123, 1709-1719.	0.6	95
5	Role of DNA methylation in the suppression of Apaf-1 protein in human leukaemia. <i>Oncogene</i> , 2003, 22, 451-455.	2.6	87
6	Blocking Autophagy Prevents Bortezomib-Induced NF- κ B Activation by Reducing I κ B α Degradation in Lymphoma Cells. <i>PLoS ONE</i> , 2012, 7, e32584.	1.1	87
7	Quantitative determination of apoptosis on leukemia cells by infrared spectroscopy. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2001, 6, 269-278.	2.2	85
8	Dietary flavonoids inhibit the anticancer effects of the proteasome inhibitor bortezomib. <i>Blood</i> , 2008, 112, 3835-3846.	0.6	83
9	Subcellular Distribution and Redistribution of Bcl-2 Family Proteins in Human Leukemia Cells Undergoing Apoptosis. <i>Blood</i> , 1999, 93, 2353-2359.	0.6	80
10	Bcl-2 Inhibitors Sensitize Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand-Induced Apoptosis by Uncoupling of Mitochondrial Respiration in Human Leukemic CEM Cells. <i>Cancer Research</i> , 2004, 64, 3607-3616.	0.4	79
11	Bortezomib blocks Bax degradation in malignant B cells during treatment with TRAIL. <i>Blood</i> , 2008, 111, 2797-2805.	0.6	79
12	Dynammin-related protein Drp1 is required for Bax translocation to mitochondria in response to irradiation-induced apoptosis. <i>Oncotarget</i> , 2015, 6, 22598-22612.	0.8	74
13	Bax translocation is crucial for the sensitivity of leukaemic cells to etoposide-induced apoptosis. <i>Oncogene</i> , 2001, 20, 4817-4826.	2.6	73
14	Bax conformational change is a crucial step for PUMA-mediated apoptosis in human leukemia. <i>Biochemical and Biophysical Research Communications</i> , 2003, 310, 956-962.	1.0	67
15	Novel HDAC inhibitor Chidamide synergizes with Rituximab to inhibit diffuse large B-cell lymphoma tumour growth by upregulating CD20. <i>Cell Death and Disease</i> , 2020, 11, 20.	2.7	62
16	Role of Smac in human leukaemic cell apoptosis and proliferation. <i>Oncogene</i> , 2003, 22, 1589-1599.	2.6	54
17	CD160 signaling mediates PI3K-dependent survival and growth signals in chronic lymphocytic leukemia. <i>Blood</i> , 2010, 115, 3079-3088.	0.6	48
18	Periostin and CA242 as potential diagnostic serum biomarkers complementing CA19.9 in detecting pancreatic cancer. <i>Cancer Science</i> , 2018, 109, 2841-2851.	1.7	47

#	ARTICLE	IF	CITATIONS
19	Mitochondrial electron transport chain activity, but not ATP synthesis, is required for drug-induced apoptosis in human leukaemic cells: a possible novel mechanism of regulating drug resistance. <i>British Journal of Haematology</i> , 1997, 98, 686-698.	1.2	42
20	Single nucleotide polymorphism in the microRNA-199a binding site of HIF1A gene is associated with pancreatic ductal adenocarcinoma risk and worse clinical outcomes. <i>Oncotarget</i> , 2016, 7, 13717-13729.	0.8	40
21	Mitochondrial ultracondensation, but not swelling, is involved in TNF α -induced apoptosis in human T-lymphoblastic leukaemic cells. <i>Leukemia Research</i> , 1997, 21, 973-983.	0.4	34
22	Blockade of HMGB1 signaling pathway by ethyl pyruvate inhibits tumor growth in diffuse large B-cell lymphoma. <i>Cell Death and Disease</i> , 2019, 10, 330.	2.7	29
23	Liposomal encapsulation diminishes daunorubicin-induced generation of reactive oxygen species, depletion of ATP and necrotic cell death in human leukaemic cells. <i>British Journal of Haematology</i> , 2002, 117, 333-342.	1.2	28
24	Increase in the ratio of mitochondrial Bax/Bcl-XL induces Bax activation in human leukemic K562 cell line. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2004, 9, 377-384.	2.2	28
25	Increased proteasomal degradation of Bax is a common feature of poor prognosis chronic lymphocytic leukemia. <i>Blood</i> , 2008, 111, 2790-2796.	0.6	28
26	HIF-2-dependent expression of stem cell factor promotes metastasis in hepatocellular carcinoma. <i>Cancer Letters</i> , 2017, 393, 113-124.	3.2	26
27	Ethyl pyruvate suppresses the growth, invasion and migration and induces the apoptosis of non-small cell lung cancer cells via the HMGB1/RAGE axis and the NF κ B/STAT3 pathway. <i>Oncology Reports</i> , 2019, 42, 817-825.	1.2	26
28	BH3-domain mimetic compound BH3-2 μ 2 induces rapid damage to the inner mitochondrial membrane prior to the cytochrome c release from mitochondria. <i>British Journal of Haematology</i> , 2003, 121, 332-340.	1.2	25
29	STAT3 and NF κ B cooperatively control <i>in vitro</i> spontaneous apoptosis and poor chemo-responsiveness in patients with chronic lymphocytic leukemia. <i>Oncotarget</i> , 2016, 7, 32031-32045.	0.8	24
30	Stem cell factor is a novel independent prognostic biomarker for hepatocellular carcinoma after curative resection. <i>Carcinogenesis</i> , 2014, 35, 2283-2290.	1.3	23
31	Dysregulation of autophagy in human follicular lymphoma is independent of overexpression of BCL-2. <i>Oncotarget</i> , 2014, 5, 11653-11668.	0.8	22
32	TRAIL-Induced Apoptosis in Type I Leukemic Cells Is Not Enhanced by Overexpression of Bax. <i>Biochemical and Biophysical Research Communications</i> , 2001, 283, 1037-1045.	1.0	21
33	Serum level of ANGPTL4 as a potential biomarker in renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 279-285.	0.8	21
34	Increased autocrine interleukin-6 production is significantly associated with worse clinical outcome in patients with chronic lymphocytic leukemia. <i>Journal of Cellular Physiology</i> , 2019, 234, 13994-14006.	2.0	21
35	Comprehensive Analysis of lncRNA-Mediated ceRNA Crosstalk and Identification of Prognostic Biomarkers in Wilms' Tumor. <i>BioMed Research International</i> , 2020, 2020, 1-13.	0.9	20
36	Rituximab-induced HMGB1 release is associated with inhibition of STAT3 activity in human diffuse large B-cell lymphoma. <i>Oncotarget</i> , 2015, 6, 27816-27831.	0.8	20

#	ARTICLE	IF	CITATIONS
37	Why bortezomib cannot go with 'green'?. <i>Cancer Biology and Medicine</i> , 2013, 10, 206-13.	1.4	19
38	c-IAP1 Blocks TNF α -Mediated Cytotoxicity Upstream of Caspase-Dependent and -Independent Mitochondrial Events in Human Leukemic Cells. <i>Biochemical and Biophysical Research Communications</i> , 2001, 287, 181-189.	1.0	18
39	Lower expression of Bax predicts poor clinical outcome in patients with glioma after curative resection and radiotherapy/chemotherapy. <i>Journal of Neuro-Oncology</i> , 2019, 141, 71-81.	1.4	18
40	CD126 and Targeted Therapy with Tocilizumab in Chronic Lymphocytic Leukemia. <i>Clinical Cancer Research</i> , 2016, 22, 2462-2469.	3.2	17
41	8-Cl-adenosine mediated cytotoxicity and sensitization of T-lymphoblastic leukemia cells to TNF α -induced apoptosis is via inactivation of NF- κ B. <i>Leukemia Research</i> , 2001, 25, 423-431.	0.4	15
42	Constitutive levels of cAMP-dependent protein kinase activity determine sensitivity of human multidrug-resistant leukaemic cell lines to growth inhibition and apoptosis by forskolin and tumour necrosis factor alpha. <i>British Journal of Haematology</i> , 2000, 108, 565-573.	1.2	14
43	Modulation of surface TNF expression by human leukaemic cells alters their sensitivity to exogenous TNF. <i>Leukemia Research</i> , 1996, 20, 47-55.	0.4	13
44	Pgp-positive leukaemic cells have increased mtDNA but no increased rate of proliferation. <i>British Journal of Haematology</i> , 1999, 107, 861-869.	1.2	13
45	UNC5D , suppressed by promoter hypermethylation, inhibits cell metastasis by activating death-associated protein kinase 1 in prostate cancer. <i>Cancer Science</i> , 2019, 110, 1244-1255.	1.7	12
46	BCR signaling contributes to autophagy regulation in chronic lymphocytic leukemia. <i>Leukemia</i> , 2020, 34, 640-644.	3.3	12
47	TNF-mediated killing of human leukaemic cells: Effects of endogenous antioxidant levels and TNF α expression in leukaemic cell lines. <i>Leukemia Research</i> , 1995, 19, 187-194.	0.4	10
48	Apaf-1XL Is an Inactive Isoform Compared with Apaf-1L. <i>Biochemical and Biophysical Research Communications</i> , 2001, 282, 268-272.	1.0	10
49	Generation of reactive oxygen species is not involved in idarubicin-induced apoptosis in human leukaemic cells. <i>British Journal of Haematology</i> , 2001, 115, 817-825.	1.2	7
50	The alpha-5 helix of Bax is sensitive to ubiquitin-dependent degradation. <i>Biochemical and Biophysical Research Communications</i> , 2008, 371, 10-15.	1.0	6
51	Subcellular Distribution and Redistribution of Bcl-2 Family Proteins in Human Leukemia Cells Undergoing Apoptosis. <i>Blood</i> , 1999, 93, 2353-2359.	0.6	6
52	Dangerous power: mitochondria in CLL cells. <i>Blood</i> , 2014, 123, 2596-2597.	0.6	5
53	Methylseleninic acid antagonizes the cytotoxic effect of bortezomib in mantle cell lymphoma cell lines through modulation of Bcl-2 family proteins. <i>British Journal of Haematology</i> , 2012, 156, 286-289.	1.2	3
54	Activation of Mitochondrial STAT3 Increases Mitochondrial Respiration and Inhibits Oxidative Stress in Chronic Lymphocytic Leukemic Cells. <i>Blood</i> , 2011, 118, 287-287.	0.6	2

#	ARTICLE	IF	CITATIONS
55	HMGB1 Activates TLR9/RAGE Signalling Pathway and Sustains Chronic Lymphocytic Leukemic Cell in Vitro Survival. Blood, 2012, 120, 3860-3860.	0.6	1
56	Overexpression of HMGB1 Receptor RAGE Is Associated with Worse Clinical Outcome in Patients with Chronic Lymphocytic Leukemia. Blood, 2015, 126, 617-617.	0.6	0