

# Xiao Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5304808/publications.pdf>

Version: 2024-02-01

119  
papers

1,797  
citations

304602

22  
h-index

360920

35  
g-index

128  
all docs

128  
docs citations

128  
times ranked

2858  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mycophenolate mofetil or tacrolimus compared with intravenous cyclophosphamide in the induction treatment for active lupus nephritis. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1467-1472.	0.4	133
2	Iron overload promotes mitochondrial fragmentation in mesenchymal stromal cells from myelodysplastic syndrome patients through activation of the AMPK/MFF/Drp1 pathway. <i>Cell Death and Disease</i> , 2018, 9, 515.	2.7	81
3	Histopathological Classification and Renal Outcome in Patients with Antineutrophil Cytoplasmic Antibodies-associated Renal Vasculitis: A Study of 186 Patients and Metaanalysis. <i>Journal of Rheumatology</i> , 2017, 44, 304-313.	1.0	71
4	Advances in targeted therapy for malignant lymphoma. <i>Signal Transduction and Targeted Therapy</i> , 2020, 5, 15.	7.1	66
5	<i>TP53</i> mutations predict decitabine-induced complete responses in patients with myelodysplastic syndromes. <i>British Journal of Haematology</i> , 2017, 176, 600-608.	1.2	63
6	EIF5A1 promotes trophoblast migration and invasion via ARAF-mediated activation of the integrin/ERK signaling pathway. <i>Cell Death and Disease</i> , 2018, 9, 926.	2.7	55
7	Genomic landscape of CD34 <sup>+</sup> hematopoietic cells in myelodysplastic syndrome and gene mutation profiles as prognostic markers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 8589-8594.	3.3	52
8	Grooved Fibers: Preparation Principles Through Electrospinning and Potential Applications. <i>Advanced Fiber Materials</i> , 2022, 4, 203-213.	7.9	48
9	Genetic landscape of recurrent ASXL1, U2AF1, SF3B1, SRSF2, and EZH2 mutations in 304 Chinese patients with myelodysplastic syndromes. <i>Tumor Biology</i> , 2016, 37, 4633-4640.	0.8	43
10	Downregulation of CCNA2 disturbs trophoblast migration, proliferation, and apoptosis during the pathogenesis of recurrent miscarriage. <i>American Journal of Reproductive Immunology</i> , 2019, 82, e13144.	1.2	42
11	Down-regulation of Dicer1 promotes cellular senescence and decreases the differentiation and stem cell-supporting capacities of mesenchymal stromal cells in patients with myelodysplastic syndrome. <i>Haematologica</i> , 2015, 100, 194-204.	1.7	40
12	Exploration of the role of gene mutations in myelodysplastic syndromes through a sequencing design involving a small number of target genes. <i>Scientific Reports</i> , 2017, 7, 43113.	1.6	37
13	Iron overload promotes erythroid apoptosis through regulating HIF-1a/ROS signaling pathway in patients with myelodysplastic syndrome. <i>Leukemia Research</i> , 2017, 58, 55-62.	0.4	35
14	Upregulation of PUM1 Expression in Preeclampsia Impairs Trophoblast Invasion by Negatively Regulating the Expression of the lncRNA HOTAIR. <i>Molecular Therapy</i> , 2020, 28, 631-641.	3.7	35
15	Elevated Tristetraprolin Impairs Trophoblast Invasion in Women with Recurrent Miscarriage by Destabilization of HOTAIR. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 12, 600-609.	2.3	34
16	Chidamide, a novel histone deacetylase inhibitor, inhibits the viability of MDS and AML cells by suppressing JAK2/STAT3 signaling. <i>American Journal of Translational Research (discontinued)</i> , 2016, 8, 3169-78.	0.0	34
17	Melatonin suppresses chronic restraint stress-mediated metastasis of epithelial ovarian cancer via NE/AKT/ $\beta$ -catenin/SLUG axis. <i>Cell Death and Disease</i> , 2020, 11, 644.	2.7	31
18	Whole-exome and targeted sequencing identify ROBO1 and ROBO2 mutations as progression-related drivers in myelodysplastic syndromes. <i>Nature Communications</i> , 2015, 6, 8806.	5.8	30

#	ARTICLE	IF	CITATIONS
19	Ribosomal protein L23 negatively regulates cellular apoptosis via the RPL23/Miz-1/c-Myc circuit in higher-risk myelodysplastic syndrome. <i>Scientific Reports</i> , 2017, 7, 2323.	1.6	30
20	Tortuosity of the superficial femoral artery and its influence on blood flow patterns and risk of atherosclerosis. <i>Biomechanics and Modeling in Mechanobiology</i> , 2019, 18, 883-896.	1.4	30
21	Genomic loss of EZH2 leads to epigenetic modifications and overexpression of the HOX gene clusters in myelodysplastic syndrome. <i>Oncotarget</i> , 2016, 7, 8119-8130.	0.8	29
22	Intracranial Atherosclerotic Plaque Characteristics and Burden Associated With Recurrent Acute Stroke: A 3D Quantitative Vessel Wall MRI Study. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 706544.	1.7	28
23	Dicer1 downregulation by multiple myeloma cells promotes the senescence and tumor-supporting capacity and decreases the differentiation potential of mesenchymal stem cells. <i>Cell Death and Disease</i> , 2018, 9, 512.	2.7	25
24	Rigosertib as a selective anti-tumor agent can ameliorate multiple dysregulated signaling transduction pathways in high-grade myelodysplastic syndrome. <i>Scientific Reports</i> , 2014, 4, 7310.	1.6	22
25	Novel prognostic model established for patients with head and neck squamous cell carcinoma based on pyroptosis-related genes. <i>Translational Oncology</i> , 2021, 14, 101233.	1.7	21
26	SF3B1-mutated myelodysplastic syndrome with ring sideroblasts harbors more severe iron overload and corresponding over-erythropoiesis. <i>Leukemia Research</i> , 2016, 44, 8-16.	0.4	20
27	Association between carotid plaque characteristics and acute cerebral infarction determined by MRI in patients with type 2 diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2017, 16, 111.	2.7	20
28	Deep Surveying of the Transcriptional and Alternative Splicing Signatures for Decidual CD8+ T Cells at the First Trimester of Human Healthy Pregnancy. <i>Frontiers in Immunology</i> , 2018, 9, 937.	2.2	20
29	Inhibiting Importin 4-mediated nuclear import of CEBPD enhances chemosensitivity by repression of PRKDC-driven DNA damage repair in cervical cancer. <i>Oncogene</i> , 2020, 39, 5633-5648.	2.6	20
30	Comparison of Immunological Abnormalities of Lymphocytes in Bone Marrow in Myelodysplastic Syndrome (MDS) and Aplastic Anemia (AA). <i>Internal Medicine</i> , 2010, 49, 1349-1355.	0.3	18
31	High expression of the human equilibrative nucleoside transporter 1 gene predicts a good response to decitabine in patients with myelodysplastic syndrome. <i>Journal of Translational Medicine</i> , 2016, 14, 66.	1.8	17
32	MYCN contributes to the malignant characteristics of erythroleukemia through EZH2-mediated epigenetic repression of p21. <i>Cell Death and Disease</i> , 2017, 8, e3126-e3126.	2.7	17
33	Evaluation of chronic carotid artery occlusion by non-contrast 3D-MERGE MR vessel wall imaging: comparison with 3D-TOF-MRA, contrast-enhanced MRA, and DSA. <i>European Radiology</i> , 2020, 30, 5805-5814.	2.3	17
34	Rituximab treatment in adults with refractory minimal change disease or focal segmental glomerulosclerosis. <i>Oncotarget</i> , 2017, 8, 93438-93443.	0.8	17
35	Retrospective Study of Hemodynamic Changes Before and After Carotid Stenosis Formation by Vessel Surface Repairing. <i>Scientific Reports</i> , 2018, 8, 5493.	1.6	16
36	ANXA7 regulates trophoblast proliferation and apoptosis in preeclampsia. <i>American Journal of Reproductive Immunology</i> , 2019, 82, e13183.	1.2	16

#	ARTICLE	IF	CITATIONS
37	Epigenetic regulation of VENTXP1 suppresses tumor proliferation via miR-205-5p/ANKRD2/NF- $\kappa$ B signaling in head and neck squamous cell carcinoma. <i>Cell Death and Disease</i> , 2020, 11, 838.	2.7	16
38	Establishment and Validation of an Updated Diagnostic FCM Scoring System Based on Pooled Immunophenotyping in CD34+ Blasts and Its Clinical Significance for Myelodysplastic Syndromes. <i>PLoS ONE</i> , 2014, 9, e88706.	1.1	15
39	ABO blood type is associated with renal outcomes in patients with IgA nephropathy. <i>Oncotarget</i> , 2017, 8, 73603-73612.	0.8	14
40	EIF5A1 promotes epithelial ovarian cancer proliferation and progression. <i>Biomedicine and Pharmacotherapy</i> , 2018, 100, 168-175.	2.5	14
41	Upregulation of RND3 Affects Trophoblast Proliferation, Apoptosis, and Migration at the Maternal-Fetal Interface. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 153.	1.8	14
42	Wilms' tumor gene (WT1) is predominantly expressed in clonal hematopoietic cells in myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , 2007, 48, 601-604.	0.6	13
43	Embolotherapy for High-Flow Arteriovenous Malformations in the Hands Using Absolute Ethanol with Coil-Assisted Dominant Outflow Vein Occlusion. <i>Journal of Vascular and Interventional Radiology</i> , 2019, 30, 813-821.	0.2	13
44	Association of Type 2 Diabetes Mellitus and Glycemic Control With Intracranial Plaque Characteristics in Patients With Acute Ischemic Stroke. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 655-666.	1.9	13
45	Lenalidomide restores the osteogenic differentiation of bone marrow mesenchymal stem cells from multiple myeloma patients via deactivating Notch signaling pathway. <i>Oncotarget</i> , 2017, 8, 55405-55421.	0.8	13
46	Notch-Hes pathway mediates the impaired osteogenic differentiation of bone marrow mesenchymal stromal cells from myelodysplastic syndromes patients through the down-regulation of Runx2. <i>American Journal of Translational Research (discontinued)</i> , 2015, 7, 1939-51.	0.0	13
47	Downregulation of MMP1 in MDS-derived mesenchymal stromal cells reduces the capacity to restrict MDS cell proliferation. <i>Scientific Reports</i> , 2017, 7, 43849.	1.6	12
48	Increased PD-1/STAT1 ratio may account for the survival benefit in decitabine therapy for lower risk myelodysplastic syndrome. <i>Leukemia and Lymphoma</i> , 2017, 58, 969-978.	0.6	12
49	Irregular pulsation of intracranial unruptured aneurysm detected by four-dimensional CT angiography is associated with increased estimated rupture risk and conventional risk factors. <i>Journal of NeuroInterventional Surgery</i> , 2021, 13, 854-859.	2.0	12
50	Clinical and genetic analysis of lipoprotein glomerulopathy patients caused by <i>APOE</i> mutations. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2020, 8, e1281.	0.6	12
51	Decitabine treatment sensitizes tumor cells to T-cell-mediated cytotoxicity in patients with myelodysplastic syndromes. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 454-465.	0.0	12
52	Megakaryocytopoiesis and apoptosis in patients with myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , 2005, 46, 387-391.	0.6	11
53	Comparison of Glomerular Transcriptome Profiles of Adult-Onset Steroid Sensitive Focal Segmental Glomerulosclerosis and Minimal Change Disease. <i>PLoS ONE</i> , 2015, 10, e0140453.	1.1	11
54	Identification of microRNA-regulated pathways using an integration of microRNA-mRNA microarray and bioinformatics analysis in CD34+ cells of myelodysplastic syndromes. <i>Scientific Reports</i> , 2016, 6, 32232.	1.6	11

#	ARTICLE	IF	CITATIONS
55	A genetic development route analysis on MDS subset carrying initial epigenetic gene mutations. <i>Scientific Reports</i> , 2020, 10, 826.	1.6	11
56	U2AF1 mutation promotes tumorigenicity through facilitating autophagy flux mediated by FOXO3a activation in myelodysplastic syndromes. <i>Cell Death and Disease</i> , 2021, 12, 655.	2.7	11
57	The prevalence, subtypes and associated factors of hyperuricemia in lupus nephritis patients at chronic kidney disease stages 1-3. <i>Oncotarget</i> , 2017, 8, 57099-57108.	0.8	11
58	Distinct Clinical and Experimental Characteristics in the Patients Younger than 60 Years Old with Myelodysplastic Syndromes. <i>PLoS ONE</i> , 2013, 8, e57392.	1.1	10
59	The prognostic impact of multiparameter flow cytometry immunophenotyping and cytogenetic aberrancies in patients with multiple myeloma. <i>Hematology</i> , 2016, 21, 152-161.	0.7	10
60	Ethanol embolization of lingual arteriovenous malformations: Positive experience in 52 patients during 11 years. <i>Journal of Vascular Surgery</i> , 2020, 72, 651-657.e4.	0.6	10
61	Clinical and imaging features of intraosseous arteriovenous malformations in jaws: a 15-year experience of single centre. <i>Scientific Reports</i> , 2020, 10, 12046.	1.6	10
62	Cytogenetic response based on revised IPSS cytogenetic risk stratification and minimal residual disease monitoring by FISH in MDS patients treated with low-dose decitabine. <i>Leukemia Research</i> , 2013, 37, 1516-1521.	0.4	9
63	P-selectin blockade ameliorates lupus nephritis in MRL/lpr mice through improving renal hypoxia and evaluation using BOLD-MRI. <i>Journal of Translational Medicine</i> , 2020, 18, 116.	1.8	9
64	Overexpression of ARHGAP30 suppresses growth of cervical cancer cells by downregulating ribosome biogenesis. <i>Cancer Science</i> , 2021, 112, 4515-4525.	1.7	9
65	Differentiation and hematopoietic-support of clonal cells in myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , 2007, 48, 1353-1371.	0.6	8
66	Management of Crescentic Glomerulonephritis: What Are the Recent Advances?. <i>Contributions To Nephrology</i> , 2013, 181, 229-239.	1.1	8
67	Efficacy and toxicity of decitabine versus CHG regimen (low-dose cytarabine, homoharringtonine and) Tj ETQq1 1 0.784314 rgBT /Overl retrospective study. <i>Leukemia and Lymphoma</i> , 2016, 57, 1367-1374.	0.6	8
68	Decitabine of Reduced Dosage in Chinese Patients with Myelodysplastic Syndrome: A Retrospective Analysis. <i>PLoS ONE</i> , 2014, 9, e95473.	1.1	8
69	Glucocorticoids in the treatment of patients with primary focal segmental glomerulosclerosis and moderate proteinuria. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1315-1323.	0.7	7
70	Comprehensive analysis of dysregulated exosomal long non-coding RNA networks associated with arteriovenous malformations. <i>Gene</i> , 2020, 738, 144482.	1.0	7
71	<i>NPM1</i> mutation with <i>DNMT3A</i> wild type defines a subgroup of MDS with particularly favourable outcomes after decitabine therapy. <i>British Journal of Haematology</i> , 2020, 189, 982-984.	1.2	7
72	TNPO1-mediated nuclear import of ARID1B promotes tumor growth in ARID1A-deficient gynecologic cancer. <i>Cancer Letters</i> , 2021, 515, 14-27.	3.2	7

#	ARTICLE	IF	CITATIONS
73	Glomerular Transcriptome Profiles in Focal Glomerulosclerosis: New Genes and Pathways for Steroid Resistance. <i>American Journal of Nephrology</i> , 2020, 51, 442-452.	1.4	6
74	A regulatory role for CD72 expression on B cells and increased soluble CD72 in primary Sjogren's syndrome. <i>BMC Immunology</i> , 2020, 21, 21.	0.9	6
75	Malignant hypertension complicated by acute renal failure. <i>BMJ Case Reports</i> , 2009, 2009, bcr1020081116-bcr1020081116.	0.2	6
76	Over-Expression of IGF-IR in Malignant Clonal Cells in Bone Marrow of Myelodysplastic Syndromes.. <i>Blood</i> , 2009, 114, 4832-4832.	0.6	6
77	Evaluation of carotid plaque vulnerability in vivo: Correlation between dynamic contrast-enhanced MRI and MRI-modified AHA classification. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 870-876.	1.9	5
78	Clinical significance of hyaluronan levels and its pro-osteogenic effect on mesenchymal stromal cells in myelodysplastic syndromes. <i>Journal of Translational Medicine</i> , 2018, 16, 234.	1.8	5
79	Results of a Randomized, Open-Label, Phase IIIb Study of 2 Schedules of Decitabine in Higher-Risk Myelodysplastic Syndrome Patients. <i>Blood</i> , 2012, 120, 3846-3846.	0.6	5
80	Angiotensin II-accelerated vulnerability of carotid plaque in a cholesterol-fed rabbit model-assessed with magnetic resonance imaging comparing to histopathology. <i>Saudi Journal of Biological Sciences</i> , 2017, 24, 495-503.	1.8	4
81	Consolidation Treatment and Long-Term Prognosis of Rituximab in Minimal Change Disease and Focal Segmental Glomerular Sclerosis. <i>Drug Design, Development and Therapy</i> , 2021, Volume 15, 1945-1953.	2.0	4
82	Irregular pulsation of aneurysmal wall is associated with symptomatic and ruptured intracranial aneurysms. <i>Journal of NeuroInterventional Surgery</i> , 2023, 15, 91-96.	2.0	4
83	Clonality investigation of morphologically dysplastic hematopoietic cells in myelodysplastic syndrome marrows. <i>International Journal of Hematology</i> , 2008, 87, 176-183.	0.7	3
84	Automated Peritoneal Dialysis is Suitable for Polycystic Kidney Disease Patients with End-Stage Renal Disease. <i>Case Reports in Nephrology and Dialysis</i> , 2015, 5, 140-144.	0.3	3
85	PRL2 serves as a negative regulator in cell adaptation to oxidative stress. <i>Cell and Bioscience</i> , 2019, 9, 96.	2.1	3
86	Chidamide, a Novel Histone Deacetylase Inhibitor, Displays Potent Antitumor Activity Against MDS Cells Mainly through JAK2/STAT3 Signaling Inhibition. <i>Blood</i> , 2015, 126, 5233-5233.	0.6	3
87	In Vitro Deprivation of CD8+CD57+ Cells Promotes the Malignant Growth of Bone Marrow Stem/Progenitor Cells in Patients with Myelodysplastic Syndrome.. <i>Blood</i> , 2009, 114, 1764-1764.	0.6	3
88	IGF-IR promotes clonal cell proliferation in myelodysplastic syndromes via inhibition of the MAPK pathway. <i>Oncology Reports</i> , 2020, 44, 1094-1104.	1.2	3
89	Effects of rapamycin on DC-SIGN expression and biological functions in DC. <i>Frontiers in Bioscience - Landmark</i> , 2014, 19, 557.	3.0	2
90	The efficacy and toxicity of the CHG priming regimen (low-dose cytarabine, homoharringtonine, and) Tj ETQq0 0 0 rgBT /Overlock 10 Tj and Clinical Oncology, 2019, 145, 3089-3097.	1.2	2

#	ARTICLE	IF	CITATIONS
91	Analysis of the influencing factors related to liver and cardiac iron overload in MDS patients detected by MRI in the real world. <i>Hematology</i> , 2021, 26, 123-133.	0.7	2
92	Dynamics of epigenetic regulator gene BCOR mutation and response predictive value for hypomethylating agents in patients with myelodysplastic syndrome. <i>Clinical Epigenetics</i> , 2021, 13, 169.	1.8	2
93	Can Human Umbilical Cord Mesenchymal Stem Cells Inhibit Acute Graft-Versus-Host-Disease In Murine Allogeneic Bone Marrow Transplantation?. <i>Blood</i> , 2010, 116, 4703-4703.	0.6	2
94	Low RPS14 Expression in MDS without 5q- Aberration Is Associated with Increased Apoptosis of Erythrocytes and Predicts Prolonged Survival and Possible Response to Lenalidomide in Lower-Risk Patients. <i>Blood</i> , 2012, 120, 698-698.	0.6	2
95	DHX9 Mutations Are Identified As a Novel Recurrent Event in Patients with Myelodysplastic Syndromes and Closely Related to Bone Marrow Failure. <i>Blood</i> , 2015, 126, 1651-1651.	0.6	2
96	A Prediction Equation to Estimate Vascular Endothelial Function in Different Body Mass Index Populations. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 766565.	1.1	2
97	Local suture ligation-assisted percutaneous sclerotherapy for Kasabach-Merritt phenomenon-associated kaposiform haemangioendothelioma. <i>Oncology Letters</i> , 2018, 17, 981-989.	0.8	1
98	Efficacy and Toxicity Of Decitabine Versus CHG Priming Regimen In Patients With Higher Risk Myelodysplastic Syndrome. <i>Blood</i> , 2013, 122, 2789-2789.	0.6	1
99	SP061EFFECT OF ANTI $\alpha^{\text{v}}\beta^{\text{3}}$ SELECTIN MONOCLONAL ANTIBODY (MAB) ON RENAL INJURY IN EXPERIMENTAL LUPUS NEPHRITIS. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i106-i106.	0.4	0
100	SP501LONGITUDINAL INCREASING OF SMALL-MOLECULE SOLUTE TRANSPORT RATE IS ASSOCIATED WITH MORTALITY AND TECHNIQUE FAILURE IN PERITONEAL DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i517-i517.	0.4	0
101	FO019MYCOPHENOLATE MOFETIL OR TACROLIMUS COMPARED WITH AZATHIOPRINE IN THE LONG-TERM MAINTENANCE TREATMENT FOR ACTIVE LUPUS NEPHRITIS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i9-i9.	0.4	0
102	P0352P-SELECTIN BLOCKADE AMELIORATES RENAL HYPOXIA OF LUPUS NEPHRITIS IN MRI/LPR MICE. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0
103	Differential Effects of Bexarotene on Intrinsic and Extrinsic Pathways in TRAIL-Induced Apoptosis in Myeloid Leukemia Cell Lines.. <i>Blood</i> , 2006, 108, 4580-4580.	0.6	0
104	Abnormal Polarization of T Lymphocyte in Myelodysplastic Syndrome Marrow and Its Negtative Effect on Hematopoiesis.. <i>Blood</i> , 2006, 108, 4825-4825.	0.6	0
105	Nonhematological Tumor Metastasis in the Bone Marrow: An Analysis of 10112 Unselected Plastic-Embedded Biopsy Sections.. <i>Blood</i> , 2007, 110, 5154-5154.	0.6	0
106	The Incidence of Corrected Hypercalcemia and Its Relationship with Prognosis for Chinese Multiply Myeloma.. <i>Blood</i> , 2009, 114, 4903-4903.	0.6	0
107	Appropriate Timing of G-CSF Use After Mobilization Chemotherapy Significantly Increases the Yield of CD34+ Cells in autoPBSCT.. <i>Blood</i> , 2009, 114, 2144-2144.	0.6	0
108	Removal of Autologous Activated CD4 Positive T Lymphocytes Also Result in Increased Colony-Forming Units (CFUs) in Patients with Myelodysplastic Syndromes.. <i>Blood</i> , 2009, 114, 4862-4862.	0.6	0

#	ARTICLE	IF	CITATIONS
109	Investigation On Exosomes Carrying TSA Derived From Healthy Human White Buffy Coat with Positive HLA-A2 and Poly:C On Subcellular Antitumor Vaccination.. Blood, 2009, 114, 4747-4747.	0.6	0
110	A Multi-Center, Open-Label Phase II Study of Lenalidomide Plus Low-Dose Dexamethasone in Chinese Patients with Relapsed/Refractory Multiple Myeloma - the MM-021 Trial. Blood, 2012, 120, 1864-1864.	0.6	0
111	A 15 Mg/M2/d Dose of Decitabine Confers Comparable Responses and Better Tolerance Than the Standard Regimen in MDS patientsâ€™ results of a Multicenter Prospective Cohort Study. Blood, 2012, 120, 3832-3832.	0.6	0
112	Human Equilibrative Nucleoside Transporter 1 (hENT1) Expression Level Is a Potential Predictive Tool For Response To Decitabine In Patients With Myelodysplastic Syndrome. Blood, 2013, 122, 2790-2790.	0.6	0
113	Cytogenetic Response Based On Revised IPSS Cytogenetic Risk Stratification and Minimal Residual Disease Monitoring by FISH In MDS Patients Treated By Low-Dose Decitabine. Blood, 2013, 122, 1575-1575.	0.6	0
114	Identification of microRNA-Regulated Pathways through a Integration of Mcrorna-mRNA Microarray and Bioinformatics Analysis in CD34+ Cells of Myelodysplastic Syndromes. Blood, 2014, 124, 3238-3238.	0.6	0
115	EZH2-Mediated Activation of Serine Biosynthetic Pathway Is Critical for Resistance of Clonal Cells to Stress-Related Apoptosis in Low-Grade Myelodysplastic Syndrome. Blood, 2015, 126, 1660-1660.	0.6	0
116	Labile Plasma Iron (LPI), More Practical and More Sensitive to Iron Overload in Myelodysplastic Syndromes. Blood, 2015, 126, 5230-5230.	0.6	0
117	DNMT3Awt NPM1-Mutation Defines a Subgroup of MDS with Special Favorable Outcomes Towards Decitabine Therapy. Blood, 2019, 134, 1724-1724.	0.6	0
118	Elevated Hemoglobin A1c Is Associated With Leaky Plaque Neovasculature as Detected by Dynamic Contrast-Enhanced Magnetic Resonance Imaging. Arteriosclerosis, Thrombosis, and Vascular Biology, 2022, 42, 504-513.	1.1	0
119	Somatic mutations in SF3B1 aberrantâ€™negative MDSâ€™RS most commonly involved in TP53 genes. Journal of Cellular and Molecular Medicine, 2022, 26, 3586-3589.	1.6	0