

Xiao Li

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5304808/xiao-li-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116
papers

1,049
citations

17
h-index

27
g-index

128
ext. papers

1,480
ext. citations

4.4
avg, IF

4.18
L-index

#	Paper	IF	Citations
116	Mycophenolate mofetil or tacrolimus compared with intravenous cyclophosphamide in the induction treatment for active lupus nephritis. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 1467-72	4.3	112
115	Histopathological Classification and Renal Outcome in Patients with Antineutrophil Cytoplasmic Antibodies-associated Renal Vasculitis: A Study of 186 Patients and Metaanalysis. <i>Journal of Rheumatology</i> , 2017 , 44, 304-313	4.1	48
114	Iron overload promotes mitochondrial fragmentation in mesenchymal stromal cells from myelodysplastic syndrome patients through activation of the AMPK/MFF/Drp1 pathway. <i>Cell Death and Disease</i> , 2018 , 9, 515	9.8	46
113	TP53 mutations predict decitabine-induced complete responses in patients with myelodysplastic syndromes. <i>British Journal of Haematology</i> , 2017 , 176, 600-608	4.5	45
112	Genomic landscape of CD34+ hematopoietic cells in myelodysplastic syndrome and gene mutation profiles as prognostic markers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 8589-94	11.5	40
111	Genetic landscape of recurrent ASXL1, U2AF1, SF3B1, SRSF2, and EZH2 mutations in 304 Chinese patients with myelodysplastic syndromes. <i>Tumor Biology</i> , 2016 , 37, 4633-40	2.9	32
110	Down-regulation of Dicer1 promotes cellular senescence and decreases the differentiation and stem cell-supporting capacities of mesenchymal stromal cells in patients with myelodysplastic syndrome. <i>Haematologica</i> , 2015 , 100, 194-204	6.6	31
109	Chidamide, a novel histone deacetylase inhibitor, inhibits the viability of MDS and AML cells by suppressing JAK2/STAT3 signaling. <i>American Journal of Translational Research (discontinued)</i> , 2016 , 8, 3169-78	3	29
108	Advances in targeted therapy for malignant lymphoma. <i>Signal Transduction and Targeted Therapy</i> , 2020 , 5, 15	21	26
107	Elevated Tristetraprolin Impairs Trophoblast Invasion in Women with Recurrent Miscarriage by Destabilization of HOTAIR. <i>Molecular Therapy - Nucleic Acids</i> , 2018 , 12, 600-609	10.7	26
106	Exploration of the role of gene mutations in myelodysplastic syndromes through a sequencing design involving a small number of target genes. <i>Scientific Reports</i> , 2017 , 7, 43113	4.9	22
105	Iron overload promotes erythroid apoptosis through regulating HIF-1 α /ROS signaling pathway in patients with myelodysplastic syndrome. <i>Leukemia Research</i> , 2017 , 58, 55-62	2.7	21
104	Upregulation of PUM1 Expression in Preeclampsia Impairs Trophoblast Invasion by Negatively Regulating the Expression of the lncRNA HOTAIR. <i>Molecular Therapy</i> , 2020 , 28, 631-641	11.7	21
103	Whole-exome and targeted sequencing identify ROBO1 and ROBO2 mutations as progression-related drivers in myelodysplastic syndromes. <i>Nature Communications</i> , 2015 , 6, 8806	17.4	20
102	EIF5A1 promotes trophoblast migration and invasion via ARAF-mediated activation of the integrin/ERK signaling pathway. <i>Cell Death and Disease</i> , 2018 , 9, 926	9.8	20
101	Dicer1 downregulation by multiple myeloma cells promotes the senescence and tumor-supporting capacity and decreases the differentiation potential of mesenchymal stem cells. <i>Cell Death and Disease</i> , 2018 , 9, 512	9.8	18
100	Ribosomal protein L23 negatively regulates cellular apoptosis via the RPL23/Miz-1/c-Myc circuit in higher-risk myelodysplastic syndrome. <i>Scientific Reports</i> , 2017 , 7, 2323	4.9	18

99	Downregulation of CCNA2 disturbs trophoblast migration, proliferation, and apoptosis during the pathogenesis of recurrent miscarriage. <i>American Journal of Reproductive Immunology</i> , 2019 , 82, e13144	3.8	17
98	Rigosertib as a selective anti-tumor agent can ameliorate multiple dysregulated signaling transduction pathways in high-grade myelodysplastic syndrome. <i>Scientific Reports</i> , 2014 , 4, 7310	4.9	17
97	Genomic loss of EZH2 leads to epigenetic modifications and overexpression of the HOX gene clusters in myelodysplastic syndrome. <i>Oncotarget</i> , 2016 , 7, 8119-30	3.3	17
96	Tortuosity of the superficial femoral artery and its influence on blood flow patterns and risk of atherosclerosis. <i>Biomechanics and Modeling in Mechanobiology</i> , 2019 , 18, 883-896	3.8	16
95	Association between carotid plaque characteristics and acute cerebral infarction determined by MRI in patients with type 2 diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2017 , 16, 111	8.7	13
94	Deep Surveying of the Transcriptional and Alternative Splicing Signatures For Decidual CD8 T Cells at the First Trimester of Human Healthy Pregnancy. <i>Frontiers in Immunology</i> , 2018 , 9, 937	8.4	13
93	Comparison of immunological abnormalities of lymphocytes in bone marrow in myelodysplastic syndrome (MDS) and aplastic anemia (AA). <i>Internal Medicine</i> , 2010 , 49, 1349-55	1.1	13
92	Rituximab treatment in adults with refractory minimal change disease or focal segmental glomerulosclerosis. <i>Oncotarget</i> , 2017 , 8, 93438-93443	3.3	13
91	Melatonin suppresses chronic restraint stress-mediated metastasis of epithelial ovarian cancer via NE/AKT/Eatenin/SLUG axis. <i>Cell Death and Disease</i> , 2020 , 11, 644	9.8	13
90	SF3B1-mutated myelodysplastic syndrome with ring sideroblasts harbors more severe iron overload and corresponding over-erythropoiesis. <i>Leukemia Research</i> , 2016 , 44, 8-16	2.7	12
89	Establishment and validation of an updated diagnostic FCM scoring system based on pooled immunophenotyping in CD34+ blasts and its clinical significance for myelodysplastic syndromes. <i>PLoS ONE</i> , 2014 , 9, e88706	3.7	12
88	Grooved Fibers: Preparation Principles Through Electrospinning and Potential Applications. <i>Advanced Fiber Materials</i> , 1	10.9	12
87	Megakaryocytopoiesis and apoptosis in patients with myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , 2005 , 46, 387-91	1.9	11
86	Notch-Hes pathway mediates the impaired osteogenic differentiation of bone marrow mesenchymal stromal cells from myelodysplastic syndromes patients through the down-regulation of Runx2. <i>American Journal of Translational Research (discontinued)</i> , 2015 , 7, 1939-51	3	11
85	Downregulation of MMP1 in MDS-derived mesenchymal stromal cells reduces the capacity to restrict MDS cell proliferation. <i>Scientific Reports</i> , 2017 , 7, 43849	4.9	10
84	High expression of the human equilibrative nucleoside transporter 1 gene predicts a good response to decitabine in patients with myelodysplastic syndrome. <i>Journal of Translational Medicine</i> , 2016 , 14, 66	8.5	10
83	MYCN contributes to the malignant characteristics of erythroleukemia through EZH2-mediated epigenetic repression of p21. <i>Cell Death and Disease</i> , 2017 , 8, e3126	9.8	10
82	WilmsRtumor gene (WT1) is predominantly expressed in clonal hematopoietic cells in myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , 2007 , 48, 601-4	1.9	10

81	Decitabine treatment sensitizes tumor cells to T-cell-mediated cytotoxicity in patients with myelodysplastic syndromes. <i>American Journal of Translational Research (discontinued)</i> , 2017 , 9, 454-465	3	10
80	Upregulation of RND3 Affects Trophoblast Proliferation, Apoptosis, and Migration at the Maternal-Fetal Interface. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 153	5.7	10
79	Identification of microRNA-regulated pathways using an integration of microRNA-mRNA microarray and bioinformatics analysis in CD34+ cells of myelodysplastic syndromes. <i>Scientific Reports</i> , 2016 , 6, 32232	4.9	9
78	Cytogenetic response based on revised IPSS cytogenetic risk stratification and minimal residual disease monitoring by FISH in MDS patients treated with low-dose decitabine. <i>Leukemia Research</i> , 2013 , 37, 1516-21	2.7	9
77	Increased PD-1/STAT1 ratio may account for the survival benefit in decitabine therapy for lower risk myelodysplastic syndrome. <i>Leukemia and Lymphoma</i> , 2017 , 58, 969-978	1.9	9
76	Epigenetic regulation of VENTXP1 suppresses tumor proliferation via miR-205-5p/ANKRD2/NF-kB signaling in head and neck squamous cell carcinoma. <i>Cell Death and Disease</i> , 2020 , 11, 838	9.8	9
75	ABO blood type is associated with renal outcomes in patients with IgA nephropathy. <i>Oncotarget</i> , 2017 , 8, 73603-73612	3.3	8
74	EIF5A1 promotes epithelial ovarian cancer proliferation and progression. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 100, 168-175	7.5	8
73	Retrospective Study of Hemodynamic Changes Before and After Carotid Stenosis Formation by Vessel Surface Repairing. <i>Scientific Reports</i> , 2018 , 8, 5493	4.9	8
72	Efficacy and toxicity of decitabine versus CHG regimen (low-dose cytarabine, homoharringtonine and granulocyte colony-stimulating factor) in patients with higher risk myelodysplastic syndrome: a retrospective study. <i>Leukemia and Lymphoma</i> , 2016 , 57, 1367-74	1.9	8
71	Differentiation and hematopoietic-support of clonal cells in myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , 2007 , 48, 1353-71	1.9	8
70	Decitabine of reduced dosage in Chinese patients with myelodysplastic syndrome: a retrospective analysis. <i>PLoS ONE</i> , 2014 , 9, e95473	3.7	8
69	The prevalence, subtypes and associated factors of hyperuricemia in lupus nephritis patients at chronic kidney disease stages 1-3. <i>Oncotarget</i> , 2017 , 8, 57099-57108	3.3	8
68	Lenalidomide restores the osteogenic differentiation of bone marrow mesenchymal stem cells from multiple myeloma patients via deactivating Notch signaling pathway. <i>Oncotarget</i> , 2017 , 8, 55405-55421	3.2	8
67	ANXA7 regulates trophoblast proliferation and apoptosis in preeclampsia. <i>American Journal of Reproductive Immunology</i> , 2019 , 82, e13183	3.8	7
66	Evaluation of chronic carotid artery occlusion by non-contrast 3D-MERGE MR vessel wall imaging: comparison with 3D-TOF-MRA, contrast-enhanced MRA, and DSA. <i>European Radiology</i> , 2020 , 30, 5805-5814	8	7
65	The prognostic impact of multiparameter flow cytometry immunophenotyping and cytogenetic aberrancies in patients with multiple myeloma. <i>Hematology</i> , 2016 , 21, 152-61	2.2	7
64	Management of crescentic glomerulonephritis: what are the recent advances?. <i>Contributions To Nephrology</i> , 2013 , 181, 229-39	1.6	7

63	Comparison of Glomerular Transcriptome Profiles of Adult-Onset Steroid Sensitive Focal Segmental Glomerulosclerosis and Minimal Change Disease. <i>PLoS ONE</i> , 2015 , 10, e0140453	3.7	7
62	Distinct clinical and experimental characteristics in the patients younger than 60 years old with myelodysplastic syndromes. <i>PLoS ONE</i> , 2013 , 8, e57392	3.7	7
61	Novel prognostic model established for patients with head and neck squamous cell carcinoma based on pyroptosis-related genes. <i>Translational Oncology</i> , 2021 , 14, 101233	4.9	7
60	Clinical and genetic analysis of lipoprotein glomerulopathy patients caused by APOE mutations. <i>Molecular Genetics & Genomic Medicine</i> , 2020 , 8, e1281	2.3	6
59	Malignant hypertension complicated by acute renal failure. <i>BMJ Case Reports</i> , 2009 , 2009,	0.9	5
58	Inhibiting Importin 4-mediated nuclear import of CEBPD enhances chemosensitivity by repression of PRKDC-driven DNA damage repair in cervical cancer. <i>Oncogene</i> , 2020 , 39, 5633-5648	9.2	5
57	Intracranial Atherosclerotic Plaque Characteristics and Burden Associated With Recurrent Acute Stroke: A 3D Quantitative Vessel Wall MRI Study. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 706544	5.3	5
56	A genetic development route analysis on MDS subset carrying initial epigenetic gene mutations. <i>Scientific Reports</i> , 2020 , 10, 826	4.9	4
55	Angiotensin II-accelerated vulnerability of carotid plaque in a cholesterol-fed rabbit model-assessed with magnetic resonance imaging comparing to histopathology. <i>Saudi Journal of Biological Sciences</i> , 2017 , 24, 495-503	4	3
54	Comprehensive analysis of dysregulated exosomal long non-coding RNA networks associated with arteriovenous malformations. <i>Gene</i> , 2020 , 738, 144482	3.8	3
53	Chidamide, a Novel Histone Deacetylase Inhibitor, Displays Potent Antitumor Activity Against MDS Cells Mainly through JAK2/STAT3 Signaling Inhibition. <i>Blood</i> , 2015 , 126, 5233-5233	2.2	3
52	Clinical significance of hyaluronan levels and its pro-osteogenic effect on mesenchymal stromal cells in myelodysplastic syndromes. <i>Journal of Translational Medicine</i> , 2018 , 16, 234	8.5	3
51	Overexpression of ARHGAP30 suppresses growth of cervical cancer cells by downregulating ribosome biogenesis. <i>Cancer Science</i> , 2021 , 112, 4515-4525	6.9	3
50	Evaluation of carotid plaque vulnerability in vivo: Correlation between dynamic contrast-enhanced MRI and MRI-modified AHA classification. <i>Journal of Magnetic Resonance Imaging</i> , 2017 , 46, 870-876	5.6	2
49	P-selectin blockade ameliorates lupus nephritis in MRL/lpr mice through improving renal hypoxia and evaluation using BOLD-MRI. <i>Journal of Translational Medicine</i> , 2020 , 18, 116	8.5	2
48	NPM1 mutation with DNMT3A wild type defines a subgroup of MDS with particularly favourable outcomes after decitabine therapy. <i>British Journal of Haematology</i> , 2020 , 189, 982-984	4.5	2
47	Automated Peritoneal Dialysis is Suitable for Polycystic Kidney Disease Patients with End-Stage Renal Disease. <i>Case Reports in Nephrology and Dialysis</i> , 2015 , 5, 140-4	1.3	2
46	Effects of rapamycin on DC-SIGN expression and biological functions in DC. <i>Frontiers in Bioscience - Landmark</i> , 2014 , 19, 557-65	2.8	2

45	Clonality investigation of morphologically dysplastic hematopoietic cells in myelodysplastic syndrome marrows. <i>International Journal of Hematology</i> , 2008 , 87, 176-183	2.3	2
44	Ethanol embolization of lingual arteriovenous malformations: Positive experience in 52 patients during 11 years. <i>Journal of Vascular Surgery</i> , 2020 , 72, 651-657.e4	3.5	2
43	Clinical and imaging features of intraosseous arteriovenous malformations in jaws: a 15-year experience of single centre. <i>Scientific Reports</i> , 2020 , 10, 12046	4.9	2
42	U2AF1 mutation promotes tumorigenicity through facilitating autophagy flux mediated by FOXO3a activation in myelodysplastic syndromes. <i>Cell Death and Disease</i> , 2021 , 12, 655	9.8	2
41	Irregular pulsation of intracranial unruptured aneurysm detected by four-dimensional CT angiography is associated with increased estimated rupture risk and conventional risk factors. <i>Journal of NeuroInterventional Surgery</i> , 2021 , 13, 854-859	7.8	2
40	Glucocorticoids in the treatment of patients with primary focal segmental glomerulosclerosis and moderate proteinuria. <i>Clinical and Experimental Nephrology</i> , 2018 , 22, 1315-1323	2.5	2
39	TNPO1-mediated nuclear import of ARID1B promotes tumor growth in ARID1A-deficient gynecologic cancer. <i>Cancer Letters</i> , 2021 , 515, 14-27	9.9	2
38	The efficacy and toxicity of the CHG priming regimen (low-dose cytarabine, homoharringtonine, and G-CSF) in higher risk MDS patients relapsed or refractory to decitabine. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 3089-3097	4.9	1
37	Embolotherapy for High-Flow Arteriovenous Malformations in the Hands Using Absolute Ethanol with Coil-Assisted Dominant Outflow Vein Occlusion. <i>Journal of Vascular and Interventional Radiology</i> , 2019 , 30, 813-821	2.4	1
36	Efficacy and Toxicity Of Decitabine Versus CHG Priming Regimen In Patients With Higher Risk Myelodysplastic Syndrome. <i>Blood</i> , 2013 , 122, 2789-2789	2.2	1
35	IGF-IR promotes clonal cell proliferation in myelodysplastic syndromes via inhibition of the MAPK pathway. <i>Oncology Reports</i> , 2020 , 44, 1094-1104	3.5	1
34	Association of Type 2 Diabetes Mellitus and Glycemic Control With Intracranial Plaque Characteristics in Patients With Acute Ischemic Stroke. <i>Journal of Magnetic Resonance Imaging</i> , 2021 , 54, 655-666	5.6	1
33	PRL2 serves as a negative regulator in cell adaptation to oxidative stress. <i>Cell and Bioscience</i> , 2019 , 9, 96	9.8	1
32	A regulatory role for CD72 expression on B cells and increased soluble CD72 in primary Sjogren's syndrome. <i>BMC Immunology</i> , 2020 , 21, 21	3.7	1
31	Local suture ligation-assisted percutaneous sclerotherapy for Kasabach-Merritt phenomenon-associated kaposiform haemangioendothelioma. <i>Oncology Letters</i> , 2019 , 17, 981-989	2.6	1
30	A Prediction Equation to Estimate Vascular Endothelial Function in Different Body Mass Index Populations.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 766565	5.4	1
29	Glomerular Transcriptome Profiles in Focal Glomerulosclerosis: New Genes and Pathways for Steroid Resistance. <i>American Journal of Nephrology</i> , 2020 , 51, 442-452	4.6	0
28	Consolidation Treatment and Long-Term Prognosis of Rituximab in Minimal Change Disease and Focal Segmental Glomerular Sclerosis. <i>Drug Design, Development and Therapy</i> , 2021 , 15, 1945-1953	4.4	0

27	Analysis of the influencing factors related to liver and cardiac iron overload in MDS patients detected by MRI in the real world. <i>Hematology</i> , 2021 , 26, 123-133	2.2	0
26	Differential Effects of Bexarotene on Intrinsic and Extrinsic Pathways in TRAIL-Induced Apoptosis in Myeloid Leukemia Cell Lines.. <i>Blood</i> , 2006 , 108, 4580-4580	2.2	
25	Abnormal Polarization of T Lymphocyte in Myelodysplastic Syndrome Marrow and Its Negative Effect on Hematopoiesis.. <i>Blood</i> , 2006 , 108, 4825-4825	2.2	
24	Nonhematological Tumor Metastasis in the Bone Marrow: An Analysis of 10112 Unselected Plastic-Embedded Biopsy Sections.. <i>Blood</i> , 2007 , 110, 5154-5154	2.2	
23	DNMT3Awt NPM1-Mutation Defines a Subgroup of MDS with Special Favorable Outcomes Towards Decitabine Therapy. <i>Blood</i> , 2019 , 134, 1724-1724	2.2	
22	Identification of microRNA-Regulated Pathways through a Integration of Mcrorna-mRNA Microarray and Bioinformatics Analysis in CD34+ Cells of Myelodysplastic Syndromes. <i>Blood</i> , 2014 , 124, 3238-3238	2.2	
21	EZH2-Mediated Activation of Serine Biosynthetic Pathway Is Critical for Resistance of Clonal Cells to Stress-Related Apoptosis in Low-Grade Myelodysplastic Syndrome. <i>Blood</i> , 2015 , 126, 1660-1660	2.2	
20	Labile Plasma Iron (LPI), More Practical and More Sensitive to Iron Overload in Myelodysplastic Syndromes. <i>Blood</i> , 2015 , 126, 5230-5230	2.2	
19	DHX9 Mutations Are Identified As a Novel Recurrent Event in Patients with Myelodysplastic Syndromes and Closely Related to Bone Marrow Failure. <i>Blood</i> , 2015 , 126, 1651-1651	2.2	
18	The Incidence of Corrected Hypercalcemia and Its Relationship with Prognosis for Chinese Multiply Myeloma.. <i>Blood</i> , 2009 , 114, 4903-4903	2.2	
17	Appropriate Timing of G-CSF Use After Mobilization Chemotherapy Significantly Increases the Yield of CD34+ Cells in autoPBSCT.. <i>Blood</i> , 2009 , 114, 2144-2144	2.2	
16	Over-Expression of IGF-IR in Malignant Clonal Cells in Bone Marrow of Myelodysplastic Syndromes.. <i>Blood</i> , 2009 , 114, 4832-4832	2.2	
15	In Vitro Deprivation of CD8+CD57+t Cells Promotes the Malignant Growth of Bone Marrow Stem/Progenitor Cells in Patients with Myelodysplastic Syndrome.. <i>Blood</i> , 2009 , 114, 1764-1764	2.2	
14	Removal of Autologous Activated CD4 Positive T Lymphocytes Also Result in Increased Colony-Forming Units (CFUs) in Patients with Myelodysplastic Syndromes.. <i>Blood</i> , 2009 , 114, 4862-4862	2.2	
13	Investigation On Exosomes Carrying TSA Derived From Healthy Human White Buffy Coat with Positive HLA-A2 and PolyI:C On Subcellular Antitumor Vaccination.. <i>Blood</i> , 2009 , 114, 4747-4747	2.2	
12	Can Human Umbilical Cord Mesenchymal Stem Cells Inhibit Acute Graft-Versus-Host-Disease In Murine Allogeneic Bone Marrow Transplantation?. <i>Blood</i> , 2010 , 116, 4703-4703	2.2	
11	Results of a Randomized, Open-Label, Phase IIIb Study of 2 Schedules of Decitabine in Higher-Risk Myelodysplastic Syndrome Patients. <i>Blood</i> , 2012 , 120, 3846-3846	2.2	
10	A Multi-Center, Open-Label Phase II Study of Lenalidomide Plus Low-Dose Dexamethasone in Chinese Patients with Relapsed/Refractory Multiple Myeloma - the MM-021 Trial. <i>Blood</i> , 2012 , 120, 1864 ^{2,2} -1864	2.2	

- 9 A 15 Mg/M2/d Dose of Decitabine Confers Comparable Responses and Better Tolerance Than the Standard Regimen in MDS patients. Results of a Multicenter Prospective Cohort Study. *Blood*, **2012**, 120, 3832-3832 2.2
- 8 Low RPS14 Expression in MDS without 5q- Aberration Is Associated with Increased Apoptosis of Erythrocytes and Predicts Prolonged Survival and Possible Response to Lenalidomide in Lower-Risk Patients. *Blood*, **2012**, 120, 698-698 2.2
- 7 Human Equilibrative Nucleoside Transporter 1 (hENT1) Expression Level Is a Potential Predictive Tool For Response To Decitabine In Patients With Myelodysplastic Syndrome. *Blood*, **2013**, 122, 2790-2790 2.2
- 6 Cytogenetic Response Based On Revised IPSS Cytogenetic Risk Stratification and Minimal Residual Disease Monitoring by FISH In MDS Patients Treated By Low-Dose Decitabine. *Blood*, **2013**, 122, 1575-1575 2.2
- 5 SP061 EFFECT OF ANTI P-SELECTIN MONOCLONAL ANTIBODY (MAB) ON RENAL INJURY IN EXPERIMENTAL LUPUS NEPHRITIS. *Nephrology Dialysis Transplantation*, **2016**, 31, i106-i106 4.3
- 4 SP501 LONGITUDINAL INCREASING OF SMALL-MOLECULE SOLUTE TRANSPORT RATE IS ASSOCIATED WITH MORTALITY AND TECHNIQUE FAILURE IN PERITONEAL DIALYSIS PATIENTS. *Nephrology Dialysis Transplantation*, **2018**, 33, i517-i517 4.3
- 3 Dynamics of epigenetic regulator gene BCOR mutation and response predictive value for hypomethylating agents in patients with myelodysplastic syndrome. *Clinical Epigenetics*, **2021**, 13, 169 7.7
- 2 Elevated Hemoglobin A1c Is Associated With Leaky Plaque Neovasculature as Detected by Dynamic Contrast-Enhanced Magnetic Resonance Imaging.. *Arteriosclerosis, Thrombosis, and Vascular Biology*, **2022**, ATVBAHA121317190 9.4
- 1 Somatic mutations in SF3B1 aberrant-negative MDS-RS most commonly involved in TP53 genes.. *Journal of Cellular and Molecular Medicine*, **2022**, 5.6