

# Xiao Li

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5304808/xiao-li-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116  
papers

1,049  
citations

17  
h-index

27  
g-index

128  
ext. papers

1,480  
ext. citations

4.4  
avg, IF

4.18  
L-index

#	Paper	IF	Citations
116	A Prediction Equation to Estimate Vascular Endothelial Function in Different Body Mass Index Populations.. <i>Frontiers in Cardiovascular Medicine</i> , <b>2022</b> , 9, 766565	5.4	1
115	Elevated Hemoglobin A1c Is Associated With Leaky Plaque Neovasculature as Detected by Dynamic Contrast-Enhanced Magnetic Resonance Imaging.. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2022</b> , ATVBHA121317190	9.4	
114	Somatic mutations in SF3B1 aberrant-negative MDS-RS most commonly involved in TP53 genes.. <i>Journal of Cellular and Molecular Medicine</i> , <b>2022</b> ,	5.6	
113	Association of Type 2 Diabetes Mellitus and Glycemic Control With Intracranial Plaque Characteristics in Patients With Acute Ischemic Stroke. <i>Journal of Magnetic Resonance Imaging</i> , <b>2021</b> , 54, 655-666	5.6	1
112	Consolidation Treatment and Long-Term Prognosis of Rituximab in Minimal Change Disease and Focal Segmental Glomerular Sclerosis. <i>Drug Design, Development and Therapy</i> , <b>2021</b> , 15, 1945-1953	4.4	0
111	U2AF1 mutation promotes tumorigenicity through facilitating autophagy flux mediated by FOXO3a activation in myelodysplastic syndromes. <i>Cell Death and Disease</i> , <b>2021</b> , 12, 655	9.8	2
110	Analysis of the influencing factors related to liver and cardiac iron overload in MDS patients detected by MRI in the real world. <i>Hematology</i> , <b>2021</b> , 26, 123-133	2.2	0
109	Irregular pulsation of intracranial unruptured aneurysm detected by four-dimensional CT angiography is associated with increased estimated rupture risk and conventional risk factors. <i>Journal of NeuroInterventional Surgery</i> , <b>2021</b> , 13, 854-859	7.8	2
108	Intracranial Atherosclerotic Plaque Characteristics and Burden Associated With Recurrent Acute Stroke: A 3D Quantitative Vessel Wall MRI Study. <i>Frontiers in Aging Neuroscience</i> , <b>2021</b> , 13, 706544	5.3	5
107	Dynamics of epigenetic regulator gene BCOR mutation and response predictive value for hypomethylating agents in patients with myelodysplastic syndrome. <i>Clinical Epigenetics</i> , <b>2021</b> , 13, 169	7.7	
106	Overexpression of ARHGAP30 suppresses growth of cervical cancer cells by downregulating ribosome biogenesis. <i>Cancer Science</i> , <b>2021</b> , 112, 4515-4525	6.9	3
105	TNPO1-mediated nuclear import of ARID1B promotes tumor growth in ARID1A-deficient gynecologic cancer. <i>Cancer Letters</i> , <b>2021</b> , 515, 14-27	9.9	2
104	Novel prognostic model established for patients with head and neck squamous cell carcinoma based on pyroptosis-related genes. <i>Translational Oncology</i> , <b>2021</b> , 14, 101233	4.9	7
103	Evaluation of chronic carotid artery occlusion by non-contrast 3D-MERGE MR vessel wall imaging: comparison with 3D-TOF-MRA, contrast-enhanced MRA, and DSA. <i>European Radiology</i> , <b>2020</b> , 30, 5805-5814	8.8	7
102	Advances in targeted therapy for malignant lymphoma. <i>Signal Transduction and Targeted Therapy</i> , <b>2020</b> , 5, 15	21	26
101	P-selectin blockade ameliorates lupus nephritis in MRL/lpr mice through improving renal hypoxia and evaluation using BOLD-MRI. <i>Journal of Translational Medicine</i> , <b>2020</b> , 18, 116	8.5	2
100	Comprehensive analysis of dysregulated exosomal long non-coding RNA networks associated with arteriovenous malformations. <i>Gene</i> , <b>2020</b> , 738, 144482	3.8	3

99	A genetic development route analysis on MDS subset carrying initial epigenetic gene mutations. <i>Scientific Reports</i> , <b>2020</b> , 10, 826	4.9	4
98	NPM1 mutation with DNMT3A wild type defines a subgroup of MDS with particularly favourable outcomes after decitabine therapy. <i>British Journal of Haematology</i> , <b>2020</b> , 189, 982-984	4.5	2
97	Glomerular Transcriptome Profiles in Focal Glomerulosclerosis: New Genes and Pathways for Steroid Resistance. <i>American Journal of Nephrology</i> , <b>2020</b> , 51, 442-452	4.6	0
96	IGF-IR promotes clonal cell proliferation in myelodysplastic syndromes via inhibition of the MAPK pathway. <i>Oncology Reports</i> , <b>2020</b> , 44, 1094-1104	3.5	1
95	Ethanol embolization of lingual arteriovenous malformations: Positive experience in 52 patients during 11 years. <i>Journal of Vascular Surgery</i> , <b>2020</b> , 72, 651-657.e4	3.5	2
94	Upregulation of PUM1 Expression in Preeclampsia Impairs Trophoblast Invasion by Negatively Regulating the Expression of the lncRNA HOTAIR. <i>Molecular Therapy</i> , <b>2020</b> , 28, 631-641	11.7	21
93	Epigenetic regulation of VENTXP1 suppresses tumor proliferation via miR-205-5p/ANKRD2/NF-kB signaling in head and neck squamous cell carcinoma. <i>Cell Death and Disease</i> , <b>2020</b> , 11, 838	9.8	9
92	Inhibiting Importin 4-mediated nuclear import of CEBPD enhances chemosensitivity by repression of PRKDC-driven DNA damage repair in cervical cancer. <i>Oncogene</i> , <b>2020</b> , 39, 5633-5648	9.2	5
91	Clinical and imaging features of intraosseous arteriovenous malformations in jaws: a 15-year experience of single centre. <i>Scientific Reports</i> , <b>2020</b> , 10, 12046	4.9	2
90	Melatonin suppresses chronic restraint stress-mediated metastasis of epithelial ovarian cancer via NE/AKT/Eatenin/SLUG axis. <i>Cell Death and Disease</i> , <b>2020</b> , 11, 644	9.8	13
89	A regulatory role for CD72 expression on B cells and increased soluble CD72 in primary Sjogren's syndrome. <i>BMC Immunology</i> , <b>2020</b> , 21, 21	3.7	1
88	Upregulation of RND3 Affects Trophoblast Proliferation, Apoptosis, and Migration at the Maternal-Fetal Interface. <i>Frontiers in Cell and Developmental Biology</i> , <b>2020</b> , 8, 153	5.7	10
87	Clinical and genetic analysis of lipoprotein glomerulopathy patients caused by APOE mutations. <i>Molecular Genetics &amp; Genomic Medicine</i> , <b>2020</b> , 8, e1281	2.3	6
86	ANXA7 regulates trophoblast proliferation and apoptosis in preeclampsia. <i>American Journal of Reproductive Immunology</i> , <b>2019</b> , 82, e13183	3.8	7
85	The efficacy and toxicity of the CHG priming regimen (low-dose cytarabine, homoharringtonine, and G-CSF) in higher risk MDS patients relapsed or refractory to decitabine. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2019</b> , 145, 3089-3097	4.9	1
84	Tortuosity of the superficial femoral artery and its influence on blood flow patterns and risk of atherosclerosis. <i>Biomechanics and Modeling in Mechanobiology</i> , <b>2019</b> , 18, 883-896	3.8	16
83	Downregulation of CCNA2 disturbs trophoblast migration, proliferation, and apoptosis during the pathogenesis of recurrent miscarriage. <i>American Journal of Reproductive Immunology</i> , <b>2019</b> , 82, e13144	3.8	17
82	Embolotherapy for High-Flow Arteriovenous Malformations in the Hands Using Absolute Ethanol with Coil-Assisted Dominant Outflow Vein Occlusion. <i>Journal of Vascular and Interventional Radiology</i> , <b>2019</b> , 30, 813-821	2.4	1

81	DNMT3Awt NPM1-Mutation Defines a Subgroup of MDS with Special Favorable Outcomes Towards Decitabine Therapy. <i>Blood</i> , <b>2019</b> , 134, 1724-1724	2.2	
80	PRL2 serves as a negative regulator in cell adaptation to oxidative stress. <i>Cell and Bioscience</i> , <b>2019</b> , 9, 96	9.8	1
79	Local suture ligation-assisted percutaneous sclerotherapy for Kasabach-Merritt phenomenon-associated kaposiform haemangi endothelioma. <i>Oncology Letters</i> , <b>2019</b> , 17, 981-989	2.6	1
78	EIF5A1 promotes epithelial ovarian cancer proliferation and progression. <i>Biomedicine and Pharmacotherapy</i> , <b>2018</b> , 100, 168-175	7.5	8
77	Retrospective Study of Hemodynamic Changes Before and After Carotid Stenosis Formation by Vessel Surface Repairing. <i>Scientific Reports</i> , <b>2018</b> , 8, 5493	4.9	8
76	Deep Surveying of the Transcriptional and Alternative Splicing Signatures For Decidual CD8 T Cells at the First Trimester of Human Healthy Pregnancy. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 937	8.4	13
75	Dicer1 downregulation by multiple myeloma cells promotes the senescence and tumor-supporting capacity and decreases the differentiation potential of mesenchymal stem cells. <i>Cell Death and Disease</i> , <b>2018</b> , 9, 512	9.8	18
74	Iron overload promotes mitochondrial fragmentation in mesenchymal stromal cells from myelodysplastic syndrome patients through activation of the AMPK/MFF/Drp1 pathway. <i>Cell Death and Disease</i> , <b>2018</b> , 9, 515	9.8	46
73	Elevated Tristetraprolin Impairs Trophoblast Invasion in Women with Recurrent Miscarriage by Destabilization of HOTAIR. <i>Molecular Therapy - Nucleic Acids</i> , <b>2018</b> , 12, 600-609	10.7	26
72	SP501LONGITUDINAL INCREASING OF SMALL-MOLECULE SOLUTE TRANSPORT RATE IS ASSOCIATED WITH MORTALITY AND TECHNIQUE FAILURE IN PERITONEAL DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , <b>2018</b> , 33, i517-i517	4.3	
71	EIF5A1 promotes trophoblast migration and invasion via ARAF-mediated activation of the integrin/ERK signaling pathway. <i>Cell Death and Disease</i> , <b>2018</b> , 9, 926	9.8	20
70	Clinical significance of hyaluronan levels and its pro-osteogenic effect on mesenchymal stromal cells in myelodysplastic syndromes. <i>Journal of Translational Medicine</i> , <b>2018</b> , 16, 234	8.5	3
69	Glucocorticoids in the treatment of patients with primary focal segmental glomerulosclerosis and moderate proteinuria. <i>Clinical and Experimental Nephrology</i> , <b>2018</b> , 22, 1315-1323	2.5	2
68	Evaluation of carotid plaque vulnerability in vivo: Correlation between dynamic contrast-enhanced MRI and MRI-modified AHA classification. <i>Journal of Magnetic Resonance Imaging</i> , <b>2017</b> , 46, 870-876	5.6	2
67	Exploration of the role of gene mutations in myelodysplastic syndromes through a sequencing design involving a small number of target genes. <i>Scientific Reports</i> , <b>2017</b> , 7, 43113	4.9	22
66	Downregulation of MMP1 in MDS-derived mesenchymal stromal cells reduces the capacity to restrict MDS cell proliferation. <i>Scientific Reports</i> , <b>2017</b> , 7, 43849	4.9	10
65	Iron overload promotes erythroid apoptosis through regulating HIF-1a/ROS signaling pathway in patients with myelodysplastic syndrome. <i>Leukemia Research</i> , <b>2017</b> , 58, 55-62	2.7	21
64	Angiotensin II-accelerated vulnerability of carotid plaque in a cholesterol-fed rabbit model-assessed with magnetic resonance imaging comparing to histopathology. <i>Saudi Journal of Biological Sciences</i> , <b>2017</b> , 24, 495-503	4	3

63	Histopathological Classification and Renal Outcome in Patients with Antineutrophil Cytoplasmic Antibodies-associated Renal Vasculitis: A Study of 186 Patients and Metaanalysis. <i>Journal of Rheumatology</i> , <b>2017</b> , 44, 304-313	4.1	48
62	TP53 mutations predict decitabine-induced complete responses in patients with myelodysplastic syndromes. <i>British Journal of Haematology</i> , <b>2017</b> , 176, 600-608	4.5	45
61	Association between carotid plaque characteristics and acute cerebral infarction determined by MRI in patients with type 2 diabetes mellitus. <i>Cardiovascular Diabetology</i> , <b>2017</b> , 16, 111	8.7	13
60	ABO blood type is associated with renal outcomes in patients with IgA nephropathy. <i>Oncotarget</i> , <b>2017</b> , 8, 73603-73612	3.3	8
59	Ribosomal protein L23 negatively regulates cellular apoptosis via the RPL23/Miz-1/c-Myc circuit in higher-risk myelodysplastic syndrome. <i>Scientific Reports</i> , <b>2017</b> , 7, 2323	4.9	18
58	Increased PD-1/STAT1 ratio may account for the survival benefit in decitabine therapy for lower risk myelodysplastic syndrome. <i>Leukemia and Lymphoma</i> , <b>2017</b> , 58, 969-978	1.9	9
57	MYCN contributes to the malignant characteristics of erythroleukemia through EZH2-mediated epigenetic repression of p21. <i>Cell Death and Disease</i> , <b>2017</b> , 8, e3126	9.8	10
56	The prevalence, subtypes and associated factors of hyperuricemia in lupus nephritis patients at chronic kidney disease stages 1-3. <i>Oncotarget</i> , <b>2017</b> , 8, 57099-57108	3.3	8
55	Lenalidomide restores the osteogenic differentiation of bone marrow mesenchymal stem cells from multiple myeloma patients via deactivating Notch signaling pathway. <i>Oncotarget</i> , <b>2017</b> , 8, 55405-55421	3.3	8
54	Rituximab treatment in adults with refractory minimal change disease or focal segmental glomerulosclerosis. <i>Oncotarget</i> , <b>2017</b> , 8, 93438-93443	3.3	13
53	Decitabine treatment sensitizes tumor cells to T-cell-mediated cytotoxicity in patients with myelodysplastic syndromes. <i>American Journal of Translational Research (discontinued)</i> , <b>2017</b> , 9, 454-465	3	10
52	Identification of microRNA-regulated pathways using an integration of microRNA-mRNA microarray and bioinformatics analysis in CD34+ cells of myelodysplastic syndromes. <i>Scientific Reports</i> , <b>2016</b> , 6, 32232	4.9	9
51	High expression of the human equilibrative nucleoside transporter 1 gene predicts a good response to decitabine in patients with myelodysplastic syndrome. <i>Journal of Translational Medicine</i> , <b>2016</b> , 14, 66	8.5	10
50	The prognostic impact of multiparameter flow cytometry immunophenotyping and cytogenetic aberrancies in patients with multiple myeloma. <i>Hematology</i> , <b>2016</b> , 21, 152-61	2.2	7
49	SF3B1-mutated myelodysplastic syndrome with ring sideroblasts harbors more severe iron overload and corresponding over-erythropoiesis. <i>Leukemia Research</i> , <b>2016</b> , 44, 8-16	2.7	12
48	Efficacy and toxicity of decitabine versus CHG regimen (low-dose cytarabine, homoharringtonine and granulocyte colony-stimulating factor) in patients with higher risk myelodysplastic syndrome: a retrospective study. <i>Leukemia and Lymphoma</i> , <b>2016</b> , 57, 1367-74	1.9	8
47	Genetic landscape of recurrent ASXL1, U2AF1, SF3B1, SRSF2, and EZH2 mutations in 304 Chinese patients with myelodysplastic syndromes. <i>Tumor Biology</i> , <b>2016</b> , 37, 4633-40	2.9	32
46	Chidamide, a novel histone deacetylase inhibitor, inhibits the viability of MDS and AML cells by suppressing JAK2/STAT3 signaling. <i>American Journal of Translational Research (discontinued)</i> , <b>2016</b> , 8, 3169-78	3	29

45	Genomic loss of EZH2 leads to epigenetic modifications and overexpression of the HOX gene clusters in myelodysplastic syndrome. <i>Oncotarget</i> , <b>2016</b> , 7, 8119-30	3.3	17
44	SP061EFFECT OF ANTI P-SELECTIN MONOCLONAL ANTIBODY (MAB) ON RENAL INJURY IN EXPERIMENTAL LUPUS NEPHRITIS. <i>Nephrology Dialysis Transplantation</i> , <b>2016</b> , 31, i106-i106	4.3	
43	Down-regulation of Dicer1 promotes cellular senescence and decreases the differentiation and stem cell-supporting capacities of mesenchymal stromal cells in patients with myelodysplastic syndrome. <i>Haematologica</i> , <b>2015</b> , 100, 194-204	6.6	31
42	Comparison of Glomerular Transcriptome Profiles of Adult-Onset Steroid Sensitive Focal Segmental Glomerulosclerosis and Minimal Change Disease. <i>PLoS ONE</i> , <b>2015</b> , 10, e0140453	3.7	7
41	Whole-exome and targeted sequencing identify ROBO1 and ROBO2 mutations as progression-related drivers in myelodysplastic syndromes. <i>Nature Communications</i> , <b>2015</b> , 6, 8806	17.4	20
40	Automated Peritoneal Dialysis is Suitable for Polycystic Kidney Disease Patients with End-Stage Renal Disease. <i>Case Reports in Nephrology and Dialysis</i> , <b>2015</b> , 5, 140-4	1.3	2
39	Chidamide, a Novel Histone Deacetylase Inhibitor, Displays Potent Antitumor Activity Against MDS Cells Mainly through JAK2/STAT3 Signaling Inhibition. <i>Blood</i> , <b>2015</b> , 126, 5233-5233	2.2	3
38	Notch-Hes pathway mediates the impaired osteogenic differentiation of bone marrow mesenchymal stromal cells from myelodysplastic syndromes patients through the down-regulation of Runx2. <i>American Journal of Translational Research (discontinued)</i> , <b>2015</b> , 7, 1939-51	3	11
37	EZH2-Mediated Activation of Serine Biosynthetic Pathway Is Critical for Resistance of Clonal Cells to Stress-Related Apoptosis in Low-Grade Myelodysplastic Syndrome. <i>Blood</i> , <b>2015</b> , 126, 1660-1660	2.2	
36	Labile Plasma Iron (LPI), More Practical and More Sensitive to Iron Overload in Myelodysplastic Syndromes. <i>Blood</i> , <b>2015</b> , 126, 5230-5230	2.2	
35	DHX9 Mutations Are Identified As a Novel Recurrent Event in Patients with Myelodysplastic Syndromes and Closely Related to Bone Marrow Failure. <i>Blood</i> , <b>2015</b> , 126, 1651-1651	2.2	
34	Genomic landscape of CD34+ hematopoietic cells in myelodysplastic syndrome and gene mutation profiles as prognostic markers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 8589-94	11.5	40
33	Rigosertib as a selective anti-tumor agent can ameliorate multiple dysregulated signaling transduction pathways in high-grade myelodysplastic syndrome. <i>Scientific Reports</i> , <b>2014</b> , 4, 7310	4.9	17
32	Effects of rapamycin on DC-SIGN expression and biological functions in DC. <i>Frontiers in Bioscience - Landmark</i> , <b>2014</b> , 19, 557-65	2.8	2
31	Establishment and validation of an updated diagnostic FCM scoring system based on pooled immunophenotyping in CD34+ blasts and its clinical significance for myelodysplastic syndromes. <i>PLoS ONE</i> , <b>2014</b> , 9, e88706	3.7	12
30	Decitabine of reduced dosage in Chinese patients with myelodysplastic syndrome: a retrospective analysis. <i>PLoS ONE</i> , <b>2014</b> , 9, e95473	3.7	8
29	Identification of microRNA-Regulated Pathways through a Integration of Mcrorna-mRNA Microarray and Bioinformatics Analysis in CD34+ Cells of Myelodysplastic Syndromes. <i>Blood</i> , <b>2014</b> , 124, 3238-3238	2.2	
28	Management of crescentic glomerulonephritis: what are the recent advances?. <i>Contributions To Nephrology</i> , <b>2013</b> , 181, 229-39	1.6	7



27	Cytogenetic response based on revised IPSS cytogenetic risk stratification and minimal residual disease monitoring by FISH in MDS patients treated with low-dose decitabine. <i>Leukemia Research</i> , <b>2013</b> , 37, 1516-21	2.7	9
26	Distinct clinical and experimental characteristics in the patients younger than 60 years old with myelodysplastic syndromes. <i>PLoS ONE</i> , <b>2013</b> , 8, e57392	3.7	7
25	Efficacy and Toxicity Of Decitabine Versus CHG Priming Regimen In Patients With Higher Risk Myelodysplastic Syndrome. <i>Blood</i> , <b>2013</b> , 122, 2789-2789	2.2	1
24	Human Equilibrative Nucleoside Transporter 1 (hENT1) Expression Level Is a Potential Predictive Tool For Response To Decitabine In Patients With Myelodysplastic Syndrome. <i>Blood</i> , <b>2013</b> , 122, 2790-2790	2.2	1
23	Cytogenetic Response Based On Revised IPSS Cytogenetic Risk Stratification and Minimal Residual Disease Monitoring by FISH In MDS Patients Treated By Low-Dose Decitabine. <i>Blood</i> , <b>2013</b> , 122, 1575-1575	2.2	1
22	Mycophenolate mofetil or tacrolimus compared with intravenous cyclophosphamide in the induction treatment for active lupus nephritis. <i>Nephrology Dialysis Transplantation</i> , <b>2012</b> , 27, 1467-72	4.3	112
21	Results of a Randomized, Open-Label, Phase IIIb Study of 2 Schedules of Decitabine in Higher-Risk Myelodysplastic Syndrome Patients. <i>Blood</i> , <b>2012</b> , 120, 3846-3846	2.2	
20	A Multi-Center, Open-Label Phase II Study of Lenalidomide Plus Low-Dose Dexamethasone in Chinese Patients with Relapsed/Refractory Multiple Myeloma - the MM-021 Trial. <i>Blood</i> , <b>2012</b> , 120, 1864-1864	2.2	
19	A 15 Mg/M2/d Dose of Decitabine Confers Comparable Responses and Better Tolerance Than the Standard Regimen in MDS patients Results of a Multicenter Prospective Cohort Study. <i>Blood</i> , <b>2012</b> , 120, 3832-3832	2.2	
18	Low RPS14 Expression in MDS without 5q- Aberration Is Associated with Increased Apoptosis of Erythrocytes and Predicts Prolonged Survival and Possible Response to Lenalidomide in Lower-Risk Patients. <i>Blood</i> , <b>2012</b> , 120, 698-698	2.2	
17	Comparison of immunological abnormalities of lymphocytes in bone marrow in myelodysplastic syndrome (MDS) and aplastic anemia (AA). <i>Internal Medicine</i> , <b>2010</b> , 49, 1349-55	1.1	13
16	Can Human Umbilical Cord Mesenchymal Stem Cells Inhibit Acute Graft-Versus-Host-Disease In Murine Allogeneic Bone Marrow Transplantation?. <i>Blood</i> , <b>2010</b> , 116, 4703-4703	2.2	
15	Malignant hypertension complicated by acute renal failure. <i>BMJ Case Reports</i> , <b>2009</b> , 2009,	0.9	5
14	The Incidence of Corrected Hypercalcemia and Its Relationship with Prognosis for Chinese Multiply Myeloma.. <i>Blood</i> , <b>2009</b> , 114, 4903-4903	2.2	
13	Appropriate Timing of G-CSF Use After Mobilization Chemotherapy Significantly Increases the Yield of CD34+ Cells in autoPBSCT.. <i>Blood</i> , <b>2009</b> , 114, 2144-2144	2.2	
12	Over-Expression of IGF-IR in Malignant Clonal Cells in Bone Marrow of Myelodysplastic Syndromes.. <i>Blood</i> , <b>2009</b> , 114, 4832-4832	2.2	
11	In Vitro Deprivation of CD8+CD57+t Cells Promotes the Malignant Growth of Bone Marrow Stem/Progenitor Cells in Patients with Myelodysplastic Syndrome.. <i>Blood</i> , <b>2009</b> , 114, 1764-1764	2.2	
10	Removal of Autologous Activated CD4 Positive T Lymphocytes Also Result in Increased Colony-Forming Units (CFUs) in Patients with Myelodysplastic Syndromes.. <i>Blood</i> , <b>2009</b> , 114, 4862-4862	2.2	

9	Investigation On Exosomes Carrying TSA Derived From Healthy Human White Buffy Coat with Positive HLA-A2 and Poly:I:C On Subcellular Antitumor Vaccination.. <i>Blood</i> , <b>2009</b> , 114, 4747-4747	2.2	
8	Clonality investigation of morphologically dysplastic hematopoietic cells in myelodysplastic syndrome marrows. <i>International Journal of Hematology</i> , <b>2008</b> , 87, 176-183	2.3	2
7	Differentiation and hematopoietic-support of clonal cells in myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , <b>2007</b> , 48, 1353-71	1.9	8
6	WilmsRtumor gene (WT1) is predominantly expressed in clonal hematopoietic cells in myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , <b>2007</b> , 48, 601-4	1.9	10
5	Nonhematological Tumor Metastasis in the Bone Marrow: An Analysis of 10112 Unselected Plastic-Embedded Biopsy Sections.. <i>Blood</i> , <b>2007</b> , 110, 5154-5154	2.2	
4	Differential Effects of Bexarotene on Intrinsic and Extrinsic Pathways in TRAIL-Induced Apoptosis in Myeloid Leukemia Cell Lines.. <i>Blood</i> , <b>2006</b> , 108, 4580-4580	2.2	
3	Abnormal Polarization of T Lymphocyte in Myelodysplastic Syndrome Marrow and Its Negtative Effect on Hematopoiesis.. <i>Blood</i> , <b>2006</b> , 108, 4825-4825	2.2	
2	Megakaryocytopoiesis and apoptosis in patients with myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , <b>2005</b> , 46, 387-91	1.9	11
1	Grooved Fibers: Preparation Principles Through Electrospinning and Potential Applications. <i>Advanced Fiber Materials</i> ,1	10.9	12