
Sarah Floud

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5305066/publications.pdf Version: 2024-02-01



SADAH FLOUD

#	Article	IF	CITATIONS
1	Ovarian cancer survival by stage, histotype, and pre-diagnostic lifestyle factors, in the prospective UK Million Women Study. Cancer Epidemiology, 2022, 76, 102074.	1.9	26
2	Cellular Telephone Use and the Risk of Brain Tumors: Update of the UK Million Women Study. Journal of the National Cancer Institute, 2022, 114, 704-711.	6.3	23
3	Body size in early life and the risk of postmenopausal breast cancer. BMC Cancer, 2022, 22, 232.	2.6	4
4	Response to Moskowitz and Birnbaum, Taylor, Baldwin, et al Journal of the National Cancer Institute, 2022, 114, 1555-1556.	6.3	1
5	Sleep duration and breast cancer incidence: results from the Million Women Study and meta-analysis of published prospective studies. Sleep, 2021, 44, .	1.1	23
6	Cognitive and social activities and long-term dementia risk: the prospective UK Million Women Study. Lancet Public Health, The, 2021, 6, e116-e123.	10.0	36
7	Social isolation and risk of heart disease and stroke: analysis of two large UK prospective studies. Lancet Public Health, The, 2021, 6, e232-e239.	10.0	40
8	Cognitive and social activities and long-term dementia risk – Authors' reply. Lancet Public Health, The, 2021, 6, e270.	10.0	1
9	Depression, anxiety, psychotropic drugs, and acute myocardial infarction: large prospective study of United Kingdom women. Psychological Medicine, 2021, , 1-7.	4.5	2
10	289Birthweight and risks of adult-onset diabetes in women who are and are not overweight. International Journal of Epidemiology, 2021, 50, .	1.9	0
11	The Associations Between Seven Different Types of Physical Activity and the Incidence of Fracture at Seven Sites in Healthy Postmenopausal UK Women. Journal of Bone and Mineral Research, 2020, 35, 277-290.	2.8	11
12	Alcohol Intake and Parkinson's Disease Risk in the Million Women Study. Movement Disorders, 2020, 35, 443-449.	3.9	9
13	Body mass index, diet, physical inactivity, and the incidence of dementia in 1 million UK women. Neurology, 2020, 94, e123-e132.	1.1	56
14	Association of Alcohol-Induced Loss of Consciousness and Overall Alcohol Consumption With Risk for Dementia. JAMA Network Open, 2020, 3, e2016084.	5.9	18
15	Comparison of risk factors for cirrhosis and hepatocellular carcinoma: a large prospective study of UK women. Journal of Hepatology, 2020, 73, S805.	3.7	0
16	Cohort Profile: the Million Women Study. International Journal of Epidemiology, 2019, 48, 28-29e.	1.9	46
17	Diet and risk of glioma: combined analysis of 3 large prospective studies in the UK and USA. Neuro-Oncology, 2019, 21, 944-952.	1.2	38
18	Screenâ€detected and interval colorectal cancers in England: Associations with lifestyle and other factors in women in a large UK prospective cohort. International Journal of Cancer, 2019, 145, 728-734.	5.1	7

Sarah Floud

#	Article	IF	CITATIONS
19	Adult cancer risk in women who were breastfed as infants: large UK prospective study. European Journal of Epidemiology, 2019, 34, 863-870.	5.7	9
20	Use of oral bisphosphonates and risk of hospital admission with osteonecrosis of the jaw: Large prospective cohort study in UK women. Bone, 2019, 124, 69-74.	2.9	18
21	Social influences on smoking cessation in mid-life: Prospective cohort of UK women. PLoS ONE, 2019, 14, e0226019.	2.5	11
22	Coffee and pancreatic cancer risk among neverâ€smokers in the UK prospective Million Women Study. International Journal of Cancer, 2019, 145, 1484-1492.	5.1	22
23	Alcohol drinking patterns and liver cirrhosis risk: analysis of the prospective UK Million Women Study. Lancet Public Health, The, 2019, 4, e41-e48.	10.0	96
24	Body mass index in midlife and risk of attempted suicide and suicide: prospective study of 1 million UK women. Psychological Medicine, 2019, 49, 2279-2286.	4.5	7
25	Differences in risk factors for 3 types of stroke. Neurology, 2018, 90, e298-e306.	1.1	47
26	Premature mortality in single fathers. Lancet Public Health, The, 2018, 3, e101-e102.	10.0	3
27	Hospital costs in relation to body-mass index in 1·1 million women in England: a prospective cohort study. Lancet Public Health, The, 2017, 2, e214-e222.	10.0	30
28	Unravelling the associations between social isolation, loneliness, and mortality. Lancet Public Health, The, 2017, 2, e248-e249.	10.0	8
29	Reply. Ophthalmology, 2017, 124, e42.	5.2	0
30	Happiness, health, and mortality – Authors' reply. Lancet, The, 2016, 388, 27-28.	13.7	1
31	Risk Factors for Cataracts Treated Surgically in Postmenopausal Women. Ophthalmology, 2016, 123, 1704-1710.	5.2	22
32	The role of health-related behavioural factors in accounting for inequalities in coronary heart disease risk by education and area deprivation: prospective study of 1.2 million UK women. BMC Medicine, 2016, 14, 145.	5.5	35
33	Social participation and coronary heart disease risk in a large prospective study of UK women. European Journal of Preventive Cardiology, 2016, 23, 995-1002.	1.8	10
34	Does happiness itself directly affect mortality? The prospective UK Million Women Study. Lancet, The, 2016, 387, 874-881.	13.7	195
35	Birth weight and adult cancer incidence: large prospective study and meta-analysis. Annals of Oncology, 2014, 25, 1836-1843.	1.2	39
36	Marital status and ischemic heart disease incidence and mortality in women: a large prospective study. BMC Medicine, 2014, 12, 42.	5.5	74

Sarah Floud

#	Article	IF	CITATIONS
37	Continuing the pursuit of a common language-the sixth edition of A Dictionary of Epidemiology. European Journal of Clinical Investigation, 2014, 44, 1121-1121.	3.4	2
38	Exposure modifiers of the relationships of transportation noise with high blood pressure and noise annoyance. Journal of the Acoustical Society of America, 2012, 132, 3788-3808.	1.1	94
39	Medication use in relation to noise from aircraft and road traffic in six European countries: results of the HYENA study. Occupational and Environmental Medicine, 2011, 68, 518-524.	2.8	66