

# Robert Leo Skov

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5305368/publications.pdf>

Version: 2024-02-01

178  
papers

11,681  
citations

22132

59  
h-index

33869

99  
g-index

198  
all docs

198  
docs citations

198  
times ranked

11182  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ticagrelor and the risk of <i>Staphylococcus aureus</i> bacteraemia and other infections. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 13-19.	1.4	10
2	Emergence of methicillin resistance predates the clinical use of antibiotics. <i>Nature</i> , 2022, 602, 135-141.	13.7	138
3	Seroprevalence of SARS-CoV-2 antibodies in social housing areas in Denmark. <i>BMC Infectious Diseases</i> , 2022, 22, 143.	1.3	12
4	Nationwide study on SARS-CoV-2 transmission within households from lockdown to reopening, Denmark, 27 February 2020 to 1 August 2020. <i>Eurosurveillance</i> , 2022, 27, .	3.9	20
5	Risk of hospitalisation associated with infection with SARS-CoV-2 omicron variant versus delta variant in Denmark: an observational cohort study. <i>Lancet Infectious Diseases</i> , The, 2022, 22, 967-976.	4.6	140
6	Introduction and transmission of SARS-CoV-2 lineage B.1.1.7, Alpha variant, in Denmark. <i>Genome Medicine</i> , 2022, 14, 47.	3.6	14
7	Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Infection Fatality Rate Among Elderly Danes: A Cross-sectional Study on Retired Blood Donors. <i>Clinical Infectious Diseases</i> , 2021, 73, e2962-e2969.	2.9	20
8	Dabigatran and the Risk of <i>Staphylococcus aureus</i> Bacteremia: A Nationwide Cohort Study. <i>Clinical Infectious Diseases</i> , 2021, 73, 480-486.	2.9	9
9	Estimation of SARS-CoV-2 Infection Fatality Rate by Real-time Antibody Screening of Blood Donors. <i>Clinical Infectious Diseases</i> , 2021, 72, 249-253.	2.9	129
10	Evaluation of methods for detection of $\beta$ -lactamase production in MSSA. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 1487-1494.	1.3	3
11	Comparable Outcomes of Short-Course and Prolonged-Course Therapy in Selected Cases of Methicillin-Susceptible <i>Staphylococcus aureus</i> Bacteremia: A Pooled Cohort Study. <i>Clinical Infectious Diseases</i> , 2021, 73, 866-872.	2.9	12
12	Risk of hospitalisation associated with infection with SARS-CoV-2 lineage B.1.1.7 in Denmark: an observational cohort study. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 1507-1517.	4.6	129
13	Testing Denmark: a Danish Nationwide Surveillance Study of COVID-19. <i>Microbiology Spectrum</i> , 2021, 9, e0133021.	1.2	15
14	Increased transmissibility of SARS-CoV-2 lineage B.1.1.7 by age and viral load. <i>Nature Communications</i> , 2021, 12, 7251.	5.8	67
15	EUCAST disc diffusion criteria for the detection of mecA-Mediated $\beta$ -lactam resistance in <i>Staphylococcus pseudintermedius</i> : oxacillin versus ceftiofur. <i>Clinical Microbiology and Infection</i> , 2020, 26, 122.e1-122.e6.	2.8	7
16	External quality assessment (EQA) of <i>Neisseria gonorrhoeae</i> antimicrobial susceptibility testing in primary laboratories in Germany. <i>BMC Infectious Diseases</i> , 2020, 20, 514.	1.3	1
17	Phage-Mediated Immune Evasion and Transmission of Livestock-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> in Humans. <i>Emerging Infectious Diseases</i> , 2020, 26, .	2.0	21
18	<i>Klebsiella variicola</i> causing nosocomial transmission among neonates – an emerging pathogen?. <i>Journal of Medical Microbiology</i> , 2020, 69, 396-401.	0.7	10



#	ARTICLE	IF	CITATIONS
37	Methicillin-resistant and -susceptible <i>Staphylococcus aureus</i> from retail meat in Denmark. <i>International Journal of Food Microbiology</i> , 2017, 249, 72-76.	2.1	83
38	Variable performance of four commercial chromogenic media for detection of methicillin-resistant <i>Staphylococcus aureus</i> isolates harbouring <i>mecC</i> . <i>International Journal of Antimicrobial Agents</i> , 2017, 50, 263-265.	1.1	2
39	Detection of <i>mecC</i> -Positive <i>Staphylococcus aureus</i> : What To Expect from Immunological Tests Targeting PBP2a?. <i>Journal of Clinical Microbiology</i> , 2017, 55, 1961-1963.	1.8	12
40	Transmission of Methicillin-Resistant <i>Staphylococcus aureus</i> to Human Volunteers Visiting a Swine Farm. <i>Applied and Environmental Microbiology</i> , 2017, 83, .	1.4	50
41	Comparison of Automated Antimicrobial Susceptibility Testing Systems To Detect <i>mecC</i> -Positive Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Journal of Clinical Microbiology</i> , 2017, 55, 3554-3556.	1.8	4
42	Origin, evolution, and global transmission of community-acquired <i>Staphylococcus aureus</i> ST8. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E10596-E10604.	3.3	136
43	Horses in Denmark Are a Reservoir of Diverse Clones of Methicillin-Resistant and -Susceptible <i>Staphylococcus aureus</i> . <i>Frontiers in Microbiology</i> , 2017, 8, 543.	1.5	63
44	Livestock-associated methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) among human MRSA isolates, European Union/European Economic Area countries, 2013. <i>Eurosurveillance</i> , 2017, 22, .	3.9	66
45	No apparent transmission of livestock-associated methicillin-resistant <i>Staphylococcus aureus</i> CC398 in a survey of staff at a regional Danish hospital. <i>Antimicrobial Resistance and Infection Control</i> , 2017, 6, 126.	1.5	5
46	The associations between socioeconomic status and risk of <i>Staphylococcus aureus</i> bacteremia and subsequent endocarditis – a Danish nationwide cohort study. <i>BMC Infectious Diseases</i> , 2017, 17, 589.	1.3	26
47	Livestock-associated methicillin-resistant <i>Staphylococcus aureus</i> is widespread in farmed mink ( ) Tj ETQq1 1 0.784314 rgBT /Overlock 19	0.8	19
48	Emergence of Livestock-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> Bloodstream Infections in Denmark. <i>Clinical Infectious Diseases</i> , 2017, 65, 1072-1076.	2.9	78
49	Whole-genome sequencing of bloodstream <i>Staphylococcus aureus</i> isolates does not distinguish bacteraemia from endocarditis. <i>Microbial Genomics</i> , 2017, 3, .	1.0	21
50	<i>Aerococcus urinae</i> and <i>Aerococcus sanguinicola</i> : Susceptibility Testing of 120 Isolates to Six Antimicrobial Agents Using Disk Diffusion (EUCAST), Etest, and Broth Microdilution Techniques. <i>Open Microbiology Journal</i> , 2017, 11, 160-166.	0.2	7
51	Increased Age-Dependent Risk of Death Associated With <i>lukF-PV</i> -Positive <i>Staphylococcus aureus</i> Bacteremia. <i>Open Forum Infectious Diseases</i> , 2016, 3, ofw220.	0.4	5
52	Familial Clustering of <i>Staphylococcus aureus</i> Bacteremia in First-Degree Relatives. <i>Annals of Internal Medicine</i> , 2016, 165, 390.	2.0	15
53	Evidence for Human Adaptation and Foodborne Transmission of Livestock-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> : Table 1.. <i>Clinical Infectious Diseases</i> , 2016, 63, 1349-1352.	2.9	89
54	Fecal carriage of extended-spectrum and AmpC $\beta$ -lactamase-producing Enterobacteriaceae in surgical patients before and after antibiotic prophylaxis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2016, 86, 316-321.	0.8	5

#	ARTICLE	IF	CITATIONS
55	Methicillin-Resistant <i>Staphylococcus aureus</i> CC398 in Humans and Pigs in Norway: A One Health Perspective on Introduction and Transmission. <i>Clinical Infectious Diseases</i> , 2016, 63, 1431-1438.	2.9	86
56	Long-term mortality and causes of death associated with <i>Staphylococcus aureus</i> bacteremia. A matched cohort study. <i>Journal of Infection</i> , 2016, 73, 346-357.	1.7	26
57	High consumption of tetracyclines for acne treatment among young Danish adults. <i>Infectious Diseases</i> , 2016, 48, 808-812.	1.4	4
58	Plasmid-mediated colistin resistance ( <i>mcr-1</i> gene): three months later, the story unfolds. <i>Eurosurveillance</i> , 2016, 21, 30155.	3.9	277
59	Carriage and Genetic Diversity of Methicillin-Resistant <i>Staphylococcus aureus</i> among Patients and Healthcare Workers in a Serbian University Hospital. <i>PLoS ONE</i> , 2015, 10, e0127347.	1.1	32
60	Methicillin-resistant <i>Staphylococcus aureus</i> CC398 is an increasing cause of disease in people with no livestock contact in Denmark, 1999 to 2011. <i>Eurosurveillance</i> , 2015, 20, .	3.9	130
61	Increased risk of arterial thromboembolic events after <i>Staphylococcus aureus</i> bacteremia: A matched cohort study. <i>Journal of Infection</i> , 2015, 71, 167-178.	1.7	10
62	Risk and prognosis of <i>Staphylococcus aureus</i> bacteremia among individuals with and without end-stage renal disease: a Danish, population-based cohort study. <i>BMC Infectious Diseases</i> , 2015, 15, 6.	1.3	48
63	<i>Staphylococcus aureus</i> and the ecology of the nasal microbiome. <i>Science Advances</i> , 2015, 1, e1400216.	4.7	189
64	Development of a Pefloxacin Disk Diffusion Method for Detection of Fluoroquinolone-Resistant <i>Salmonella enterica</i> . <i>Journal of Clinical Microbiology</i> , 2015, 53, 3411-3417.	1.8	35
65	Wall Teichoic Acid Glycosylation Governs <i>Staphylococcus aureus</i> Nasal Colonization. <i>MBio</i> , 2015, 6, e00632.	1.8	84
66	Performance of Etest and Disk Diffusion for Detection of Ciprofloxacin and Levofloxacin Resistance in <i>Salmonella enterica</i> . <i>Journal of Clinical Microbiology</i> , 2015, 53, 298-301.	1.8	13
67	Evaluation of Surrogate Disk Tests for Detection of Ciprofloxacin and Levofloxacin Resistance in Clinical Isolates of <i>Salmonella enterica</i> . <i>Journal of Clinical Microbiology</i> , 2015, 53, 3405-3410.	1.8	13
68	Detection of <i>mcr-1</i> encoding plasmid-mediated colistin-resistant <i>Escherichia coli</i> isolates from human bloodstream infection and imported chicken meat, Denmark 2015. <i>Eurosurveillance</i> , 2015, 20, .	3.9	326
69	Utility of a newly developed Mueller-Hinton E agar for the detection of MRSA carrying the novel <i>mecA</i> homologue <i>mecC</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 70, 1256-7.	1.3	2
70	Outcome and reinfection after <i>Staphylococcus aureus</i> bacteraemia in individuals with and without HIV-1 infection: a case-control study. <i>BMJ Open</i> , 2014, 4, e004075.	0.8	10
71	Characterization of extended-spectrum $\beta$ -lactamase (ESBL)-producing <i>Escherichia coli</i> obtained from Danish pigs, pig farmers and their families from farms with high or no consumption of third- or fourth-generation cephalosporins. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 2650-2657.	1.3	149
72	Preventing the introduction of methicillin-resistant <i>Staphylococcus aureus</i> into hospitals. <i>Journal of Global Antimicrobial Resistance</i> , 2014, 2, 260-268.	0.9	12

#	ARTICLE	IF	CITATIONS
73	Origin and Evolution of European Community-Acquired Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>MBio</i> , 2014, 5, e01044-14.	1.8	112
74	Increased risk of venous thromboembolism within the first year after <i>Staphylococcus aureus</i> bacteraemia: a nationwide observational matched cohort study. <i>Journal of Internal Medicine</i> , 2014, 275, 387-397.	2.7	20
75	Identifying Livestock-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> in the United States. <i>JAMA Internal Medicine</i> , 2014, 174, 824.	2.6	1
76	<i>Staphylococcus aureus</i> ST398 detected in pigs in Australia. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 1426-1428.	1.3	26
77	Phenotypic detection of <i>mecC</i> -MRSA: cefoxitin is more reliable than oxacillin. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 133-135.	1.3	50
78	Novel mutations in penicillin-binding protein genes in clinical <i>Staphylococcus aureus</i> isolates that are methicillin resistant on susceptibility testing, but lack the <i>mec</i> gene. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 594-597.	1.3	80
79	Importance of a Diverse Isolate Collection When Defining Genotype-Specific Mass Spectra in <i>Staphylococcus aureus</i> . <i>Journal of Clinical Microbiology</i> , 2014, 52, 2738-2739.	1.8	0
80	Antibiotic susceptibility and molecular epidemiology of Pantonâ€“Valentine leukocidin-positive methicillin-resistant <i>Staphylococcus aureus</i> : An international survey. <i>Journal of Global Antimicrobial Resistance</i> , 2014, 2, 43-47.	0.9	6
81	Evaluation of the total MBL confirm kit (ROSCO) for detection of metallo- $\beta$ -lactamases in <i>Pseudomonas aeruginosa</i> and <i>Acinetobacter baumannii</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , 2014, 79, 486-488.	0.8	8
82	Phylogenetic Analysis of <i>Staphylococcus aureus</i> CC398 Reveals a Sub-Lineage Epidemiologically Associated with Infections in Horses. <i>PLoS ONE</i> , 2014, 9, e88083.	1.1	37
83	Recently introduced <i>qacA/B</i> genes in <i>Staphylococcus epidermidis</i> do not increase chlorhexidine MIC/MBC. <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 2226-33.	1.3	31
84	A nationwide study of comorbidity and risk of reinfection after <i>Staphylococcus aureus</i> bacteraemia. <i>Journal of Infection</i> , 2013, 67, 199-205.	1.7	39
85	Rapid and high-resolution distinction of community-acquired and nosocomial <i>Staphylococcus aureus</i> isolates with identical pulsed-field gel electrophoresis patterns and <i>spa</i> types. <i>International Journal of Medical Microbiology</i> , 2013, 303, 70-75.	1.5	12
86	Epidemiology of methicillin-resistant <i>Staphylococcus aureus</i> carrying the novel <i>mecC</i> gene in Denmark corroborates a zoonotic reservoir with transmission to humans. <i>Clinical Microbiology and Infection</i> , 2013, 19, E16-E22.	2.8	153
87	A genomic portrait of the emergence, evolution, and global spread of a methicillin-resistant <i>Staphylococcus aureus</i> pandemic. <i>Genome Research</i> , 2013, 23, 653-664.	2.4	412
88	Whole genome sequencing identifies zoonotic transmission of MRSA isolates with the novel <i>mecA</i> homologue <i>mecC</i> . <i>EMBO Molecular Medicine</i> , 2013, 5, 509-515.	3.3	192
89	Effectiveness of penicillin, dicloxacillin and cefuroxime for penicillin-susceptible <i>Staphylococcus aureus</i> bacteraemia: a retrospective, propensity-score-adjusted caseâ€“control and cohort analysis. <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 1894-1900.	1.3	49
90	<i>Staphylococcus aureus</i> mutants lacking cell wall-bound protein A found in isolates from bacteraemia, MRSA infection and a healthy nasal carrier. <i>Pathogens and Disease</i> , 2013, 67, 19-24.	0.8	13

#	ARTICLE	IF	CITATIONS
91	Livestock Origin for a Human Pandemic Clone of Community-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>MBio</i> , 2013, 4, .	1.8	177
92	Use of Vitek 2 Antimicrobial Susceptibility Profile To Identify <i>mecC</i> in Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Journal of Clinical Microbiology</i> , 2013, 51, 2732-2734.	1.8	53
93	Novel Organization of the Arginine Catabolic Mobile Element and Staphylococcal Cassette Chromosome <i>mec</i> Composite Island and Its Horizontal Transfer between Distinct <i>Staphylococcus aureus</i> Genotypes. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 5774-5777.	1.4	16
94	Evaluation of a Modular Multiplex-PCR Methicillin-Resistant <i>Staphylococcus aureus</i> Detection Assay Adapted for <i>mecC</i> Detection. <i>Journal of Clinical Microbiology</i> , 2013, 51, 1917-1919.	1.8	26
95	Rapid Differentiation between Livestock-Associated and Livestock-Independent <i>Staphylococcus aureus</i> CC398 Clades. <i>PLoS ONE</i> , 2013, 8, e79645.	1.1	78
96	<i>Staphylococcus epidermidis</i> Isolated in 1965 Are More Susceptible to Triclosan than Current Isolates. <i>PLoS ONE</i> , 2013, 8, e62197.	1.1	28
97	Genome Analysis of <i>Staphylococcus aureus</i> ST291, a Double Locus Variant of ST398, Reveals a Distinct Genetic Lineage. <i>PLoS ONE</i> , 2013, 8, e63008.	1.1	18
98	Dynamic of Livestock-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> CC398 in Pig Farm Households: A Pilot Study. <i>PLoS ONE</i> , 2013, 8, e65512.	1.1	37
99	Cross-contamination: Comparison of Nasal and Chronic Leg Ulcer <i>Staphylococcus aureus</i> Strains Isolated from the Same Patient. <i>Open Microbiology Journal</i> , 2013, 7, 6-8.	0.2	6
100	Influence of Host Genetics and Environment on Nasal Carriage of <i>Staphylococcus aureus</i> in Danish Middle-Aged and Elderly Twins. <i>Journal of Infectious Diseases</i> , 2012, 206, 1178-1184.	1.9	41
101	Multilocus Sequence Typing Scheme for <i>Staphylococcus aureus</i> : Revision of the <i>gmk</i> Locus. <i>Journal of Clinical Microbiology</i> , 2012, 50, 2538-2539.	1.8	24
102	<i>Staphylococcus aureus</i> CC398: Host Adaptation and Emergence of Methicillin Resistance in Livestock. <i>MBio</i> , 2012, 3, .	1.8	638
103	Guidelines for Reporting Novel <i>mecA</i> Gene Homologues. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 4997-4999.	1.4	144
104	Genome Sequence of <i>Staphylococcus aureus</i> Strain 11819-97, an ST80-IV European Community-Acquired Methicillin-Resistant Isolate. <i>Journal of Bacteriology</i> , 2012, 194, 1625-1626.	1.0	31
105	Fitness cost: a bacteriological explanation for the demise of the first international methicillin-resistant <i>Staphylococcus aureus</i> epidemic. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 1325-1332.	1.3	44
106	Development of a real-time quadruplex PCR assay for simultaneous detection of <i>nuc</i> , Panton-Valentine leucocidin (PVL), <i>mecA</i> and homologue <i>mecALGA251</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 2338-2341.	1.3	93
107	<i>Staphylococcus aureus</i> CC398 Clade Associated with Human-to-Human Transmission. <i>Applied and Environmental Microbiology</i> , 2012, 78, 8845-8848.	1.4	75
108	Rapid detection, differentiation and typing of methicillin-resistant <i>Staphylococcus aureus</i> harbouring either <i>mecA</i> or the new <i>mecA</i> homologue <i>mecALGA251</i> . <i>Clinical Microbiology and Infection</i> , 2012, 18, 395-400.	2.8	322

#	ARTICLE	IF	CITATIONS
109	Stable incidence and continued improvement in short term mortality of <i>Staphylococcus aureus</i> bacteraemia between 1995 and 2008. <i>BMC Infectious Diseases</i> , 2012, 12, 260.	1.3	51
110	Update on the prevention and control of community-acquired methicillin-resistant <i>Staphylococcus aureus</i> (CA-MRSA). <i>International Journal of Antimicrobial Agents</i> , 2012, 39, 193-200.	1.1	67
111	Genetic Variability in Beta-Defensins Is Not Associated with Susceptibility to <i>Staphylococcus aureus</i> Bacteremia. <i>PLoS ONE</i> , 2012, 7, e32315.	1.1	8
112	Evaluation of Rosco NeoSensitabs for phenotypic detection and subgrouping of ESBL-, AmpC- and carbapenemase-producing Enterobacteriaceae. <i>Apmis</i> , 2012, 120, 724-732.	0.9	23
113	Methicillin-Resistant <i>Staphylococcus aureus</i> ST9 in Pigs in Thailand. <i>PLoS ONE</i> , 2012, 7, e31245.	1.1	62
114	Prevalence of infective endocarditis in patients with <i>Staphylococcus aureus</i> bacteraemia: the value of screening with echocardiography. <i>European Journal of Echocardiography</i> , 2011, 12, 414-420.	2.3	138
115	Methicillin-resistant <i>Staphylococcus aureus</i> (MRSA): screening and decolonisation. <i>International Journal of Antimicrobial Agents</i> , 2011, 37, 195-201.	1.1	41
116	Future challenges and treatment of <i>Staphylococcus aureus</i> bacteremia with emphasis on MRSA. <i>Future Microbiology</i> , 2011, 6, 43-56.	1.0	91
117	Methicillin-resistant <i>Staphylococcus aureus</i> with a novel <i>mecA</i> homologue in human and bovine populations in the UK and Denmark: a descriptive study. <i>Lancet Infectious Diseases</i> , The, 2011, 11, 595-603.	4.6	751
118	Livestock-associated Methicillin-Resistant <i>Staphylococcus aureus</i> in Humans, Europe. <i>Emerging Infectious Diseases</i> , 2011, 17, 502-505.	2.0	187
119	Rapid PCR Detection of <i>Staphylococcus aureus</i> Clonal Complex 398 by Targeting the Restriction-Modification System Carrying <i>sau1-hsdS1</i> . <i>Journal of Clinical Microbiology</i> , 2011, 49, 732-734.	1.8	104
120	Distribution of Fusidic Acid Resistance Determinants in Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 1173-1176.	1.4	48
121	Novel Types of Staphylococcal Cassette Chromosome <i>mec</i> Elements Identified in Clonal Complex 398 Methicillin-Resistant <i>Staphylococcus aureus</i> Strains. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 3046-3050.	1.4	136
122	Presence of Methicillin-Resistant <i>Staphylococcus aureus</i> in Pigs in Peru. <i>PLoS ONE</i> , 2011, 6, e28529.	1.1	29
123	Evaluation of ceftiofur and cefquinome for phenotypic detection of methicillin resistance in <i>Staphylococcus aureus</i> using disk diffusion testing and MIC-determinations. <i>Veterinary Microbiology</i> , 2010, 140, 176-179.	0.8	8
124	Gentamicin-Resistant <i>Enterococcus faecalis</i> Sequence Type 6 with Reduced Penicillin Susceptibility: Diagnostic and Therapeutic Implications. <i>Journal of Clinical Microbiology</i> , 2010, 48, 3820-3821.	1.8	18
125	Evaluation of <i>mupA</i> EVIGENE Assay for Determination of High-Level Mupirocin Resistance in <i>Staphylococcus aureus</i> . <i>Journal of Clinical Microbiology</i> , 2010, 48, 4253-4255.	1.8	3
126	Pig-associated methicillin-resistant <i>Staphylococcus aureus</i> : Family transmission and severe pneumonia in a newborn. <i>Scandinavian Journal of Infectious Diseases</i> , 2010, 42, 318-320.	1.5	27



#	ARTICLE	IF	CITATIONS
127	A Common Variant of Staphylococcal Cassette Chromosome <i>mec</i> Type IVa in Isolates from Copenhagen, Denmark, Is Not Detected by the BD GeneOhm Methicillin-Resistant <i>Staphylococcus aureus</i> Assay. <i>Journal of Clinical Microbiology</i> , 2009, 47, 1524-1527.	1.8	64
128	<i>Staphylococcus lugdunensis</i> , a Common Cause of Skin and Soft Tissue Infections in the Community. <i>Journal of Clinical Microbiology</i> , 2009, 47, 946-950.	1.8	121
129	Effects of temperature on the detection of methicillin resistance in <i>Staphylococcus aureus</i> using cefoxitin disc diffusion testing with Iso-Sensitest agar. <i>Journal of Antimicrobial Chemotherapy</i> , 2009, 63, 699-703.	1.3	5
130	Two Distinct Clones of Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) with the Same USA300 Pulsed-Field Gel Electrophoresis Profile: a Potential Pitfall for Identification of USA300 Community-Associated MRSA. <i>Journal of Clinical Microbiology</i> , 2009, 47, 3765-3768.	1.8	46
131	Emergence and Characterization of Community-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> Infections in Denmark, 1999 to 2006. <i>Journal of Clinical Microbiology</i> , 2009, 47, 73-78.	1.8	89
132	Correlation of Cefoxitin MICs with the Presence of <i>mecA</i> in <i>Staphylococcus</i> spp. <i>Journal of Clinical Microbiology</i> , 2009, 47, 1902-1905.	1.8	17
133	Diversity of the tetracycline resistance gene <i>tet(M)</i> and identification of Tn916- and Tn5801-like (Tn6014) transposons in <i>Staphylococcus aureus</i> from humans and animals. <i>Journal of Antimicrobial Chemotherapy</i> , 2009, 64, 490-500.	1.3	69
134	Intracellular Activity of Antibiotics against <i>Staphylococcus aureus</i> in a Mouse Peritonitis Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 1874-1883.	1.4	66
135	Community-associated methicillin-resistant <i>Staphylococcus aureus</i> as a cause of hospital-acquired infections. <i>Journal of Hospital Infection</i> , 2009, 73, 364-370.	1.4	96
136	EVALUATION OF MONOSTAPH PLUS IN COMPARISON TO TWO OTHER LATEX AGGLUTINATION TESTS FOR THE IDENTIFICATION OF <i>STAPHYLOCOCCUS AUREUS</i> . <i>Journal of Rapid Methods and Automation in Microbiology</i> , 2009, 17, 414-419.	0.4	0
137	Comparative genomic analysis of European and Middle Eastern community-associated methicillin-resistant <i>Staphylococcus aureus</i> (CC80:ST80-IV) isolates by high-density microarray. <i>Clinical Microbiology and Infection</i> , 2009, 15, 748-755.	2.8	18
138	Genetic Diversity of Staphylocoagulase Genes ( <i>coa</i> ): Insight into the Evolution of Variable Chromosomal Virulence Factors in <i>Staphylococcus aureus</i> . <i>PLoS ONE</i> , 2009, 4, e5714.	1.1	67
139	Frequent emergence and limited geographic dispersal of methicillin-resistant <i>Staphylococcus aureus</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 14130-14135.	3.3	239
140	Epidemiological differences between the UK and Ireland versus France in <i>Staphylococcus aureus</i> isolates resistant to fusidic acid from community-acquired skin and soft tissue infections. <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 61, 589-594.	1.3	29
141	Epidemiology of European Community-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> Clonal Complex 80 Type IV Strains Isolated in Denmark from 1993 to 2004. <i>Journal of Clinical Microbiology</i> , 2008, 46, 62-68.	1.8	74
142	Proposal for common Nordic epidemiological terms and definitions for methicillin-resistant <i>Staphylococcus aureus</i> (MRSA). <i>Scandinavian Journal of Infectious Diseases</i> , 2008, 40, 495-502.	1.5	14
143	Pigs as Source of Methicillin-Resistant <i>Staphylococcus aureus</i> CC398 Infections in Humans, Denmark. <i>Emerging Infectious Diseases</i> , 2008, 14, 1383-1389.	2.0	234
144	High risk for nasal carriage of methicillin-resistant <i>Staphylococcus aureus</i> among Danish veterinary practitioners. <i>Scandinavian Journal of Work, Environment and Health</i> , 2008, 34, 151-157.	1.7	78

#	ARTICLE	IF	CITATIONS
145	Characterization of the Epidemic European Fusidic Acid-Resistant Impetigo Clone of <i>Staphylococcus aureus</i> . <i>Journal of Clinical Microbiology</i> , 2007, 45, 1505-1510.	1.8	90
146	Detection of Inducible Clindamycin Resistance in <i>Staphylococci</i> by Broth Microdilution Using Erythromycin-Clindamycin Combination Wells. <i>Journal of Clinical Microbiology</i> , 2007, 45, 3954-3957.	1.8	16
147	Changing Epidemiology of Pediatric <i>Staphylococcus aureus</i> Bacteremia in Denmark From 1971 Through 2000. <i>Pediatric Infectious Disease Journal</i> , 2007, 26, 398-405.	1.1	59
148	Rapid Increase of Genetically Diverse Methicillin-Resistant <i>Staphylococcus aureus</i> , Copenhagen, Denmark. <i>Emerging Infectious Diseases</i> , 2007, 13, 1533-1540.	2.0	76
149	Danish Integrated Antimicrobial Resistance Monitoring and Research Program. <i>Emerging Infectious Diseases</i> , 2007, 13, 1633-1639.	2.0	116
150	Increasing incidence but decreasing in-hospital mortality of adult <i>Staphylococcus aureus</i> bacteraemia between 1981 and 2000. <i>Clinical Microbiology and Infection</i> , 2007, 13, 257-263.	2.8	129
151	Retrospective detection of methicillin resistant and susceptible <i>Staphylococcus aureus</i> ST398 in Danish slaughter pigs. <i>Veterinary Microbiology</i> , 2007, 122, 384-386.	0.8	93
152	Global development of resistance--secondary publication. <i>Danish Medical Bulletin</i> , 2007, 54, 160-2.	0.3	0
153	Control of a methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) outbreak in a day-care institution. <i>Journal of Hospital Infection</i> , 2006, 63, 84-92.	1.4	24
154	Phenotypic Detection of Methicillin Resistance in <i>Staphylococcus aureus</i> by Disk Diffusion Testing and Etest on Mueller-Hinton Agar. <i>Journal of Clinical Microbiology</i> , 2006, 44, 4395-4399.	1.8	62
155	spa typing of methicillin-resistant <i>Staphylococcus aureus</i> isolated from domestic animals and veterinary staff in the UK and Ireland. <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 58, 1118-1123.	1.3	122
156	<i>Staphylococcus aureus</i> Bacteremia, Europe. <i>Emerging Infectious Diseases</i> , 2005, 11, 1798-1799.	2.0	22
157	Epidemiology of Emerging Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) in Denmark: a Nationwide Study in a Country with Low Prevalence of MRSA Infection. <i>Journal of Clinical Microbiology</i> , 2005, 43, 1836-1842.	1.8	152
158	Evaluation of cefoxitin 5 and 10 µg discs for the detection of methicillin resistance in staphylococci. <i>Journal of Antimicrobial Chemotherapy</i> , 2005, 55, 157-161.	1.3	40
159	Spread of a Methicillin-Resistant <i>Staphylococcus aureus</i> ST80-IV Clone in a Danish Community. <i>Infection Control and Hospital Epidemiology</i> , 2005, 26, 144-149.	1.0	52
160	Susceptibility testing of urinary isolates of <i>Escherichia coli</i> to mecillinam using NCCLS methodology. <i>International Journal of Antimicrobial Agents</i> , 2005, 25, 198-204.	1.1	1
161	MRSA infections increasing in the Nordic countries. , 2005, 10, E050804.2.		3
162	Evaluation of different disk diffusion/media combinations for detection of methicillin resistance in <i>Staphylococcus aureus</i> and coagulase-negative staphylococci. <i>Apmis</i> , 2003, 111, 905-914.	0.9	11

#	ARTICLE	IF	CITATIONS
163	Tentative interpretative zone diameters for fusidic acid Neosensitabs® on Mueller Hinton agar and three blood containing media. <i>International Journal of Antimicrobial Agents</i> , 2003, 22, 502-507.	1.1	6
164	Evaluation of a cefoxitin 30 Åg disc on Iso-Sensitest agar for detection of methicillin-resistant <i>Staphylococcus aureus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2003, 52, 204-207.	1.3	100
165	Detection of Low-Level Methicillin-Resistant <i>Staphylococcus aureus</i> with Commercially Available Tests. <i>Journal of Clinical Microbiology</i> , 2003, 41, 3458-3458.	1.8	3
166	Detection of methicillin resistance in coagulase-negative staphylococci and in staphylococci directly from simulated blood cultures using the EVIGENE MRSA Detection Kit. <i>Journal of Antimicrobial Chemotherapy</i> , 2003, 51, 419-421.	1.3	109
167	In vitro susceptibility of <i>Staphylococcus aureus</i> towards amoxicillin-clavulanic acid, penicillin-clavulanic acid, dicloxacillin and cefuroxime. <i>Apmis</i> , 2002, 110, 559-564.	0.9	4
168	Correlation of MIC methods and tentative interpretive criteria for disk diffusion susceptibility testing using NCCLS methodology for fusidic acid. <i>Diagnostic Microbiology and Infectious Disease</i> , 2001, 40, 111-116.	0.8	37
169	Autologous transfusion of shed mediastinal blood after coronary artery bypass grafting and bacterial contamination. <i>Annals of Thoracic Surgery</i> , 2001, 72, 1327-1330.	0.7	4
170	In vitro antimicrobial susceptibility of <i>Aerococcus urinae</i> to 14 antibiotics, and time-kill curves for penicillin, gentamicin and vancomycin. <i>Journal of Antimicrobial Chemotherapy</i> , 2001, 48, 653-658.	1.3	57
171	Evaluation of a new 3-h hybridization method for detecting the <i>mecA</i> gene in <i>Staphylococcus aureus</i> and comparison with existing genotypic and phenotypic susceptibility testing methods. <i>Journal of Antimicrobial Chemotherapy</i> , 1999, 43, 467-475.	1.3	34
172	Comparison of two agar dilution methods and three agar diffusion methods, including the Etest, for antibiotic susceptibility testing of thermophilic <i>Campylobacter</i> species. <i>Clinical Microbiology and Infection</i> , 1999, 5, 580-584.	2.8	23
173	Systemic and deep-seated infections caused by <i>Arcanobacterium haemolyticum</i> . <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1998, 17, 578-582.	1.3	40
174	<i>Staphylococcus aureus</i> Bacteremia: a 14-year Nationwide Study in Hematological Patients with Malignant Disease or Agranulocytosis. <i>Scandinavian Journal of Infectious Diseases</i> , 1995, 27, 563-568.	1.5	20
175	Bacteremia/Septicemia Due to <i>Aerococcus</i> -Like Organisms: Report of Seventeen Cases. <i>Clinical Infectious Diseases</i> , 1995, 21, 943-947.	2.9	60
176	Increased Risk of Hospitalisation Associated with Infection with SARS-CoV-2 Lineage B.1.1.7 in Denmark. <i>SSRN Electronic Journal</i> , 0, , .	0.4	34
177	<i>Staphylococcus</i> , <i>Micrococcus</i> , and Other Catalase-Positive Cocci. , 0, , 354-382.		33
178	Prevalence of Infective Endocarditis in Patients with Positive Blood Cultures: A Danish Nationwide Study. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0