Marcio L Rodrigues

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5306248/marcio-l-rodrigues-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 200
 7,217
 46
 78

 papers
 citations
 h-index
 g-index

 215
 8,861
 4.8
 6.1

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
200	Fungal Extracellular Vesicles Are Involved in Intraspecies Intracellular Communication <i>MBio</i> , 2022 , e03	3 <i>27</i> . 8 21	5
199	From fundamental biology to the search for innovation: The story of fungal extracellular vesicles <i>European Journal of Cell Biology</i> , 2022 , 101, 151205	6.1	1
198	Extracellular Vesicles Regulate Biofilm Formation and Yeast-to-Hypha Differentiation in Candida albicans <i>MBio</i> , 2022 , e0030122	7.8	2
197	Screening of the Pandemic Response Box Reveals an Association between Antifungal Effects of MMV1593537 and the Cell Wall of , , and <i>Microbiology Spectrum</i> , 2022 , e0060122	8.9	1
196	Isolation of Extracellular Vesicles from Candida auris. <i>Methods in Molecular Biology</i> , 2022 , 173-178	1.4	
195	Current Microscopy Strategies to Image Fungal Vesicles: From the Intracellular Trafficking and Secretion to the Inner Structure of Isolated Vesicles <i>Current Topics in Microbiology and Immunology</i> , 2021 , 432, 139-159	3.3	
194	Biogenesis of Fungal Extracellular Vesicles: What Do We Know?. <i>Current Topics in Microbiology and Immunology</i> , 2021 , 432, 1-11	3.3	
193	Interactions of Extracellular Vesicles from Pathogenic Fungi with Innate Leukocytes <i>Current Topics in Microbiology and Immunology</i> , 2021 , 432, 89-120	3.3	
192	P-Type ATPase Apt1 of the Fungal Pathogen Is a Lipid Flippase of Broad Substrate Specificity. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7,	5.6	2
191	The Benefits of Exporting: Engineered Extracellular Vesicles as Promising Vaccine Candidates against Enteric Fever. <i>Infection and Immunity</i> , 2021 , 89,	3.7	1
190	Small Molecule Analysis of Extracellular Vesicles Produced by : Identification of a Tripeptide Controlling Cryptococcal Infection in an Invertebrate Host Model. <i>Frontiers in Immunology</i> , 2021 , 12, 654574	8.4	11
189	Antifungal activity of Acylhydrazone derivatives against spp. <i>Antimicrobial Agents and Chemotherapy</i> , 2021 ,	5.9	1
188	Population genomic analysis of Cryptococcus Brazilian isolates reveals an African type subclade distribution. <i>G3: Genes, Genomes, Genetics</i> , 2021 ,	3.2	2
187	Omics Approaches for Understanding Biogenesis, Composition and Functions of Fungal Extracellular Vesicles. <i>Frontiers in Genetics</i> , 2021 , 12, 648524	4.5	7
186	Transcriptional and translational landscape of in response to caspofungin. <i>Computational and Structural Biotechnology Journal</i> , 2021 , 19, 5264-5277	6.8	2
185	: The knowledge base of orthologous proteins identified in fungal extracellular vesicles. <i>Computational and Structural Biotechnology Journal</i> , 2021 , 19, 2286-2296	6.8	1
184	Phytotoxic Tryptoquialanines Produced by Are Exported in Extracellular Vesicles. <i>MBio</i> , 2021 , 12,	7.8	12

(2020-2021)

183	The paradoxical and still obscure properties of fungal extracellular vesicles. <i>Molecular Immunology</i> , 2021 , 135, 137-146	4.3	11
182	Comparative Molecular and Immunoregulatory Analysis of Extracellular Vesicles from Candida albicans and Candida auris. <i>MSystems</i> , 2021 , 6, e0082221	7.6	4
181	Screening of Chemical Libraries for New Antifungal Drugs against Aspergillus fumigatus Reveals Sphingolipids Are Involved in the Mechanism of Action of Miltefosine. <i>MBio</i> , 2021 , 12, e0145821	7.8	1
180	extracellular vesicles properties and their use as vaccine platforms. <i>Journal of Extracellular Vesicles</i> , 2021 , 10, e12129	16.4	10
179	Repurposing benzimidazoles to fight Cryptococcus. Fungal Biology Reviews, 2021, 37, 27-40	6.8	3
178	Analysis of Cryptococcal Extracellular Vesicles: Experimental Approaches for Studying Their Diversity Among Multiple Isolates, Kinetics of Production, Methods of Separation, and Detection in Cultures of Titan Cells. <i>Microbiology Spectrum</i> , 2021 , 9, e0012521	8.9	2
177	Monoclonal Antibodies against Cell Wall Chitooligomers as Accessory Tools for the Control of Cryptococcosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2021 , 65, e0118121	5.9	1
176	Fungal Infections of the Central Nervous System 2021 , 736-748		
175	Cellular and Extracellular Vesicle RNA Analysis in the Global Threat Fungus <i>Microbiology Spectrum</i> , 2021 , e0153821	8.9	0
174	A screening of the MMV Pathogen Box reveals new potential antifungal drugs against the etiologic agents of chromoblastomycosis. <i>PLoS ONE</i> , 2020 , 15, e0229630	3.7	8
173	Media matters! Alterations in the loading and release of Histoplasma capsulatum extracellular vesicles in response to different nutritional milieus. <i>Cellular Microbiology</i> , 2020 , 22, e13217	3.9	26
172	Hypervirulence and cross-resistance to a clinical antifungal are induced by an environmental fungicide in Cryptococcus gattii. <i>Science of the Total Environment</i> , 2020 , 740, 140135	10.2	6
171	Protective effect of fungal extracellular vesicles against murine candidiasis. <i>Cellular Microbiology</i> , 2020 , 22, e13238	3.9	23
170	Fungal diseases as neglected pathogens: A wake-up call to public health officials. <i>PLoS Neglected Tropical Diseases</i> , 2020 , 14, e0007964	4.8	63
169	Scanning electron microscopy and machine learning reveal heterogeneity in capsular morphotypes of the human pathogen Cryptococcus spp. <i>Scientific Reports</i> , 2020 , 10, 2362	4.9	3
168	Fenbendazole Controls Growth, Virulence Potential, and Animal Infection in the Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9	11
167	Pyrifenox, an ergosterol inhibitor, differentially affects Cryptococcus neoformans and Cryptococcus gattii. <i>Medical Mycology</i> , 2020 , 58, 928-937	3.9	2
166	Extracellular Vesicles in Fungi: Past, Present, and Future Perspectives. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020 , 10, 346	5.9	35

165	Participation of Zip3, a ZIP domain-containing protein, in stress response and virulence in Cryptococcus gattii. <i>Fungal Genetics and Biology</i> , 2020 , 144, 103438	3.9	5
164	Pathogenic Delivery: The Biological Roles of Cryptococcal Extracellular Vesicles. <i>Pathogens</i> , 2020 , 9,	4.5	6
163	Characterization of Extracellular Vesicles Produced by Aspergillus fumigatus Protoplasts. <i>MSphere</i> , 2020 , 5,	5	24
162	Glycans From Distinct Genotypes Share Structural and Serological Similarities to Glucuronoxylomannan. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020 , 10, 565571	5.9	O
161	A screening of the MMV Pathogen Box reveals new potential antifungal drugs against the etiologic agents of chromoblastomycosis 2020 , 15, e0229630		
160	A screening of the MMV Pathogen Box reveals new potential antifungal drugs against the etiologic agents of chromoblastomycosis 2020 , 15, e0229630		
159	A screening of the MMV Pathogen Box reveals new potential antifungal drugs against the etiologic agents of chromoblastomycosis 2020 , 15, e0229630		
158	A screening of the MMV Pathogen Box reveals new potential antifungal drugs against the etiologic agents of chromoblastomycosis 2020 , 15, e0229630		
157	A screening of the MMV Pathogen Box reveals new potential antifungal drugs against the etiologic agents of chromoblastomycosis 2020 , 15, e0229630		
156	A screening of the MMV Pathogen Box reveals new potential antifungal drugs against the etiologic agents of chromoblastomycosis 2020 , 15, e0229630		
155	Role of lipid transporters in fungal physiology and pathogenicity. <i>Computational and Structural Biotechnology Journal</i> , 2019 , 17, 1278-1289	6.8	8
154	Polysaccharide diversity in VNI isolates of Cryptococcus neoformans from Roraima, Northern Brazil. <i>Fungal Biology</i> , 2019 , 123, 699-708	2.8	3
153	Exploiting Lipids to Develop Anticryptococcal Vaccines. Current Tropical Medicine Reports, 2019, 6, 55-6	5 3 5	3
152	A Novel Protocol for the Isolation of Fungal Extracellular Vesicles Reveals the Participation of a Putative Scramblase in Polysaccharide Export and Capsule Construction in. <i>MSphere</i> , 2019 , 4,	5	38
151	Extracellular Vesicle-Mediated RNA Release in. <i>MSphere</i> , 2019 , 4,	5	21
150	The Still Underestimated Problem of Fungal Diseases Worldwide. <i>Frontiers in Microbiology</i> , 2019 , 10, 214	5.7	113
149	Glucuronoxylomannan and Sterylglucoside Are Required for Host Protection in an Animal Vaccination Model. <i>MBio</i> , 2019 , 10,	7.8	32
148	Comparison of the RNA Content of Extracellular Vesicles Derived from and. <i>Cells</i> , 2019 , 8,	7.9	25

(2018-2019)

147	Deciphering Fungal Extracellular Vesicles: From Cell Biology to Pathogenesis. <i>Current Clinical Microbiology Reports</i> , 2019 , 6, 89-97	3.1	9
146	Extracellular Vesicles as Vehicles for the Delivery of Biologically Active Fungal Molecules. <i>Current Protein and Peptide Science</i> , 2019 , 20, 1027-1036	2.8	7
145	Fungal Extracellular Vesicles as Potential Targets for Immune Interventions. MSphere, 2019, 4,	5	17
144	Pharmacological inhibition of pigmentation in Cryptococcus. FEMS Yeast Research, 2019, 19,	3.1	1
143	Leave no one behind: response to new evidence and guidelines for the management of cryptococcal meningitis in low-income and middle-income countries. <i>Lancet Infectious Diseases, The</i> , 2019 , 19, e143-e147	25.5	35
142	Host membrane glycosphingolipids and lipid microdomains facilitate Histoplasma capsulatum internalisation by macrophages. <i>Cellular Microbiology</i> , 2019 , 21, e12976	3.9	9
141	The Overlooked Glycan Components of the Cryptococcus Capsule. <i>Current Topics in Microbiology and Immunology</i> , 2019 , 422, 31-43	3.3	4
140	Fungal extracellular vesicles: modulating host-pathogen interactions by both the fungus and the host. <i>Microbes and Infection</i> , 2018 , 20, 501-504	9.3	36
139	The putative flippase Apt1 is required for intracellular membrane architecture and biosynthesis of polysaccharide and lipids in Cryptococcus neoformans. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018 , 1865, 532-541	4.9	14
138	A Predicted Mannoprotein Participates in Capsular Structure. <i>MSphere</i> , 2018 , 3,	5	10
138		5 6.8	10
	A Predicted Mannoprotein Participates in Capsular Structure. <i>MSphere</i> , 2018 , 3, Warfare and defense: The host response to Cryptococcus infection. <i>Fungal Biology Reviews</i> , 2018 ,		
137	A Predicted Mannoprotein Participates in Capsular Structure. <i>MSphere</i> , 2018 , 3, Warfare and defense: The host response to Cryptococcus infection. <i>Fungal Biology Reviews</i> , 2018 , 32, 35-51	6.8	3
137	A Predicted Mannoprotein Participates in Capsular Structure. <i>MSphere</i> , 2018 , 3, Warfare and defense: The host response to Cryptococcus infection. <i>Fungal Biology Reviews</i> , 2018 , 32, 35-51 A two-way road: novel roles for fungal extracellular vesicles. <i>Molecular Microbiology</i> , 2018 , 110, 11-15 Searching for a change: The need for increased support for public health and research on fungal	6.8	3 27
137 136 135	A Predicted Mannoprotein Participates in Capsular Structure. <i>MSphere</i> , 2018 , 3, Warfare and defense: The host response to Cryptococcus infection. <i>Fungal Biology Reviews</i> , 2018 , 32, 35-51 A two-way road: novel roles for fungal extracellular vesicles. <i>Molecular Microbiology</i> , 2018 , 110, 11-15 Searching for a change: The need for increased support for public health and research on fungal diseases. <i>PLoS Neglected Tropical Diseases</i> , 2018 , 12, e0006479 Golgi Reassembly and Stacking Protein (GRASP) Participates in Vesicle-Mediated RNA Export in	6.8 4.1 4.8 4.2	3 27 32
137 136 135	A Predicted Mannoprotein Participates in Capsular Structure. <i>MSphere</i> , 2018 , 3, Warfare and defense: The host response to Cryptococcus infection. <i>Fungal Biology Reviews</i> , 2018 , 32, 35-51 A two-way road: novel roles for fungal extracellular vesicles. <i>Molecular Microbiology</i> , 2018 , 110, 11-15 Searching for a change: The need for increased support for public health and research on fungal diseases. <i>PLoS Neglected Tropical Diseases</i> , 2018 , 12, e0006479 Golgi Reassembly and Stacking Protein (GRASP) Participates in Vesicle-Mediated RNA Export in Cryptococcus Neoformans. <i>Genes</i> , 2018 , 9,	6.8 4.1 4.8 4.2	3 27 32 21
137 136 135 134	A Predicted Mannoprotein Participates in Capsular Structure. <i>MSphere</i> , 2018 , 3, Warfare and defense: The host response to Cryptococcus infection. <i>Fungal Biology Reviews</i> , 2018 , 32, 35-51 A two-way road: novel roles for fungal extracellular vesicles. <i>Molecular Microbiology</i> , 2018 , 110, 11-15 Searching for a change: The need for increased support for public health and research on fungal diseases. <i>PLoS Neglected Tropical Diseases</i> , 2018 , 12, e0006479 Golgi Reassembly and Stacking Protein (GRASP) Participates in Vesicle-Mediated RNA Export in Cryptococcus Neoformans. <i>Genes</i> , 2018 , 9, Future perspectives for cryptococcosis treatment. <i>Expert Opinion on Therapeutic Patents</i> , 2018 , 28, 625 Lack of chitin synthase genes impacts capsular architecture and cellular physiology in. <i>Cell Surface</i> ,	6.8 4.1 4.8 4.2	3 27 32 21 7

Fungal Extracellular Vesicles **2018**, 333-333

128	A glucuronoxylomannan-like glycan produced by Trichosporon mucoides. <i>Fungal Genetics and Biology</i> , 2018 , 121, 46-55	3.9	2
127	The Multifunctional Fungal Ergosterol. <i>MBio</i> , 2018 , 9,	7.8	62
126	Phosphorus-rich structures and capsular architecture in Cryptococcus neoformans. <i>Future Microbiology</i> , 2017 , 12, 227-238	2.9	10
125	Analysis of multiple components involved in the interaction between Cryptococcus neoformans and Acanthamoeba castellanii. <i>Fungal Biology</i> , 2017 , 121, 602-614	2.8	27
124	What Is New? Recent Knowledge on Fungal Extracellular Vesicles. <i>Current Fungal Infection Reports</i> , 2017 , 11, 141-147	1.4	10
123	Cryptococcus and Cryptococcosis 2017 , 169-214		
122	Bibliometric Indicators of the Zika Outbreak. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0005132	4.8	17
121	Characterization of the antifungal functions of a WGA-Fc (IgG2a) fusion protein binding to cell wall chitin oligomers. <i>Scientific Reports</i> , 2017 , 7, 12187	4.9	21
120	Galectin-3 impacts Cryptococcus neoformans infection through direct antifungal effects. <i>Nature Communications</i> , 2017 , 8, 1968	17.4	47
119	The Anti-helminthic Compound Mebendazole Has Multiple Antifungal Effects against. <i>Frontiers in Microbiology</i> , 2017 , 8, 535	5.7	43
118	Changes in glucosylceramide structure affect virulence and membrane biophysical properties of Cryptococcus neoformans. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017 , 1859, 2224-2233	3.8	29
117	Potential Roles of Fungal Extracellular Vesicles during Infection. MSphere, 2016, 1,	5	73
116	The benefits of scientific mobility and international collaboration. <i>FEMS Microbiology Letters</i> , 2016 , 363,	2.9	9
115	The putative autophagy regulator Atg7 affects the physiology and pathogenic mechanisms of Cryptococcus neoformans. <i>Future Microbiology</i> , 2016 , 11, 1405-1419	2.9	17
114	New structural insights into Golgi Reassembly and Stacking Protein (GRASP) in solution. <i>Scientific Reports</i> , 2016 , 6, 29976	4.9	15
113	Enhanced virulence of Histoplasma capsulatum through transfer and surface incorporation of glycans from Cryptococcus neoformans during co-infection. <i>Scientific Reports</i> , 2016 , 6, 21765	4.9	14
112	Funding and Innovation in Diseases of Neglected Populations: The Paradox of Cryptococcal Meningitis. <i>PLoS Neglected Tropical Diseases</i> , 2016 , 10, e0004429	4.8	23

(2013-2016)

111	Virulence Factors as Targets for Anticryptococcal Therapy. <i>Journal of Fungi (Basel, Switzerland)</i> , 2016 , 2,	5.6	11
110	Extracellular Vesicle-Associated Transitory Cell Wall Components and Their Impact on the Interaction of Fungi with Host Cells. <i>Frontiers in Microbiology</i> , 2016 , 7, 1034	5.7	60
109	Analysis of Yeast Extracellular Vesicles. <i>Methods in Molecular Biology</i> , 2016 , 1459, 175-90	1.4	20
108	Extracellular vesicle-mediated export of fungal RNA. <i>Scientific Reports</i> , 2015 , 5, 7763	4.9	134
107	Compositional and immunobiological analyses of extracellular vesicles released by Candida albicans. <i>Cellular Microbiology</i> , 2015 , 17, 389-407	3.9	158
106	Pathogenic diversity amongst serotype C VGIII and VGIV Cryptococcus gattii isolates. <i>Scientific Reports</i> , 2015 , 5, 11717	4.9	9
105	The Einstein-Brazil Fogarty: A decade of synergy. Brazilian Journal of Microbiology, 2015, 46, 945-55	2.2	2
104	Fungal colonization of the brain: anatomopathological aspects of neurological cryptococcosis. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015 , 87, 1293-309	1.4	22
103	Identification of a New Class of Antifungals Targeting the Synthesis of Fungal Sphingolipids. <i>MBio</i> , 2015 , 6, e00647	7.8	94
102	EVpedia: a community web portal for extracellular vesicles research. <i>Bioinformatics</i> , 2015 , 31, 933-9	7.2	256
101	Traveling into Outer Space: Unanswered Questions about Fungal Extracellular Vesicles. <i>PLoS Pathogens</i> , 2015 , 11, e1005240	7.6	45
100	Role of the Apt1 protein in polysaccharide secretion by Cryptococcus neoformans. <i>Eukaryotic Cell</i> , 2014 , 13, 715-26		46
99	Cryptococcus neoformans glucuronoxylomannan fractions of different molecular masses are functionally distinct. <i>Future Microbiology</i> , 2014 , 9, 147-61	2.9	17
98	The impact of proteomics on the understanding of functions and biogenesis of fungal extracellular vesicles. <i>Journal of Proteomics</i> , 2014 , 97, 177-86	3.9	83
97	The vacuolar-sorting protein Snf7 is required for export of virulence determinants in members of the Cryptococcus neoformans complex. <i>Scientific Reports</i> , 2014 , 4, 6198	4.9	23
96	Hemoglobin uptake by Paracoccidioides spp. is receptor-mediated. <i>PLoS Neglected Tropical Diseases</i> , 2014 , 8, e2856	4.8	45
95	Synthesis and biological properties of fungal glucosylceramide. <i>PLoS Pathogens</i> , 2014 , 10, e1003832	7.6	56
94	The calcium transporter Pmc1 provides Ca2+ tolerance and influences the progression of murine cryptococcal infection. <i>FEBS Journal</i> , 2013 , 280, 4853-64	5.7	22

93	The heat shock protein (Hsp) 70 of Cryptococcus neoformans is associated with the fungal cell surface and influences the interaction between yeast and host cells. <i>Fungal Genetics and Biology</i> , 2013 , 60, 53-63	3.9	34
92	Where do they come from and where do they go: candidates for regulating extracellular vesicle formation in fungi. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 9581-603	6.3	48
91	Vesicular mechanisms of traffic of fungal molecules to the extracellular space. <i>Current Opinion in Microbiology</i> , 2013 , 16, 414-20	7.9	63
90	Binding of the wheat germ lectin to Cryptococcus neoformans chitooligomers affects multiple mechanisms required for fungal pathogenesis. <i>Fungal Genetics and Biology</i> , 2013 , 60, 64-73	3.9	25
89	Antibody binding to Cryptococcus neoformans impairs budding by altering capsular mechanical properties. <i>Journal of Immunology</i> , 2013 , 190, 317-23	5.3	31
88	A Paracoccidioides brasiliensis glycan shares serologic and functional properties with cryptococcal glucuronoxylomannan. <i>Fungal Genetics and Biology</i> , 2012 , 49, 943-54	3.9	15
87	Surface architecture of fungal pathogens. Frontiers in Microbiology, 2012, 3, 80	5.7	1
86	In good company: association between fungal glycans generates molecular complexes with unique functions. <i>Frontiers in Microbiology</i> , 2012 , 3, 249	5.7	13
85	Research trends on pathogenic Cryptococcus species in the last 20 years: a global analysis with focus on Brazil. <i>Future Microbiology</i> , 2012 , 7, 319-29	2.9	9
84	Unravelling secretion in Cryptococcus neoformans: more than one way to skin a cat. <i>Mycopathologia</i> , 2012 , 173, 407-18	2.9	20
83	Chitin-like molecules associate with Cryptococcus neoformans glucuronoxylomannan to form a glycan complex with previously unknown properties. <i>Eukaryotic Cell</i> , 2012 , 11, 1086-94		24
82	Capsules from pathogenic and non-pathogenic Cryptococcus spp. manifest significant differences in structure and ability to protect against phagocytic cells. <i>PLoS ONE</i> , 2012 , 7, e29561	3.7	47
81	Vesicular transport systems in fungi. Future Microbiology, 2011, 6, 1371-81	2.9	52
80	The GATA-type transcriptional activator Gat1 regulates nitrogen uptake and metabolism in the human pathogen Cryptococcus neoformans. <i>Fungal Genetics and Biology</i> , 2011 , 48, 192-9	3.9	39
79	Fungal polysaccharides: biological activity beyond the usual structural properties. <i>Frontiers in Microbiology</i> , 2011 , 2, 171	5.7	21
78	Fungal glucosylceramides: from structural components to biologically active targets of new antimicrobials. <i>Frontiers in Microbiology</i> , 2011 , 2, 212	5.7	34
77	Role for Golgi reassembly and stacking protein (GRASP) in polysaccharide secretion and fungal virulence. <i>Molecular Microbiology</i> , 2011 , 81, 206-18	4.1	63
76	Effects of microplusin, a copper-chelating antimicrobial peptide, against Cryptococcus neoformans. <i>FEMS Microbiology Letters</i> , 2011 , 324, 64-72	2.9	20

(2009-2011)

75	Calcium signaling components in the human pathogen: Cryptococcus neoformans. <i>Communicative and Integrative Biology</i> , 2011 , 4, 186-7	1.7	8
74	Glucuronoxylomannan from Cryptococcus neoformans down-regulates the enzyme 6-phosphofructo-1-kinase of macrophages. <i>Journal of Biological Chemistry</i> , 2011 , 286, 14820-9	5.4	11
73	Agglutination of Histoplasma capsulatum by IgG monoclonal antibodies against Hsp60 impacts macrophage effector functions. <i>Infection and Immunity</i> , 2011 , 79, 918-27	3.7	26
72	Chronological aging is associated with biophysical and chemical changes in the capsule of Cryptococcus neoformans. <i>Infection and Immunity</i> , 2011 , 79, 4990-5000	3.7	31
71	Biochemical characterization of an ecto-ATP diphosphohydrolase activity in Candida parapsilosis and its possible role in adenosine acquisition and pathogenesis. <i>FEMS Yeast Research</i> , 2010 , 10, 735-46	3.1	15
70	Paracoccidioides brasiliensis enolase is a surface protein that binds plasminogen and mediates interaction of yeast forms with host cells. <i>Infection and Immunity</i> , 2010 , 78, 4040-50	3.7	78
69	The vacuolar Ca[(+) exchanger Vcx1 is involved in calcineurin-dependent Ca[(+) tolerance and virulence in Cryptococcus neoformans. <i>Eukaryotic Cell</i> , 2010 , 9, 1798-805		34
68	Immunomodulatory effects of serotype B glucuronoxylomannan from Cryptococcus gattii correlate with polysaccharide diameter. <i>Infection and Immunity</i> , 2010 , 78, 3861-70	3.7	51
67	Extracellular vesicles from Cryptococcus neoformans modulate macrophage functions. <i>Infection and Immunity</i> , 2010 , 78, 1601-9	3.7	178
66	Biogenesis of extracellular vesicles in yeast: Many questions with few answers. <i>Communicative and Integrative Biology</i> , 2010 , 3, 533-5	1.7	35
65	Characterization of yeast extracellular vesicles: evidence for the participation of different pathways of cellular traffic in vesicle biogenesis. <i>PLoS ONE</i> , 2010 , 5, e11113	3.7	163
64	The still obscure attributes of cryptococcal glucuronoxylomannan. <i>Medical Mycology</i> , 2009 , 47, 783-8	3.9	17
63	Capsular localization of the Cryptococcus neoformans polysaccharide component galactoxylomannan. <i>Eukaryotic Cell</i> , 2009 , 8, 96-103		47
62	Role for chitin and chitooligomers in the capsular architecture of Cryptococcus neoformans. <i>Eukaryotic Cell</i> , 2009 , 8, 1543-53		45
61	Vesicle-associated melanization in Cryptococcus neoformans. <i>Microbiology (United Kingdom)</i> , 2009 , 155, 3860-3867	2.9	109
60	Structural and functional properties of the Trichosporon asahii glucuronoxylomannan. <i>Fungal Genetics and Biology</i> , 2009 , 46, 496-505	3.9	40
59	Cryptococcus neoformans cryoultramicrotomy and vesicle fractionation reveals an intimate association between membrane lipids and glucuronoxylomannan. <i>Fungal Genetics and Biology</i> , 2009 , 46, 956-63	3.9	53
58	Vesicular transport across the fungal cell wall. <i>Trends in Microbiology</i> , 2009 , 17, 158-62	12.4	109

57	The elastic properties of the Cryptococcus neoformans capsule. <i>Biophysical Journal</i> , 2009 , 97, 937-45	2.9	29
56	The capsule of the fungal pathogen Cryptococcus neoformans. <i>Advances in Applied Microbiology</i> , 2009 , 68, 133-216	4.9	297
55	Capsule of Cryptococcus neoformans grows by enlargement of polysaccharide molecules. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 1228-33	11.5	79
54	Vesicular transport in Histoplasma capsulatum: an effective mechanism for trans-cell wall transfer of proteins and lipids in ascomycetes. <i>Cellular Microbiology</i> , 2008 , 10, 1695-710	3.9	246
53	Extracellular vesicles produced by Cryptococcus neoformans contain protein components associated with virulence. <i>Eukaryotic Cell</i> , 2008 , 7, 58-67		385
52	A role for vesicular transport of macromolecules across cell walls in fungal pathogenesis. <i>Communicative and Integrative Biology</i> , 2008 , 1, 37-39	1.7	40
51	In vitro activity of the antifungal plant defensin RsAFP2 against Candida isolates and its in vivo efficacy in prophylactic murine models of candidiasis. <i>Antimicrobial Agents and Chemotherapy</i> , 2008 , 52, 4522-5	5.9	63
50	Novel role of sphingolipid synthesis genes in regulating giardial encystation. <i>Infection and Immunity</i> , 2008 , 76, 2939-49	3.7	27
49	Binding of the wheat germ lectin to Cryptococcus neoformans suggests an association of chitinlike structures with yeast budding and capsular glucuronoxylomannan. <i>Eukaryotic Cell</i> , 2008 , 7, 602-9		78
48	Vesicular Trans-Cell Wall Transport in Fungi: A Mechanism for the Delivery of Virulence-Associated Macromolecules?. <i>Lipid Insights</i> , 2008 , 2, 27-40	1	67
47	Sophisticated Functions for a Simple Molecule: The Role of Glucosylceramides in Fungal Cells. <i>Lipid Insights</i> , 2008 , 2, LPI.S1014	1	3
46	Vesicular polysaccharide export in Cryptococcus neoformans is a eukaryotic solution to the problem of fungal trans-cell wall transport. <i>Eukaryotic Cell</i> , 2007 , 6, 48-59		336
45	An ectophosphatase activity in Candida parapsilosis influences the interaction of fungi with epithelial cells. <i>FEMS Yeast Research</i> , 2007 , 7, 621-8	3.1	30
44	Gomesin, a peptide produced by the spider Acanthoscurria gomesiana, is a potent anticryptococcal agent that acts in synergism with fluconazole. <i>FEMS Microbiology Letters</i> , 2007 , 274, 279-86	2.9	34
43	Biology and pathogenesis of Fonsecaea pedrosoi, the major etiologic agent of chromoblastomycosis. <i>FEMS Microbiology Reviews</i> , 2007 , 31, 570-91	15.1	72
42	Monoclonal antibody to fungal glucosylceramide protects mice against lethal Cryptococcus neoformans infection. <i>Vaccine Journal</i> , 2007 , 14, 1372-6		59
41	Binding of glucuronoxylomannan to the CD14 receptor in human A549 alveolar cells induces interleukin-8 production. <i>Vaccine Journal</i> , 2007 , 14, 94-8		27
40	Self-aggregation of Cryptococcus neoformans capsular glucuronoxylomannan is dependent on divalent cations. <i>Eukaryotic Cell</i> , 2007 , 6, 1400-10		107

(2003-2006)

39	Characterization of an ecto-ATPase activity in Fonsecaea pedrosoi. <i>Archives of Microbiology</i> , 2006 , 185, 355-62	3	14
38	Structural and Functional Aspects of Fungal Glycosphingolipids. <i>Studies in Natural Products Chemistry</i> , 2006 , 1025-1055	1.5	2
37	An ectophosphatase activity in Cryptococcus neoformans. FEMS Yeast Research, 2006, 6, 1010-7	3.1	34
36	Glucuronoxylomannan-mediated interaction of Cryptococcus neoformans with human alveolar cells results in fungal internalization and host cell damage. <i>Microbes and Infection</i> , 2006 , 8, 493-502	9.3	49
35	Structure, cellular distribution, antigenicity, and biological functions of Fonsecaea pedrosoi ceramide monohexosides. <i>Infection and Immunity</i> , 2005 , 73, 7860-8	3.7	42
34	The multitude of targets for the immune system and drug therapy in the fungal cell wall. <i>Microbes and Infection</i> , 2005 , 7, 789-98	9.3	69
33	Ceramide glycosylation and fatty acid hydroxylation influence serological reactivity in Trypanosoma cruzi glycosphingolipids. <i>FEMS Microbiology Letters</i> , 2005 , 244, 47-52	2.9	6
32	Characterization of an ecto-ATPase activity in Cryptococcus neoformans. <i>FEMS Yeast Research</i> , 2005 , 5, 899-907	3.1	11
31	Exposure of human leukemic cells to direct electric current: generation of toxic compounds inducing cell death by different mechanisms. <i>Cell Biochemistry and Biophysics</i> , 2005 , 42, 61-74	3.2	23
30	Antimicrobial activity of Croton cajucara Benth linalool-rich essential oil on artificial biofilms and planktonic microorganisms. <i>Oral Microbiology and Immunology</i> , 2005 , 20, 101-5		120
29	Ectophosphatase activity in conidial forms of Fonsecaea pedrosoi is modulated by exogenous phosphate and influences fungal adhesion to mammalian cells. <i>Microbiology (United Kingdom)</i> , 2004 , 150, 3355-62	2.9	53
29	phosphate and influences fungal adhesion to mammalian cells. Microbiology (United Kingdom), 2004	2.9 9.3	53 49
	phosphate and influences fungal adhesion to mammalian cells. <i>Microbiology (United Kingdom)</i> , 2004 , 150, 3355-62 A monoclonal antibody to glucosylceramide inhibits the growth of Fonsecaea pedrosoi and		
28	phosphate and influences fungal adhesion to mammalian cells. <i>Microbiology (United Kingdom)</i> , 2004 , 150, 3355-62 A monoclonal antibody to glucosylceramide inhibits the growth of Fonsecaea pedrosoi and enhances the antifungal action of mouse macrophages. <i>Microbes and Infection</i> , 2004 , 6, 657-65 Differential expression of sialylglycoconjugates and sialidase activity in distinct morphological	9.3	49
28	phosphate and influences fungal adhesion to mammalian cells. <i>Microbiology (United Kingdom)</i> , 2004 , 150, 3355-62 A monoclonal antibody to glucosylceramide inhibits the growth of Fonsecaea pedrosoi and enhances the antifungal action of mouse macrophages. <i>Microbes and Infection</i> , 2004 , 6, 657-65 Differential expression of sialylglycoconjugates and sialidase activity in distinct morphological stages of Fonsecaea pedrosoi. <i>Archives of Microbiology</i> , 2004 , 181, 278-86 Melanin from Fonsecaea pedrosoi induces production of human antifungal antibodies and	9.3	49 21
28 27 26	phosphate and influences fungal adhesion to mammalian cells. <i>Microbiology (United Kingdom)</i> , 2004 , 150, 3355-62 A monoclonal antibody to glucosylceramide inhibits the growth of Fonsecaea pedrosoi and enhances the antifungal action of mouse macrophages. <i>Microbes and Infection</i> , 2004 , 6, 657-65 Differential expression of sialylglycoconjugates and sialidase activity in distinct morphological stages of Fonsecaea pedrosoi. <i>Archives of Microbiology</i> , 2004 , 181, 278-86 Melanin from Fonsecaea pedrosoi induces production of human antifungal antibodies and enhances the antimicrobial efficacy of phagocytes. <i>Infection and Immunity</i> , 2004 , 72, 229-37 Antinociceptive and free radical scavenging activities of Cocos nucifera L. (Palmae) husk fiber	9·3 3 3·7	49 21 83
28 27 26 25	phosphate and influences fungal adhesion to mammalian cells. <i>Microbiology (United Kingdom)</i> , 2004, 150, 3355-62 A monoclonal antibody to glucosylceramide inhibits the growth of Fonsecaea pedrosoi and enhances the antifungal action of mouse macrophages. <i>Microbes and Infection</i> , 2004, 6, 657-65 Differential expression of sialylglycoconjugates and sialidase activity in distinct morphological stages of Fonsecaea pedrosoi. <i>Archives of Microbiology</i> , 2004, 181, 278-86 Melanin from Fonsecaea pedrosoi induces production of human antifungal antibodies and enhances the antimicrobial efficacy of phagocytes. <i>Infection and Immunity</i> , 2004, 72, 229-37 Antinociceptive and free radical scavenging activities of Cocos nucifera L. (Palmae) husk fiber aqueous extract. <i>Journal of Ethnopharmacology</i> , 2004, 92, 269-73 Glucosylceramides in Colletotrichum gloeosporioides are involved in the differentiation of conidia	9·3 3 3·7 5	49 21 83 44

21	Differentiation of Fonsecaea pedrosoi mycelial forms into sclerotic cells is induced by platelet-activating factor. <i>Research in Microbiology</i> , 2003 , 154, 689-95	4	25
20	Cleavage of human fibronectin and other basement membrane-associated proteins by a Cryptococcus neoformans serine proteinase. <i>Microbial Pathogenesis</i> , 2003 , 34, 65-71	3.8	44
19	Changes of sialomolecules during the dimethylsulfoxide-induced differentiation of Herpetomonas samuelpessoai. <i>Parasitology Research</i> , 2002 , 88, 951-5	2.4	10
18	Sialylglycoconjugates and sialyltransferase activity in the fungus Cryptococcus neoformans. <i>Glycoconjugate Journal</i> , 2002 , 19, 165-73	3	23
17	Characterization of glucosylceramides in Pseudallescheria boydii and their involvement in fungal differentiation. <i>Glycobiology</i> , 2002 , 12, 251-60	5.8	79
16	Local antilaminin antibody treatment alters the rejection pattern of murine cardiac allografts: correlation between cellular infiltration and extracellular matrix. <i>Transplantation</i> , 2002 , 74, 1515-22	1.8	13
15	Glycosphingolipids from Magnaporthe grisea cells: expression of a ceramide dihexoside presenting phytosphingosine as the long-chain base. <i>Archives of Biochemistry and Biophysics</i> , 2002 , 405, 205-13	4.1	16
14	Direct current decreases cell viability but not P-glycoprotein expression and function in human multidrug resistant leukemic cells. <i>Bioelectromagnetics</i> , 2001 , 22, 470-478	1.6	13
13	Cellular damage and altered carbohydrate expression in P815 tumor cells induced by direct electric current: an in vitro analysis. <i>Bioelectromagnetics</i> , 2000 , 21, 597-607	1.6	15
12	Human antibodies against a purified glucosylceramide from Cryptococcus neoformans inhibit cell budding and fungal growth. <i>Infection and Immunity</i> , 2000 , 68, 7049-60	3.7	180
11	Pathogenicity of Cryptococcus neoformans: virulence factors and immunological mechanisms. <i>Microbes and Infection</i> , 1999 , 1, 293-301	9.3	69
10	Identification of N-acetylneuraminic acid and its 9-O-acetylated derivative on the cell surface of Cryptococcus neoformans: influence on fungal phagocytosis. <i>Infection and Immunity</i> , 1997 , 65, 4937-42	3.7	40
9	The Architecture and Antigenic Composition of the Polysaccharide Capsule43-54		6
8	The still obscure attributes of cryptococcal glucuronoxylomannan. <i>Medical Mycology</i> ,1-7	3.9	2
7	Characterization of extracellular vesicles produced by Aspergillus fumigatus protoplasts		2
6	Revisiting Cryptococcus extracellular vesicles properties and their use as vaccine platforms		8
5	Comparative molecular and immunoregulatory analysis of extracellular vesicles from Candida albicans and Candida auris		4
4	Integrated transcriptional analysis of the cellular and extracellular vesicle RNA content of Candida auris in response to caspofungin		2

LIST OF PUBLICATIONS

3	A novel protocol for the isolation of fungal extracellular vesicles reveals the participation of a putative scramblase in polysaccharide export and capsule construction in Cryptococcus gattii.	1
2	Extracellular vesicle-mediated RNA release inHistoplasma capsulatum	2
1	Extracellular vesicles regulate yeast growth, biofilm formation, and yeast-to-hypha differentiation in Candida albicans	2