

Brandon Ruotolo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5307620/brandon-ruotolo-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134
papers

9,319
citations

51
h-index

95
g-index

148
ext. papers

10,190
ext. citations

7.9
avg, IF

6.23
L-index

#	Paper	IF	Citations
134	Ion mobility-mass spectrometry analysis of large protein complexes. <i>Nature Protocols</i> , 2008 , 3, 1139-52	18.8	843
133	Amyloid- β protein oligomerization and the importance of tetramers and dodecamers in the aetiology of Alzheimer's disease. <i>Nature Chemistry</i> , 2009 , 1, 326-31	17.6	737
132	Collision cross sections of proteins and their complexes: a calibration framework and database for gas-phase structural biology. <i>Analytical Chemistry</i> , 2010 , 82, 9557-65	7.8	600
131	Evidence for macromolecular protein rings in the absence of bulk water. <i>Science</i> , 2005 , 310, 1658-61	33.3	502
130	Protein complexes in the gas phase: technology for structural genomics and proteomics. <i>Chemical Reviews</i> , 2007 , 107, 3544-67	68.1	342
129	Ion mobility-mass spectrometry: a new paradigm for proteomics. <i>International Journal of Mass Spectrometry</i> , 2005 , 240, 301-315	1.9	262
128	Mass spectrometry: come of age for structural and dynamical biology. <i>Current Opinion in Structural Biology</i> , 2011 , 21, 641-9	8.1	214
127	Ion mobility-mass spectrometry reveals long-lived, unfolded intermediates in the dissociation of protein complexes. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 8001-4	16.4	202
126	Aspects of native proteins are retained in vacuum. <i>Current Opinion in Chemical Biology</i> , 2006 , 10, 402-8	9.7	199
125	Tandem mass spectrometry reveals the quaternary organization of macromolecular assemblies. <i>Chemistry and Biology</i> , 2006 , 13, 597-605		191
124	Insights into anti-amyloidogenic properties of the green tea extract (-)-epigallocatechin-3-gallate toward metal-associated amyloid- β species. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 3743-8	11.5	186
123	Mass measurements of increased accuracy resolve heterogeneous populations of intact ribosomes. <i>Journal of the American Chemical Society</i> , 2006 , 128, 11433-42	16.4	147
122	Coupling microdroplet microreactors with mass spectrometry: reading the contents of single droplets online. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 3665-8	16.4	146
121	Coupling high-pressure MALDI with ion mobility/orthogonal time-of-flight mass spectrometry. <i>Analytical Chemistry</i> , 2000 , 72, 3965-71	7.8	144
120	Ion mobility-mass spectrometry for structural proteomics. <i>Expert Review of Proteomics</i> , 2012 , 9, 47-58	4.2	130
119	Alternate dissociation pathways identified in charge-reduced protein complex ions. <i>Analytical Chemistry</i> , 2010 , 82, 5363-72	7.8	126
118	Structural basis for the inhibition of activin signalling by follistatin. <i>EMBO Journal</i> , 2006 , 25, 1035-45	13	126

117	Gas-phase unfolding and disassembly reveals stability differences in ligand-bound multiprotein complexes. <i>Chemistry and Biology</i> , 2009 , 16, 382-90		124
116	Characterizing the resolution and accuracy of a second-generation traveling-wave ion mobility separator for biomolecular ions. <i>Analyst, The</i> , 2011 , 136, 3534-41	5	121
115	Subunit architecture of intact protein complexes from mass spectrometry and homology modeling. <i>Accounts of Chemical Research</i> , 2008 , 41, 617-27	24.3	117
114	Integrating ion mobility mass spectrometry with molecular modelling to determine the architecture of multiprotein complexes. <i>PLoS ONE</i> , 2010 , 5, e12080	3.7	112
113	Tandem differential mobility analysis-mass spectrometry reveals partial gas-phase collapse of the GroEL complex. <i>Journal of Physical Chemistry B</i> , 2011 , 115, 3614-21	3.4	105
112	Collision induced unfolding of isolated proteins in the gas phase: past, present, and future. <i>Current Opinion in Chemical Biology</i> , 2018 , 42, 93-100	9.7	101
111	Collision Induced Unfolding of Intact Antibodies: Rapid Characterization of Disulfide Bonding Patterns, Glycosylation, and Structures. <i>Analytical Chemistry</i> , 2015 , 87, 11509-15	7.8	99
110	Subunit architecture of multiprotein assemblies determined using restraints from gas-phase measurements. <i>Structure</i> , 2009 , 17, 1235-43	5.2	97
109	A two-site mechanism for the inhibition of IAPP amyloidogenesis by zinc. <i>Journal of Molecular Biology</i> , 2011 , 410, 294-306	6.5	94
108	An electrostatic focusing ion guide for ion mobility-mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2004 , 239, 43-49	1.9	88
107	Collisional and Coulombic unfolding of gas-phase proteins: high correlation to their domain structures in solution. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 9209-12	16.4	86
106	Resolution of oligomeric species during the aggregation of A β -40 using (19)F NMR. <i>Biochemistry</i> , 2013 , 52, 1903-12	3.2	85
105	Bound anions differentially stabilize multiprotein complexes in the absence of bulk solvent. <i>Journal of the American Chemical Society</i> , 2011 , 133, 11358-67	16.4	82
104	CIUSuite: A Quantitative Analysis Package for Collision Induced Unfolding Measurements of Gas-Phase Protein Ions. <i>Analytical Chemistry</i> , 2015 , 87, 11516-22	7.8	80
103	Peak capacity of ion mobility mass spectrometry: the utility of varying drift gas polarizability for the separation of tryptic peptides. <i>Journal of Mass Spectrometry</i> , 2004 , 39, 361-7	2.2	78
102	Surface-induced dissociation on a MALDI-ion mobility-orthogonal time-of-flight mass spectrometer: sequencing peptides from an "in-solution" protein digest. <i>Analytical Chemistry</i> , 2001 , 73, 2233-8	7.8	78
101	Flexible, symmetry-directed approach to assembling protein cages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 8681-6	11.5	77
100	Integrating mass spectrometry of intact protein complexes into structural proteomics. <i>Proteomics</i> , 2012 , 12, 1547-64	4.8	75

99	Peak capacity of ion mobility mass spectrometry: separation of peptides in helium buffer gas. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002 , 782, 385-92	3.2	74
98	Distinguishing between phosphorylated and nonphosphorylated peptides with ion mobility-mass spectrometry. <i>Journal of Proteome Research</i> , 2002 , 1, 303-6	5.6	74
97	Analysis of phosphorylated peptides by ion mobility-mass spectrometry. <i>Analytical Chemistry</i> , 2004 , 76, 6727-33	7.8	67
96	Structure-mechanism-based engineering of chemical regulators targeting distinct pathological factors in Alzheimer's disease. <i>Nature Communications</i> , 2016 , 7, 13115	17.4	66
95	Ion mobility-mass spectrometry of intact protein-ligand complexes for pharmaceutical drug discovery and development. <i>Current Opinion in Chemical Biology</i> , 2013 , 17, 809-17	9.7	64
94	Oligonucleotide analysis with MALDI-ion-mobility-TOFMS. <i>Analytical and Bioanalytical Chemistry</i> , 2002 , 373, 612-7	4.4	63
93	Ion mobility-mass spectrometry reveals the influence of subunit packing and charge on the dissociation of multiprotein complexes. <i>Analytical Chemistry</i> , 2010 , 82, 9702-10	7.8	62
92	Ion mobility-mass spectrometry applied to cyclic peptide analysis: conformational preferences of gramicidin S and linear analogs in the gas phase. <i>Journal of the American Society for Mass Spectrometry</i> , 2004 , 15, 870-8	3.5	58
91	Residual counter ions can stabilise a large protein complex in the gas phase. <i>International Journal of Mass Spectrometry</i> , 2010 , 298, 91-98	1.9	57
90	Observation of conserved solution-phase secondary structure in gas-phase tryptic peptides. <i>Journal of the American Chemical Society</i> , 2002 , 124, 4214-5	16.4	57
89	Activation state-selective kinase inhibitor assay based on ion mobility-mass spectrometry. <i>Analytical Chemistry</i> , 2013 , 85, 6995-7002	7.8	56
88	A study of peptide-peptide interactions using MALDI ion mobility o-TOF and ESI mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2002 , 13, 166-9	3.5	55
87	Separating and visualising protein assemblies by means of preparative mass spectrometry and microscopy. <i>Journal of Structural Biology</i> , 2010 , 172, 161-8	3.4	54
86	CIUSuite 2: Next-Generation Software for the Analysis of Gas-Phase Protein Unfolding Data. <i>Analytical Chemistry</i> , 2019 , 91, 3147-3155	7.8	53
85	A rationally designed small molecule for identifying an link between metal-amyloid- β complexes and the pathogenesis of Alzheimer's disease. <i>Chemical Science</i> , 2015 , 6, 1879-1886	9.4	52
84	A Redox-Active, Compact Molecule for Cross-Linking Amyloidogenic Peptides into Nontoxic, Off-Pathway Aggregates: In Vitro and In Vivo Efficacy and Molecular Mechanisms. <i>Journal of the American Chemical Society</i> , 2015 , 137, 14785-97	16.4	52
83	A Multidimensional Analytical Comparison of Remicade and the Biosimilar Remsima. <i>Analytical Chemistry</i> , 2017 , 89, 4838-4846	7.8	51
82	Methodology for measuring conformation of solvent-disrupted protein subunits using T-WAVE ion mobility MS: an investigation into eukaryotic initiation factors. <i>Journal of the American Society for Mass Spectrometry</i> , 2009 , 20, 1699-706	3.5	50

81	The structure of gas-phase bradykinin fragment 1-5 (RPPGF) ions: an ion mobility spectrometry and H/D exchange ion-molecule reaction chemistry study. <i>Journal of the American Society for Mass Spectrometry</i> , 2005 , 16, 893-905	3.5	50
80	Bound cations significantly stabilize the structure of multiprotein complexes in the gas phase. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 5692-5	16.4	46
79	Quadrupole-time-of-flight mass spectrometer modified for higher-energy dissociation reduces protein assemblies to peptide fragments. <i>Analytical Chemistry</i> , 2009 , 81, 1270-4	7.8	46
78	A fundamental introduction to ion mobility mass spectrometry applied to the analysis of biomolecules. <i>Journal of Biomolecular Techniques</i> , 2002 , 13, 56-61	1.1	46
77	Variable-Velocity Traveling-Wave Ion Mobility Separation Enhancing Peak Capacity for Data-Independent Acquisition Proteomics. <i>Analytical Chemistry</i> , 2017 , 89, 5669-5672	7.8	45
76	Integrative modelling coupled with ion mobility mass spectrometry reveals structural features of the clamp loader in complex with single-stranded DNA binding protein. <i>Journal of Molecular Biology</i> , 2013 , 425, 4790-801	6.5	44
75	Sizing Up Protein-Ligand Complexes: The Rise of Structural Mass Spectrometry Approaches in the Pharmaceutical Sciences. <i>Annual Review of Analytical Chemistry</i> , 2017 , 10, 25-44	12.5	41
74	Gas-phase protein assemblies: Unfolding landscapes and preserving native-like structures using noncovalent adducts. <i>Chemical Physics Letters</i> , 2012 , 524, 1-9	2.5	39
73	Analysis of protein mixtures by matrix-assisted laser desorption ionization-ion mobility-orthogonal-time-of-flight mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2002 , 219, 253-267	1.9	37
72	Ion mobility-mass spectrometry reveals conformational changes in charge reduced multiprotein complexes. <i>Journal of the American Society for Mass Spectrometry</i> , 2011 , 22, 1690-8	3.5	36
71	Symmetry-Directed Self-Assembly of a Tetrahedral Protein Cage Mediated by de Novo-Designed Coiled Coils. <i>ChemBioChem</i> , 2017 , 18, 1888-1892	3.8	35
70	Collisional unfolding of multiprotein complexes reveals cooperative stabilization upon ligand binding. <i>Protein Science</i> , 2015 , 24, 1272-81	6.3	35
69	Resolution equations for high-field ion mobility. <i>Journal of the American Society for Mass Spectrometry</i> , 2004 , 15, 1320-4	3.5	34
68	Chemical Probes and Engineered Constructs Reveal a Detailed Unfolding Mechanism for a Solvent-Free Multidomain Protein. <i>Journal of the American Chemical Society</i> , 2017 , 139, 534-540	16.4	33
67	The influence and utility of varying field strength for the separation of tryptic peptides by ion mobility-mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2005 , 16, 158-65	3.5	33
66	Optimization of a matrix-assisted laser desorption ionization-ion mobility-surface-induced dissociation-orthogonal-time-of-flight mass spectrometer: simultaneous acquisition of multiple correlated MS 1 and MS 2 spectra. <i>International Journal of Mass Spectrometry</i> , 2001 , 212, 519-533	1.9	33
65	Reactivity of diphenylpropynone derivatives toward metal-associated amyloid- β species. <i>Inorganic Chemistry</i> , 2012 , 51, 12959-67	5.1	32
64	Characterization of symmetric complexes of nerve growth factor and the ectodomain of the pan-neurotrophin receptor, p75NTR. <i>Journal of Biological Chemistry</i> , 2005 , 280, 33453-60	5.4	31

63	Exploring the reactivity of flavonoid compounds with metal-associated amyloid- β species. <i>Dalton Transactions</i> , 2012 , 41, 6558-66	4.3	30
62	Gas-Phase Conformations of Proteolytically Derived Protein Fragments: Influence of Solvent on Peptide Conformation. <i>Journal of Physical Chemistry B</i> , 2004 , 108, 15321-15331	3.4	30
61	Evidence for a 1,3-Dipolar Cyclo-addition Mechanism in the Decarboxylation of Phenylacrylic Acids Catalyzed by Ferulic Acid Decarboxylase. <i>Journal of the American Chemical Society</i> , 2017 , 139, 10972-10975	16.4	28
60	Coming to Grips with Ambiguity: Ion Mobility-Mass Spectrometry for Protein Quaternary Structure Assignment. <i>Journal of the American Society for Mass Spectrometry</i> , 2017 , 28, 1991-2000	3.5	27
59	Biosimilarity under stress: A forced degradation study of Remicade \square and Remsima \square MAbs, 2017 , 9, 1197-1209	6.6	26
58	A Monte Carlo approach for assessing the specificity of protein oligomers observed in nano-electrospray mass spectra. <i>International Journal of Mass Spectrometry</i> , 2009 , 283, 169-177	1.9	25
57	Amyloid- β peptide interactions assessed by ion mobility-mass spectrometry. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 8952-61	3.6	24
56	Structural and Mechanistic Insights into Development of Chemical Tools to Control Individual and Inter-Related Pathological Features in Alzheimer's Disease. <i>Chemistry - A European Journal</i> , 2017 , 23, 2706-2715	4.8	23
55	Effects of hydroxyl group variations on a flavonoid backbone toward modulation of metal-free and metal-induced amyloid- β aggregation. <i>Inorganic Chemistry Frontiers</i> , 2016 , 3, 381-392	6.8	21
54	The growing role of structural mass spectrometry in the discovery and development of therapeutic antibodies. <i>Analyst, The</i> , 2018 , 143, 2459-2468	5	21
53	Collision induced unfolding detects subtle differences in intact antibody glycoforms and associated fragments. <i>International Journal of Mass Spectrometry</i> , 2018 , 425, 1-9	1.9	20
52	A Structural Model of the Urease Activation Complex Derived from Ion Mobility-Mass Spectrometry and Integrative Modeling. <i>Structure</i> , 2018 , 26, 599-606.e3	5.2	18
51	Enhanced Collision Induced Unfolding and Electron Capture Dissociation of Native-like Protein Ions. <i>Analytical Chemistry</i> , 2020 , 92, 15489-15496	7.8	18
50	A Modified Drift Tube Ion Mobility-Mass Spectrometer for Charge-Multiplexed Collision-Induced Unfolding. <i>Analytical Chemistry</i> , 2019 , 91, 8137-8146	7.8	17
49	Native Mass Spectrometry, Ion Mobility, Electron-Capture Dissociation, and Modeling Provide Structural Information for Gas-Phase Apolipoprotein E Oligomers. <i>Journal of the American Society for Mass Spectrometry</i> , 2019 , 30, 876-885	3.5	17
48	Hofmeister salts recover a misfolded multiprotein complex for subsequent structural measurements in the gas phase. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 8329-32	16.4	17
47	A single subunit directs the assembly of the Escherichia coli DNA sliding clamp loader. <i>Structure</i> , 2010 , 18, 285-92	5.2	17
46	Importance of the Dimethylamino Functionality on a Multifunctional Framework for Regulating Metals, Amyloid- β and Oxidative Stress in Alzheimer's Disease. <i>Inorganic Chemistry</i> , 2016 , 55, 5000-13	5.1	17

45	Quantitative collision-induced unfolding differentiates model antibody-drug conjugates. <i>Protein Science</i> , 2019 , 28, 598-608	6.3	17
44	Evaluation of de novo-designed coiled coils as off-the-shelf components for protein assembly. <i>Molecular Systems Design and Engineering</i> , 2017 , 2, 140-148	4.6	16
43	Ion Mobility-Mass Spectrometry Reveals Highly-Compact Intermediates in the Collision Induced Dissociation of Charge-Reduced Protein Complexes. <i>Journal of the American Society for Mass Spectrometry</i> , 2016 , 27, 41-9	3.5	16
42	Collisional and Coulombic Unfolding of Gas-Phase Proteins: High Correlation to Their Domain Structures in Solution. <i>Angewandte Chemie</i> , 2014 , 126, 9363-9366	3.6	16
41	Ion Mobility-Mass Spectrometry Differentiates Protein Quaternary Structures Formed in Solution and in Electrospray Droplets. <i>Analytical Chemistry</i> , 2015 , 87, 6808-13	7.8	15
40	Collision Induced Unfolding Classifies Ligands Bound to the Integral Membrane Translocator Protein. <i>Analytical Chemistry</i> , 2019 , 91, 15469-15476	7.8	15
39	Fixed-Charge Trimethyl Pyrylium Modification for Enabling Enhanced Top-Down Mass Spectrometry Sequencing of Intact Protein Complexes. <i>Analytical Chemistry</i> , 2018 , 90, 2756-2764	7.8	13
38	Collision induced unfolding and dissociation differentiates ATP-competitive from allosteric protein tyrosine kinase inhibitors. <i>International Journal of Mass Spectrometry</i> , 2018 , 427, 151-156	1.9	13
37	Traveling-wave Ion Mobility-Mass Spectrometry Reveals Additional Mechanistic Details in the Stabilization of Protein Complex Ions through Tuned Salt Additives. <i>International Journal for Ion Mobility Spectrometry</i> , 2013 , 16, 41-50	1.5	13
36	Ion Mobility-Mass Spectrometry Analysis of Cross-Linked Intact Multiprotein Complexes: Enhanced Gas-Phase Stabilities and Altered Dissociation Pathways. <i>Analytical Chemistry</i> , 2016 , 88, 5290-8	7.8	13
35	Analysis of a soluble (UreD:UreF:UreG) ₂ accessory protein complex and its interactions with <i>Klebsiella aerogenes</i> urease by mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2013 , 24, 1328-37	3.5	12
34	Ion mobility-mass spectrometry of charge-reduced protein complexes reveals general trends in the collisional ejection of compact subunits. <i>Analyst</i> , 2015 , 140, 7020-9	5	12
33	Collision-Induced Unfolding Reveals Unique Fingerprints for Remote Protein Interaction Sites in the KIX Regulation Domain. <i>Journal of the American Society for Mass Spectrometry</i> , 2019 , 30, 94-102	3.5	11
32	Dramatically stabilizing multiprotein complex structure in the absence of bulk water using tuned Hofmeister salts. <i>Faraday Discussions</i> , 2013 , 160, 371-88; discussion 389-403	3.6	11
31	An Improved Calibration Approach for Traveling Wave Ion Mobility Spectrometry: Robust, High-Precision Collision Cross Sections. <i>Analytical Chemistry</i> , 2021 , 93, 3542-3550	7.8	11
30	Bicelles Rich in both Sphingolipids and Cholesterol and Their Use in Studies of Membrane Proteins. <i>Journal of the American Chemical Society</i> , 2020 , 142, 12715-12729	16.4	10
29	Minor Structural Variations of Small Molecules Tune Regulatory Activities toward Pathological Factors in Alzheimer's Disease. <i>ChemMedChem</i> , 2017 , 12, 1828-1838	3.7	10
28	Pervasive Charge Solvation Permeates Native-like Protein Ions and Dramatically Influences Top-down Sequencing Data. <i>Journal of the American Chemical Society</i> , 2020 , 142, 6750-6760	16.4	9

27	An Algorithm for Building Multi-State Classifiers Based on Collision-Induced Unfolding Data. <i>Analytical Chemistry</i> , 2019 , 91, 10407-10412	7.8	9
26	SERF engages in a fuzzy complex that accelerates primary nucleation of amyloid proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 23040-23049	11.5	8
25	Bound Cations Significantly Stabilize the Structure of Multiprotein Complexes in the Gas Phase. <i>Angewandte Chemie</i> , 2012 , 124, 5790-5793	3.6	8
24	Multifaceted assessment of rituximab biosimilarity: The impact of glycan microheterogeneity on Fc function. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2020 , 146, 111-124	5.7	8
23	Affinity-Based Selectivity Profiling of an In-Class Selective Competitive Inhibitor of Acyl Protein Thioesterase 2. <i>ACS Medicinal Chemistry Letters</i> , 2017 , 8, 215-220	4.3	7
22	Infliximab Biosimilars in the Age of Personalized Medicine. <i>Trends in Biotechnology</i> , 2018 , 36, 987-992	15.1	7
21	Robotically assisted titration coupled to ion mobility-mass spectrometry reveals the interface structures and analysis parameters critical for multiprotein topology mapping. <i>Analytical Chemistry</i> , 2013 , 85, 11360-8	7.8	7
20	Ion Mobility-Mass Spectrometry Reveals a Dipeptide That Acts as a Molecular Chaperone for Amyloid β . <i>ACS Chemical Biology</i> , 2017 , 12, 1113-1120	4.9	6
19	IMTBX and Grppr: Software for Top-Down Proteomics Utilizing Ion Mobility-Mass Spectrometry. <i>Analytical Chemistry</i> , 2018 , 90, 2369-2375	7.8	5
18	Assessment of biosimilarity under native and heat-stressed conditions: rituximab, bevacizumab, and trastuzumab originators and biosimilars. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 763-775	4.4	5
17	Complex Formed between Intramembrane Metalloprotease SpoIVFB and Its Substrate, Pro- α . <i>Journal of Biological Chemistry</i> , 2016 , 291, 10347-62	5.4	5
16	Mechanism of the small ATP-independent chaperone Spy is substrate specific. <i>Nature Communications</i> , 2021 , 12, 851	17.4	5
15	Hydrogen/deuterium exchange-mass spectrometry analysis of high concentration biotherapeutics: application to phase-separated antibody formulations. <i>MAbs</i> , 2019 , 11, 779-788	6.6	4
14	A Novel Ion Pseudo-trapping Phenomenon within Traveling Wave Ion Guides. <i>Journal of the American Society for Mass Spectrometry</i> , 2020 , 31, 880-887	3.5	4
13	Collision-Induced Unfolding Differentiates Functional Variants of the KCNQ1 Voltage Sensor Domain. <i>Journal of the American Society for Mass Spectrometry</i> , 2020 , 31, 2348-2355	3.5	4
12	A Semi-Empirical Framework for Interpreting Traveling Wave Ion Mobility Arrival Time Distributions. <i>Journal of the American Society for Mass Spectrometry</i> , 2019 , 30, 956-966	3.5	3
11	Ion mobility-mass spectrometry reveals the role of peripheral myelin protein dimers in peripheral neuropathy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	3
10	Ion Mobility-Mass Spectrometry Reveals Evidence of Specific Complex Formation between Human Histone Deacetylase 8 and Poly-r(C)-binding Protein 1. <i>International Journal of Mass Spectrometry</i> , 2017 , 420, 9-15	1.9	2

9	Hofmeister Salts Recover a Misfolded Multiprotein Complex for Subsequent Structural Measurements in the Gas Phase. <i>Angewandte Chemie</i> , 2013 , 125, 8487-8490	3.6	2
8	Collision-Induced Unfolding Reveals Stability Differences in Infliximab Therapeutics under Native and Heat Stress Conditions. <i>Analytical Chemistry</i> , 2021 , 93, 16166-16174	7.8	2
7	Kinetic Analysis of Transient Intermediates in the Mechanism of Prenyl-Flavin-Dependent Ferulic Acid Decarboxylase. <i>Biochemistry</i> , 2021 , 60, 125-134	3.2	2
6	Oligomerization, trans-reduction, and instability of mutant NOTCH3 in inherited vascular dementia.. <i>Communications Biology</i> , 2022 , 5, 331	6.7	2
5	Development of a sequential injection system in the capillary format for determinations of the IpaC protein. <i>Analytica Chimica Acta</i> , 2000 , 409, 3-8	6.6	1
4	Biochemical characterization of the interaction between KRAS and Argonaute 2.. <i>Biochemistry and Biophysics Reports</i> , 2022 , 29, 101191	2.2	1
3	Verteporfin is a Substrate-Selective β Secretase Inhibitor that Binds the Amyloid Precursor Protein Transmembrane Domain.. <i>Journal of Biological Chemistry</i> , 2022 , 101792	5.4	1
2	Mechanistic insights into accelerated β synuclein aggregation mediated by human microbiome-associated functional amyloids. <i>Journal of Biological Chemistry</i> , 2022 , 102088	5.4	0
1	Bicarbonate buffers can promote crosslinking and alternative gas-phase dissociation pathways for multiprotein complexes. <i>International Journal of Mass Spectrometry</i> , 2021 , 469, 116687	1.9	