Komi Midzodzi Pekpe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5309108/publications.pdf

Version: 2024-02-01

1478505 1372567 25 126 6 citations h-index papers

10 g-index 27 27 27 109 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Indistinguishability Zone ofÂSingle-Output Bilinear Systems. Lecture Notes in Networks and Systems, 2020, , 51-67.	0.7	O
2	Data Projection Method for Sensor Faults Detection and Isolation inÂHammerstein Systems. Lecture Notes in Networks and Systems, 2020, , 3-19.	0.7	0
3	Estimation of Strain in a Rotating Shaft Using Deterministic–Stochastic Approach. Lecture Notes in Networks and Systems, 2020, , 375-386.	0.7	O
4	Necessary and Sufficient Condition for Controlled Distinguishability of Continuous-Time Bilinear Systems. IEEE Transactions on Automatic Control, 2019, 64, 3013-3018.	5.7	4
5	Robust discerning controls for the operating modes of linear switched systems subject to bounded unknown inputs. Automatica, 2018, 96, 159-165.	5.0	6
6	Switching time estimation and active mode recognition using a data projection method. International Journal of Applied Mathematics and Computer Science, 2016, 26, 827-840.	1.5	9
7	On the Input-Output Distinguishability of Single Output Continuous Linear Time-Invariant Systems. IEEE Transactions on Automatic Control, 2016, 61, 1906-1911.	5.7	6
8	Autoregressive model-based boiling detection in a Liquid Metal Fast Breeder Reactor. IFAC-PapersOnLine, 2015, 48, 566-570.	0.9	O
9	Vibration-based fault detection of meshing shafts. IFAC-PapersOnLine, 2015, 48, 560-565.	0.9	3
10	Active Mode Recognition of Switched Nonlinear Systems: Application to Fault Detection and Isolation. Asian Journal of Control, 2014, 16, 345-357.	3.0	8
11	Acoustic monitoring of sodium boiling in a liquid metal fast breeder reactor from autoregressive models. Nuclear Engineering and Design, 2014, 278, 573-585.	1.7	11
12	Data-projection method for actuator fault detection and estimation. , 2013, , .		2
13	Bearings fault detection in helicopters using frequency readjustment and cyclostationary analysis. Mechanical Systems and Signal Processing, 2013, 38, 499-514.	8.0	30
14	Fault Detection and Isolation for Switching Systems using a Parameter-Free Method., 2013,, 98-118.		4
15	A parameter-free method for sensor fault detection and isolation in bilinear systems. , 2012, , .		4
16	Vibration-based fault detection of accelerometers in helicopters. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 720-725.	0.4	3
17	Vibration-based fault detection of sharp bearing faults in helicopters. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 180-185.	0.4	2
18	On mode discernibility and switching detectability for linear switching systems using a data-based projection method. , 2011 , , .		3

#	Article	IF	CITATIONS
19	Sensor fault diagnosis for bilinear systems using data-based residuals. , 2011, , .		6
20	Robust mode recognition in Hybrid Dynamical Systems with nonlinear modes. , 2011, , .		2
21	Data projection method for sensor Fault Detection and Isolation on nonlinear systems based on Takagi Sugeno model. , 2011, , .		4
22	Parameter-free method for switching time estimation and current mode recognition. , 2010, , .		5
23	Mode recognition of hybrid dynamical systems with nonlinear modes using Takagi-Sugeno models. , 2010, , .		0
24	Identification of MIMO Takagi-Sugeno model of a bioreactor. IEEE International Conference on Fuzzy Systems, 2007, , .	0.0	9
25	Subspace identification of switching model. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2003, 36, 1089-1094.	0.4	5