

Lin Zhou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5310280/publications.pdf>

Version: 2024-02-01

54
papers

1,405
citations

471371

17
h-index

360920

35
g-index

56
all docs

56
docs citations

56
times ranked

2030
citing authors

#	ARTICLE	IF	CITATIONS
1	Eye pain and blurred vision as main complaints in a new case with MDPL syndrome. <i>European Journal of Ophthalmology</i> , 2022, 32, NP82-NP86.	0.7	2
2	Stereotactic body radiotherapy to the primary lung lesion improves the survival of the selected patients with non-oligometastatic NSCLC harboring EGFR activating mutation with first-line EGFR-TKIs: a real-world study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 2589-2598.	1.2	9
3	Clinically relevant orthotopic xenograft models of patient-derived glioblastoma in zebrafish. <i>DMM Disease Models and Mechanisms</i> , 2022, 15, .	1.2	8
4	A Longitudinal Comparison of the Recovery Patterns of Optic Neuritis with MOG Antibody-Seropositive and AQP4 Antibody-Seropositive or -Seronegative for Both Antibodies. <i>Journal of Ophthalmology</i> , 2022, 2022, 1-11.	0.6	0
5	KMT2C deficiency promotes small cell lung cancer metastasis through DNMT3A-mediated epigenetic reprogramming. <i>Nature Cancer</i> , 2022, 3, 753-767.	5.7	41
6	Safety and efficacy of sintilimab in combination with SBRT and LDRT in PD-L1 positive treatment naïve-stage IV non-small cell lung cancer: A phase I study (IHC study).. <i>Journal of Clinical Oncology</i> , 2022, 40, e21174-e21174.	0.8	0
7	Striking effect of low-dose radiotherapy combined with PD-1 blockade on small cell lung cancer in mice and refractory patients (Achilles Study).. <i>Journal of Clinical Oncology</i> , 2022, 40, e20608-e20608.	0.8	0
8	Efficacy and safety of low-dose radiotherapy (LDRT) concurrent atezolizumab plus chemotherapy as first-line therapy for ES-SCLC : Interim analysis of Phase II MATCH trial.. <i>Journal of Clinical Oncology</i> , 2022, 40, e20611-e20611.	0.8	3
9	Continuous Low-Dose Apatinib Combined With WBRT Significantly Reduces Peritumoral Edema and Enhances the Efficacy of Symptomatic Multiple Brain Metastases in NSCLC. <i>Technology in Cancer Research and Treatment</i> , 2021, 20, 153303382110119.	0.8	4
10	Effective method to reduce the normal brain dose in single-isocenter hypofractionated stereotactic radiotherapy for multiple brain metastases. <i>Strahlentherapie Und Onkologie</i> , 2021, 197, 592-600.	1.0	7
11	Development and validation of a nomogram for assessing survival in extensive-stage small-cell lung cancer patients with superior vena cava syndrome referred for thoracic radiotherapy: a comparison of upfront vs. consolidative approaches. <i>Strahlentherapie Und Onkologie</i> , 2021, 197, 1072-1083.	1.0	2
12	Stereotactic body radiotherapy to the lung primary lesion improves the survival of patients with non-oligometastatic NSCLC harboring EGFR activating mutation with first-line EGFR-TKIs: A real-world study.. <i>Journal of Clinical Oncology</i> , 2021, 39, e21131-e21131.	0.8	0
13	Secondary infections after diagnosis of severe radiation pneumonitis (SRP) among non-small cell lung cancer patients: pathogen distributions, choice of empirical antibiotics and the value of empirical antifungal treatment. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, , .	0.4	6
14	Ocular Immune-Related Adverse Events Associated With Immune Checkpoint Inhibitors in Lung Cancer. <i>Frontiers in Immunology</i> , 2021, 12, 701951.	2.2	25
15	Acute severe radiation pneumonitis among non-small cell lung cancer (NSCLC) patients with moderate pulmonary dysfunction receiving definitive concurrent chemoradiotherapy: Impact of pre-treatment pulmonary function parameters. <i>Strahlentherapie Und Onkologie</i> , 2020, 196, 505-514.	1.0	24
16	Applicability of the adjusted graded prognostic assessment for lung cancer with brain metastases using molecular markers (Lung-GPA) in a Chinese cohort: A retrospective study of multiple institutions. <i>Cancer Medicine</i> , 2020, 9, 8772-8781.	1.3	2
17	PD-L1 expression is a promising predictor of survival in patients with advanced lung adenocarcinoma undergoing pemetrexed maintenance therapy. <i>Scientific Reports</i> , 2020, 10, 16150.	1.6	2
18	Effect of Low-Dose Radiation Therapy on Abscopal Responses to Hypofractionated Radiation Therapy and Anti-PD1 in Mice and Patients With Non-Small Cell Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 108, 212-224.	0.4	72

#	ARTICLE	IF	CITATIONS
19	Durable response to combination radiotherapy and immunotherapy in EP-resistant lung large-cell neuroendocrine carcinoma with <i>B2M</i> and <i>STK11</i> mutations: a case report. <i>Immunotherapy</i> , 2020, 12, 223-227.	1.0	10
20	<p>Dual Targeting of the Epidermal Growth Factor Receptor Using Combination of Nimotuzumab and Erlotinib in Advanced Non-Small-Cell Lung Cancer with Leptomeningeal Metastases: A Report of Three Cases</p>. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 647-656.	1.0	7
21	Radical esophagectomy for stage II and III thoracic esophageal squamous cell carcinoma followed by adjuvant radiotherapy with or without chemotherapy: Which is more beneficial?. <i>Thoracic Cancer</i> , 2020, 11, 631-639.	0.8	11
22	Safety and feasibility of CRISPR-edited T cells in patients with refractory non-small-cell lung cancer. <i>Nature Medicine</i> , 2020, 26, 732-740.	15.2	322
23	Changes of Brain Structure in Patients With Metastatic Non-Small Cell Lung Cancer After Long-Term Target Therapy With EGFR-TKI. <i>Frontiers in Oncology</i> , 2020, 10, 573512.	1.3	1
24	Integration of stereotactic radiosurgery or whole brain radiation therapy with immunotherapy for treatment of brain metastases. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2020, 32, 448-466.	0.7	6
25	Marvelous objective response of low dose radiotherapy plus ICIs for extended stage small cell lung cancer.. <i>Journal of Clinical Oncology</i> , 2020, 38, e21097-e21097.	0.8	2
26	Leptomeningeal metastasis after effective first-generation EGFR TKI treatment of advanced non-small cell lung cancer. <i>Lung Cancer</i> , 2019, 127, 1-5.	0.9	23
27	A Novel Nomogram and Risk Classification System Predicting the Cancer-Specific Survival of Patients with Initially Diagnosed Metastatic Esophageal Cancer: A SEER-Based Study. <i>Annals of Surgical Oncology</i> , 2019, 26, 321-328.	0.7	61
28	Predicting severe acute radiation pneumonitis in patients with non-small cell lung cancer receiving postoperative radiotherapy: Development and internal validation of a nomogram based on the clinical and doseâ€“volume histogram parameters. <i>Radiotherapy and Oncology</i> , 2019, 132, 197-203.	0.3	33
29	PD-1 Modulates Radiation-Induced Cardiac Toxicity through Cytotoxic T Lymphocytes. <i>Journal of Thoracic Oncology</i> , 2018, 13, 510-520.	0.5	77
30	Targeting Myeloid-derived Suppressor Cells and Programmed Death Ligand 1 Confers Therapeutic Advantage of Ablative Hypofractionated Radiation Therapy Compared With Conventional Fractionated Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 101, 74-87.	0.4	82
31	Monitoring the estimated glomerular filtration rate (eGFR) in patients with small-cell lung cancer during chemotherapy: equations based on serum creatinine or cystatin C?. <i>International Journal of Clinical Oncology</i> , 2018, 23, 258-265.	1.0	2
32	Assessment of programmed cell death ligand-1 expression with multiple immunohistochemistry antibody clones in non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2018, 10, 816-824.	0.6	9
33	Epidermal Growth Factor Receptor Mutations in Nonâ€“Small-Cell Lung Cancer With Brain Metastasis: Can Up-Front Radiation Therapy Be Deferred or Withheld?. <i>Journal of Clinical Oncology</i> , 2017, 35, 1033-1035.	0.8	18
34	The Fatty Acid Amide Hydrolase Inhibitor URB937 Ameliorates Radiation-Induced Lung Injury in a Mouse Model. <i>Inflammation</i> , 2017, 40, 1254-1263.	1.7	5
35	Azithromycin attenuates acute radiationâ€“induced lung injury in mice. <i>Oncology Letters</i> , 2017, 14, 5211-5220.	0.8	18
36	Continuation of Tyrosine Kinase Inhibitor is Associated with Survival Benefit in NSCLC Patients with Exon 19 Deletion after Solitary Progression. <i>Journal of Cancer</i> , 2017, 8, 3682-3688.	1.2	3

#	ARTICLE	IF	CITATIONS
37	Reply to A. Chalmers et al. Journal of Clinical Oncology, 2017, 35, 2341-2341.	0.8	0
38	Efficacy of epidermal growth factor receptor-tyrosine kinase inhibitors for lung squamous carcinomas harboring EGFR mutation: A multicenter study and pooled analysis of published reports. Oncotarget, 2017, 8, 49680-49688.	0.8	17
39	Concurrent brain radiotherapy and EGFR-TKI may improve intracranial metastases control in non-small cell lung cancer and have survival benefit in patients with low DS-GPA score. Oncotarget, 2017, 8, 111309-111317.	0.8	22
40	Intrathecal chemotherapy as a treatment for leptomeningeal metastasis of non-small cell lung cancer: A pooled analysis. Oncology Letters, 2016, 12, 1301-1314.	0.8	33
41	Impact of whole brain radiation therapy on CSF penetration ability of Icotinib in EGFR-mutated non-small cell lung cancer patients with brain metastases: Results of phase I dose-escalation study. Lung Cancer, 2016, 96, 93-100.	0.9	32
42	Stereotactic Body Radiation Therapy Delivery in a Genetically Engineered Mouse Model of Lung Cancer. International Journal of Radiation Oncology Biology Physics, 2016, 96, 529-537.	0.4	14
43	Postoperative chemoradiotherapy improves survival in patients with stage II-III esophageal squamous cell carcinoma: An analysis of clinical outcomes. Thoracic Cancer, 2016, 7, 515-521.	0.8	12
44	Early CT perfusion changes and the outcome of antiangiogenic therapy and chemotherapy in patients with advanced primary lung adenocarcinoma. Journal of Clinical Oncology, 2016, 34, e20543-e20543.	0.8	1
45	Codelivery of SH-aspirin and curcumin by mPEG-PLGA nanoparticles enhanced antitumor activity by inducing mitochondrial apoptosis. International Journal of Nanomedicine, 2015, 10, 5205.	3.3	30
46	SNAILS promote G1 phase in selected cancer cells. International Journal of Oncology, 2015, 47, 1863-73.	1.4	0
47	Bevacizumab radiosensitizes non-small cell lung cancer xenografts by inhibiting DNA double-strand break repair in endothelial cells. Cancer Letters, 2015, 365, 79-88.	3.2	18
48	Study of the <i>in vitro</i> and <i>in vivo</i> correlation of Danshensu and protocatechuic aldehyde in a two-step release system. Journal of Asian Natural Products Research, 2015, 17, 391-402.	0.7	1
49	Safety and efficacy of radiation and chemoradiation in patients over 70 years old with inoperable esophageal squamous cell carcinoma. Oncology Letters, 2014, 7, 260-266.	0.8	16
50	Safety and efficacy of paclitaxel liposome for elderly patients with advanced non-small cell lung cancer: A multicenter prospective study. Thoracic Cancer, 2013, 4, 14-19.	0.8	4
51	Phase II study of oral etoposide maintenance for patients with extensive stage small cell lung cancer who have responded to the induction on an EP regimen. Thoracic Cancer, 2013, 4, 234-240.	0.8	5
52	Clinical characteristics of mixed neuroendocrine cancer of lung: Retrospective analysis of 20 cases from 2,501 lung cancer. Journal of Clinical Oncology, 2013, 31, e19055-e19055.	0.8	0
53	A retrospective study of pemetrexed combined with oxaliplatin as second-line treatment for advanced non-small cell lung cancer: Comparable toxicity, better outcome. Thoracic Cancer, 2011, 2, 201-206.	0.8	0
54	Serum tumor markers for detection of hepatocellular carcinoma. World Journal of Gastroenterology, 2006, 12, 1175.	1.4	294