# Jens S Andersen

### List of Publications by Citations

Source: https://exaly.com/author-pdf/5310879/jens-s-andersen-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117	15,817	57	124
papers	citations	h-index	g-index
124	17,292 ext. citations	12	5.93
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
117	Proteomic characterization of the human centrosome by protein correlation profiling. <i>Nature</i> , <b>2003</b> , 426, 570-4	50.4	1077
116	Nucleolar proteome dynamics. <i>Nature</i> , <b>2005</b> , 433, 77-83	50.4	946
115	Directed proteomic analysis of the human nucleolus. <i>Current Biology</i> , <b>2002</b> , 12, 1-11	6.3	883
114	Identification of the receptor component of the IkappaBalpha-ubiquitin ligase. <i>Nature</i> , <b>1998</b> , 396, 590-4	4 50.4	591
113	Reversible lysine acetylation controls the activity of the mitochondrial enzyme acetyl-CoA synthetase 2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2006</b> , 103, 10224-10229	11.5	564
112	Axin-mediated CKI phosphorylation of beta-catenin at Ser 45: a molecular switch for the Wnt pathway. <i>Genes and Development</i> , <b>2002</b> , 16, 1066-76	12.6	548
111	Analysis of the Plasmodium falciparum proteome by high-accuracy mass spectrometry. <i>Nature</i> , <b>2002</b> , 419, 537-42	50.4	538
110	Trans-complex formation by proteolipid channels in the terminal phase of membrane fusion. <i>Nature</i> , <b>2001</b> , 409, 581-8	50.4	440
109	p70S6 kinase signals cell survival as well as growth, inactivating the pro-apoptotic molecule BAD. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2001</b> , 98, 9666-70	11.5	431
108	Matrix protein 2 of influenza A virus blocks autophagosome fusion with lysosomes. <i>Cell Host and Microbe</i> , <b>2009</b> , 6, 367-80	23.4	387
107	Paraspeckles: a novel nuclear domain. <i>Current Biology</i> , <b>2002</b> , 12, 13-25	6.3	383
106	Spermidine and resveratrol induce autophagy by distinct pathways converging on the acetylproteome. <i>Journal of Cell Biology</i> , <b>2011</b> , 192, 615-29	7.3	362
105	Regulation of autophagy by cytosolic acetyl-coenzyme A. <i>Molecular Cell</i> , <b>2014</b> , 53, 710-25	17.6	331
104	A mass spectrometry-based proteomic approach for identification of serine/threonine-phosphorylated proteins by enrichment with phospho-specific antibodies: identification of a novel protein, Frigg, as a protein kinase A substrate. <i>Molecular and Cellular</i>	7.6	318
103	Proteomics, <b>2002</b> , 1, 517-27 Proteomic analysis of the Arabidopsis nucleolus suggests novel nucleolar functions. <i>Molecular Biology of the Cell</i> , <b>2005</b> , 16, 260-9	3.5	313
102	Analysis of nucleolar protein dynamics reveals the nuclear degradation of ribosomal proteins. <i>Current Biology</i> , <b>2007</b> , 17, 749-60	6.3	279
101	Interaction profiling identifies the human nuclear exosome targeting complex. <i>Molecular Cell</i> , <b>2011</b> , 43, 624-37	17.6	275

# (2008-2012)

100	Exome capture reveals ZNF423 and CEP164 mutations, linking renal ciliopathies to DNA damage response signaling. <i>Cell</i> , <b>2012</b> , 150, 533-48	56.2	266
99	Microcolumns with self-assembled particle frits for proteomics. <i>Journal of Chromatography A</i> , <b>2002</b> , 979, 233-9	4.5	260
98	RGM is a repulsive guidance molecule for retinal axons. <i>Nature</i> , <b>2002</b> , 419, 392-5	50.4	244
97	Distinct and overlapping sets of SUMO-1 and SUMO-2 target proteins revealed by quantitative proteomics. <i>Molecular and Cellular Proteomics</i> , <b>2006</b> , 5, 2298-310	7.6	236
96	Novel asymmetrically localizing components of human centrosomes identified by complementary proteomics methods. <i>EMBO Journal</i> , <b>2011</b> , 30, 1520-35	13	235
95	MSQuant, an open source platform for mass spectrometry-based quantitative proteomics. <i>Journal of Proteome Research</i> , <b>2010</b> , 9, 393-403	5.6	225
94	Repo-Man recruits PP1 gamma to chromatin and is essential for cell viability. <i>Journal of Cell Biology</i> , <b>2006</b> , 172, 679-92	7.3	218
93	A proteomic approach for identification of secreted proteins during the differentiation of 3T3-L1 preadipocytes to adipocytes. <i>Molecular and Cellular Proteomics</i> , <b>2002</b> , 1, 213-22	7.6	202
92	Nucleolin and YB-1 are required for JNK-mediated interleukin-2 mRNA stabilization during T-cell activation. <i>Genes and Development</i> , <b>2000</b> , 14, 1236-1248	12.6	202
91	Site-specific phosphorylation dynamics of the nuclear proteome during the DNA damage response. <i>Molecular and Cellular Proteomics</i> , <b>2010</b> , 9, 1314-23	7.6	195
90	The human core exosome interacts with differentially localized processive RNases: hDIS3 and hDIS3L. <i>EMBO Journal</i> , <b>2010</b> , 29, 2342-57	13	189
89	A proteomic study of SUMO-2 target proteins. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 33791-8	5.4	181
88	Identification of let-7-regulated oncofetal genes. Cancer Research, 2008, 68, 2587-91	10.1	177
87	The chromatin-remodeling factor CHD4 coordinates signaling and repair after DNA damage. <i>Journal of Cell Biology</i> , <b>2010</b> , 190, 731-40	7.3	175
86	Organellar proteomics: turning inventories into insights. <i>EMBO Reports</i> , <b>2006</b> , 7, 874-9	6.5	175
85	The human cap-binding complex is functionally connected to the nuclear RNA exosome. <i>Nature Structural and Molecular Biology</i> , <b>2013</b> , 20, 1367-76	17.6	157
84	Protein kinase CK2 is coassembled with small conductance Ca(2+)-activated K+ channels and regulates channel gating. <i>Neuron</i> , <b>2004</b> , 43, 847-58	13.9	155
83	Ordered organelle degradation during starvation-induced autophagy. <i>Molecular and Cellular Proteomics</i> , <b>2008</b> , 7, 2419-28	7.6	145

82	Identification of a Nuclear Exosome Decay Pathway for Processed Transcripts. <i>Molecular Cell</i> , <b>2016</b> , 64, 520-533	17.6	133
81	Centrosomes. Regulated assembly of a supramolecular centrosome scaffold in vitro. <i>Science</i> , <b>2015</b> , 348, 808-12	33.3	125
80	The ubiquitin-proteasome system is a key component of the SUMO-2/3 cycle. <i>Molecular and Cellular Proteomics</i> , <b>2008</b> , 7, 2107-22	7.6	124
79	The RNA-binding protein KSRP promotes decay of beta-catenin mRNA and is inactivated by PI3K-AKT signaling. <i>PLoS Biology</i> , <b>2006</b> , 5, e5	9.7	123
78	Mass spectrometry allows direct identification of proteins in large genomes. <i>Proteomics</i> , <b>2001</b> , 1, 641-5	5 <b>0</b> 4.8	115
77	p95-APP1 links membrane transport to Rac-mediated reorganization of actin. <i>Nature Cell Biology</i> , <b>2000</b> , 2, 521-30	23.4	115
76	Bioinformatic analysis of the nucleolus. <i>Biochemical Journal</i> , <b>2003</b> , 376, 553-69	3.8	114
75	Identification of miRNA targets with stable isotope labeling by amino acids in cell culture. <i>Nucleic Acids Research</i> , <b>2006</b> , 34, e107	20.1	108
74	The Vtc proteins in vacuole fusion: coupling NSF activity to V(0) trans-complex formation. <i>EMBO Journal</i> , <b>2002</b> , 21, 259-69	13	107
73	Quantitative proteomic assessment of very early cellular signaling events. <i>Nature Biotechnology</i> , <b>2007</b> , 25, 566-8	44.5	103
72	BASP1 is a transcriptional cosuppressor for the WilmsStumor suppressor protein WT1. <i>Molecular and Cellular Biology</i> , <b>2004</b> , 24, 537-49	4.8	102
71	Pseudosubstrate regulation of the SCF(beta-TrCP) ubiquitin ligase by hnRNP-U. <i>Genes and Development</i> , <b>2002</b> , 16, 439-51	12.6	101
70	Identification of autophagosome-associated proteins and regulators by quantitative proteomic analysis and genetic screens. <i>Molecular and Cellular Proteomics</i> , <b>2012</b> , 11, M111.014035	7.6	99
69	Electrospray ionization and matrix assisted laser desorption/ionization mass spectrometry: powerful analytical tools in recombinant protein chemistry. <i>Nature Biotechnology</i> , <b>1996</b> , 14, 449-57	44.5	99
68	FACT facilitates chromatin transcription by RNA polymerases I and III. <i>EMBO Journal</i> , <b>2009</b> , 28, 854-65	13	93
67	Functional genomics by mass spectrometry. <i>FEBS Letters</i> , <b>2000</b> , 480, 25-31	3.8	91
66	NOPdb: Nucleolar Proteome Database. <i>Nucleic Acids Research</i> , <b>2006</b> , 34, D218-20	20.1	85
65	Depletion of kinesin 5B affects lysosomal distribution and stability and induces peri-nuclear accumulation of autophagosomes in cancer cells. <i>PLoS ONE</i> , <b>2009</b> , 4, e4424	3.7	82

# (2011-2014)

64	ANCHR mediates Aurora-B-dependent abscission checkpoint control through retention of VPS4.  Nature Cell Biology, <b>2014</b> , 16, 550-60	4	78
63	Temporal profiling and pulsed SILAC labeling identify novel secreted proteins during ex vivo osteoblast differentiation of human stromal stem cells. <i>Molecular and Cellular Proteomics</i> , <b>2012</b> , 11, 989 <sup>7</sup> 10	07	64
62	Overexpression, purification, and characterization of recombinant barley alpha-amylases 1 and 2 secreted by the methylotrophic yeast Pichia pastoris. <i>Protein Expression and Purification</i> , <b>1996</b> , 8, 204-14 <sup>2</sup>		64
61	Inducing autophagy: a comparative phosphoproteomic study of the cellular response to ammonia and rapamycin. <i>Autophagy</i> , <b>2014</b> , 10, 339-55	.2	57
60	A mass spectrometry-friendly database for cSNP identification. <i>Nature Methods</i> , <b>2007</b> , 4, 465-6 21.	6	57
59	Advancing cell biology through proteomics in space and time (PROSPECTS). <i>Molecular and Cellular Proteomics</i> , <b>2012</b> , 11, O112.017731		52
58	A wiring of the human nucleolus. <i>Molecular Cell</i> , <b>2006</b> , 22, 285-95	6	52
57	Inhibition of adipocyte differentiation by resistin-like molecule alpha. Biochemical characterization of its oligomeric nature. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 42011-6		51
56	Renal-retinal ciliopathy gene Sdccag8 regulates DNA damage response signaling. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2014</b> , 25, 2573-83	7	46
55	Mutually Exclusive CBC-Containing Complexes Contribute to RNA Fate. <i>Cell Reports</i> , <b>2017</b> , 18, 2635-265@o	.6	45
54	eIF5A is required for autophagy by mediating ATG3[translation. <i>EMBO Reports</i> , <b>2018</b> , 19,		44
53	Bod1, a novel kinetochore protein required for chromosome biorientation. <i>Journal of Cell Biology</i> , <b>2007</b> , 179, 187-97		44
52	Decellularized matrix from tumorigenic human mesenchymal stem cells promotes neovascularization with galectin-1 dependent endothelial interaction. <i>PLoS ONE</i> , <b>2011</b> , 6, e21888		38
51	Quantitative proteomics identifies ferritin in the innate immune response of C. elegans. <i>Virulence</i> , <b>2011</b> , 2, 120-30		38
50	CEP128 Localizes to the Subdistal Appendages of the Mother Centriole and Regulates TGF-IBMP Signaling at the Primary Cilium. <i>Cell Reports</i> , <b>2018</b> , 22, 2584-2592	.6	36
49	The minotaur proteome: avoiding cross-species identifications deriving from bovine serum in cell culture models. <i>Proteomics</i> , <b>2010</b> , 10, 3040-4		36
48	Selective autophagy maintains centrosome integrity and accurate mitosis by turnover of centriolar satellites. <i>Nature Communications</i> , <b>2019</b> , 10, 4176	4	32
47	Comparative proteomics and activity of a green sulfur bacterium through the water column of Lake Cadagno, Switzerland. <i>Environmental Microbiology</i> , <b>2011</b> , 13, 203-215		32

46	Temporal profiling of the chromatin proteome reveals system-wide responses to replication inhibition. <i>Current Biology</i> , <b>2008</b> , 18, 838-43	6.3	32
45	Identification of a membrane proteomic signature for human embryonic stem cells independent of culture conditions. <i>Stem Cell Research</i> , <b>2008</b> , 1, 219-27	1.6	31
44	Ordered bulk degradation via autophagy. Autophagy, 2008, 4, 1057-9	10.2	31
43	Longevity-relevant regulation of autophagy at the level of the acetylproteome. <i>Autophagy</i> , <b>2011</b> , 7, 64	7- <del>2</del> 0.2	30
42	A divergent calponin homology (NN-CH) domain defines a novel family: implications for evolution of ciliary IFT complex B proteins. <i>Bioinformatics</i> , <b>2014</b> , 30, 899-902	7.2	28
41	Phosphoproteomic analysis of cells treated with longevity-related autophagy inducers. <i>Cell Cycle</i> , <b>2012</b> , 11, 1827-40	4.7	28
40	Analysis of tyrosine phosphorylation sites in signaling molecules by a phosphotyrosine-specific immonium ion scanning method. <i>Science Signaling</i> , <b>2002</b> , 2002, pl16	8.8	28
39	Characterization of early autophagy signaling by quantitative phosphoproteomics. <i>Autophagy</i> , <b>2014</b> , 10, 356-71	10.2	26
38	The Caenorhabditis elegans pericentriolar material components SPD-2 and SPD-5 are monomeric in the cytoplasm before incorporation into the PCM matrix. <i>Molecular Biology of the Cell</i> , <b>2014</b> , 25, 2984-9	23.5	26
37	Rapid desalting of protein samples for on-line microflow electrospray ionization mass spectrometry. <i>Analytical Biochemistry</i> , <b>2005</b> , 342, 160-2	3.1	26
36	Identification of SUMO target proteins by quantitative proteomics. <i>Methods in Molecular Biology</i> , <b>2009</b> , 497, 19-31	1.4	25
35	Acetylation dynamics of human nuclear proteins during the ionizing radiation-induced DNA damage response. <i>Cell Cycle</i> , <b>2013</b> , 12, 1688-95	4.7	24
34	The complete amino acid sequence and disulphide bond arrangement of oat alcohol-soluble avenin-3. <i>FEBS Journal</i> , <b>1994</b> , 224, 631-8		22
33	ErbB2-associated changes in the lysosomal proteome. <i>Proteomics</i> , <b>2011</b> , 11, 2830-8	4.8	21
32	Degradation of protein translation machinery by amino acid starvation-induced macroautophagy. <i>Autophagy</i> , <b>2017</b> , 13, 1064-1075	10.2	20
31	A systems approach delivers a functional microRNA catalog and expanded targets for seizure suppression in temporal lobe epilepsy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 15977-15988	11.5	19
30	Characterizing ZC3H18, a Multi-domain Protein at the Interface of RNA Production and Destruction Decisions. <i>Cell Reports</i> , <b>2018</b> , 22, 44-58	10.6	19
29	Mass spectrometric identification of proteins that interact through specific domains of the poly(A) binding protein. <i>Molecular Genetics and Genomics</i> , <b>2012</b> , 287, 711-730	3.1	18

### (2010-2008)

28	HDAC activity is required for p65/RelA-dependent repression of PPARdelta-mediated transactivation in human keratinocytes. <i>Journal of Investigative Dermatology</i> , <b>2008</b> , 128, 1095-106	4.3	18
27	Electrospray mass spectrometry characterization of post-translational modifications of barley alpha-amylase 1 produced in yeast. <i>Nature Biotechnology</i> , <b>1993</b> , 11, 1162-5	44.5	18
26	The human ZC3H3 and RBM26/27 proteins are critical for PAXT-mediated nuclear RNA decay. <i>Nucleic Acids Research</i> , <b>2020</b> , 48, 2518-2530	20.1	18
25	PhosphoSiteAnalyzer: a bioinformatic platform for deciphering phospho proteomes using kinase predictions retrieved from NetworKIN. <i>Journal of Proteome Research</i> , <b>2012</b> , 11, 3480-6	5.6	17
24	Rab35 controls cilium length, function and membrane composition. <i>EMBO Reports</i> , <b>2019</b> , 20, e47625	6.5	16
23	Localization of an O-glycosylated site in the recombinant barley alpha-amylase 1 produced in yeast and correction of the amino acid sequence using matrix-assisted laser desorption/ionization mass spectrometry of peptide mixtures. <i>Biological Mass Spectrometry</i> , <b>1994</b> , 23, 547-54		16
22	Evaluation of mass spectrometric techniques for characterization of engineered proteins. <i>Molecular Biotechnology</i> , <b>1995</b> , 4, 1-12	3	14
21	The phosphorylated ribosomal protein S7 in Tetrahymena is homologous with mammalian S4 and the phosphorylated residues are located in the C-terminal region. Structural characterization of proteins separated by two-dimensional polyacrylamide gel electrophoresis. <i>Journal of Biological</i>	5.4	14
20	Characterization of the different spectral forms of glutamate 1-semialdehyde aminotransferase by mass spectrometry. <i>Biochemistry</i> , <b>1995</b> , 34, 15918-24	3.2	14
19	Taperin (c9orf75), a mutated gene in nonsyndromic deafness, encodes a vertebrate specific, nuclear localized protein phosphatase one alpha (PP1) docking protein. <i>Biology Open</i> , <b>2012</b> , 1, 128-39	2.2	13
18	SDCCAG8 Interacts with RAB Effector Proteins RABEP2 and ERC1 and Is Required for Hedgehog Signaling. <i>PLoS ONE</i> , <b>2016</b> , 11, e0156081	3.7	13
17	Quantitative proteomics of Chlorobaculum tepidum: insights into the sulfur metabolism of a phototrophic green sulfur bacterium. <i>FEMS Microbiology Letters</i> , <b>2011</b> , 323, 142-50	2.9	12
16	Protein tyrosine phosphatase SHP2/PTPN11 mistargeting as a consequence of SH2-domain point mutations associated with Noonan Syndrome and leukemia. <i>Journal of Proteomics</i> , <b>2013</b> , 84, 132-47	3.9	11
15	CEP78 functions downstream of CEP350 to control biogenesis of primary cilia by negatively regulating CP110 levels. <i>ELife</i> , <b>2021</b> , 10,	8.9	11
14	Global mapping of protein phosphorylation events identifies Ste20, Sch9 and the cell-cycle regulatory kinases Cdc28/Pho85 as mediators of fatty acid starvation responses in Saccharomyces cerevisiae. <i>Molecular BioSystems</i> , <b>2012</b> , 8, 796-803		9
13	Centrosome isolation and analysis by mass spectrometry-based proteomics. <i>Methods in Enzymology</i> , <b>2013</b> , 525, 371-93	1.7	9
12	Signal transduction by growth factor receptors: signaling in an instant. Cell Cycle, 2007, 6, 2913-6	4.7	9
11	Organelle proteomics by label-free and SILAC-based protein correlation profiling. <i>Methods in Molecular Biology</i> , <b>2010</b> , 658, 255-65	1.4	9

10	Human RTEL1 associates with Poldip3 to facilitate responses to replication stress and R-loop resolution. <i>Genes and Development</i> , <b>2020</b> , 34, 1065-1074	12.6	8
9	The long non-coding RNA MIR31HG regulates the senescence associated secretory phenotype. <i>Nature Communications</i> , <b>2021</b> , 12, 2459	17.4	6
8	DNA damage-induced dynamic changes in abundance and cytosol-nuclear translocation of proteins involved in translational processes, metabolism, and autophagy. <i>Cell Cycle</i> , <b>2018</b> , 17, 2146-2163	4.7	4
7	Quantitative proteomics identifies unanticipated regulators of nitrogen- and glucose starvation. <i>Molecular BioSystems</i> , <b>2014</b> , 10, 2176-88		3
6	Friend or food: different cues to the autophagosomal proteome. <i>Autophagy</i> , <b>2012</b> , 8, 995-6	10.2	3
5	A Proteomic Approach to the Inventory of the Human Centrosome <b>2005</b> , 123-142		3
5	A Proteomic Approach to the Inventory of the Human Centrosome <b>2005</b> , 123-142  MCM3 upregulation confers endocrine resistance in breast cancer and is a predictive marker of diminished tamoxifen benefit. <i>Npj Breast Cancer</i> , <b>2021</b> , 7, 2	7.8	3
	MCM3 upregulation confers endocrine resistance in breast cancer and is a predictive marker of	7.8 4.8	
4	MCM3 upregulation confers endocrine resistance in breast cancer and is a predictive marker of diminished tamoxifen benefit. <i>Npj Breast Cancer</i> , <b>2021</b> , 7, 2  Spatial Characterization of the Human Centrosome Proteome Opens Up New Horizons for a Small	,	3