

# Zhijian Tian

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5311536/publications.pdf>

Version: 2024-02-01

107  
papers

3,428  
citations

109321

35  
h-index

161849

54  
g-index

113  
all docs

113  
docs citations

113  
times ranked

3522  
citing authors

#	ARTICLE	IF	CITATIONS
1	Acceleration effect of sodium halide on zeolite crystallization: ZSM-12 as a case study. <i>Microporous and Mesoporous Materials</i> , 2022, 331, 111652.	4.4	2
2	Highly Efficient MoS <sub>2</sub> Nanocatalysts for Slurry-Phase Hydrogenation of Unconventional Feedstocks into Fuels. <i>Energy &amp; Fuels</i> , 2021, 35, 2590-2601.	5.1	8
3	Direct synthesis of shaped MgAPO-11 molecular sieves and the catalytic performance in n-dodecane hydroisomerization. <i>RSC Advances</i> , 2021, 11, 25364-25374.	3.6	5
4	Highly Effective Pd/MgO/γ-Al <sub>2</sub> O <sub>3</sub> Catalysts for CO Oxidative Coupling to Dimethyl Oxalate: The Effect of MgO Coating on γ-Al <sub>2</sub> O <sub>3</sub> . <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 28064-28071.	8.0	12
5	Layer-structure adjustable MoS <sub>2</sub> catalysts for the slurry-phase hydrogenation of polycyclic aromatic hydrocarbons. <i>Journal of Energy Chemistry</i> , 2021, 63, 294-304.	12.9	15
6	Synthesis of regularly shaped AlPO <sub>4</sub> -11 molecular sieve through a solid transformation approach. <i>Microporous and Mesoporous Materials</i> , 2020, 295, 109962.	4.4	3
7	Facile Synthesis of Hierarchical Nanosized Single-Crystal Aluminophosphate Molecular Sieves from Highly Homogeneous and Concentrated Precursors. <i>Angewandte Chemie</i> , 2020, 132, 3483-3487.	2.0	2
8	Facile Synthesis of Hierarchical Nanosized Single-Crystal Aluminophosphate Molecular Sieves from Highly Homogeneous and Concentrated Precursors. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 3455-3459.	13.8	36
9	Innenstruktur: Facile Synthesis of Hierarchical Nanosized Single-Crystal Aluminophosphate Molecular Sieves from Highly Homogeneous and Concentrated Precursors ( <i>Angew. Chem.</i> 9/2020). <i>Angewandte Chemie</i> , 2020, 132, 3775-3775.	2.0	0
10	Quasi-Single-Layer MoS <sub>2</sub> on MoS <sub>2</sub> /TiO <sub>2</sub> Nanoparticles for Anthracene Hydrogenation. <i>ACS Applied Nano Materials</i> , 2019, 2, 5096-5107.	5.0	18
11	Pt/ZSM-22 with Partially Filled Micropore Channels as Excellent Shape-Selective Hydroisomerization Catalyst. <i>ChemCatChem</i> , 2019, 11, 1431-1436.	3.7	26
12	Microemulsion-mediated hydrothermal synthesis of flower-like MoS <sub>2</sub> nanomaterials with enhanced catalytic activities for anthracene hydrogenation. <i>Frontiers of Chemical Science and Engineering</i> , 2018, 12, 32-42.	4.4	13
13	Confined-space synthesis of hierarchical MgAPO-11 molecular sieves with good hydroisomerization performance. <i>Microporous and Mesoporous Materials</i> , 2018, 262, 182-190.	4.4	22
14	Biomass-Derived Graphene-Like Carbon: Efficient Metal-Free Carbocatalysts for Epoxidation. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 16898-16902.	13.8	83
15	Graphen-Ähnlicher Kohlenstoff aus Biomasse: effiziente metallfreie Kohlenstoffkatalysatoren für Epoxidierungen. <i>Angewandte Chemie</i> , 2018, 130, 17141-17145.	2.0	4
16	Effects of Pt site distributions on the catalytic performance of Pt/SAPO-11 for n-dodecane hydroisomerization. <i>Catalysis Today</i> , 2018, 316, 43-50.	4.4	40
17	Skeletal isomerization of n-pentane: A comparative study on catalytic properties of Pt/WO <sub>x</sub> -ZrO <sub>2</sub> and Pt/ZSM-22. <i>Applied Catalysis A: General</i> , 2017, 537, 59-65.	4.3	28
18	Ionic liquid assisted hydrothermal synthesis of MoS <sub>2</sub> double-shell polyhedral cages with enhanced catalytic hydrogenation activities. <i>RSC Advances</i> , 2017, 7, 23523-23529.	3.6	13

#	ARTICLE	IF	CITATIONS
19	Designing MoS <sub>2</sub> nanocatalysts with increased exposure of active edge sites for anthracene hydrogenation reaction. <i>Catalysis Science and Technology</i> , 2017, 7, 2998-3007.	4.1	39
20	Surfactant-assisted hydrothermally synthesized MoS <sub>2</sub> samples with controllable morphologies and structures for anthracene hydrogenation. <i>Chinese Journal of Catalysis</i> , 2017, 38, 597-606.	14.0	48
21	Single isomerization selectivity of glucose in methanol over Sn-BEC zeolite of homogenous Sn distribution. <i>Microporous and Mesoporous Materials</i> , 2017, 247, 158-165.	4.4	28
22	Design and preparation of efficient hydroisomerization catalysts by the formation of stable SAPO-11 molecular sieve nanosheets with 10–20 nm thickness and partially blocked acidic sites. <i>Chemical Communications</i> , 2017, 53, 4942-4945.	4.1	69
23	Hydrothermal Carbon Enriched with Oxygenated Groups from Biomass Glucose as an Efficient Carbocatalyst. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 600-604.	13.8	51
24	Highly mesoporous SAPO-11 molecular sieves with tunable acidity: facile synthesis, formation mechanism and catalytic performance in hydroisomerization of <i>n</i> -dodecane. <i>Catalysis Science and Technology</i> , 2017, 7, 5775-5784.	4.1	57
25	Synthesis of zeolite Beta containing ultra-small CoO particles for ethylbenzene oxidation. <i>Chinese Journal of Catalysis</i> , 2017, 38, 1207-1215.	14.0	17
26	Ionothermal synthesis of LTA-type aluminophosphate molecular sieve membranes with gas separation performance. <i>Microporous and Mesoporous Materials</i> , 2016, 228, 45-53.	4.4	18
27	Synthesis of polymorph A-enriched beta zeolites in a HF-concentrated system. <i>Dalton Transactions</i> , 2016, 45, 6634-6640.	3.3	23
28	Facile hydrothermal synthesis of MoS <sub>2</sub> nano-sheets with controllable structures and enhanced catalytic performance for anthracene hydrogenation. <i>RSC Advances</i> , 2016, 6, 71534-71542.	3.6	90
29	Isomorphous substitution induced ionothermal synthesis of magnesium aluminophosphate zeolites in fluoride-free media. <i>RSC Advances</i> , 2016, 6, 61915-61919.	3.6	1
30	Ionothermal Synthesis of MnAPO-SOD Molecular Sieve without the Aid of Organic Structure-Directing Agents. <i>Inorganic Chemistry</i> , 2016, 55, 1809-1815.	4.0	5
31	One-step synthesis of honeycomb-like AlPO <sub>4</sub> -11 macrostructures based on epitaxial growth and phase transformation mechanisms. <i>Chemical Communications</i> , 2016, 52, 2253-2256.	4.1	4
32	Ionothermal synthesis of zeolitic imidazolate frameworks and the synthesis dissolution-crystallization mechanism. <i>Chinese Journal of Catalysis</i> , 2015, 36, 855-865.	14.0	22
33	The effect of Fe on Pt particle states in Pt/KL catalysts. <i>Applied Catalysis A: General</i> , 2015, 492, 31-37.	4.3	32
34	Ionothermal synthesis of a CHA-type aluminophosphate molecular sieve membrane and its formation mechanism. <i>Microporous and Mesoporous Materials</i> , 2015, 217, 54-62.	4.4	11
35	Ionothermal syntheses of transition-metal-substituted aluminophosphate molecular sieves in the presence of tetraalkylammonium hydroxides. <i>Microporous and Mesoporous Materials</i> , 2015, 210, 125-132.	4.4	8
36	Synthesis of discrete aluminophosphate “CLO” nanocrystals in a eutectic mixture. <i>Journal of Colloid and Interface Science</i> , 2015, 451, 117-124.	9.4	9

#	ARTICLE	IF	CITATIONS
37	Ionic liquid assisted hydrothermal synthesis of hollow core/shell MoS <sub>2</sub> microspheres. <i>Materials Letters</i> , 2015, 160, 550-554.	2.6	16
38	High quality diesel-range alkanes production via a single-step hydrotreatment of vegetable oil over Ni/zeolite catalyst. <i>Catalysis Today</i> , 2014, 234, 153-160.	4.4	70
39	The application of Zr incorporated Zn-Al dehydrated hydrotalcites as solid base in transesterification. <i>Catalysis Today</i> , 2014, 234, 161-166.	4.4	22
40	Synthesis of ZIF-8 in a deep eutectic solvent using cooling-induced crystallisation. <i>Microporous and Mesoporous Materials</i> , 2014, 195, 50-59.	4.4	36
41	Catalytically active and hierarchically porous SAPO-11 zeolite synthesized in the presence of polyhexamethylene biguanidine. <i>Journal of Colloid and Interface Science</i> , 2014, 418, 193-199.	9.4	48
42	Basicities and transesterification activities of Zn-Al hydrotalcites-derived solid bases. <i>Green Chemistry</i> , 2014, 16, 2604-2613.	9.0	54
43	Ionothermal syntheses and characterizations of cobalt-substituted extra-large pore aluminophosphate molecular sieves with -CLO topology. <i>Microporous and Mesoporous Materials</i> , 2014, 198, 153-160.	4.4	18
44	Hydroisomerization performance of platinum supported on ZSM-22/ZSM-23 intergrowth zeolite catalyst. <i>Petroleum Science</i> , 2013, 10, 242-250.	4.9	35
45	Influence of reaction conditions on one-step hydrotreatment of lipids in the production of iso-alkanes over Pt/SAPO-11. <i>Chinese Journal of Catalysis</i> , 2013, 34, 1128-1138.	14.0	37
46	The effect of lanthanum doping on activity of Zn-Al spinel for transesterification. <i>Applied Catalysis B: Environmental</i> , 2013, 136-137, 210-217.	20.2	55
47	Multinuclear Solid-State NMR Studies on the Formation Mechanism of Aluminophosphate Molecular Sieves in Ionic Liquids. <i>Journal of Physical Chemistry C</i> , 2013, 117, 5848-5854.	3.1	34
48	Ionothermal Synthesis of AEL-Type Aluminophosphate Molecular Sieve Membrane and Its Formation Mechanism. <i>Acta Chimica Sinica</i> , 2013, 71, 573.	1.4	4
49	Co-templating ionothermal synthesis and structure characterization of two new 2D layered aluminophosphates. <i>Dalton Transactions</i> , 2012, 41, 12408.	3.3	24
50	Ionothermal synthesis process for aluminophosphate molecular sieves in the mixed water/ionic liquid system. <i>Dalton Transactions</i> , 2012, 41, 990-994.	3.3	25
51	One-Step Hydrotreatment of Vegetable Oil to Produce High Quality Diesel-Range Alkanes. <i>ChemSusChem</i> , 2012, 5, 1974-1983.	6.8	123
52	Ionothermal Synthesis of Aluminophosphate Molecular Sieve Membranes through Substrate Surface Conversion. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 4397-4400.	13.8	48
53	Research Progress in Ionothermal Synthesis of Molecular Sieves. <i>Chinese Journal of Catalysis</i> , 2012, 33, 39-50.	14.0	24
54	Beyond the Limits of X-ray Powder Diffraction: Description of the Nonperiodic Subnetworks in Aluminophosphate-Cloverite by NMR Crystallography. <i>Chemistry of Materials</i> , 2011, 23, 4799-4809.	6.7	53

#	ARTICLE	IF	CITATIONS
55	Preparation of Ce-modified Raney Ni Catalysts and Their Application in Aqueous-Phase Reforming of Cellulose. <i>Catalysis Letters</i> , 2011, 141, 1851-1858.	2.6	14
56	A novel approach to synthesize ZSM-23 zeolite involving N,N-dimethylformamide. <i>Microporous and Mesoporous Materials</i> , 2010, 134, 203-209.	4.4	28
57	Ionothermal synthesis of AlPO <sub>4</sub> molecular sieves in the presence of quaternary ammonium cation. <i>Materials Letters</i> , 2010, 64, 2118-2121.	2.6	23
58	Ionothermal synthesis of AlPO <sub>4</sub> -34 molecular sieves using heterocyclic aromatic amine as the structure directing agent. <i>Materials Letters</i> , 2010, 64, 2384-2387.	2.6	23
59	Ionothermal Synthesis of an Aluminophosphate Molecular Sieve with 20 Å Ring Pore Openings. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 5367-5370.	13.8	107
60	Ionothermal synthesis and crystal structure of a new layered nickel(II) diphosphate, DRM-1. <i>Inorganic Chemistry Communication</i> , 2010, 13, 1357-1360.	3.9	7
61	Cooperative structure-directing effect in the synthesis of aluminophosphate molecular sieves in ionic liquids. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 2443.	2.8	24
62	Mixed template effect adjusted by amine concentration in ionothermal synthesis of molecular sieves. <i>Dalton Transactions</i> , 2010, 39, 1441-1443.	3.3	31
63	Direct conversion of cellulose into hydrogen by aqueous-phase reforming process. <i>Catalysis Communications</i> , 2010, 11, 522-526.	3.3	54
64	The Cooperative Templating Effect of Organic Amine in the Ionothermal Synthesis of LTA Type Aluminophosphate Molecular Sieves. <i>Chinese Journal of Catalysis</i> , 2010, 31, 1083-1089.	14.0	4
65	Synthesis of ZSM-23/ZSM-22 intergrowth zeolite with a novel dual-template strategy. <i>Materials Research Bulletin</i> , 2009, 44, 2258-2261.	5.2	17
66	New Insights into the Role of Amines in the Synthesis of Molecular Sieves in Ionic Liquids. <i>Chemistry - A European Journal</i> , 2009, 15, 5348-5354.	3.3	54
67	Characterization and Catalytic Properties of the Ni/Al <sub>2</sub> O <sub>3</sub> Catalysts for Aqueous-phase Reforming of Glucose. <i>Catalysis Letters</i> , 2009, 129, 250-257.	2.6	42
68	Research and Development of Hydroisomerization and Hydrocracking Catalysts in Dalian Institute of Chemical Physics. <i>Chinese Journal of Catalysis</i> , 2009, 30, 705-710.	14.0	10
69	Ionothermal synthesis of gallophosphate molecular sieves in 1-alkyl-3-methyl imidazolium bromide ionic liquids. <i>Microporous and Mesoporous Materials</i> , 2009, 120, 278-284.	4.4	33
70	Selective enrichment of endogenous peptides by chemically modified porous nanoparticles for peptidome analysis. <i>Journal of Chromatography A</i> , 2009, 1216, 1270-1278.	3.7	59
71	A temperature programmed desorption investigation on the interaction of Ba <sub>0.5</sub> Sr <sub>0.5</sub> Co <sub>0.8</sub> Fe <sub>0.2</sub> O <sub>3-<math>\delta</math></sub> perovskite oxides with CO <sub>2</sub> in the absence and presence of H <sub>2</sub> O and O <sub>2</sub> . <i>Applied Catalysis B: Environmental</i> , 2008, 80, 24-31.	20.2	119
72	Production of hydrogen by aqueous-phase reforming of glycerol. <i>International Journal of Hydrogen Energy</i> , 2008, 33, 6657-6666.	7.1	277

#	ARTICLE	IF	CITATIONS
73	Effect of the flowing gases of steam and CO <sub>2</sub> on the texture and catalytic activity for methane combustion of MgO powders. <i>Microporous and Mesoporous Materials</i> , 2008, 111, 620-626.	4.4	9
74	Effect of Aluminum on the Mechanical Stress Stability of WO <sub>x</sub> /ZrO <sub>2</sub> Superacid. <i>Chinese Journal of Catalysis</i> , 2008, 29, 415-417.	14.0	6
75	Effect of the morphology on thermal stability of the Ba-Ce-Mn-Al-O oxides synthesized in a reverse microemulsion. <i>Journal of Alloys and Compounds</i> , 2008, 461, 516-520.	5.5	3
76	Effect of Water on the Ionothermal Synthesis of Molecular Sieves. <i>Journal of the American Chemical Society</i> , 2008, 130, 8120-8121.	13.7	111
77	Ionothermal synthesis of aluminophosphate molecular sieves. <i>Studies in Surface Science and Catalysis</i> , 2007, 170, 228-232.	1.5	4
78	IT-SOFC operated with catalytically processed methane fuels. <i>Studies in Surface Science and Catalysis</i> , 2007, 167, 43-48.	1.5	4
79	Crystal structure stability and catalytic activity of magnetoplumbite (MP) catalyst doped with Mn and Mg. <i>Journal of Non-Crystalline Solids</i> , 2007, 353, 4806-4812.	3.1	9
80	Syntheses of La <sub>1-x</sub> Ba <sub>x</sub> Mn <sub>2</sub> Al <sub>10</sub> O <sub>19</sub> Catalysts (x= 0, 0.05) in a Novel Microemulsion of Water/2-Propanol/1-Butanol and Their High Activities in Methane Combustion. <i>Journal of Physical Chemistry C</i> , 2007, 111, 10941-10947.	3.1	2
81	Synthesis of SAPO-11 and MgAPO-11 Molecular Sieves in Water-Butanol Biphasic Media. <i>Chinese Journal of Catalysis</i> , 2007, 28, 187-189.	14.0	6
82	Hydroisomerization of n-dodecane over Pt/MeAPO-11 (Me = Mg, Mn, Co or Zn) catalysts. <i>Catalysis Communications</i> , 2007, 8, 1232-1238.	3.3	38
83	Coupled hydrogenation and ring opening of tetralin on potassium modified Pt/USY catalysts. <i>Catalysis Letters</i> , 2007, 116, 149-154.	2.6	31
84	Structure-Directing Role of Amines in the Ionothermal Synthesis. <i>Journal of the American Chemical Society</i> , 2006, 128, 7432-7433.	13.7	124
85	Production of CO <sub>x</sub> -free Hydrogen by Alkali Enhanced Hydrothermal Catalytic Reforming of Biomass-derived Alcohols. <i>Chemistry Letters</i> , 2006, 35, 216-217.	1.3	23
86	Synthesis of MgAPO-11 Molecular Sieves and the Catalytic Performance of Pt/MgAPO-11 for n-Dodecane Hydroisomerization. <i>Chinese Journal of Catalysis</i> , 2006, 27, 1039-1044.	14.0	3
87	Synthesis and characterization of SAPO-11 molecular sieves from alcoholic systems. <i>Reaction Kinetics and Catalysis Letters</i> , 2006, 88, 81-88.	0.6	2
88	Performance of Pt/MgAPO-11 Catalysts in the Hydroisomerization of n-dodecane. <i>Catalysis Letters</i> , 2006, 109, 139-145.	2.6	20
89	Morphology transcription process from CMC micelles to inorganogel and its effect on the properties of alumina particle. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2005, 116, 215-220.	3.5	8
90	Hydroisomerization of Long-Chain Alkane Over Pt/SAPO-11 Catalysts Synthesized from Nonaqueous Media. <i>Catalysis Letters</i> , 2005, 103, 109-116.	2.6	29

#	ARTICLE	IF	CITATIONS
91	Synthesis of the high-surface-area $Ce_xBa_{1-x}MnAl_1O_9$ catalyst in reverse microemulsions using inexpensive inorganic salts as precursors. <i>Green Chemistry</i> , 2005, 7, 493-499.	9.0	23
92	Formation of a Novel Type of Reverse Microemulsion System and Its Application in Synthesis of the Nanostructured $La_{0.95}Ba_{0.05}MnAl_1O_9$ Catalyst. <i>ChemInform</i> , 2004, 35, no.	0.0	0
93	Preparation of Cd-SiO <sub>2</sub> core-shell particles and hollow SiO <sub>2</sub> spheres ranging from nanometers to microns in the nonionic reverse microemulsions. <i>Catalysis Today</i> , 2004, 93-95, 651-657.	4.4	45
94	Formation of a novel type of reverse microemulsion system and its application in synthesis of the nanostructured $La_{0.95}Ba_{0.05}MnAl_1O_9$ catalyst. Electronic supplementary information (ESI) available: Table 1, Figs. 1b, 5, 6 and 7. See <a href="http://www.rsc.org/suppdata/cc/b4/b404133j/">http://www.rsc.org/suppdata/cc/b4/b404133j/</a> . <i>Chemical Communications</i> , 2004, , 1858.	4.1	19
95	Sn-Modified Pt/SAPO-11 Catalysts for Selective Hydroisomerization of n-Paraffins. <i>Energy &amp; Fuels</i> , 2004, 18, 1266-1271.	5.1	44
96	Synthesis of nano-sized $BaAl_2O_9$ via nonionic reverse microemulsion method: I. Effect of the microemulsion structure on the particle morphology. <i>Studies in Surface Science and Catalysis</i> , 2004, 147, 493-498.	1.5	14
97	Effect of drying method on the morphology and structure of high surface area $BaMnAl_1O_9$ catalyst for high temperature methane combustion. <i>Studies in Surface Science and Catalysis</i> , 2004, 147, 487-492.	1.5	1
98	Hydrothermal synthesis of LA-MN-Hexaaluminates for the catalytic combustion of methane. <i>Korean Journal of Chemical Engineering</i> , 2003, 20, 217-221.	2.7	7
99	Preparation of Mn substituted La-hexaaluminate catalysts by using supercritical drying. <i>Catalysis Today</i> , 2003, 83, 213-222.	4.4	45
100	Remarkable Improvement on the Methane Aromatization Reaction: A Highly Selective and Coking-Resistant Catalyst. <i>Journal of Physical Chemistry B</i> , 2002, 106, 8524-8530.	2.6	104
101	Combination of CH <sub>4</sub> oxidative coupling reaction with C <sub>2</sub> H <sub>6</sub> oxidative dehydrogenation by CO <sub>2</sub> to C <sub>2</sub> H <sub>4</sub> . <i>Fuel</i> , 2002, 81, 1593-1597.	6.4	7
102	A high coking-resistance catalyst for methane aromatization. <i>Chemical Communications</i> , 2001, , 2048-2049.	4.1	56
103	Methane conversion via microwave plasma initiated by a metal initiator****Supported cpy by Youth Science Foundation of Laser Technology of China (No.98-11). <i>Studies in Surface Science and Catalysis</i> , 2001, 136, 75-80.	1.5	1
104	An Innovative Approach for Ethylene Production from Natural Gas. <i>Studies in Surface Science and Catalysis</i> , 2001, , 69-74.	1.5	1
105	Methane aromatization in the absence of an added oxidant and the bench scale reaction test. <i>Catalysis Letters</i> , 1999, 62, 215-220.	2.6	32
106	A HREELS study of the adsorption of formic acid on slightly oxidized Nb (110) surface. <i>Science in China Series B: Chemistry</i> , 1997, 40, 9-14.	0.8	1
107	High resolution electron energy loss spectroscopy study of the oxidation of Nb(110) surface. <i>Science Bulletin</i> , 1997, 42, 384-387.	1.7	0