

Mehmet ztrk

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5311759/mehmet-ozturk-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

7,350
citations

42
h-index

85
g-index

121
ext. papers

7,763
ext. citations

7.1
avg, IF

5.15
L-index

#	Paper	IF	Citations
113	Evaluation of ATAD2 as a Potential Target in Hepatocellular Carcinoma. <i>Journal of Gastrointestinal Cancer</i> , 2021 , 1	1.6	0
112	TAp73 Can Promote Hepatocellular Carcinoma Dedifferentiation. <i>Cancers</i> , 2021 , 13,	6.6	7
111	Systematic Analysis of Cytostatic TGF-Beta Response in Mesenchymal-Like Hepatocellular Carcinoma Cell Lines. <i>Journal of Gastrointestinal Cancer</i> , 2021 , 1	1.6	0
110	Targeting c-Met and AXL Crosstalk for the Treatment of Hepatocellular Carcinoma 2021 , 333-364		
109	AXL Knock-Out in SNU475 Hepatocellular Carcinoma Cells Provides Evidence for Lethal Effect Associated with G2 Arrest and Polyploidization.. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
108	Differential expression of full-length and NH terminally truncated FAM134B isoforms in normal physiology and cancer. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 319, G733-G747	5.1	3
107	Novel Furochromone Derivatives: Synthesis and Anticancer Activity Studies. <i>Journal of Heterocyclic Chemistry</i> , 2019 , 56, 1341-1351	1.9	6
106	Development of a novel zebrafish xenograft model in ache mutants using liver cancer cell lines. <i>Scientific Reports</i> , 2018 , 8, 1570	4.9	20
105	A novel chromonyl thiohydantoin with anti-proliferative action on primary hepatocellular carcinoma cells. <i>Medicinal Chemistry Research</i> , 2018 , 27, 153-160	2.2	1
104	Histone H3.3 regulates mitotic progression in mouse embryonic fibroblasts. <i>Biochemistry and Cell Biology</i> , 2017 , 95, 491-499	3.6	3
103	Phenacyl group containing amide derivative of dehydroabietylamine exhibiting enhanced cytotoxic activity against PLC and MCF7 cancer cell lines. <i>Medicinal Chemistry Research</i> , 2017 , 26, 1367-1376	2.2	8
102	Molecular Pathogenesis of Liver Cancer. <i>Journal of Gastrointestinal Cancer</i> , 2017 , 48, 222-224	1.6	3
101	Thiazolidinedione or Rhodanine: A Study on Synthesis and Anticancer Activity Comparison of Novel Thiazole Derivatives. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2017 , 20, 415-427	3.4	9
100	Molecular Mechanisms of Hepatocellular Carcinoma 2016 , 43-63		1
99	Liver cancer cells are sensitive to Lanatoside C induced cell death independent of their PTEN status. <i>Phytomedicine</i> , 2016 , 23, 42-51	6.5	26
98	Synergistic activity of vorinostat combined with gefitinib but not with sorafenib in mutant KRAS human non-small cell lung cancers and hepatocarcinoma. <i>OncoTargets and Therapy</i> , 2016 , 9, 6843-6855	4.4	22
97	Role of Fanconi anemia/BRCA pathway genes in hepatocellular carcinoma chemoresistance. <i>Hepatology Research</i> , 2016 , 46, 1264-1274	5.1	14

96	Synthesis and bio-molecular study of (+)-N-Acetyl-L-amino acid dehydroabietylamine derivative for the selective therapy of hepatocellular carcinoma. <i>BMC Cancer</i> , 2016 , 16, 883	4.8	3
95	Common telomerase reverse transcriptase promoter mutations in hepatocellular carcinomas from different geographical locations. <i>World Journal of Gastroenterology</i> , 2015 , 21, 311-7	5.6	44
94	SAT0583 The CASE of Case Reports In Rheumatology Literature. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 801.1-801	2.4	
93	Synthesis and characterization of amino acid conjugates of oleanolic acid and their in vitro cytotoxic effect on HCC cell lines. <i>Pakistan Journal of Pharmaceutical Sciences</i> , 2014 , 27, 1491-6	0.4	
92	Comparative evaluation of in vitro cytotoxic effects among parent abietyl alcohol and novel fatty acid ester derivatives against MCF7 and hepatocellular carcinoma cell lines. <i>Pakistan Journal of Pharmaceutical Sciences</i> , 2014 , 27, 2013-8	0.4	
91	Genetics and epigenetics of liver cancer. <i>New Biotechnology</i> , 2013 , 30, 381-4	6.4	76
90	Genome-wide transcriptional reorganization associated with senescence-to-immortality switch during human hepatocellular carcinogenesis. <i>PLoS ONE</i> , 2013 , 8, e64016	3.7	43
89	Novel anti-HER2 monoclonal antibodies: synergy and antagonism with tumor necrosis factor- α <i>BMC Cancer</i> , 2012 , 12, 450	4.8	23
88	Induction of ROS, p53, p21 in DEHP- and MEHP-exposed LNCaP cells-protection by selenium compounds. <i>Food and Chemical Toxicology</i> , 2011 , 49, 1565-71	4.7	44
87	Aflatoxin genotoxicity is associated with a defective DNA damage response bypassing p53 activation. <i>Liver International</i> , 2011 , 31, 561-71	7.9	49
86	Inhibition of Akt signaling in hepatoma cells induces apoptotic cell death independent of Akt activation status. <i>Investigational New Drugs</i> , 2011 , 29, 1303-13	4.3	35
85	Dose- and time-dependent expression patterns of zebrafish orthologs of selected E2F target genes in response to serum starvation/replenishment. <i>Molecular Biology Reports</i> , 2011 , 38, 4111-23	2.8	1
84	Systems medicine and integrated care to combat chronic noncommunicable diseases. <i>Genome Medicine</i> , 2011 , 3, 43	14.4	137
83	Mdm2 Snp309 G allele displays high frequency and inverse correlation with somatic P53 mutations in hepatocellular carcinoma. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2010 , 684, 106-8	3.3	10
82	Evaluation of cytotoxicity and oxidative DNA damaging effects of di(2-ethylhexyl)-phthalate (DEHP) and mono(2-ethylhexyl)-phthalate (MEHP) on MA-10 Leydig cells and protection by selenium. <i>Toxicology and Applied Pharmacology</i> , 2010 , 248, 52-62	4.6	144
81	Analysis of the Wnt/B-catenin/TCF4 pathway using SAGE, genome-wide microarray and promoter analysis: Identification of BRI3 and HSF2 as novel targets. <i>Cellular Signalling</i> , 2010 , 22, 1523-35	4.9	15
80	Transforming growth factor-beta induces senescence in hepatocellular carcinoma cells and inhibits tumor growth. <i>Hepatology</i> , 2010 , 52, 966-74	11.2	154
79	The ability to generate senescent progeny as a mechanism underlying breast cancer cell heterogeneity. <i>PLoS ONE</i> , 2010 , 5, e11288	3.7	15

78	Senescence and immortality in hepatocellular carcinoma. <i>Cancer Letters</i> , 2009 , 286, 103-13	9.9	57
77	Canonical Wnt signaling is antagonized by noncanonical Wnt5a in hepatocellular carcinoma cells. <i>Molecular Cancer</i> , 2009 , 8, 90	42.1	143
76	Nuclear exclusion of p33ING1b tumor suppressor protein: explored in HCC cells using a new highly specific antibody. <i>Hybridoma</i> , 2009 , 28, 1-6		3
75	Homozygosity at variant MLH1 can lead to secondary mutation in NF1, neurofibromatosis type I and early onset leukemia. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2008 , 637, 209-14	3.3	25
74	The presence of erythropoietin receptor in parathyroid cells. <i>Journal of Endocrinological Investigation</i> , 2007 , 30, RC35-7	5.2	3
73	Immunization with UV-induced apoptotic cells generates monoclonal antibodies against proteins differentially expressed in hepatocellular carcinoma cell lines. <i>Hybridoma</i> , 2007 , 26, 55-61		4
72	Reprogramming of replicative senescence in hepatocellular carcinoma-derived cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 2178-83	11.5	50
71	Two novel mutations in the MEN1 gene in subjects with multiple endocrine neoplasia-1. <i>Journal of Endocrinological Investigation</i> , 2006 , 29, 523-7	5.2	5
70	Redundant expression of canonical Wnt ligands in human breast cancer cell lines. <i>Oncology Reports</i> , 2006 , 15, 701	3.5	16
69	A brother and sister with Werner's syndrome demonstrating extensive tendon calcification and sacroiliitis. <i>Clinical and Experimental Dermatology</i> , 2006 , 31, 615-6	1.8	4
68	Expression profiling of Wnt pathway genes in breast cancer. <i>Breast Cancer Research</i> , 2005 , 7, 1	8.3	78
67	Lithium-mediated downregulation of PKB/Akt and cyclin E with growth inhibition in hepatocellular carcinoma cells. <i>International Journal of Cancer</i> , 2005 , 115, 903-10	7.5	59
66	A new set of monoclonal antibodies directed to proline-rich and central regions of p53. <i>Hybridoma</i> , 2004 , 23, 287-92		1
65	Epidermoid cyst of the testicle: unusual magnetic resonance imaging findings. <i>Acta Radiologica</i> , 2004 , 45, 882-4	2	1
64	Acquired tolerance of hepatocellular carcinoma cells to selenium deficiency: a selective survival mechanism?. <i>Cancer Research</i> , 2003 , 63, 6707-15	10.1	38
63	P53 mutation as a source of aberrant beta-catenin accumulation in cancer cells. <i>Oncogene</i> , 2002 , 21, 7974-80	10.80	80
62	Molecular characterization of a full genome Turkish hepatitis C virus 1b isolate (HCV-TR1): a predominant viral form in Turkey. <i>Virus Genes</i> , 2002 , 25, 169-77	2.3	11
61	PATIKA: an integrated visual environment for collaborative construction and analysis of cellular pathways. <i>Bioinformatics</i> , 2002 , 18, 996-1003	7.2	114

60	Identification of genes induced by BRCA1 in breast cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 299, 839-46	3.4	188
59	A monoclonal antibody against DNA binding helix of p53 protein. <i>Oncogene</i> , 2001 , 20, 1398-401	9.2	5
58	Acquired expression of transcriptionally active p73 in hepatocellular carcinoma cells. <i>Oncogene</i> , 2001 , 20, 5111-7	9.2	56
57	NAPO as a novel marker for apoptosis. <i>Journal of Cell Biology</i> , 2001 , 155, 719-24	7.3	14
56	p53 mutations as fingerprints of environmental carcinogens. <i>Pure and Applied Chemistry</i> , 2000 , 72, 995-999		10
55	The Exon 13 Duplication in the BRCA1 Gene Is a Founder Mutation Present in Geographically Diverse Populations. <i>American Journal of Human Genetics</i> , 2000 , 67, 207-212	11	89
54	Germ line BRCA1 and BRCA2 gene mutations in Turkish breast cancer patients. <i>European Journal of Cancer</i> , 2000 , 36, 2076-82	7.5	22
53	P53 but not p16INK4a induces growth arrest in retinoblastoma-deficient hepatocellular carcinoma cells. <i>Journal of Hepatology</i> , 2000 , 33, 254-65	13.4	4
52	Genetic aspects of hepatocellular carcinogenesis. <i>Seminars in Liver Disease</i> , 1999 , 19, 235-42	7.3	141
51	Smad2 and Smad4 gene mutations in hepatocellular carcinoma. <i>Oncogene</i> , 1999 , 18, 4879-83	9.2	143
50	Human MLH1 deficiency predisposes to hematological malignancy and neurofibromatosis type 1. <i>Cancer Research</i> , 1999 , 59, 290-3	10.1	155
49	Thymidine dinucleotides induce S phase cell cycle arrest in addition to increased melanogenesis in human melanocytes. <i>Journal of Investigative Dermatology</i> , 1998 , 111, 472-7	4.3	45
48	p21(WAF1/CIP1) response to genotoxic agents in wild-type TP53 expressing breast primary tumours. <i>Oncogene</i> , 1997 , 14, 45-52	9.2	28
47	Germline hMSH2 and hMLH1 gene mutations in incomplete HNPCC families. <i>International Journal of Cancer</i> , 1997 , 73, 831-6	7.5	14
46	Annexin II up-regulates cellular levels of p11 protein by a post-translational mechanisms. <i>Biochemical Journal</i> , 1996 , 313 (Pt 1), 51-5	3.8	67
45	Genomic instability in colorectal cancers in Turkey. <i>International Journal of Cancer</i> , 1996 , 68, 291-4	7.5	3
44	Identification of BTG2, an antiproliferative p53-dependent component of the DNA damage cellular response pathway. <i>Nature Genetics</i> , 1996 , 14, 482-6	36.3	346
43	p53-mediated cellular response to DNA damage in cells with replicative hepatitis B virus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 1342-6	11.5	45

42	Geographic variation of p53 mutational profile in nonmalignant human liver Aguilar F, Harris CC, Sun T, Hollstein M, Cerutti P. <i>Science</i> 1994;264:1317-1319. <i>Hepatology</i> , 1995 , 21, 600-601	11.2	2
41	Somatic mutations of von Hippel-Lindau (VHL) tumor-suppressor gene in European kidney cancers. <i>International Journal of Cancer</i> , 1995 , 63, 660-4	7.5	33
40	ras, p53 and HPV status in benign and malignant prostate tumors. <i>International Journal of Cancer</i> , 1995 , 64, 124-9	7.5	43
39	p53 mutations in nonmalignant human liver: fingerprints of aflatoxins?. <i>Hepatology</i> , 1995 , 21, 600-1	11.2	5
38	Genomic stability and wild-type p53 function of lymphoblastoid cells with germ-line p53 mutation. <i>Oncogene</i> , 1995 , 10, 2447-54	9.2	18
37	Genetic heterogeneity of hepatocellular carcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994 , 91, 822-6	11.5	138
36	Hepatocarcinoma-specific mutant p53-249ser induces mitotic activity but has no effect on transforming growth factor beta 1-mediated apoptosis. <i>Cancer Research</i> , 1994 , 54, 2064-8	10.1	72
35	The effects of cytokines on human chorionic gonadotropin (hCG) production by a trophoblast cell line. <i>Journal of Reproductive Immunology</i> , 1993 , 25, 235-47	4.2	35
34	Retinoblastoma and p53 tumor suppressor genes in human hepatoma cell lines. <i>FASEB Journal</i> , 1993 , 7, 1407-13	0.9	115
33	p53 as a growth suppressor gene in HBV-related hepatocellular carcinoma cells. <i>Oncogene</i> , 1993 , 8, 487-92	9.0	18
32	The major histocompatibility complex class I antigen-binding protein p88 is the product of the calnexin gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992 , 89, 8452-6	11.5	71
31	Selective G to T mutations of p53 gene in hepatocellular carcinoma from southern Africa. <i>Nature</i> , 1991 , 350, 429-31	50.4	1185
30	p53 mutation in hepatocellular carcinoma after aflatoxin exposure. <i>Lancet, The</i> , 1991 , 338, 1356-9	4.0	387
29	Stability of monoclonal antibody-defined epitopes. <i>Journal of Immunological Methods</i> , 1991 , 139, 55-64	2.5	9
28	Human chorionic gonadotropin, its free subunits and gestational trophoblastic disease. <i>Journal of reproductive medicine, The</i> , 1991 , 36, 21-6		4
27	Selective targeting of p53 gene mutational hotspots in human cancers by etiologically defined carcinogens. <i>Cancer Research</i> , 1991 , 51, 6185-9	10.1	178
26	Abnormal structure and expression of p53 gene in human hepatocellular carcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990 , 87, 1973-7	11.5	343
25	Enhanced expression of the protein kinase substrate p36 in human hepatocellular carcinoma. <i>Molecular and Cellular Biology</i> , 1990 , 10, 3216-23	4.8	67

24	First-trimester maternal serum alpha-fetoprotein and human chorionic gonadotropin screening for chromosome defects. <i>Prenatal Diagnosis</i> , 1990 , 10, 575-81	3.2	23
23	Abnormal maternal serum levels of human chorionic gonadotropin free subunits in trisomy 18. <i>American Journal of Medical Genetics Part A</i> , 1990 , 36, 480-3		41
22	p53 functions as a cell cycle control protein in osteosarcomas. <i>Molecular and Cellular Biology</i> , 1990 , 10, 5772-81	4.8	719
21	p53 functions as a cell cycle control protein in osteosarcomas. <i>Molecular and Cellular Biology</i> , 1990 , 10, 5772-5781	4.8	271
20	Enhanced expression of an exocrine pancreatic protein in Alzheimer's disease and the developing human brain. <i>Journal of Clinical Investigation</i> , 1990 , 86, 1004-13	15.9	63
19	Enhanced expression of the protein kinase substrate p36 in human hepatocellular carcinoma. <i>Molecular and Cellular Biology</i> , 1990 , 10, 3216-3223	4.8	21
18	In vivo expression of two novel tumor-associated antigens and their use in immunolocalization of human hepatocellular carcinoma. <i>Hepatology</i> , 1989 , 9, 625-34	11.2	30
17	Elevated levels of an exocrine pancreatic secretory protein in Alzheimer disease brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989 , 86, 419-23	11.5	55
16	Radioimmunolocalization of hepatic and pulmonary metastasis of human colon adenocarcinoma. <i>Gastroenterology</i> , 1989 , 96, 1317-29	13.3	15
15	Identification and characterization of a Mr 50,000 adrenal protein in human hepatocellular carcinoma. <i>Cancer Research</i> , 1989 , 49, 6764-73	10.1	6
14	Characterization of a malignant phenotype-associated cell surface glycoprotein common to various human tumor cells and preferentially expressed on adenocarcinoma of the lung. <i>Cancer Research</i> , 1989 , 49, 1349-56	10.1	7
13	Differential production of human chorionic gonadotropin and free subunits in gestational trophoblastic disease. <i>American Journal of Obstetrics and Gynecology</i> , 1988 , 158, 193-8	6.4	61
12	Physiological studies of human chorionic gonadotropin and free subunits in the amniotic fluid compartment compared to those in maternal serum. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1988 , 67, 1117-21	5.6	25
11	Cell-surface changes associated with transformation of human hepatocytes to the malignant phenotype. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988 , 85, 3140-4	11.5	38
10	Physiological studies of human chorionic gonadotropin (hCG), alpha hCG, and beta hCG as measured by specific monoclonal immunoradiometric assays. <i>Endocrinology</i> , 1987 , 120, 549-58	4.8	134
9	Ectopic beta-human chorionic gonadotropin production by a human hepatoma cell line (FOCUS): isolation and immunochemical characterization. <i>Endocrinology</i> , 1987 , 120, 559-66	4.8	13
8	Synthetic peptides and monoclonal antibodies of predetermined specificity in the study of human chorionic gonadotropin. <i>International Journal of Radiation Applications and Instrumentation Part B, Nuclear Medicine and Biology</i> , 1987 , 14, 295-304		
7	Changes in methionine metabolism induced by D-galactosamine in isolated rat hepatocytes. <i>Biochemical Pharmacology</i> , 1986 , 35, 4223-8	6	5

6	Sensitive and specific assay for human chorionic gonadotropin (hCG) based on anti-peptide and anti-hCG monoclonal antibodies: construction and clinical implications. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1986 , 63, 1319-27	5.6	38
5	Identification of epitopes associated with hCG and the beta hCG carboxyl terminus by monoclonal antibodies produced against a synthetic peptide. <i>Journal of Immunology</i> , 1985 , 134, 457-64	5.3	47
4	A monoclonal antibody against a synthetic peptide is specific for the free native human chorionic gonadotropin beta-subunit. <i>Endocrinology</i> , 1984 , 115, 330-6	4.8	17
3	Methionine metabolism and ultrastructural changes with D-galactosamine in isolated rat hepatocytes. <i>Chemico-Biological Interactions</i> , 1984 , 51, 63-76	5	9
2	A simple radioactivity assay for measurement of methionine adenosyltransferase activity by aqueous chromatography. <i>Clinica Chimica Acta</i> , 1983 , 127, 295-300	6.2	2
1	TAp73 is Upregulated in the Most Common Human Cancers. <i>Molecular Biology</i> , 1	1.2	