

Daniela Sarnataro

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5312670/daniela-sarnataro-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50
papers

1,743
citations

23
h-index

41
g-index

55
ext. papers

1,983
ext. citations

5.5
avg, IF

4.5
L-index

#	Paper	IF	Citations
50	Probiotics, prebiotics and their role in Alzheimer's disease. <i>Neural Regeneration Research</i> , 2021 , 16, 1768-1779	17.69	0
49	APP Maturation and Intracellular Localization Are Controlled by a Specific Inhibitor of 37/67 kDa Laminin-1 Receptor in Neuronal Cells. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
48	Liposome-Embedding Silicon Microparticle for Oxaliplatin Delivery in Tumor Chemotherapy. <i>Pharmaceutics</i> , 2020 , 12,	6.4	11
47	New Insights into the Molecular Bases of Familial Alzheimer's Disease. <i>Journal of Personalized Medicine</i> , 2020 , 10,	3.6	6
46	Inhibition of 37/67kDa Laminin-1 Receptor Restores APP Maturation and Reduces Amyloid- β in Human Skin Fibroblasts from Familial Alzheimer's Disease. <i>Journal of Personalized Medicine</i> , 2020 , 10,	3.6	2
45	ZSCAN4 mouse embryonic stem cells have an oxidative and flexible metabolic profile. <i>EMBO Reports</i> , 2020 , 21, e48942	6.5	2
44	Crosstalk between 14-3-3 and AF4 enhances MLL-AF4 activity and promotes leukemia cell proliferation. <i>Cellular Oncology (Dordrecht)</i> , 2019 , 42, 829-845	7.2	2
43	Microbiome Influence in the Pathogenesis of Prion and Alzheimer's Diseases. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	23
42	Molecular determinants of ER-Golgi contacts identified through a new FRET-FLIM system. <i>Journal of Cell Biology</i> , 2019 , 218, 1055-1065	7.3	59
41	HMGA1 negatively regulates NUMB expression at transcriptional and post transcriptional level in glioblastoma stem cells. <i>Cell Cycle</i> , 2019 , 18, 1446-1457	4.7	18
40	An B-Crystallin Peptide Rescues Compartmentalization and Trafficking Response to Cu Overload of ATP7B-H1069Q, the Most Frequent Cause of Wilson Disease in the Caucasian Population. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	5
39	Multimodal imaging for a theranostic approach in a murine model of B-cell lymphoma with engineered nanoparticles. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2018 , 14, 483-491	6	6
38	Localization of neuroglobin in the brain of R6/2 mouse model of Huntington's disease. <i>Neurological Sciences</i> , 2018 , 39, 275-285	3.5	7
37	Protein Syndesmos is a novel RNA-binding protein that regulates primary cilia formation. <i>Nucleic Acids Research</i> , 2018 , 46, 12067-12086	20.1	12
36	Attempt to Untangle the Prion-Like Misfolding Mechanism for Neurodegenerative Diseases. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	22
35	Host defense peptide-derived privileged scaffolds for anti-infective drug discovery. <i>Journal of Peptide Science</i> , 2017 , 23, 303-310	2.1	7
34	Regulation of sub-compartmental targeting and folding properties of the Prion-like protein Shadoo. <i>Scientific Reports</i> , 2017 , 7, 3731	4.9	11

33	Cell Biology of Prion Protein. <i>Progress in Molecular Biology and Translational Science</i> , 2017 , 150, 57-82	4	27
32	The 37/67 kDa laminin receptor (LR) inhibitor, NSC47924, affects 37/67 kDa LR cell surface localization and interaction with the cellular prion protein. <i>Scientific Reports</i> , 2016 , 6, 24457	4.9	13
31	No Change in the Mucosal Gut Mycobioma Is Associated with Celiac Disease-Specific Microbiome Alteration in Adult Patients. <i>American Journal of Gastroenterology</i> , 2016 , 111, 1659-1661	0.7	15
30	Metagenomics Reveals Dysbiosis and a Potentially Pathogenic <i>N. flavescens</i> Strain in Duodenum of Adult Celiac Patients. <i>American Journal of Gastroenterology</i> , 2016 , 111, 879-90	0.7	94
29	Nuclear localization of Formyl-Peptide Receptor 2 in human cancer cells. <i>Archives of Biochemistry and Biophysics</i> , 2016 , 603, 10-9	4.1	21
28	HMGA1 silencing reduces stemness and temozolomide resistance in glioblastoma stem cells. <i>Expert Opinion on Therapeutic Targets</i> , 2016 , 20, 1169-79	6.4	29
27	Pharmacological folding chaperones act as allosteric ligands of Frizzled4. <i>Nature Chemical Biology</i> , 2015 , 11, 280-6	11.7	28
26	Novel mitochondrial protein interactors of immunoglobulin light chains causing heart amyloidosis. <i>FASEB Journal</i> , 2015 , 29, 4614-28	0.9	43
25	New therapeutic perspectives in CCDC6 deficient lung cancer cells. <i>International Journal of Cancer</i> , 2015 , 136, 2146-57	7.5	35
24	Binding of carbonic anhydrase IX to 45S rDNA genes is prevented by exportin-1 in hypoxic cells. <i>BioMed Research International</i> , 2015 , 2015, 674920	3	6
23	Membrane protein 4F2/CD98 is a cell surface receptor involved in the internalization and trafficking of human β -Defensin 3 in epithelial cells. <i>Chemistry and Biology</i> , 2015 , 22, 217-28		20
22	An ancestral host defence peptide within human β -defensin 3 recapitulates the antibacterial and antiviral activity of the full-length molecule. <i>Scientific Reports</i> , 2015 , 5, 18450	4.9	30
21	Protease Nexin-1 affects the migration and invasion of C6 glioma cells through the regulation of urokinase Plasminogen Activator and Matrix Metalloproteinase-9/2. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014 , 1843, 2631-44	4.9	27
20	Adiponectin affects lung epithelial A549 cell viability counteracting TNF α and IL-1 β toxicity through AdipoR1. <i>International Journal of Biochemistry and Cell Biology</i> , 2013 , 45, 1145-53	5.6	76
19	Let-7a down-regulation plays a role in thyroid neoplasias of follicular histotype affecting cell adhesion and migration through its ability to target the FXYD5 (Dysadherin) gene. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E2168-78	5.6	23
18	l-Lactate metabolism in HEP G2 cell mitochondria due to the l-lactate dehydrogenase determines the occurrence of the lactate/pyruvate shuttle and the appearance of oxaloacetate, malate and citrate outside mitochondria. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2012 , 1817, 1679-90	4.6	30
17	TRAP1 and the proteasome regulatory particle TBP7/Rpt3 interact in the endoplasmic reticulum and control cellular ubiquitination of specific mitochondrial proteins. <i>Cell Death and Differentiation</i> , 2012 , 19, 592-604	12.7	66
16	Identification of sumoylation sites in CCDC6, the first identified RET partner gene in papillary thyroid carcinoma, uncovers a mode of regulating CCDC6 function on CREB1 transcriptional activity. <i>PLoS ONE</i> , 2012 , 7, e49298	3.7	10

15	Lipid rafts and clathrin cooperate in the internalization of PrP in epithelial FRT cells. <i>PLoS ONE</i> , 2009 , 4, e5829	3-7	42
14	Doppel and PrPC co-immunoprecipitate in detergent-resistant membrane domains of epithelial FRT cells. <i>Biochemical Journal</i> , 2009 , 425, 341-51	3-8	15
13	alpha-Adducin mutations increase Na/K pump activity in renal cells by affecting constitutive endocytosis: implications for tubular Na reabsorption. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, F478-87	4-3	48
12	Oligomerization is a specific requirement for apical sorting of glycosyl-phosphatidylinositol-anchored proteins but not for non-raft-associated apical proteins. <i>Traffic</i> , 2007 , 8, 251-8	5-7	51
11	Characterization of the properties and trafficking of an anchorless form of the prion protein. <i>Journal of Biological Chemistry</i> , 2007 , 282, 22747-56	5-4	30
10	Detergent-resistant membrane domains but not the proteasome are involved in the misfolding of a PrP mutant retained in the endoplasmic reticulum. <i>Journal of Cell Science</i> , 2006 , 119, 433-42	5-3	43
9	The cannabinoid CB1 receptor antagonist rimonabant (SR141716) inhibits human breast cancer cell proliferation through a lipid raft-mediated mechanism. <i>Molecular Pharmacology</i> , 2006 , 70, 1298-306	4-3	102
8	Lipid Rafts in Trafficking and Processing of Prion Protein and Amyloid Precursor Protein 2006 , 205-231		
7	Plasma membrane and lysosomal localization of CB1 cannabinoid receptor are dependent on lipid rafts and regulated by anandamide in human breast cancer cells. <i>FEBS Letters</i> , 2005 , 579, 6343-9	3-8	64
6	The highways and byways of prion protein trafficking. <i>Trends in Cell Biology</i> , 2005 , 15, 102-11	18-3	143
5	PrP(C) association with lipid rafts in the early secretory pathway stabilizes its cellular conformation. <i>Molecular Biology of the Cell</i> , 2004 , 15, 4031-42	3-5	110
4	Protein oligomerization modulates raft partitioning and apical sorting of GPI-anchored proteins. <i>Journal of Cell Biology</i> , 2004 , 167, 699-709	7-3	198
3	PrPC is sorted to the basolateral membrane of epithelial cells independently of its association with rafts. <i>Traffic</i> , 2002 , 3, 810-21	5-7	74
2	Detergent-resistant membrane microdomains and apical sorting of GPI-anchored proteins in polarized epithelial cells. <i>International Journal of Medical Microbiology</i> , 2002 , 291, 439-45	3-7	15
1	Detergent insoluble microdomains are not involved in transcytosis of polymeric Ig receptor in FRT and MDCK cells. <i>Traffic</i> , 2000 , 1, 794-802	5-7	15