

Dildar Konukoglu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5312872/dildar-konukoglu-publications-by-year.pdf>
Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90 papers	1,477 citations	21 h-index	33 g-index
99 ext. papers	1,754 ext. citations	3.3 avg, IF	4.72 L-index

#	Paper	IF	Citations
90	Serum kisspeptin levels along reproductive period in women: is it a marker for aging?. <i>Gynecological Endocrinology</i> , 2022 , 1-6	2.4	0
89	Increased risk for kidney sequelae surrogates in survivors of Wilms tumor.. <i>Pediatric Nephrology</i> , 2022 , 1	3.2	
88	Investigation of the Protective Role of Selenium in the Changes Caused by Chlorpyrifos in Trace Elements, Biochemical and Hematological Parameters in Rats. <i>Biological Trace Element Research</i> , 2022 , 200, 228-237	4.5	2
87	The clinical significance of circulating miR-21, miR-142, miR-143, and miR-146a in patients with prostate cancer.. <i>Journal of Medical Biochemistry</i> , 2022 , 41, 191-198	1.9	
86	Fluctuations in Interleukin-6 Levels during Hemodialysis Sessions with Medium Cutoff Membranes: An Analysis on COVID-19 Case Series.. <i>Blood Purification</i> , 2022 , 1-6	3.1	
85	Assessment of Neuroendocrine Changes and Hypothalamo-Pituitary Autoimmunity in Patients with COVID-19.. <i>Hormone and Metabolic Research</i> , 2022 , 54, 153-161	3.1	1
84	ACE2 and ANGII levels in patients with COVID-19 based on thoracic tomography findings and PCR test results.. <i>Journal of Infection in Developing Countries</i> , 2022 , 16, 427-434	2.3	2
83	Rapid and Effective Vitamin D Supplementation May Present Better Clinical Outcomes in COVID-19 (SARS-CoV-2) Patients by Altering Serum INOS1, IL1B, IFNg, Cathelicidin-LL37, and ICAM1. <i>Nutrients</i> , 2021 , 13,	6.7	10
82	An easy-to-use nomogram for predicting in-hospital mortality risk in COVID-19: a retrospective cohort study in a university hospital. <i>BMC Infectious Diseases</i> , 2021 , 21, 148	4	9
81	Efficacy of Serum Angiotensin II Levels in Prognosis of Patients With Coronavirus Disease 2019. <i>Critical Care Medicine</i> , 2021 , 49, e613-e623	1.4	13
80	Role of plasma angiotensin II and angiotensin-converting enzyme ² levels on prognosis and mortality in hypertensive patients with COVID-19. <i>Biomarkers in Medicine</i> , 2021 , 15, 1581-1588	2.3	4
79	Factors influencing blood pressure and microalbuminuria in children with type 1 diabetes mellitus: salt or sugar?. <i>Pediatric Nephrology</i> , 2020 , 35, 1267-1276	3.2	5
78	The utility of TNF- α and IL-6 and IL-10 in the diagnosis and/or follow-up food allergy. <i>Allergologia Et Immunopathologia</i> , 2020 , 48, 48-55	1.9	4
77	The relationship between carotid intima-media thickness and serum secreted frizzled-related protein-4 and dipeptidyl peptidase-4 in diabetic patients with cardiovascular diseases. <i>Bratislava Medical Journal</i> , 2019 , 120, 188-194	1.7	3
76	Effects of Cigarette Smoke on Fat Graft Survival in an Experimental Rat Model. <i>Aesthetic Plastic Surgery</i> , 2019 , 43, 815-825	2	6
75	National External Quality Assessment follow-up: 2010-2017 Turkish experience. <i>Biyokimya Dergisi</i> , 2019 , 44, 1-8	0.7	1
74	Role of Alvarado score and biological indicators of C-reactive protein, procalcitonin and neopterin in diagnosis of acute appendicitis. <i>Ulusal Travma Ve Acil Cerrahi Dergisi</i> , 2019 , 25, 229-237	0.6	3

73	Can soluble ST2 be a new marker in heart failure? 2018 ,		2
72	Essential parameters and risk factors of the patients for diabetes care and treatment. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2017 , 11 Suppl 1, S315-S320	8.9	5
71	Plasma Betatrophin Levels of Subjects Classified with Normal, Impaired, and Diabetic Glucose Tolerance, and Subjects with Impaired Fasting Glucose. <i>Hormone and Metabolic Research</i> , 2017 , 49, 434-439	2.1	3
70	Glucagon-like peptide-1 levels and dipeptidyl peptidase-4 activity in type 2 diabetes. <i>Clinical and Investigative Medicine</i> , 2017 , 40, E188-E199	0.9	1
69	Endothelial Dysfunction and Hypertension. <i>Advances in Experimental Medicine and Biology</i> , 2017 , 956, 511-540	3.6	220
68	Inflammatory hypothesis as a link between Alzheimer's disease and diabetes mellitus. <i>Geriatrics and Gerontology International</i> , 2016 , 16, 1161-1166	2.9	17
67	Cardiovascular alterations do exist in children with stage-2 chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2016 , 20, 926-933	2.5	7
66	Oxidative stress parameters and inflammatory and immune mediators as markers of the severity of sepsis. <i>Journal of Infection in Developing Countries</i> , 2016 , 10, 1045-1052	2.3	20
65	Interrelationships between obesity and bone markers in post-menopausal women with either obesity or osteoporosis. <i>European Geriatric Medicine</i> , 2015 , 6, 15-20	3	4
64	The impact of depression and ghrelin on body weight in migraineurs. <i>Journal of Headache and Pain</i> , 2014 , 15, 23	8.8	2
63	Comparison of plasma viscosity as a marker of endothelial dysfunction with nitric oxide and asymmetric dimethylarginine in subjects with dyslipidemia. <i>Clinical Hemorheology and Microcirculation</i> , 2014 , 57, 315-23	2.5	10
62	The effects of atorvastatin on oxidative stress in L-NAME-treated rats. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2013 , 73, 591-7	2	4
61	Total antioxidant status and markers of oxidative stress in subjects with normal or impaired glucose regulation (IFG, IGT) in diabetic patients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2013 , 73, 641-9	2	14
60	Serum neurotrophic factor levels in patients with type 2 diabetes mellitus: relationship to metabolic syndrome components. <i>Clinical Laboratory</i> , 2013 , 59, 369-74	2	16
59	Serum brain-derived neurotrophic factor, nerve growth factor and neurotrophin-3 levels in dementia. <i>Acta Neurologica Belgica</i> , 2012 , 112, 255-60	1.5	17
58	Plasma oxidative and inflammatory markers in patients with idiopathic Parkinson's disease. <i>Acta Neurologica Belgica</i> , 2012 , 112, 155-9	1.5	37
57	Serum nitrosative stress levels are increased in Alzheimer disease but not in vascular dementia. <i>Alzheimer Disease and Associated Disorders</i> , 2010 , 24, 194-7	2.5	17
56	Increased maternal serum and cord blood fibronectin concentrations in preeclampsia are associated with higher placental hyaluronic acid and hydroxyproline content. <i>Hypertension in Pregnancy</i> , 2010 , 29, 153-62	2	9

55	The serum protein and lipid oxidation marker levels in Alzheimer's disease and effects of cholinesterase inhibitors and antipsychotic drugs therapy. <i>Current Alzheimer Research</i> , 2010 , 7, 463-9	3	35
54	Preventive effects of curcumin on different aspiration material-induced lung injury in rats. <i>Pediatric Surgery International</i> , 2009 , 25, 83-92	2.1	21
53	Serine protease inhibitor aprotinin ameliorates renal injury in a rat model of ischemia-perfusion injury. <i>Transplantation Proceedings</i> , 2009 , 41, 1512-6	1.1	4
52	Relationship among plasma secretory phospholipase A2, oxidized low density lipoprotein & paraoxonase activities in hypertensive subjects treated with angiotensin converting enzyme inhibitors. <i>Indian Journal of Medical Research</i> , 2009 , 129, 390-4	2.9	1
51	The relationship between plasma asymmetrical dimethyl-L-arginine and inflammation and adhesion molecule levels in subjects with normal, impaired, and diabetic glucose tolerance. <i>Metabolism: Clinical and Experimental</i> , 2008 , 57, 110-5	12.7	32
50	The effects of sildenafil citrate on ischemic colonic anastomotic healing in rats: its relationship between nitric oxide and oxidative stress. <i>World Journal of Surgery</i> , 2008 , 32, 2107-13	3.3	18
49	The effects of renal replacement therapy on plasma, asymmetric dimethylarginine, nitric oxide and C-reactive protein levels. <i>Clinical and Investigative Medicine</i> , 2008 , 31, E1-7	0.9	10
48	Plasma adhesion and inflammation markers: asymmetrical dimethyl-L-arginine and secretory phospholipase A2 concentrations before and after laparoscopic gastric banding in morbidly obese patients. <i>Obesity Surgery</i> , 2007 , 17, 672-8	3.7	27
47	Plasma protein carbonyl and thiol stress before and after laparoscopic gastric banding in morbidly obese patients. <i>Obesity Surgery</i> , 2007 , 17, 1367-73	3.7	53
46	Serum oxidized low density lipoprotein, paraoxonase 1 and lipid peroxidation levels during oral glucose tolerance test. <i>Hormone and Metabolic Research</i> , 2007 , 39, 207-11	3.1	24
45	Abdominal aortic aneurysm or aortic occlusive disease: role of trace element imbalance. <i>Angiology</i> , 2007 , 58, 191-5	2.1	26
44	Relation of serum vascular endothelial growth factor as an angiogenesis biomarker with nitric oxide & urokinase-type plasminogen activator in breast cancer patients. <i>Indian Journal of Medical Research</i> , 2007 , 125, 747-51	2.9	4
43	Plasma leptin and its relationship with lipid peroxidation and nitric oxide in obese female patients with or without hypertension. <i>Archives of Medical Research</i> , 2006 , 37, 602-6	6.6	35
42	Relationship between serum concentrations of interleukin-6 and tumor necrosis factor alpha in female Turkish subjects with normal and impaired glucose tolerance. <i>Hormone and Metabolic Research</i> , 2006 , 38, 34-7	3.1	25
41	Plasma total homocysteine concentrations in obese and non-obese female patients with type 2 diabetes mellitus; its relations with plasma oxidative stress and nitric oxide levels. <i>Clinical Hemorheology and Microcirculation</i> , 2005 , 33, 41-6	2.5	17
40	Aprotinin ameliorates ischemia/reperfusion injury in a rat hind limb model. <i>Vascular Pharmacology</i> , 2004 , 41, 125-9	5.9	7
39	The effect of prostate cancer and antiandrogenic therapy on lipid peroxidation and antioxidant systems. <i>International Urology and Nephrology</i> , 2004 , 36, 57-62	2.3	19
38	Epidural anesthesia may attenuate lipid peroxidation during aorto-femoral surgery. <i>Canadian Journal of Anaesthesia</i> , 2004 , 51, 465-71	3	3

37	Relationship between plasma leptin and zinc levels and the effect of insulin and oxidative stress on leptin levels in obese diabetic patients. <i>Journal of Nutritional Biochemistry</i> , 2004 , 15, 757-60	6.3	44
36	The role of antioxidant supplementation in cardiac transplantation: an experimental study in rats. <i>Transplantation Proceedings</i> , 2004 , 36, 2939-43	1.1	4
35	Impaired glucose tolerance: its relevance to early endothelial dysfunction. <i>Hormone and Metabolic Research</i> , 2003 , 35, 607-10	3.1	7
34	Levels of plasma vitamin E, vitamin C, TBARS, and cholesterol in male patients with colorectal tumors. <i>Biochemistry (Moscow)</i> , 2003 , 68, 325-8	2.9	18
33	Plasma homocysteine levels in obese and non-obese subjects with or without hypertension; its relationship with oxidative stress and copper. <i>Clinical Biochemistry</i> , 2003 , 36, 405-8	3.5	56
32	The effects of exposure of ⁶⁰ Co on the oxidant/antioxidant status among radiation victims. <i>Journal of Environmental Radioactivity</i> , 2003 , 64, 19-25	2.4	7
31	Attenuation of ischemia/reperfusion injury by N-acetylcysteine in a rat hind limb model. <i>Journal of Surgical Research</i> , 2003 , 111, 236-9	2.5	29
30	Is serum leptin level regulated by thyroid functions, lipid metabolism and insulin resistance in polycystic ovary syndrome?. <i>Gynecological Endocrinology</i> , 2003 , 17, 223-9	2.4	9
29	Glutathione and glutathione-related enzymes in colorectal cancer patients. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2003 , 66, 411-5	3.2	18
28	Relation of erythrocyte Na ⁺ -K ⁺ ATPase activity and cholesterol and oxidative stress in patients with type 2 diabetes mellitus. <i>Clinical and Investigative Medicine</i> , 2003 , 26, 279-84	0.9	3
27	Trace element levels in the experimental peritonitis. <i>Journal of Trace Elements in Experimental Medicine</i> , 2002 , 15, 79-84		
26	Is midazolam effective as an antioxidant in preventing reperfusion injury in rat kidney?. <i>International Urology and Nephrology</i> , 2002 , 34, 121-7	2.3	5
25	Protein carbonyl content in erythrocyte membranes in type 2 diabetic patients. <i>Hormone and Metabolic Research</i> , 2002 , 34, 367-70	3.1	15
24	Trace element levels in the experimental peritonitis. <i>Journal of Trace Elements in Medicine and Biology</i> , 2001 , 15, 115-8	4.1	3
23	Plasma and erythrocytes antioxidant status and trace element levels in proteinuric patients with moderate glomerular function. <i>Journal of Trace Elements in Medicine and Biology</i> , 2001 , 15, 119-22	4.1	9
22	Lipid peroxidation and antioxidant status in maternal and cord blood. <i>Gynecologic and Obstetric Investigation</i> , 2001 , 51, 145-9	2.5	57
21	Effects of oxidative stress on the erythrocyte Na ⁺ ,K ⁺ ATPase activity in female hyperthyroid patients. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2001 , 63, 289-95	3.2	6
20	The effects of hormone replacement therapy on lipid peroxidation and antioxidant status. <i>Maturitas</i> , 2001 , 38, 165-70	5	31

19	Effects of hormone replacement therapy on plasma nitric oxide and total thiol levels in postmenopausal women. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2000 , 60, 81-7	3.2	11
18	Plasma leptin levels in obese and non-obese postmenopausal women before and after hormone replacement therapy. <i>Maturitas</i> , 2000 , 36, 203-7	5	29
17	Urinary glycosaminoglycan excretion in urolithiasis. <i>Archives of Disease in Childhood</i> , 1999 , 80, 271-2	2.2	7
16	Glycosaminoglycans excretion in interstitial cystitis. <i>International Urology and Nephrology</i> , 1999 , 31, 431-5	3	22
15	Modulating the functions of neutrophils and lipid peroxidation by FK506 in a rat model of thermal injury. <i>Burns</i> , 1999 , 25, 105-12	2.3	30
14	Antioxidant status in experimental peritonitis: effects of alpha tocopherol and taurolin. <i>Pharmacological Research</i> , 1999 , 39, 247-51	10.2	20
13	The susceptibility of red blood cells to autoxidation in type 2 diabetic patients with angiopathy. <i>Metabolism: Clinical and Experimental</i> , 1999 , 48, 1481-4	12.7	19
12	Susceptibility of erythrocyte lipids to oxidation and erythrocyte antioxidant status in myocardial infarction. <i>Clinical Biochemistry</i> , 1998 , 31, 667-71	3.5	8
11	Effects of cyclosporin A and ibuprofen on liver ischemia-reperfusion injury in the rat. <i>Clinica Chimica Acta</i> , 1998 , 275, 1-8	6.2	16
10	A study on the carotid artery intima-media thickness and its association with lipid peroxidation. <i>Clinica Chimica Acta</i> , 1998 , 277, 91-8	6.2	23
9	Radioiodine treatment and oxidative stress in thyroidectomised patients for differentiated thyroid cancers. <i>Pharmacological Research</i> , 1998 , 38, 311-5	10.2	16
8	The erythrocyte glutathione levels during oral glucose tolerance test. <i>Journal of Endocrinological Investigation</i> , 1997 , 20, 471-5	5.2	21
7	The role of isocolloidoosmotic synthetic colloid addition to St. Thomas Hospital cardioplegic solution for cardioprotection in isolated perfused rat hearts. <i>Pharmacological Research</i> , 1997 , 36, 9-15	10.2	3
6	Evaluation of lipid peroxidation and total antioxidant status in plasma of rats following thermal injury. <i>Burns</i> , 1997 , 23, 114-6	2.3	48
5	Effects of N-acetylcysteine on lung glutathione levels in rats after burn injury. <i>Burns</i> , 1997 , 23, 541-4	2.3	20
4	Urinary zinc levels in patients with superficial bladder cancer. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 1996 , 7, 115-9	1.6	5
3	Hypocitraturia in patients with urolithiasis. <i>Archives of Disease in Childhood</i> , 1996 , 74, 350-1	2.2	12
2	Urinary excretion of sialic acid in patients with bladder tumors. <i>Cancer Letters</i> , 1995 , 94, 97-100	9.9	10

1 Urinary excretion of sialic acid in patients with superficial bladder tumors. *Cancer Letters*, **1994**, 78, 7-9 9.9 7