

Kyung-Do Han

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5313285/kyung-do-han-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

604
papers

5,852
citations

33
h-index

50
g-index

665
ext. papers

8,987
ext. citations

4.9
avg, IF

6.57
L-index

#	Paper	IF	Citations
604	Response to Comment on Lee et al. Sodium-Glucose Cotransporter 2 Inhibitors and Risk of Retinal Vein Occlusion Among Patients With Type 2 Diabetes: A Propensity Score-Matched Cohort Study. <i>Diabetes Care</i> 2021; 44:2419-2426.. <i>Diabetes Care</i> , 2022 , 45, e38	14.6	
603	The risk of dementia in adults with abdominal aortic aneurysm.. <i>Scientific Reports</i> , 2022 , 12, 1228	4.9	1
602	Severe Hypoglycemia Increases Dementia Risk and Related Mortality: A Nationwide, Population-Based Cohort Study.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022 ,	5.6	2
601	Female Reproductive Factors and the Risk of Bronchiectasis: A Nationwide Population-Based Longitudinal Study.. <i>Biomedicines</i> , 2022 , 10,	4.8	2
600	Assessing the Validity of the Criteria for the Extreme Risk Category of Atherosclerotic Cardiovascular Disease: A Nationwide Population-Based Study.. <i>Journal of Lipid and Atherosclerosis</i> , 2022 , 11, 73-83	3	1
599	Effect of obesity and metabolic health on urolithiasis: A nationwide population-based study.. <i>Investigative and Clinical Urology</i> , 2022 , 63, 63-70	1.9	0
598	Association between alcohol consumption and pancreatic cancer risk differs by glycaemic status: A nationwide cohort study.. <i>European Journal of Cancer</i> , 2022 , 163, 119-127	7.5	1
597	Associations of variability in body weight and glucose levels with the risk of hip fracture in people with diabetes.. <i>Metabolism: Clinical and Experimental</i> , 2022 , 155135	12.7	0
596	Graves Disease and the risk of Parkinson disease: a Korean population-based study.. <i>Brain Communications</i> , 2022 , 4, fcac014	4.5	1
595	Association of Depression With Atrial Fibrillation in South Korean Adults.. <i>JAMA Network Open</i> , 2022 , 5, e2141772	10.4	0
594	Association between age-related cataract and blepharoptosis in Korean adults: a population-based study.. <i>Scientific Reports</i> , 2022 , 12, 389	4.9	0
593	Analysis of Quality of Life and Mental Health in Patients With Atopic Dermatitis, Asthma and Allergic Rhinitis Using a Nation-wide Database, KNHANES VII.. <i>Allergy, Asthma and Immunology Research</i> , 2022 , 14, 273-283	5.3	0
592	Hip Fracture Risk According to Diabetic Kidney Disease Phenotype in a Korean Population.. <i>Endocrinology and Metabolism</i> , 2022 , 37, 148-158	3.5	0
591	Analysis of Severe Hypoglycemia Among Adults With Type 2 Diabetes and Nonalcoholic Fatty Liver Disease.. <i>JAMA Network Open</i> , 2022 , 5, e220262	10.4	0
590	Female reproductive factors and incidence of non-tuberculous mycobacterial pulmonary disease among postmenopausal women in Korea.. <i>Clinical Infectious Diseases</i> , 2022 ,	11.6	3
589	Comparison of early clinical outcomes between dual antiplatelet therapy and triple antithrombotic therapy in patients with atrial fibrillation undergoing percutaneous coronary intervention.. <i>PLoS ONE</i> , 2022 , 17, e0264538	3.7	1
588	Blood pressure and mortality after percutaneous coronary intervention: a population-based cohort study.. <i>Scientific Reports</i> , 2022 , 12, 2768	4.9	

587	Non-alcoholic Fatty Liver Disease and the Risk of Incident Atrial Fibrillation in Young Adults: A Nationwide Population-Based Cohort Study.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 832023	5.4	1
586	Evaluation of the meibomian glands using the tear interferometer wearing orthokeratology lenses.. <i>BMC Ophthalmology</i> , 2022 , 22, 133	2.3	
585	Association between lung function and the risk of atrial fibrillation in a nationwide population cohort study.. <i>Scientific Reports</i> , 2022 , 12, 4007	4.9	0
584	High body weight variability is associated with increased risk of depression: a nationwide cohort study in South Korea.. <i>Psychological Medicine</i> , 2022 , 1-9	6.9	0
583	Emergency department utilization in patients with hypertrophic cardiomyopathy: a nationwide population-based study.. <i>Scientific Reports</i> , 2022 , 12, 3534	4.9	0
582	U-Shaped Associations Between Body Weight Changes and Major Cardiovascular Events in Type 2 Diabetes Mellitus: A Longitudinal Follow-up Study of Over 1.5 Million Nationwide Cohort.. <i>Diabetes Care</i> , 2022 ,	14.6	4
581	Metabolic Syndrome, Gamma-Glutamyl Transferase, and Risk of Sudden Cardiac Death.. <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	3
580	Synergistic association between underweight and type 2 diabetes on the development of laryngeal cancer: a national population-based retrospective cohort study.. <i>BMC Cancer</i> , 2022 , 22, 345	4.8	0
579	Low Risk of Dementia in Patients With Newly Diagnosed Atrial Fibrillation and a Clustering of Healthy Lifestyle Behaviors: A Nationwide Population-Based Cohort Study.. <i>Journal of the American Heart Association</i> , 2022 , e023739	6	0
578	De novo major cardiovascular events in kidney transplant recipients: a comparative matched cohort study.. <i>Nephrology Dialysis Transplantation</i> , 2022 ,	4.3	1
577	Impact of diabetes mellitus on the outcomes of subjects with hypertrophic cardiomyopathy: a nationwide cohort study.. <i>Diabetes Research and Clinical Practice</i> , 2022 , 109838	7.4	0
576	Association of weight change following smoking cessation with the risk of tuberculosis development: A nationwide population-based cohort study.. <i>PLoS ONE</i> , 2022 , 17, e0266262	3.7	0
575	The associations of hepatic steatosis and fibrosis using fatty liver index and BARD score with cardiovascular outcomes and mortality in patients with new-onset type 2 diabetes: a nationwide cohort study.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 53	8.7	0
574	Association of Change in Alcohol Consumption With Risk of Ischemic Stroke.. <i>Stroke</i> , 2022 , 101161STROKEAHA121037	6.7	1
573	Comparison of mortality and cause of death between adults with and without hypertrophic cardiomyopathy.. <i>Scientific Reports</i> , 2022 , 12, 6386	4.9	0
572	Cardiovascular Risk and Treatment Outcomes in Severe Hypercholesterolemia: A Nationwide Cohort Study.. <i>Journal of the American Heart Association</i> , 2022 , e024379	6	2
571	Association of High-Density Lipoprotein Cholesterol Phenotypes with the Risk of Cardiovascular Diseases and Mortality: A Cohort Study in Korea.. <i>Endocrinology and Metabolism</i> , 2022 , 37, 261-271	3.5	0
570	Association between Smoking Status and Incident Non-Cystic Fibrosis Bronchiectasis in Young Adults: A Nationwide Population-Based Study. <i>Journal of Personalized Medicine</i> , 2022 , 12, 691	3.6	0

569	Effects of exercise on reducing diabetes risk in Korean women according to menopausal status. <i>Cardiovascular Prevention and Pharmacotherapy</i> , 2022 , 4, 75-86	0.2	
568	Increased Risk of Cancer after Cholecystectomy: A Nationwide Cohort Study in Korea including 123,295 Patients.. <i>Gut and Liver</i> , 2022 , 16, 465-473	4.8	1
567	Frequent drinking is more predictive of ischemic stroke than binge drinking, but not of myocardial infarction.. <i>Atherosclerosis</i> , 2022 , 350, 65-72	3.1	0
566	A Longitudinal Retrospective Observational Study on Obesity Indicators and the Risk of Impaired Fasting Glucose in Pre- and Postmenopausal Women. <i>Journal of Clinical Medicine</i> , 2022 , 11, 2795	5.1	
565	Association Between Hypertension and Incident Infective Endocarditis.. <i>Hypertension</i> , 2022 , 101161HYPERTENSIONAHA		
564	Triglyceride-Glucose Index Is a Useful Marker for Predicting Future Cardiovascular Disease and Mortality in Young Korean Adults: A Nationwide Population-Based Cohort Study. <i>Journal of Lipid and Atherosclerosis</i> , 2022 , 11, 178	3	0
563	Risk of Psoriasis in Postgastrectomy Gastric Cancer Survivors: A Nationwide Population-Based Cohort Study. <i>Annals of Dermatology</i> , 2022 , 34, 191	0.4	0
562	Risk Factors of Incident Lung Cancer in Patients with Non-Cystic Fibrosis Bronchiectasis: A Korean Population-Based Study. <i>Cancers</i> , 2022 , 14, 2604	6.6	2
561	Sex Differences in the Prevalence of Head and Neck Cancers: A 10-Year Follow-Up Study of 10 Million Healthy People. <i>Cancers</i> , 2022 , 14, 2521	6.6	3
560	Combined Effects of Chronic Kidney Disease and Nonalcoholic Fatty Liver Disease on the Risk of Cardiovascular Disease in Patients with Diabetes. <i>Biomedicines</i> , 2022 , 10, 1245	4.8	
559	The risk of Parkinson@ disease according to diabetic kidney disease status in a Korean population. <i>Parkinsonism and Related Disorders</i> , 2022 , 100, 13-18	3.6	
558	Increased depression risk in patients with abdominal aortic aneurysm: a nationwide cohort study. <i>Annals of Surgical Treatment and Research</i> , 2021 , 101, 291-298	2	2
557	Obesity and Risk of Diabetes Mellitus by Menopausal Status: A Nationwide Cohort Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
556	Young adults with nonalcoholic fatty liver disease, defined using the fatty liver index, can be at increased risk of myocardial infarction or stroke. <i>Diabetes, Obesity and Metabolism</i> , 2021 ,	6.7	2
555	Association of nasal septal deviation with the incidence of anxiety, depression, and migraine: A national population-based study. <i>PLoS ONE</i> , 2021 , 16, e0259468	3.7	2
554	Relationship between blood pressure levels and ischemic stroke, myocardial infarction, and mortality in very elderly patients taking antihypertensives: a nationwide population-based cohort study. <i>BMC Geriatrics</i> , 2021 , 21, 620	4.1	0
553	Sex differences in the association between nonalcoholic fatty liver disease and Parkinson@ disease. <i>Parkinsonism and Related Disorders</i> , 2021 , 93, 19-26	3.6	0
552	Comparison of early postoperative cytokine changes in patients undergoing intubated and non-intubated thoracic surgery: a randomized controlled trial. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2021 , 32, 343-350	1.8	2

551	Disparities in Liver Cancer Surveillance Among People With Disabilities: A National Database Study in Korea. <i>Journal of Clinical Gastroenterology</i> , 2021 , 55, 439-448	3	1
550	Conditional Relative Survival and Competing Mortality of Patients with Prostate Cancer in Korea: A Nationwide Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 326-334	4	
549	Acromegaly and cardiovascular outcomes: a cohort study. <i>European Heart Journal</i> , 2021 ,	9.5	2
548	Cholecystectomy and subsequent risk of Parkinson's disease: a nationwide retrospective cohort study. <i>Npj Parkinson's Disease</i> , 2021 , 7, 100	9.7	0
547	Liver enzymes and risk of ocular motor cranial nerve palsy: a nationwide population-based study. <i>Neurological Sciences</i> , 2021 , 1	3.5	
546	A Study on Metabolic Health Status as a Risk Factor for Female Bladder Cancer Incidence: Analysis From the National Health Checkups Database of Korea. <i>The Korean Journal of Urological Oncology</i> , 2021 , 19, 223-231	0.1	
545	Body Mass Index, Diabetes, and Risk of Tuberculosis: A Retrospective Cohort Study.. <i>Frontiers in Nutrition</i> , 2021 , 8, 739766	6.2	1
544	Frequency of Exposure to Impaired Fasting Glucose and Risk of Mortality and Cardiovascular Outcomes. <i>Endocrinology and Metabolism</i> , 2021 , 36, 1007-1015	3.5	2
543	Cardiovascular Outcomes of Obesity According to Menopausal Status: A Nationwide Population-Based Study. <i>Endocrinology and Metabolism</i> , 2021 , 36, 1029-1041	3.5	0
542	Changes in Metabolic Syndrome Status are Associated With Altered Risk of Pancreatic Cancer: A Nationwide Cohort Study. <i>Gastroenterology</i> , 2021 ,	13.3	3
541	The Effects of Glucose Lowering Agents on the Secondary Prevention of Coronary Artery Disease in Patients with Type 2 Diabetes. <i>Endocrinology and Metabolism</i> , 2021 , 36, 977-987	3.5	1
540	Response to Comment on Choi et al. Alcohol Abstinence and the Risk of Atrial Fibrillation in Patients With Newly Diagnosed Type 2 Diabetes Mellitus: a Nationwide Population-Based Study. <i>Diabetes Care</i> 2021;44:1393-1401. <i>Diabetes Care</i> , 2021 , 44, e199	14.6	
539	Prevalence of Type 2 Diabetes Mellitus among Korean Children, Adolescents, and Adults Younger than 30 Years: Changes from 2002 to 2016. <i>Diabetes and Metabolism Journal</i> , 2021 ,	5	2
538	Hypertension as a risk factor for retinal vein occlusion in menopausal women: A nationwide Korean population-based study. <i>Medicine (United States)</i> , 2021 , 100, e27628	1.8	0
537	Risk of Incident Dementia According to Glycemic Status and Comorbidities of Hyperglycemia: A Nationwide Population-Based Cohort Study. <i>Diabetes Care</i> , 2021 ,	14.6	1
536	Risk of Diabetes in Subjects with Positive Fecal Immunochemical Test: A Nationwide Population-Based Study. <i>Endocrinology and Metabolism</i> , 2021 , 36, 1069-1077	3.5	2
535	Association of Physical Activity, Including Amount and Maintenance, With All-Cause Mortality in Parkinson Disease. <i>JAMA Neurology</i> , 2021 , 78, 1446-1453	17.2	7
534	The minimum-mortality estimated glomerular filtration rate percentile shifts upward in the aged population: a nationwide population-based study. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 1356-1363	4.5	2

533	Predictive value of triglyceride/high-density lipoprotein cholesterol for major clinical outcomes in advanced chronic kidney disease: a nationwide population-based study. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 1961-1968	4.5	1
532	Atopic Diseases Are Associated With Development of Inflammatory Bowel Diseases in Korea: A Nationwide Population-based Study. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 2072-2081.e6	6.9	3
531	Association between Lipid Profiles and the Incidence of Hepatocellular Carcinoma: A Nationwide Population-Based Study. <i>Cancers</i> , 2021 , 13,	6.6	3
530	Sex differences in the prognosis of patients with hypertrophic cardiomyopathy. <i>Scientific Reports</i> , 2021 , 11, 4854	4.9	5
529	Effect of depressive symptom and depressive disorder on glaucoma incidence in elderly. <i>Scientific Reports</i> , 2021 , 11, 5888	4.9	3
528	Proton Pump Inhibitor Co-Therapy in Patients with Atrial Fibrillation Treated with Oral Anticoagulants and a Prior History of Upper Gastrointestinal Tract Bleeding. <i>Cardiovascular Drugs and Therapy</i> , 2021 , 1	3.9	1
527	Risk of early mortality and cardiovascular disease according to the presence of recently diagnosed diabetes and requirement for insulin treatment: A nationwide study. <i>Journal of Diabetes Investigation</i> , 2021 , 12, 1855-1863	3.9	2
526	Effect of body mass index and abdominal obesity on mortality after percutaneous coronary intervention: a nationwide, population-based study. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, S90-S98 ⁵		
525	Relationships among visual acuity, risk of acute myocardial infarction, and stroke: a nationwide cohort study in south korea. <i>Ophthalmic Epidemiology</i> , 2021 , 1-13	1.9	1
524	Changes in Metabolic Syndrome Status and Breast Cancer Risk: A Nationwide Cohort Study. <i>Cancers</i> , 2021 , 13,	6.6	2
523	The Repeatedly Elevated Fatty Liver Index Is Associated With Increased Mortality: A Population-Based Cohort Study. <i>Frontiers in Endocrinology</i> , 2021 , 12, 638615	5.7	7
522	Hypertension Burden and the Risk of New-Onset Atrial Fibrillation: A Nationwide Population-Based Study. <i>Hypertension</i> , 2021 , 77, 919-928	8.5	4
521	Longitudinal Patterns in Antithrombotic Therapy in Patients with Atrial Fibrillation after Percutaneous Coronary Intervention in the Non-Vitamin K Oral Anticoagulant Era: A Nationwide Population-Based Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
520	Cumulative Exposure to Metabolic Syndrome Components and the Risk of Dementia: A Nationwide Population-Based Study. <i>Endocrinology and Metabolism</i> , 2021 , 36, 424-435	3.5	1
519	The relationship between metabolic syndrome and obstructive sleep apnea syndrome: a nationwide population-based study. <i>Scientific Reports</i> , 2021 , 11, 8751	4.9	2
518	Alcohol Abstinence and the Risk of Atrial Fibrillation in Patients With Newly Diagnosed Type 2 Diabetes Mellitus: A Nationwide Population-Based Study. <i>Diabetes Care</i> , 2021 , 44, 1393-1401	14.6	8
517	Nationwide Glaucoma incidence in end stage renal disease patients and kidney transplant recipients. <i>Scientific Reports</i> , 2021 , 11, 7418	4.9	4
516	Trends in the incidence and prevalence of end-stage renal disease with hemodialysis in entire Korean population: A nationwide population-based study. <i>Medicine (United States)</i> , 2021 , 100, e25293	1.8	1

515	Increased Risk of Major Depressive Disorder After Cholecystectomy: A Nationwide Population-Based Cohort Study in Korea. <i>Clinical and Translational Gastroenterology</i> , 2021 , 12, e00339	4.2	0
514	Body weight variability and the risk of cardiovascular outcomes in patients with nonalcoholic fatty liver disease. <i>Scientific Reports</i> , 2021 , 11, 9154	4.9	2
513	Obesity, metabolic health, and urological disorders in adults: a nationwide population-based study. <i>Scientific Reports</i> , 2021 , 11, 8687	4.9	0
512	Impact of waist circumference on the risk of vertebral fracture: A nationwide cohort study in South Korea. <i>Bone</i> , 2021 , 145, 115870	4.7	2
511	Incident Parkinson disease in kidney transplantation recipients: a nationwide population-based cohort study in Korea. <i>Scientific Reports</i> , 2021 , 11, 10541	4.9	
510	Cumulative exposure to impaired fasting glucose and future risk of type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2021 , 175, 108799	7.4	1
509	Increased Risk of Cardiovascular Disease and Mortality in Patients with Diabetes and Coexisting Depression: A Nationwide Population-Based Cohort Study. <i>Diabetes and Metabolism Journal</i> , 2021 , 45, 379-389	5	8
508	Influence of Metabolic Syndrome on Cancer Risk in HBV Carriers: A Nationwide Population Based Study Using the National Health Insurance Service Database. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
507	The Clinical Characteristics of Gestational Diabetes Mellitus in Korea: A National Health Information Database Study. <i>Endocrinology and Metabolism</i> , 2021 , 36, 628-636	3.5	2
506	Proteinuria and Psoriasis Risk: A Nationwide Population-Based Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
505	Risk of active tuberculosis infection in kidney transplantation recipients: A matched comparative nationwide cohort study. <i>American Journal of Transplantation</i> , 2021 , 21, 3629-3639	8.7	1
504	Reply to comment on: "Retinal vein occlusion and the risk of dementia: a nationwide cohort study". <i>American Journal of Ophthalmology</i> , 2021 , 231, 208-209	4.9	
503	The Association Between Cholecystectomy and the Risk for Fracture: A Nationwide Population-Based Cohort Study in Korea. <i>Frontiers in Endocrinology</i> , 2021 , 12, 657488	5.7	0
502	Uvulopalatopharyngoplasty may decrease the incidence of Parkinson disease associated with obstructive sleep apnea. <i>Scientific Reports</i> , 2021 , 11, 9608	4.9	0
501	Association between toothbrushing and non-alcoholic fatty liver disease. <i>PLoS ONE</i> , 2021 , 16, e0243686	3.7	2
500	Enhanced Susceptibility to Breast Cancer in Korean Women With Elevated Serum Gamma-Glutamyltransferase Levels: A Nationwide Population-Based Cohort Study. <i>Frontiers in Oncology</i> , 2021 , 11, 668624	5.3	0
499	Association Between the Persistence of Obesity and the Risk of Gastric Cancer: A Nationwide Population-Based Study. <i>Cancer Research and Treatment</i> , 2021 ,	5.2	1
498	The Population Prevalence, Thyroid Cancer and Mortality Risk for Turner Syndrome in South Korea Based on National Health Insurance Service (NHIS) Data. <i>Journal of the Endocrine Society</i> , 2021 , 5, A800-A801	0.4	78

497	Different Influence of Blood Pressure on New-Onset Atrial Fibrillation in Pre- and Postmenopausal Women: A Nationwide Population-Based Study. <i>Hypertension</i> , 2021 , 77, 1500-1509	8.5	7
496	Risks and Prognoses of Alzheimer@ Disease and Vascular Dementia in Patients With Insomnia: A Nationwide Population-Based Study. <i>Frontiers in Neurology</i> , 2021 , 12, 611446	4.1	0
495	Changes in Smoking, Alcohol Consumption, and the Risk of Thyroid Cancer: A Population-Based Korean Cohort Study. <i>Cancers</i> , 2021 , 13,	6.6	2
494	Smoking Cessation after Diagnosis of New-Onset Atrial Fibrillation and the Risk of Stroke and Death. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
493	Fasting glucose level and all-cause or cause-specific mortality in Korean adults: a nationwide cohort study. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 647-658	2.5	2
492	Association between non-alcoholic fatty liver disease and the risk of biliary tract cancers: A South Korean nationwide cohort study. <i>European Journal of Cancer</i> , 2021 , 150, 73-82	7.5	2
491	Hypertension, renin-angiotensin-aldosterone-system-blocking agents, and COVID-19. <i>Clinical Hypertension</i> , 2021 , 27, 11	4.8	0
490	Association between exercise habits and stroke, heart failure, and mortality in Korean patients with incident atrial fibrillation: A nationwide population-based cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003659	11.6	4
489	Nonalcoholic fatty liver disease is associated with the development of obstructive sleep apnea. <i>Scientific Reports</i> , 2021 , 11, 13473	4.9	1
488	Increasing serum gamma-glutamyltransferase level accompanies a rapid increase in the incidence of endometrial cancer in Korea: A nationwide cohort study. <i>Gynecologic Oncology</i> , 2021 , 161, 864-870	4.9	1
487	Obesity Fact Sheet in Korea, 2020: Prevalence of Obesity by Obesity Class from 2009 to 2018. <i>Journal of Obesity and Metabolic Syndrome</i> , 2021 , 30, 141-148	4.4	12
486	Association of Dynamic Changes in Metabolic Syndrome Status with the Risk of Parkinson@ Disease: A Nationwide Cohort Study. <i>Journal of Parkinson@ Disease</i> , 2021 , 11, 1751-1759	5.3	0
485	Systemic Antibiotics and Obesity: Analyses from a Population-Based Cohort. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
484	Premature ventricular contraction increases the risk of heart failure and ventricular tachyarrhythmia. <i>Scientific Reports</i> , 2021 , 11, 12698	4.9	4
483	Changes in metabolic syndrome status and risk of laryngeal cancer: A nationwide cohort study. <i>PLoS ONE</i> , 2021 , 16, e0252872	3.7	1
482	Associations of General and Abdominal Obesity with the Risk of Glioma Development. <i>Cancers</i> , 2021 , 13,	6.6	1
481	Risk of upper gastrointestinal bleeding in patients on oral anticoagulant and proton pump inhibitor co-therapy. <i>PLoS ONE</i> , 2021 , 16, e0253310	3.7	1
480	Lower risk of stroke after alcohol abstinence in patients with incident atrial fibrillation: a nationwide population-based cohort study. <i>European Heart Journal</i> , 2021 , 42, 4759-4768	9.5	10

479	Risk of Atrial Fibrillation According to Cancer Type: A Nationwide Population-Based Study. <i>JACC: CardioOncology</i> , 2021 , 3, 221-232	3.8	4
478	Risk of female-specific cancers according to obesity and menopausal status in 27 million Korean women: Similar trends between Korean and Western women. <i>The Lancet Regional Health - Western Pacific</i> , 2021 , 11, 100146	5	2
477	Reproductive risk factors of pterygium in postmenopausal women: a nationwide study in the Republic of Korea. <i>Scientific Reports</i> , 2021 , 11, 12473	4.9	0
476	Low hemoglobin levels and an increased risk of psoriasis in patients with chronic kidney disease. <i>Scientific Reports</i> , 2021 , 11, 14741	4.9	1
475	Association between height and the risk of primary brain malignancy in adults: a nationwide population-based cohort study. <i>Neuro-Oncology Advances</i> , 2021 , 3, vdab098	0.9	0
474	Exercise and the Risk of Dementia in Patients with Newly Diagnosed Atrial Fibrillation: A Nationwide Population-Based Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
473	Individual 5-Year Lung Cancer Risk Prediction Model in Korea Using a Nationwide Representative Database. <i>Cancers</i> , 2021 , 13,	6.6	2
472	Hypertension control and end-stage renal disease in atrial fibrillation: a nationwide population-based cohort study. <i>Clinical Research in Cardiology</i> , 2021 , 1	6.1	
471	Dose-Dependent Effect of Smoking on Risk of Diabetes Remains after Smoking Cessation: A Nationwide Population-Based Cohort Study in Korea. <i>Diabetes and Metabolism Journal</i> , 2021 , 45, 539-548	5	5
470	The beneficial effects of menopausal hormone therapy on renal survival in postmenopausal Korean women from a nationwide health survey. <i>Scientific Reports</i> , 2021 , 11, 15418	4.9	1
469	All-cause mortality of patients with idiopathic pulmonary fibrosis: a nationwide population-based cohort study in Korea. <i>Scientific Reports</i> , 2021 , 11, 15145	4.9	2
468	Herpes Zoster and Subsequent Cancer Risk: A Nationwide Population-Based Cohort Study in Korea. <i>Dermatology</i> , 2021 , 237, 73-78	4.4	3
467	Waist circumference, body mass index, and colorectal cancer risk according to diabetes status: A Korean nationwide population-based cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 397-405	4	2
466	Association between sleeping time and temporomandibular disorders in a sample of the South Korean population. <i>Cranio - Journal of Craniomandibular Practice</i> , 2021 , 39, 107-112	1.2	
465	Conditional relative survival and competing mortality in patients who underwent surgery for lung cancer: A nationwide cohort study. <i>International Journal of Cancer</i> , 2021 , 148, 626-636	7.5	5
464	Tooth loss and risk of end-stage renal disease: A nationwide cohort study. <i>Journal of Periodontology</i> , 2021 , 92, 371-377	4.6	2
463	Retinal Vein Occlusion and the Risk of Dementia: A Nationwide Cohort Study. <i>American Journal of Ophthalmology</i> , 2021 , 221, 181-189	4.9	6
462	Cardiovascular risk and undertreatment of dyslipidemia in lung cancer survivors: A nationwide population-based study. <i>Current Problems in Cancer</i> , 2021 , 45, 100615	2.3	2

461	Risk of cancer incidence in patients with idiopathic pulmonary fibrosis: A nationwide cohort study. <i>Respirology</i> , 2021 , 26, 180-187	3.6	10
460	Obesity and breast cancer risk for pre- and postmenopausal women among over 6 million Korean women. <i>Breast Cancer Research and Treatment</i> , 2021 , 185, 495-506	4.4	10
459	Impact of the Combinations of Allergic Diseases on Myocardial Infarction and Mortality. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021 , 9, 872-880.e4	5.4	3
458	Association between high-density lipoprotein cholesterol level and risk of hematologic malignancy. <i>Leukemia</i> , 2021 , 35, 1356-1364	10.7	5
457	Influences of pregravid liver enzyme levels on the development of gestational diabetes mellitus. <i>Liver International</i> , 2021 , 41, 743-753	7.9	2
456	Renal outcomes and all-cause death associated with sodium-glucose co-transporter-2 inhibitors versus other glucose-lowering drugs (CVD-REAL 3 Korea). <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 455-466	6.7	4
455	Associations of general obesity and central obesity with the risk of hepatocellular carcinoma in a Korean population: A national population-based cohort study. <i>International Journal of Cancer</i> , 2021 , 148, 1144-1154	7.5	1
454	Impact of body mass index on development of nontuberculous mycobacterial pulmonary disease. <i>European Respiratory Journal</i> , 2021 , 57,	13.6	5
453	The Timed Up and Go test and the ageing heart: Findings from a national health screening of 1,084,875 community-dwelling older adults. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, 213-219	9.9	12
452	Epidemiological Study of Malignant Gliomas in Korea Using Nationwide Dataset from 2007 to 2017. <i>Journal of Korean Medical Science</i> , 2021 , 36, e68	4.7	3
451	Lipid Level, Lipid Variability, and Risk of Multiple Myeloma: A Nationwide Population-Based Study of 3,527,776 Subjects. <i>Cancers</i> , 2021 , 13,	6.6	3
450	Combination of Statin and Ezetimibe versus Statin Monotherapy on Cardiovascular Disease and Type 2 Diabetes Incidence among Adults with Impaired Fasting Glucose: a Propensity-Matched Nationwide Cohort Study. <i>Journal of Lipid and Atherosclerosis</i> , 2021 , 10, 303-312	3	1
449	Association of Female Reproductive Factors With Incidence of Fracture Among Postmenopausal Women in Korea. <i>JAMA Network Open</i> , 2021 , 4, e2030405	10.4	7
448	Cardiovascular or mortality risk of controlled hypertension and importance of physical activity. <i>Heart</i> , 2021 , 107, 1472-1479	5.1	4
447	Off-label underdosed apixaban use in Asian patients with non-valvular atrial fibrillation. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 415-423	6.4	10
446	Anemia, sarcopenia, physical activity, and the risk of tuberculosis in the older population: a nationwide cohort study. <i>Therapeutic Advances in Chronic Disease</i> , 2021 , 12, 20406223211015959	4.9	1
445	Repeatedly elevated γ -glutamyltransferase levels are associated with an increased incidence of digestive cancers: A population-based cohort study. <i>World Journal of Gastroenterology</i> , 2021 , 27, 176-188	5.6	0
444	Smoking, development of or recovery from metabolic syndrome, and major adverse cardiovascular events: A nationwide population-based cohort study including 6 million people. <i>PLoS ONE</i> , 2021 , 16, e0241623	2.7	2

443	Association between Hearing Loss and Cognitive Disorder: A Nationwide Population-Based Study. <i>Yonsei Medical Journal</i> , 2021 , 62, 446-452	3	1
442	Comparison of the Effects of High-intensity Statin Therapy with Moderate-Intensity Statin and Ezetimibe Combination Therapy on Major Adverse Cardiovascular Events in Patients with Acute Myocardial Infarction: a Nationwide Cohort Study. <i>Journal of Lipid and Atherosclerosis</i> , 2021 , 10, 291-302	3	1
441	The 10-Year Trend of Out-of-hospital Cardiac Arrests: a Korean Nationwide Population-Based Study. <i>Korean Circulation Journal</i> , 2021 , 51, 866-874	2.2	3
440	Increased atrial fibrillation risk in Parkinson's disease: A nationwide population-based study. <i>Annals of Clinical and Translational Neurology</i> , 2021 , 8, 238-246	5.3	3
439	Cumulative burden of metabolic syndrome and its components on the risk of atrial fibrillation: a nationwide population-based study. <i>Cardiovascular Diabetology</i> , 2021 , 20, 20	8.7	6
438	High-Density Lipoprotein Cholesterol and the Risk of Myocardial Infarction, Stroke, and Cause-Specific Mortality: a Nationwide Cohort Study in Korea. <i>Journal of Lipid and Atherosclerosis</i> , 2021 , 10, 74-87	3	5
437	Premature ventricular contraction is associated with increased risk of atrial fibrillation: a nationwide population-based study. <i>Scientific Reports</i> , 2021 , 11, 1601	4.9	7
436	Hypertriglyceridemia Is an Independent Risk Factor for Cardiovascular Diseases in Korean Adults Aged 30-49 Years: a Nationwide Population-Based Study. <i>Journal of Lipid and Atherosclerosis</i> , 2021 , 10, 88-98	3	3
435	Severe hypoglycemia and the risk of end stage renal disease in type 2 diabetes. <i>Scientific Reports</i> , 2021 , 11, 4305	4.9	0
434	Weight fluctuation and risk of hepatocellular carcinoma: a nationwide population-based 8-million-subject study. <i>Hepatology International</i> , 2021 , 15, 482-492	8.8	2
433	Gastrectomy, vitamin B12 supplementation and the risk of Parkinson's disease: A nationwide cohort study. <i>Parkinsonism and Related Disorders</i> , 2021 , 83, 15-21	3.6	3
432	Non-Vitamin K Antagonist Oral Anticoagulants in Patients With Atrial Fibrillation and Prior Gastrointestinal Bleeding. <i>Stroke</i> , 2021 , 52, 511-520	6.7	5
431	Association between living alone and incident type 2 diabetes among middle-aged individuals in Korea: a nationwide cohort study. <i>Scientific Reports</i> , 2021 , 11, 3659	4.9	1
430	Lifestyle is associated with atrial fibrillation development in patients with type 2 diabetes mellitus. <i>Scientific Reports</i> , 2021 , 11, 4676	4.9	1
429	Association of High-Density Lipoprotein Cholesterol Variability and the Risk of Developing Parkinson Disease. <i>Neurology</i> , 2021 , 96, e1391-e1401	6.5	10
428	Body Mass Index and Clinical Outcomes in Asian Patients With Atrial Fibrillation Receiving Oral Anticoagulation. <i>Stroke</i> , 2021 , 52, 521-530	6.7	8
427	The incidence of myocardial infarction and stroke in head and neck cancer patients. <i>Scientific Reports</i> , 2021 , 11, 4174	4.9	1
426	Risk factors associated with failure of total ankle arthroplasty: a nationwide cohort study. <i>Scientific Reports</i> , 2021 , 11, 2878	4.9	1

425	Association between cotinine-verified smoking status and moderately increased albuminuria in the middle-aged and older population in Korea: A nationwide population-based study. <i>PLoS ONE</i> , 2021 , 16, e0246017	3.7	1
424	Nonalcoholic fatty liver disease and the risk of atrial fibrillation stratified by body mass index: a nationwide population-based study. <i>Scientific Reports</i> , 2021 , 11, 3737	4.9	7
423	Determining the association between repeatedly elevated serum gamma-glutamyltransferase levels and risk of respiratory cancer: A nationwide population-based cohort study. <i>Cancer Medicine</i> , 2021 , 10, 1366-1376	4.8	0
422	Incidence of cardiovascular disease and mortality in underweight individuals. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 , 12, 331-338	10.3	4
421	Association between physical performance and incidence of end-stage renal disease in older adults: a national wide cohort study. <i>BMC Nephrology</i> , 2021 , 22, 85	2.7	2
420	Pre-pregnancy metabolic syndrome and insulin administration in gestational diabetes: A nationwide population-based cohort study. <i>Obesity Research and Clinical Practice</i> , 2021 , 15, 362-367	5.4	1
419	Sodium-Glucose Cotransporter 2 Inhibitors and Risk of Retinal Vein Occlusion Among Patients With Type 2 Diabetes: A Propensity Score-Matched Cohort Study. <i>Diabetes Care</i> , 2021 ,	14.6	3
418	Late-life depression, subjective cognitive decline, and their additive risk in incidence of dementia: A nationwide longitudinal study. <i>PLoS ONE</i> , 2021 , 16, e0254639	3.7	2
417	Association between body weight variability and incidence of Parkinson disease: A nationwide, population-based cohort study. <i>European Journal of Neurology</i> , 2021 , 28, 3626-3633	6	1
416	Early mortality and cardiovascular disease, varied association with body mass index and its changes in insulin-treated diabetes: a nationwide study. <i>International Journal of Obesity</i> , 2021 , 45, 2482-2489	5.5	2
415	Is retinal vein occlusion associated with depression symptoms?: A nationwide cohort study. <i>Medicine (United States)</i> , 2021 , 100, e26937	1.8	0
414	Cumulative hypertension burden and risk of end-stage renal disease. <i>Hypertension Research</i> , 2021 , 44, 1652-1661	4.7	1
413	Relationship between serum lipid level and meibomian gland dysfunction subtype in Korea using propensity score matching. <i>Scientific Reports</i> , 2021 , 11, 16102	4.9	1
412	Smoking cessation, but not reduction, reduces cardiovascular disease incidence. <i>European Heart Journal</i> , 2021 , 42, 4141-4153	9.5	6
411	Relationship between total cholesterol level and tuberculosis risk in a nationwide longitudinal cohort. <i>Scientific Reports</i> , 2021 , 11, 16254	4.9	0
410	Association between body composite indices and vertebral fractures in pre and postmenopausal women in Korea. <i>PLoS ONE</i> , 2021 , 16, e0254755	3.7	2
409	Association of the Frequency and Quantity of Alcohol Consumption With Gastrointestinal Cancer. <i>JAMA Network Open</i> , 2021 , 4, e2120382	10.4	5
408	Long-term mortality in patients with moyamoya angiopathy according to stroke presentation type in South Korea. <i>Acta Neurochirurgica</i> , 2021 , 163, 3473-3481	3	1

407	Nonalcoholic fatty liver disease and the risk of insulin-requiring gestational diabetes. <i>Diabetology and Metabolic Syndrome</i> , 2021 , 13, 90	5.6	1
406	The Prognostic Significance of Body Mass Index and Metabolic Parameter Variabilities in Predialysis CKD: A Nationwide Observational Cohort Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 , 32, 2595-2612	12.7	0
405	Blood pressure prior to percutaneous coronary intervention is associated with the risk of end-stage renal disease: a nationwide population based-cohort study. <i>Kidney Research and Clinical Practice</i> , 2021 , 40, 432-444	3.6	
404	Increased Risk of Atrial Fibrillation in Patients with Atopic Triad: A Nationwide Population-Based Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021 , 9, 3422-3430.e5	5.4	0
403	Diabetes Status and Association With Risk of Tuberculosis Among Korean Adults. <i>JAMA Network Open</i> , 2021 , 4, e2126099	10.4	5
402	Association between diabetes status and subsequent onset of glaucoma in postmenopausal women. <i>Scientific Reports</i> , 2021 , 11, 18272	4.9	0
401	Young-onset type 2 diabetes in South Korea: a review of the current status and unmet need. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 1049-1058	2.5	2
400	The influence of endogenous and exogenous hormonal factors on migraine in spontaneous postmenopausal women: A nationwide population-based study in South Korea. <i>Cephalalgia</i> , 2021 , 3331024211044441	6.1	18
399	Nationwide cohort study: cholesterol level is inversely related with the risk of gastric cancer among postmenopausal women. <i>Gastric Cancer</i> , 2021 , 1	7.6	2
398	Being Underweight Increases the Risk of Non-Cystic Fibrosis Bronchiectasis in the Young Population: A Nationwide Population-Based Study. <i>Nutrients</i> , 2021 , 13,	6.7	3
397	Occult Blood in Feces Is Associated with Increased Risk of Psoriasis. <i>Dermatology</i> , 2021 , 1-8	4.4	2
396	Persistent status of metabolic syndrome and risk of cholangiocarcinoma: A Korean nationwide population-based cohort study. <i>European Journal of Cancer</i> , 2021 , 155, 97-105	7.5	1
395	Impact of smoking on the development of idiopathic pulmonary fibrosis: results from a nationwide population-based cohort study. <i>Thorax</i> , 2021 ,	7.3	3
394	Atrial fibrillation is associated with increased risk of lethal ventricular arrhythmias. <i>Scientific Reports</i> , 2021 , 11, 18111	4.9	1
393	Risk of Atrial Fibrillation in Young Adults With Isolated Diastolic, Isolated Systolic, and Systolic-Diastolic Hypertension. <i>Hypertension</i> , 2021 , 78, 1248-1258	8.5	0
392	Association between Obesity and Cardiovascular Disease in Elderly Patients with Diabetes: A Retrospective Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 ,	5.6	1
391	Association of prediabetes, diabetes, and diabetes duration with biliary tract cancer risk: A nationwide cohort study. <i>Metabolism: Clinical and Experimental</i> , 2021 , 123, 154848	12.7	2
390	Nonalcoholic fatty liver disease increases the risk of diabetes in young adults: A nationwide population-based study in Korea. <i>Metabolism: Clinical and Experimental</i> , 2021 , 123, 154866	12.7	6

389	FEMALE REPRODUCTIVE FACTORS AND THE RISK OF EXUDATIVE AGE-RELATED MACULAR DEGENERATION: A Nationwide Cohort Study. <i>Retina</i> , 2021 , 41, 2088-2097	3.6	0
388	Increased metabolic variability is associated with newly diagnosed depression: A nationwide cohort study. <i>Journal of Affective Disorders</i> , 2021 , 294, 786-793	6.6	0
387	Impact of Non-Vitamin K Antagonist Oral Anticoagulants on the Change of Antithrombotic Regimens in Patients with Atrial Fibrillation Undergoing Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2021 , 51, 409-422	2.2	6
386	The Risk of Psoriasis in Patients With Allergic Diseases: A Nationwide Population-based Cohort Study. <i>Allergy, Asthma and Immunology Research</i> , 2021 , 13, 638-645	5.3	1
385	Incidence and risk factors for osteoporotic fractures in patients with systemic lupus erythematosus versus matched controls. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 154-163	2.5	8
384	The insulin resistance by triglyceride glucose index and risk for dementia: population-based study. <i>Alzheimer's Research and Therapy</i> , 2021 , 13, 9	9	6
383	Cumulative obesity exposure increases the risk of kidney cancer: a longitudinal nationwide cohort study. <i>American Journal of Cancer Research</i> , 2021 , 11, 5016-5026	4.4	
382	Associations Between Smoking, Alcohol Consumption, Physical Activity and Depression in Middle-Aged Premenopausal and Postmenopausal Women.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 761761	5	0
381	Association between female reproductive factors and gout: a nationwide population-based cohort study of 1 million postmenopausal women.. <i>Arthritis Research and Therapy</i> , 2021 , 23, 304	5.7	0
380	Fasting Glucose Variability as a Risk Indicator for End-Stage Kidney Disease in Patients with Diabetes: A Nationwide Population-Based Study.. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
379	High Bodyweight Variability Increases Depression Risk in Patients With Type 2 Diabetes Mellitus: A Nationwide Cohort Study in Korea.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 765129	5	0
378	The Change in Metabolic Syndrome Status and the Risk of Nonviral Liver Cirrhosis.. <i>Biomedicines</i> , 2021 , 9,	4.8	2
377	Association between Parent@ Metabolic Syndrome and 12- to18-Year-Old Offspring@ Overweight: Results from the Korea National Health and Nutrition Examination Survey (K-NHANES) 2009-2016. <i>International Journal of Endocrinology</i> , 2020 , 2020, 8737912	2.7	
376	Effect of Variability in Blood Pressure, Glucose and Cholesterol Concentrations, and Body Weight on Emergency Hospitalization and 30-Day Mortality in the General Population. <i>Journal of the American Heart Association</i> , 2020 , 9, e017475	6	3
375	Temporal Trends of Emergency Department Visits of Patients with Atrial Fibrillation: A Nationwide Population-Based Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5
374	Risk of cancer in patients with glaucoma: A nationwide population-based cohort study. <i>Scientific Reports</i> , 2020 , 10, 8170	4.9	1
373	Gamma-glutamyl transferase variability and risk of dementia: A nationwide study. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 1105-1114	3.9	6
372	Association between Abdominal Obesity and Incident Colorectal Cancer: A Nationwide Cohort Study in Korea. <i>Cancers</i> , 2020 , 12,	6.6	3

371	Risk of dementia in prostate cancer survivors: A nationwide cohort study in Korea. <i>Current Problems in Cancer</i> , 2020 , 44, 100578	2.3	5
370	Association of Body Mass Index and Waist Circumference with All-Cause Mortality in Hemodialysis Patients. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	6
369	Combinations of metabolic syndrome components and the risk of type 2 diabetes mellitus: A nationwide cohort study. <i>Diabetes Research and Clinical Practice</i> , 2020 , 165, 108237	7.4	3
368	Metabolic Syndrome and the Risk of Thyroid Cancer: A Nationwide Population-Based Cohort Study. <i>Thyroid</i> , 2020 , 30, 1496-1504	6.2	8
367	Hospitalization for heart failure incidence according to the transition in metabolic health and obesity status: a nationwide population-based study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 77	8.7	11
366	High variability in bodyweight is associated with an increased risk of atrial fibrillation in patients with type 2 diabetes mellitus: a nationwide cohort study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 78	8.7	12
365	Low vision and the risk of dementia: a nationwide population-based cohort study. <i>Scientific Reports</i> , 2020 , 10, 9109	4.9	19
364	Variability in estimated glomerular filtration rate and the incidence of type 2 diabetes: a nationwide population-based study. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	2
363	Reply to: Kidney Dysfunction and Risk of Parkinson Disease: The Issue of Equations and Large Number". <i>Movement Disorders</i> , 2020 , 35, 520	7	1
362	Effectiveness and Safety of Direct Oral Anticoagulants in Relation to Temporal Changes in Their Use. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020 , 13, e005894	5.8	5
361	Liver enzyme variability and risk of heart disease and mortality: A nationwide population-based study. <i>Liver International</i> , 2020 , 40, 1292-1302	7.9	12
360	Anemia and the risk of Parkinson disease in Korean older adults: A nationwide population-based study. <i>Scientific Reports</i> , 2020 , 10, 4268	4.9	4
359	Relationship between oral health behaviour and handgrip strength: a cross-sectional study with 7589 Korean adults. <i>Acta Odontologica Scandinavica</i> , 2020 , 78, 438-444	2.2	5
358	Female reproductive factors and the risk of lung cancer in postmenopausal women: a nationwide cohort study. <i>British Journal of Cancer</i> , 2020 , 122, 1417-1424	8.7	12
357	Blood Pressure Variability and the Risk of Dementia: A Nationwide Cohort Study. <i>Hypertension</i> , 2020 , 75, 982-990	8.5	24
356	Association between Fatty Liver Index and Periodontitis: the Korea National Health and Nutrition Examination Survey. <i>Scientific Reports</i> , 2020 , 10, 3805	4.9	7
355	Comparative analysis of the risk of osteoporotic fractures with proton pump inhibitor use and histamine-2 receptor antagonist therapy in elderly women: A nationwide population-based nested case-control study. <i>Bone</i> , 2020 , 135, 115306	4.7	3
354	Cigarette Smoking Is Associated with Increased Risk of Malignant Gliomas: A Nationwide Population-Based Cohort Study. <i>Cancers</i> , 2020 , 12,	6.6	6

353	Hypertension is associated with oral, laryngeal, and esophageal cancer: a nationwide population-based study. <i>Scientific Reports</i> , 2020 , 10, 10291	4.9	2
352	Higher incidence of penetrating keratoplasty having effects on repeated keratoplasty in South Korea: A nationwide population-based study. <i>PLoS ONE</i> , 2020 , 15, e0235233	3.7	2
351	Association Between Fatty Liver Index and Risk of Breast Cancer: A Nationwide Population-Based Study. <i>Clinical Breast Cancer</i> , 2020 , 20, e450-e457	3	6
350	Association between overweight, obesity and incidence of advanced dental caries in South Korean adults: A 10-year nationwide population-based observational study. <i>PLoS ONE</i> , 2020 , 15, e0229572	3.7	5
349	The association between nonalcoholic fatty liver disease and esophageal, stomach, or colorectal cancer: National population-based cohort study. <i>PLoS ONE</i> , 2020 , 15, e0226351	3.7	12
348	Trends of the prevalence and incidence of hypertrophic cardiomyopathy in Korea: A nationwide population-based cohort study. <i>PLoS ONE</i> , 2020 , 15, e0227012	3.7	13
347	Mildly Abnormal Lipid Levels, but Not High Lipid Variability, Are Associated With Increased Risk of Myocardial Infarction and Stroke in "Statin-Naive" Young Population A Nationwide Cohort Study. <i>Circulation Research</i> , 2020 , 126, 824-835	15.7	15
346	Serum gamma-glutamyltransferase activity and Parkinson disease risk in men and women. <i>Scientific Reports</i> , 2020 , 10, 1258	4.9	8
345	Glomerular hyperfiltration is associated with dementia: A nationwide population-based study. <i>PLoS ONE</i> , 2020 , 15, e0228361	3.7	3
344	Gamma-Glutamyl Transferase Variability and Risk of Dementia in Diabetes Mellitus: A Nationwide Population-Based Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	5
343	Association of four lipid components with mortality, myocardial infarction, and stroke in statin-naïve young adults: A nationwide cohort study. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 870-881	3.9	12
342	Association of Hypertension and Blood Pressure With Kidney Cancer Risk: A Nationwide Population-Based Cohort Study. <i>Hypertension</i> , 2020 , 75, 1439-1446	8.5	15
341	A model to predict risk of stroke in middle-aged adults with type 2 diabetes generated from a nationwide population-based cohort study in Korea. <i>Diabetes Research and Clinical Practice</i> , 2020 , 163, 108157	7.4	5
340	The sweet spot: fasting glucose, cardiovascular disease, and mortality in older adults with diabetes: a nationwide population-based study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 44	8.7	4
339	Increased Mortality Burden in Young Asian Subjects with Dysglycemia and Comorbidities. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3
338	Impact of Hemoglobin Levels and Their Dynamic Changes on the Risk of Atrial Fibrillation: A Nationwide Population-Based Study. <i>Scientific Reports</i> , 2020 , 10, 6762	4.9	8
337	Dipstick proteinuria and cancer incidence: a nationwide population-based study. <i>Journal of Nephrology</i> , 2020 , 33, 1067-1077	4.8	4
336	Increased risk of Alzheimer disease in patients with psoriasis: a nationwide population-based cohort study. <i>Scientific Reports</i> , 2020 , 10, 6454	4.9	9

335	Frequent drinking is a more important risk factor for new-onset atrial fibrillation than binge drinking: a nationwide population-based study. <i>Europace</i> , 2020 , 22, 216-224	3.9	24
334	Risk of type 2 diabetes according to the cumulative exposure to metabolic syndrome or obesity: A nationwide population-based study. <i>Journal of Diabetes Investigation</i> , 2020 , 11, 1583-1593	3.9	3
333	Outcomes in relation to antithrombotic therapy among patients with atrial fibrillation after percutaneous coronary intervention. <i>PLoS ONE</i> , 2020 , 15, e0240161	3.7	1
332	Age-related hearing loss in the Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2020 , 15, e0243001	3.7	6
331	Association of Alcohol Intake and Fracture Risk in Elderly Varied by Affected Bones: A Nationwide Longitudinal Study. <i>Psychiatry Investigation</i> , 2020 , 17, 1013-1020	3.1	2
330	The incidence of malignant brain tumors is increased in patients with obstructive sleep apnea: A national health insurance survey. <i>PLoS ONE</i> , 2020 , 15, e0241598	3.7	2
329	Weight change and the incidence of heart failure in the Korean population: data from the National Health Insurance Health checkup 2005-2015. <i>European Journal of Preventive Cardiology</i> , 2020 ,	3.9	1
328	Short adult height increases the risk of end-stage renal disease in type 2 diabetes. <i>Endocrine Connections</i> , 2020 , 9, 912-921	3.5	
327	Clinical impact of atrial fibrillation in a nationwide cohort of hypertrophic cardiomyopathy patients. <i>Annals of Translational Medicine</i> , 2020 , 8, 1386	3.2	4
326	Short adult height increases the risk of end-stage renal disease in type 2 diabetes. <i>Endocrine Connections</i> , 2020 , 9, 912-921	3.5	
325	Psychiatric Distress as a Common Risk Factor for Tinnitus and Joint Pain: A National Population-Based Survey. <i>Clinical and Experimental Otorhinolaryngology</i> , 2020 , 13, 234-240	3.4	9
324	Reduced risk for chronic kidney disease after recovery from metabolic syndrome: A nationwide population-based study. <i>Kidney Research and Clinical Practice</i> , 2020 , 39, 180-191	3.6	15
323	Periodontitis combined with smoking increases risk of the ulcerative colitis: A national cohort study. <i>World Journal of Gastroenterology</i> , 2020 , 26, 5661-5672	5.6	5
322	Trends and risk factors of elderly-onset Crohn's disease: A nationwide cohort study. <i>World Journal of Gastroenterology</i> , 2020 , 26, 404-415	5.6	4
321	The Prevalence and Risk of Type 2 Diabetes in Adults with Disabilities in Korea. <i>Endocrinology and Metabolism</i> , 2020 , 35, 552-561	3.5	4
320	Predicting the Development of Myocardial Infarction in Middle-Aged Adults with Type 2 Diabetes: A Risk Model Generated from a Nationwide Population-Based Cohort Study in Korea. <i>Endocrinology and Metabolism</i> , 2020 , 35, 636-646	3.5	3
319	Variabilities in Weight and Waist Circumference and Risk of Myocardial Infarction, Stroke, and Mortality: A Nationwide Cohort Study. <i>Endocrinology and Metabolism</i> , 2020 , 35, 933-942	3.5	3
318	Association between high fatty liver index and development of colorectal cancer: a nationwide cohort study with 21,592,374 Korean. <i>Korean Journal of Internal Medicine</i> , 2020 , 35, 1354-1363	2.5	2

317	Trend of prevalence and incidence of systemic lupus erythematosus in South Korea, 2005 to 2015: a nationwide population-based study. <i>Korean Journal of Internal Medicine</i> , 2020 , 35, 652-661	2.5	11
316	Response to comment on "Incidence and risk factors for osteoporotic fractures in patients with systemic lupus erythematosus versus matched controls". <i>Korean Journal of Internal Medicine</i> , 2020 ,	2.5	2
315	Smoking Cessation, Weight Change, and Risk of Parkinson Disease: Analysis of National Cohort Data. <i>Journal of Clinical Neurology (Korea)</i> , 2020 , 16, 455-460	1.7	3
314	Incidence and Risk Factors for Dementia in Type 2 Diabetes Mellitus: A Nationwide Population-Based Study in Korea. <i>Diabetes and Metabolism Journal</i> , 2020 , 44, 113-124	5	16
313	Metabolic Health, Obesity, and the Risk of Developing Open-Angle Glaucoma: Metabolically Healthy Obese Patients versus Metabolically Unhealthy but Normal Weight Patients. <i>Diabetes and Metabolism Journal</i> , 2020 , 44, 414-425	5	16
312	Independent Impact of Diabetes on the Severity of Coronavirus Disease 2019 in 5,307 Patients in South Korea: A Nationwide Cohort Study. <i>Diabetes and Metabolism Journal</i> , 2020 , 44, 737-746	5	16
311	Disparities in the Participation Rate of Colorectal Cancer Screening by Fecal Occult Blood Test among People with Disabilities: A National Database Study in South Korea. <i>Cancer Research and Treatment</i> , 2020 , 52, 60-73	5.2	15
310	Changes in Direct Healthcare Costs before and after the Diagnosis of Inflammatory Bowel Disease: A Nationwide Population-Based Study. <i>Gut and Liver</i> , 2020 , 14, 89-99	4.8	7
309	Obesity Fact Sheet in Korea, 2019: Prevalence of Obesity and Abdominal Obesity from 2009 to 2018 and Social Factors. <i>Journal of Obesity and Metabolic Syndrome</i> , 2020 , 29, 124-132	4.4	32
308	Differential Impact of Cigarette Smoking on Fracture Risks in Subjective Cognitive Decline and Dementia: A Nationwide Longitudinal Study. <i>Psychiatry Investigation</i> , 2020 , 17, 786-795	3.1	
307	Impact of variability in estimated glomerular filtration rate on major clinical outcomes: A nationwide population-based study. <i>PLoS ONE</i> , 2020 , 15, e0244156	3.7	0
306	Differential Effect of the Metabolic Syndrome on the Incidence of Retinal Vein Occlusion in the Korean Population: A Nationwide Cohort Study. <i>Translational Vision Science and Technology</i> , 2020 , 9, 15	3.3	1
305	Association between Blood Pressure and Renal Progression in Korean Adults with Normal Renal Function. <i>Journal of Korean Medical Science</i> , 2020 , 35, e312	4.7	0
304	Changes in metabolic syndrome and its components and the risk of type 2 diabetes: a nationwide cohort study. <i>Scientific Reports</i> , 2020 , 10, 2313	4.9	32
303	Chromosomal abnormalities and atrial fibrillation and ischemic stroke incidence: a nationwide population-based study. <i>Scientific Reports</i> , 2020 , 10, 15872	4.9	4
302	Crohn disease and ulcerative colitis are associated with different lipid profile disorders: a nationwide population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 51, 446-456	6.1	7
301	Disparities in gastric cancer screening among people with disabilities: a national registry-linkage study in South Korea. <i>Gastric Cancer</i> , 2020 , 23, 497-509	7.6	5
300	Breast cancer screening disparities between women with and without disabilities: A national database study in South Korea. <i>Cancer</i> , 2020 , 126, 1522-1529	6.4	9

299	Anti-diabetic medications and the risk for colorectal cancer: A population-based nested case-control study. <i>Cancer Epidemiology</i> , 2020 , 64, 101658	2.8	8
298	Blood Pressure Variability and Incidence of New-Onset Atrial Fibrillation: A Nationwide Population-Based Study. <i>Hypertension</i> , 2020 , 75, 309-315	8.5	18
297	Sex differences in smoking, alcohol consumption, and risk of Parkinson disease: A nationwide cohort study. <i>Parkinsonism and Related Disorders</i> , 2020 , 71, 60-65	3.6	12
296	Oral Anticoagulation in Asian Patients With Atrial Fibrillation and a History of Intracranial Hemorrhage. <i>Stroke</i> , 2020 , 51, 416-423	6.7	20
295	Prevalence and incidence of neuromyelitis optica spectrum disorder and multiple sclerosis in Korea. <i>Multiple Sclerosis Journal</i> , 2020 , 26, 1837-1844	5	14
294	The incidence rates and risk factors of Parkinson disease in patients with psoriasis: A nationwide population-based cohort study. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, 1688-1695	4.5	4
293	Body mass index, diabetes, and the risk of Parkinson disease. <i>Movement Disorders</i> , 2020 , 35, 236-244	7	20
292	Abdominal obesity increases risk for esophageal cancer: a nationwide population-based cohort study of South Korea. <i>Journal of Gastroenterology</i> , 2020 , 55, 307-316	6.9	7
291	Temporal trends of catheter ablation for patients with atrial fibrillation: A Korean nationwide population-based study. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 2616-2625	2.7	2
290	Comparing proton pump inhibitors with histamin-2 receptor blockers regarding the risk of osteoporotic fractures: a nested case-control study of more than 350,000 Korean patients with GERD and peptic ulcer disease. <i>BMC Geriatrics</i> , 2020 , 20, 407	4.1	6
289	Fasting plasma glucose level and the risk of open angle glaucoma: Nationwide population-based cohort study in Korea. <i>PLoS ONE</i> , 2020 , 15, e0239529	3.7	6
288	Non-vitamin K antagonist oral anticoagulants in very elderly east Asians with atrial fibrillation: A nationwide population-based study. <i>American Heart Journal</i> , 2020 , 229, 81-91	4.9	5
287	Exposure-weighted scoring for metabolic syndrome and the risk of myocardial infarction and stroke: a nationwide population-based study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 153	8.7	6
286	Impact of previous percutaneous coronary intervention on cardiovascular outcomes and mortality after lung cancer surgery: A nationwide study in Korea. <i>Thoracic Cancer</i> , 2020 , 11, 2517-2528	3.2	0
285	Risk of Ischemic Heart Disease and Stroke in Prostate Cancer Survivors: A Nationwide Study in South Korea. <i>Scientific Reports</i> , 2020 , 10, 10313	4.9	2
284	Differential effect of obesity on the incidence of retinal vein occlusion with and without diabetes: a Korean nationwide cohort study. <i>Scientific Reports</i> , 2020 , 10, 10512	4.9	2
283	The triglyceride glucose index is a simple and low-cost marker associated with atherosclerotic cardiovascular disease: a population-based study. <i>BMC Medicine</i> , 2020 , 18, 361	11.4	34
282	Menopausal factors and risk of seropositive rheumatoid arthritis in postmenopausal women: a nationwide cohort study of 1.36 million women. <i>Scientific Reports</i> , 2020 , 10, 20793	4.9	8

281	Association Between Moderate-to-Vigorous Physical Activity and the Risk of Major Adverse Cardiovascular Events or Mortality in People With Various Metabolic Syndrome Status: A Nationwide Population-Based Cohort Study Including 6 Million People. <i>Journal of the American Heart Association</i> , 2020 , 9, e016806	6	4
280	Association between physical activity and conversion from mild cognitive impairment to dementia. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 136	9	5
279	Female reproductive factors and the risk of Parkinson disease: a nationwide cohort study. <i>European Journal of Epidemiology</i> , 2020 , 35, 871-878	12.1	8
278	Influence of Metabolic Syndrome on Risk of Breast Cancer: A Study Analyzing Nationwide Data from Korean National Health Insurance Service. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 2038-2047	4	3
277	Risk of fracture incidence in prostate cancer survivors: a nationwide cohort study in South Korea. <i>Archives of Osteoporosis</i> , 2020 , 15, 110	2.9	0
276	Visual Acuity and Development of Parkinson Disease: A Nationwide Cohort Study. <i>Movement Disorders</i> , 2020 , 35, 1532-1541	7	7
275	The Population Prevalence, Associations of Congenital Heart Defect and Mortality Risk for Down Syndrome in South Korea Based on National Health Insurance Service (NHIS) Data. <i>Clinical Epidemiology</i> , 2020 , 12, 519-525	5.9	3
274	Late-life falling and depressive symptoms associated with the risk of Parkinson disease: a nationwide cohort data analysis. <i>BMC Geriatrics</i> , 2020 , 20, 284	4.1	1
273	Metabolic Syndrome and Risk of Lung Cancer: An Analysis of Korean National Health Insurance Corporation Database. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	2
272	Prognostic value of long-term gamma-glutamyl transferase variability in individuals with diabetes: a nationwide population-based study. <i>Scientific Reports</i> , 2020 , 10, 15375	4.9	1
271	Glucose variability and the risks of stroke, myocardial infarction, and all-cause mortality in individuals with diabetes: retrospective cohort study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 144	8.7	14
270	Prepregnancy smoking and the risk of gestational diabetes requiring insulin therapy. <i>Scientific Reports</i> , 2020 , 10, 13901	4.9	7
269	Incidence of intussusception before and after the introduction of rotavirus vaccine in Korea. <i>PLoS ONE</i> , 2020 , 15, e0238185	3.7	2
268	Variability in body weight precedes diagnosis in dementia: A nationwide cohort study. <i>Brain and Behavior</i> , 2020 , 10, e01811	3.4	4
267	Anemia is associated with the risk of Crohn disease, not ulcerative colitis: A nationwide population-based cohort study. <i>PLoS ONE</i> , 2020 , 15, e0238244	3.7	1
266	Glomerular Hyperfiltration and Cancer: A Nationwide Population-Based Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 2070-2077	4	0
265	Gamma-glutamyl transferase variability can predict the development of end-stage of renal disease: a nationwide population-based study. <i>Scientific Reports</i> , 2020 , 10, 11668	4.9	4
264	Hemorrhoids Are Associated with Urinary Incontinence. <i>Journal of Women's Health</i> , 2020 , 29, 1464-1468	3	1

263	Association between clustering of unhealthy lifestyle factors and risk of new-onset atrial fibrillation: a nationwide population-based study. <i>Scientific Reports</i> , 2020 , 10, 19224	4.9	8
262	Association between the severity of hearing loss and the risk of dementia within the 2010-2017 national insurance service survey in South Korea. <i>Scientific Reports</i> , 2020 , 10, 20679	4.9	0
261	Differential Risk of Incident Fractures Depending on Intensity and Frequency of Physical Activity According to Cognitive Status: A Nationwide Longitudinal Study. <i>Frontiers in Medicine</i> , 2020 , 7, 572466	4.9	1
260	Trends in the Incidence and Treatment of Benign Vocal Fold Lesions in Korea, 2006-2015: A Nationwide Population-based Study. <i>Journal of Voice</i> , 2020 , 34, 100-104	1.9	2
259	Bodyweight fluctuation is associated with increased risk of incident atrial fibrillation. <i>Heart Rhythm</i> , 2020 , 17, 365-371	6.7	17
258	Increased risk of idiopathic pulmonary fibrosis in inflammatory bowel disease: A nationwide study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 249-255	4	8
257	Middle-aged men with type 2 diabetes as potential candidates for pancreatic cancer screening: a 10-year nationwide population-based cohort study. <i>Acta Diabetologica</i> , 2020 , 57, 197-202	3.9	2
256	Increased Cardiovascular Risk and All-cause Death in Patients with Behçet Disease: A Korean Nationwide Population-based Dynamic Cohort Study. <i>Journal of Rheumatology</i> , 2020 , 47, 903-908	4.1	4
255	Effect of the variability of blood pressure, glucose level, total cholesterol level, and body mass index on the risk of atrial fibrillation in a healthy population. <i>Heart Rhythm</i> , 2020 , 17, 12-19	6.7	12
254	Interleukin-15 and irisin serum concentrations are not related to cardiometabolic risk factors in patients with type 2 diabetes from Korea and Germany. <i>Acta Diabetologica</i> , 2020 , 57, 381-384	3.9	1
253	Long-term risk of congestive heart failure in younger breast cancer survivors: A nationwide study by the SMARTSHIP group. <i>Cancer</i> , 2020 , 126, 181-188	6.4	10
252	Timed Up and Go Test and the Risk of Parkinson Disease: A Nation-wide Retrospective Cohort Study. <i>Movement Disorders</i> , 2020 , 35, 1263-1267	7	10
251	Increased incidence of bladder cancer with metabolically unhealthy status: analysis from the National Health Checkup database in Korea. <i>Scientific Reports</i> , 2020 , 10, 6476	4.9	3
250	Gamma glutamyltransferase and risk of dementia in prediabetes and diabetes. <i>Scientific Reports</i> , 2020 , 10, 6800	4.9	5
249	Obesity-related hypertension: Findings from The Korea National Health and Nutrition Examination Survey 2008-2010. <i>PLoS ONE</i> , 2020 , 15, e0230616	3.7	5
248	Association of Parkinson Disease With Risk of Cardiovascular Disease and All-Cause Mortality: A Nationwide, Population-Based Cohort Study. <i>Circulation</i> , 2020 , 141, 1205-1207	16.7	18
247	Lipid profiles and risk of major adverse cardiovascular events in CKD and diabetes: A nationwide population-based study. <i>PLoS ONE</i> , 2020 , 15, e0231328	3.7	8
246	Non-genetic risk factors for atrial fibrillation are equally important in both young and old age: A nationwide population-based study. <i>European Journal of Preventive Cardiology</i> , 2020 , 2047487320915664	3.9	17

245	Lipid profiles and risk of major adverse cardiovascular events in CKD and diabetes: A nationwide population-based study 2020 , 15, e0231328		
244	Lipid profiles and risk of major adverse cardiovascular events in CKD and diabetes: A nationwide population-based study 2020 , 15, e0231328		
243	Lipid profiles and risk of major adverse cardiovascular events in CKD and diabetes: A nationwide population-based study 2020 , 15, e0231328		
242	Lipid profiles and risk of major adverse cardiovascular events in CKD and diabetes: A nationwide population-based study 2020 , 15, e0231328		
241	Lipid profiles and risk of major adverse cardiovascular events in CKD and diabetes: A nationwide population-based study 2020 , 15, e0231328		
240	Lipid profiles and risk of major adverse cardiovascular events in CKD and diabetes: A nationwide population-based study 2020 , 15, e0231328		
239	Lipid profiles and risk of major adverse cardiovascular events in CKD and diabetes: A nationwide population-based study 2020 , 15, e0231328		
238	Lipid profiles and risk of major adverse cardiovascular events in CKD and diabetes: A nationwide population-based study 2020 , 15, e0231328		
237	Cholesterol levels and development of cardiovascular disease in Koreans with type 2 diabetes mellitus and without pre-existing cardiovascular disease. <i>Cardiovascular Diabetology</i> , 2019 , 18, 139	8.7	13
236	Obstructive sleep apnea as a risk factor for incident end stage renal disease: a nationwide population-based cohort study from Korea. <i>Clinical and Experimental Nephrology</i> , 2019 , 23, 1391-1397	2.5	5
235	The risk of end-stage renal disease in systemic lupus erythematosus: A nationwide population-based study in Korea. <i>Medicine (United States)</i> , 2019 , 98, e16420	1.8	9
234	The Incremental Risk of Pancreatic Cancer According to Fasting Glucose Levels: Nationwide Population-Based Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 4594-4599	5.6	11
233	Metabolic Syndrome Resolved within Two Years is Still a Risk Factor for Kidney Cancer. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	5
232	Increased risk of coronary heart disease and stroke in lung cancer survivors: A Korean nationwide study of 20,458 patients. <i>Lung Cancer</i> , 2019 , 136, 115-121	5.9	15
231	Impact of the Duration and Degree of Hypertension and Body Weight on New-Onset Atrial Fibrillation: A Nationwide Population-Based Study. <i>Hypertension</i> , 2019 , 74, e45-e51	8.5	26
230	Association between menstrual cycle irregularity and tinnitus: a nationwide population-based study. <i>Scientific Reports</i> , 2019 , 9, 14038	4.9	3
229	Metoclopramide and Levosulpiride Use and Subsequent Levodopa Prescription in the Korean Elderly: The Prescribing Cascade. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	7
228	The impact of body weight and diabetes on new-onset atrial fibrillation: a nationwide population based study. <i>Cardiovascular Diabetology</i> , 2019 , 18, 128	8.7	31

227	Metabolic Syndrome and Incidence of Laryngeal Cancer: A Nationwide Cohort Study. <i>Scientific Reports</i> , 2019 , 9, 667	4.9	11
226	Recurrence Rate of Herpes Zoster and Its Risk Factors: a Population-based Cohort Study. <i>Journal of Korean Medical Science</i> , 2019 , 34, e1	4.7	14
225	Effectiveness and Safety of Contemporary Oral Anticoagulants Among Asians With Nonvalvular Atrial Fibrillation. <i>Stroke</i> , 2019 , 50, 2245-2249	6.7	40
224	Risk of end-stage renal disease from chronic kidney disease defined by decreased glomerular filtration rate in type 1 diabetes: A comparison with type 2 diabetes and the effect of metabolic syndrome. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3197	7.5	10
223	Women with Metabolic Syndrome and General Obesity Are at a Higher Risk for Significant Hyperuricemia Compared to Men. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	16
222	Obesity, abdominal obesity and subsequent risk of kidney cancer: a cohort study of 23.3 million East Asians. <i>British Journal of Cancer</i> , 2019 , 121, 271-277	8.7	9
221	Cancer risk in patients with Parkinson disease in South Korea: A nationwide, population-based cohort study. <i>European Journal of Cancer</i> , 2019 , 117, 5-13	7.5	20
220	Long-term impact of dialysis-requiring AKI during the perioperative period of liver transplantation on postdischarge outcomes. <i>Clinical Transplantation</i> , 2019 , 33, e13649	3.8	1
219	Visit-to-visit variability of metabolic parameters and risk of heart failure: A nationwide population-based study. <i>International Journal of Cardiology</i> , 2019 , 293, 153-158	3.2	14
218	Risk for Parkinson Disease in Patients with Behçet Disease: A Nationwide Population-Based Dynamic Cohort Study in Korea. <i>Journal of Parkinson Disease</i> , 2019 , 9, 583-589	5.3	0
217	BMI, Weight Change, and Dementia Risk in Patients With New-Onset Type 2 Diabetes: A Nationwide Cohort Study. <i>Diabetes Care</i> , 2019 , 42, 1217-1224	14.6	22
216	Effects of Variability in Blood Pressure, Glucose, and Cholesterol Concentrations, and Body Mass Index on End-Stage Renal Disease in the General Population of Korea. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	12
215	Risk of Anxiety and Depression in Patients with Inflammatory Bowel Disease: A Nationwide, Population-Based Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	35
214	Dose-response relationship between cigarette smoking and risk of ulcerative colitis: a nationwide population-based study. <i>Journal of Gastroenterology</i> , 2019 , 54, 881-890	6.9	17
213	Non-Vitamin K Antagonist Oral Anticoagulants in Asian Patients With Supranormal Renal Function. <i>Stroke</i> , 2019 , 50, 1480-1489	6.7	8
212	Comparison of Once-Daily Administration of Edoxaban and Rivaroxaban in Asian Patients with Atrial Fibrillation. <i>Scientific Reports</i> , 2019 , 9, 6690	4.9	10
211	Evaluation of the Association between Menstrual Cycle Irregularity and Dental Pain or Chewing Discomfort in Women before Menopause. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	2
210	Associations between Breastfeeding and Type 2 Diabetes Mellitus and Glycemic Control in Parous Women: A Nationwide, Population-Based Study. <i>Diabetes and Metabolism Journal</i> , 2019 , 43, 236-241	5	2

209	Chronic renal dysfunction, proteinuria, and risk of Parkinson's disease in the elderly. <i>Movement Disorders</i> , 2019 , 34, 1184-1191	7	23
208	Weight change and mortality and cardiovascular outcomes in patients with new-onset diabetes mellitus: a nationwide cohort study. <i>Cardiovascular Diabetology</i> , 2019 , 18, 36	8.7	26
207	Optimal Rivaroxaban Dose in Asian Patients With Atrial Fibrillation and Normal or Mildly Impaired Renal Function. <i>Stroke</i> , 2019 , 50, 1140-1148	6.7	24
206	Retinal Vein Occlusion is Associated with Low Blood High-Density Lipoprotein Cholesterol: A Nationwide Cohort Study. <i>American Journal of Ophthalmology</i> , 2019 , 205, 35-42	4.9	10
205	Antithrombotic Therapy in Patients With Atrial Fibrillation After Percutaneous Coronary Intervention During 2-Year Follow-Up, from a Nationwide Population Study. <i>American Journal of Cardiology</i> , 2019 , 123, 1921-1926	3	4
204	Incidence of Prostate Cancer according to Metabolic Health Status: a Nationwide Cohort Study. <i>Journal of Korean Medical Science</i> , 2019 , 34, e49	4.7	8
203	Direct Oral Anticoagulants in Patients With Nonvalvular Atrial Fibrillation and Low Body Weight. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 919-931	15.1	46
202	High Proportion of Adult Cases and Prevalence of Metabolic Syndrome in Type 1 Diabetes Mellitus Population in Korea: A Nationwide Study. <i>Diabetes and Metabolism Journal</i> , 2019 , 43, 76-89	5	17
201	Patients with inflammatory bowel disease have an increased risk of myocardial infarction: a nationwide study. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 50, 769-779	6.1	20
200	Patients with Inflammatory Bowel Disease Are at an Increased Risk of Parkinson's Disease: A South Korean Nationwide Population-Based Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	25
199	Severe hypoglycemia and the risk of cardiovascular disease and mortality in type 2 diabetes: a nationwide population-based cohort study. <i>Cardiovascular Diabetology</i> , 2019 , 18, 103	8.7	22
198	Association Between Systolic and Diastolic Blood Pressure Variability and the Risk of End-Stage Renal Disease. <i>Hypertension</i> , 2019 , 74, 880-887	8.5	22
197	Timed up-and-go test is a useful predictor of fracture incidence. <i>Bone</i> , 2019 , 127, 474-481	4.7	15
196	Investigation of the association between orthodontic treatment and temporomandibular joint pain and dysfunction in the South Korean population. <i>Korean Journal of Orthodontics</i> , 2019 , 49, 181-187	1.4	4
195	Metabolic syndrome is associated with an increased risk of psoriasis: A nationwide population-based study. <i>Metabolism: Clinical and Experimental</i> , 2019 , 99, 19-24	12.7	14
194	The incidence of hip fracture and mortality rate after hip fracture in Korea: A nationwide population-based cohort study. <i>Osteoporosis and Sarcopenia</i> , 2019 , 5, 38-43	2.3	6
193	Increased risk of atrial fibrillation in patients with Behçet's disease: A nationwide population-based study. <i>International Journal of Cardiology</i> , 2019 , 292, 106-111	3.2	6
192	Direct Oral Anticoagulants in Patients With Atrial Fibrillation and Liver Disease. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 3295-3308	15.1	61

191	Association of CKD with Incident Tuberculosis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 1002-1010	6.9	10
190	Risk of Atrial Fibrillation in Relation to the Time Course of Type 2 Diabetes Mellitus and Fasting Blood Glucose. <i>American Journal of Cardiology</i> , 2019 , 124, 1881-1888	3	2
189	Non-Vitamin K Antagonist Oral Anticoagulants in Patients with Atrial Fibrillation and Valvular Heart Disease. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6
188	Risk of end-stage renal disease in patients with hypertrophic cardiomyopathy: A nationwide population-based cohort study. <i>Scientific Reports</i> , 2019 , 9, 14565	4.9	11
187	HDL-Cholesterol, Its Variability, and the Risk of Diabetes: A Nationwide Population-Based Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 5633-5641	5.6	16
186	Risk of cancer in pre-dialysis chronic kidney disease: A nationwide population-based study with a matched control group. <i>Kidney Research and Clinical Practice</i> , 2019 , 38, 60-70	3.6	19
185	Increased risk of atrial fibrillation in patients with inflammatory bowel disease: A nationwide population-based study. <i>World Journal of Gastroenterology</i> , 2019 , 25, 2788-2798	5.6	23
184	Risk of inflammatory bowel disease in patients with chronic obstructive pulmonary disease: A nationwide, population-based study. <i>World Journal of Gastroenterology</i> , 2019 , 25, 6354-6364	5.6	6
183	Impact of the Dynamic Change of Metabolic Health Status on the Incident Type 2 Diabetes: A Nationwide Population-Based Cohort Study. <i>Endocrinology and Metabolism</i> , 2019 , 34, 406-414	3.5	11
182	Increased Risk of Herpes Zoster in Young and Metabolically Healthy Patients with Inflammatory Bowel Disease: A Nationwide Population-Based Study. <i>Gut and Liver</i> , 2019 , 13, 333-341	4.8	14
181	Can Body Mass Index and/or Waist Circumference Be the Risk Factors of Chronic Spontaneous Urticaria?: A Nationwide Population-Based Study. <i>Annals of Dermatology</i> , 2019 , 31, 482-485	0.4	2
180	Obesity Fact Sheet in Korea, 2018: Data Focusing on Waist Circumference and Obesity-Related Comorbidities. <i>Journal of Obesity and Metabolic Syndrome</i> , 2019 , 28, 236-245	4.4	20
179	The Association between Sleep Duration and Dizziness in Korean Women: The Korea National Health and Nutrition Examination Survey. <i>Journal of Korean Medical Science</i> , 2019 , 34, e226	4.7	1
178	Factors Associated with Influenza Vaccination Location in Korean Adult Population. <i>Korean Journal of Family Practice</i> , 2019 , 9, 431-437	0.4	1
177	Association of body mass index with bladder cancer risk in men depends on abdominal obesity. <i>World Journal of Urology</i> , 2019 , 37, 2393-2400	4	4
176	Adult height in relation to risk of cancer in a cohort of 22,809,722 Korean adults. <i>British Journal of Cancer</i> , 2019 , 120, 668-674	8.7	16
175	Altered Risk for Cardiovascular Events With Changes in the Metabolic Syndrome Status: A Nationwide Population-Based Study of Approximately 10 Million Persons. <i>Annals of Internal Medicine</i> , 2019 , 171, 875-884	8	38
174	Association between Diabetes and the Use of Removable Dental Prosthesis among the Korean Population. <i>Journal of Korean Medical Science</i> , 2019 , 34, e262	4.7	3

173	Smoking and risk of incident end-stage kidney disease in general population: A Nationwide Population-based Cohort Study from Korea. <i>Scientific Reports</i> , 2019 , 9, 19511	4.9	10
172	Risk of early mortality and cardiovascular disease in type 1 diabetes: a comparison with type 2 diabetes, a nationwide study. <i>Cardiovascular Diabetology</i> , 2019 , 18, 157	8.7	27
171	Association between height and hypercholesterolemia in adults: a nationwide population-based study in Korea. <i>Lipids in Health and Disease</i> , 2019 , 18, 198	4.4	3
170	Association between Atrial Fibrillation, Myocardial Infarction, Heart Failure and Mortality in Patients with Nontuberculous Mycobacterial Infection: a nationwide population-based study. <i>Scientific Reports</i> , 2019 , 9, 15503	4.9	3
169	Effectiveness and Safety of Direct Oral Anticoagulant for Secondary Prevention in Asians with Atrial Fibrillation. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	16
168	Trends in the incidence and prevalence of Parkinson disease in Korea: a nationwide, population-based study. <i>BMC Geriatrics</i> , 2019 , 19, 320	4.1	22
167	Association between anemia and hyperuricemia: results from the Korean National Health and Nutrition Examination Survey. <i>Scientific Reports</i> , 2019 , 9, 19067	4.9	2
166	Effects of long-term glycemic variability on incident cardiovascular disease and mortality in subjects without diabetes: A nationwide population-based study. <i>Medicine (United States)</i> , 2019 , 98, e16317	1.8	24
165	Association of Total Reproductive Years With Incident Atrial Fibrillation, and Subsequent Ischemic Stroke in Women With Natural Menopause. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019 , 12, e007428	6.4	7
164	Fluctuating renal function and the risk of incident atrial fibrillation: a nationwide population-based study. <i>Scientific Reports</i> , 2019 , 9, 18055	4.9	3
163	Age-specific diabetes risk by the number of metabolic syndrome components: a Korean nationwide cohort study. <i>Diabetology and Metabolic Syndrome</i> , 2019 , 11, 112	5.6	3
162	Association of metabolic syndrome and chronic kidney disease with atrial fibrillation: A nationwide population-based study in Korea. <i>Diabetes Research and Clinical Practice</i> , 2019 , 148, 14-22	7.4	14
161	Blood Pressure and Development of Cardiovascular Disease in Koreans With Type 2 Diabetes Mellitus. <i>Hypertension</i> , 2019 , 73, 319-326	8.5	21
160	Postdischarge long-term cardiovascular outcomes of intensive care unit survivors who developed dialysis-requiring acute kidney injury after cardiac surgery. <i>Journal of Critical Care</i> , 2019 , 50, 92-98	4	5
159	Temporal trends in prevalence and antithrombotic treatment among Asians with atrial fibrillation undergoing percutaneous coronary intervention: A nationwide Korean population-based study. <i>PLoS ONE</i> , 2019 , 14, e0209593	3.7	14
158	Disparities in the Diagnosis and Treatment of Lung Cancer among People with Disabilities. <i>Journal of Thoracic Oncology</i> , 2019 , 14, 163-175	8.9	10
157	Ankylosing spondylitis: A novel risk factor for atrial fibrillation - A nationwide population-based study. <i>International Journal of Cardiology</i> , 2019 , 275, 77-82	3.2	21
156	Dietary inflammatory potential and risk of mortality in metabolically healthy and unhealthy phenotypes among overweight and obese adults. <i>Clinical Nutrition</i> , 2019 , 38, 682-688	5.9	27

155	Actinic keratosis and diabetes complications: A nationwide population-based study in South Korea (2009-2015). <i>Diabetes and Metabolism</i> , 2019 , 45, 32-38	5.4	
154	Blood Pressure and Development of Cardiovascular Disease in Koreans With Type 2 Diabetes Mellitus. <i>Hypertension</i> , 2019 , 73, 319-326	8.5	12
153	Systemic lupus erythematosus is a risk factor for atrial fibrillation: a nationwide, population-based study. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 1019-1025	2.2	5
152	Implication of liver enzymes on incident cardiovascular diseases and mortality: A nationwide population-based cohort study. <i>Scientific Reports</i> , 2018 , 8, 3764	4.9	40
151	Impact of weight changes on the incidence of diabetes mellitus: a Korean nationwide cohort study. <i>Scientific Reports</i> , 2018 , 8, 3735	4.9	16
150	High hemoglobin levels are associated with decreased risk of diabetic retinopathy in Korean type 2 diabetes. <i>Scientific Reports</i> , 2018 , 8, 5538	4.9	11
149	Clinical implications of age and sex in the prevalence of periodontitis in Korean adults with diabetes. <i>Experimental and Therapeutic Medicine</i> , 2018 , 15, 3865-3873	2.1	4
148	Coffee Intake as a Risk Indicator for Tooth Loss in Korean Adults. <i>Scientific Reports</i> , 2018 , 8, 2392	4.9	8
147	Metabolic risk factors in Korean adolescents with severe obesity: Results from the Korea National Health and Nutrition Examination Surveys (K-NHANES) 2007-2014. <i>Diabetes Research and Clinical Practice</i> , 2018 , 138, 169-176	7.4	9
146	Association between adult height, myocardial infarction, heart failure, stroke and death: a Korean nationwide population-based study. <i>International Journal of Epidemiology</i> , 2018 , 47, 289-298	7.8	29
145	House dust mite and Cockroach specific Immunoglobulin E sensitization is associated with diabetes mellitus in the adult Korean population. <i>Scientific Reports</i> , 2018 , 8, 2614	4.9	3
144	Estimating the impact of body mass index on bladder cancer risk: Stratification by smoking status. <i>Scientific Reports</i> , 2018 , 8, 947	4.9	13
143	Difference in prostate cancer incidence around sixty years: effects of age and metabolic diseases. <i>Cancer Medicine</i> , 2018 , 7, 2736-2743	4.8	1
142	Evaluation of an association between long sleep duration and periodontal disease among men and women using nationally representative data. <i>Gaceta Sanitaria</i> , 2018 , 32, 143-150	2.2	9
141	Cancer risk in patients with Behçt disease: A nationwide population-based dynamic cohort study from Korea. <i>Journal of the American Academy of Dermatology</i> , 2018 , 78, 464-470.e2	4.5	19
140	Evaluation of the associations between immunoglobulin E levels and the number of natural teeth. <i>Journal of the Formosan Medical Association</i> , 2018 , 117, 605-612	3.2	1
139	Influence of diabetes on the risk of urothelial cancer according to body mass index: a 10-year nationwide population-based observational study. <i>Journal of Cancer</i> , 2018 , 9, 488-493	4.5	5
138	Prevalence and Annual Incidence of Thyroid Disease in Korea from 2006 to 2015: A Nationwide Population-Based Cohort Study. <i>Endocrinology and Metabolism</i> , 2018 , 33, 260-267	3.5	18

137	Comparison of the Effects of Ezetimibe-Statin Combination Therapy on Major Adverse Cardiovascular Events in Patients with and without Diabetes: A Meta-Analysis. <i>Endocrinology and Metabolism</i> , 2018 , 33, 219-227	3.5	9
136	Lipid profiles in adolescents with and without asthma: Korea National Health and nutrition examination survey data. <i>Lipids in Health and Disease</i> , 2018 , 17, 158	4.4	13
135	Ten-year Nationwide Population-based Survey on the Characteristics of Children with Henoch-Schönlein Purpura in Korea. <i>Journal of Korean Medical Science</i> , 2018 , 33, e174	4.7	19
134	Nationwide analysis of the relationships between mental health, body mass index and tinnitus in premenopausal female adults in Korea: 2010-2012 KNHANES. <i>Scientific Reports</i> , 2018 , 8, 7028	4.9	9
133	Reciprocal relationship between herpes zoster and cardiovascular diseases: A nationwide population-based case-control study in Korea. <i>Journal of Dermatology</i> , 2018 , 45, 1312-1318	1.6	4
132	Edoxaban in Asian Patients With Atrial Fibrillation: Effectiveness and Safety. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 838-853	15.1	67
131	Hypertension and risk of psoriasis incidence: An 11-year nationwide population-based cohort study. <i>PLoS ONE</i> , 2018 , 13, e0202854	3.7	20
130	Metabolic syndrome and risk of Parkinson disease: A nationwide cohort study. <i>PLoS Medicine</i> , 2018 , 15, e1002640	11.6	56
129	Korean survey data reveals an association of chronic laryngitis with tinnitus in men. <i>PLoS ONE</i> , 2018 , 13, e0191148	3.7	5
128	Trends in the prevalence of metabolic syndrome and its components in South Korea: Findings from the Korean National Health Insurance Service Database (2009-2013). <i>PLoS ONE</i> , 2018 , 13, e0194490	3.7	61
127	Risk of ischemic stroke in metabolically healthy obesity: A nationwide population-based study. <i>PLoS ONE</i> , 2018 , 13, e0195210	3.7	26
126	Associations of mental health and sleep duration with menstrual cycle irregularity: a population-based study. <i>Archives of Women's Mental Health</i> , 2018 , 21, 619-626	5	9
125	Evaluation of the association between the number of natural teeth and anemia among Korean adults using nationally representative data. <i>Journal of Periodontology</i> , 2018 , 89, 1184-1192	4.6	2
124	U-shaped association between sleep duration and urinary albumin excretion in Korean adults: 2011-2014 Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2018 , 13, e0192980	3.7	8
123	Epidemiology of continuous renal replacement therapy in Korea: Results from the National Health Insurance Service claims database from 2005 to 2016. <i>Kidney Research and Clinical Practice</i> , 2018 , 37, 119-129	3.6	17
122	Increased end-stage renal disease risk in patients with inflammatory bowel disease: A nationwide population-based study. <i>World Journal of Gastroenterology</i> , 2018 , 24, 4798-4808	5.6	28
121	The Association between Smoking Status and Influenza Vaccination Coverage Rate in Korean Adults: Analysis of the 2010-2012 Korea National Health and Nutrition Examination Survey. <i>Korean Journal of Family Medicine</i> , 2018 , 39, 90-95	1.7	3
120	Optimal Starting Age for Colorectal Cancer Screening in an Era of Increased Metabolic Unhealthiness: A Nationwide Korean Cross-Sectional Study. <i>Gut and Liver</i> , 2018 , 12, 655-663	4.8	2

119	Efficacy and Safety of Incontinence Surgery According to the Surgeon's Specialty and Performance of a Preoperative Urodynamic Study. <i>International Neurourology Journal</i> , 2018 , 22, 305-312	2.6	3
118	Association between Serum Liver Enzyme and Mortality in the Diabetes Patients of Korea. <i>Korean Journal of Family Practice</i> , 2018 , 8, 504-511	0.4	
117	The Association between Serum Ferritin and Menstrual Irregularity in Female Adults in Korea. <i>Korean Journal of Family Practice</i> , 2018 , 8, 530-534	0.4	
116	Changing Disease Trends in the Northern Gyeonggi-do Province of South Korea from 2002 to 2013: A Big Data Study Using National Health Information Database Cohort. <i>Osong Public Health and Research Perspectives</i> , 2018 , 9, 248-254	6.1	
115	Secondary Breast, Ovarian, and Uterine Cancers After Colorectal Cancer: A Nationwide Population-Based Cohort Study in Korea. <i>Diseases of the Colon and Rectum</i> , 2018 , 61, 1250-1257	3.1	7
114	Disparities in Cervical Cancer Screening Among Women With Disabilities: A National Database Study in South Korea. <i>Journal of Clinical Oncology</i> , 2018 , 36, 2778-2786	2.2	26
113	Postdischarge Major Adverse Cardiovascular Events of ICU Survivors Who Received Acute Renal Replacement Therapy. <i>Critical Care Medicine</i> , 2018 , 46, e1047-e1054	1.4	4
112	Appropriate Amount of Regular Exercise Is Associated with a Reduced Mortality Risk. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 2451-2458	1.2	5
111	Mortality and causes of death in patients with atrial fibrillation: A nationwide population-based study. <i>PLoS ONE</i> , 2018 , 13, e0209687	3.7	59
110	Effect of Childbirth Age on Bone Mineral Density in Postmenopausal Women. <i>Journal of Korean Medical Science</i> , 2018 , 33, e311	4.7	3
109	Clinical implication of fasting glucose and systolic/diastolic blood pressure on the prevalence of periodontitis in non-diabetic and non-hypertensive adults using nationally representative data. <i>Experimental and Therapeutic Medicine</i> , 2018 , 16, 671-678	2.1	2
108	Increased Risk of Atrial Fibrillation in the Early Period after Herpes Zoster Infection: a Nationwide Population-based Case-control Study. <i>Journal of Korean Medical Science</i> , 2018 , 33, e160	4.7	5
107	Associations of Variability in Blood Pressure, Glucose and Cholesterol Concentrations, and Body Mass Index With Mortality and Cardiovascular Outcomes in the General Population. <i>Circulation</i> , 2018 , 138, 2627-2637	16.7	99
106	Prevalence and relationship of olfactory dysfunction and tinnitus among middle- and old-aged population in Korea. <i>PLoS ONE</i> , 2018 , 13, e0206328	3.7	2
105	Variability in metabolic parameters and risk of dementia: a nationwide population-based study. <i>Alzheimer's Research and Therapy</i> , 2018 , 10, 110	9	33
104	Prescription pattern of alpha-blockers for management of lower urinary tract symptoms/benign prostatic hyperplasia. <i>Scientific Reports</i> , 2018 , 8, 13223	4.9	6
103	Prevalence of Non-valvular Atrial Fibrillation Based on Geographical Distribution and Socioeconomic Status in the Entire Korean Population. <i>Korean Circulation Journal</i> , 2018 , 48, 622-634	2.2	23
102	Is nonalcoholic fatty liver disease associated with the development of prostate cancer? A nationwide study with 10,516,985 Korean men. <i>PLoS ONE</i> , 2018 , 13, e0201308	3.7	25

101	Abdominal obesity, glucose intolerance and decreased high-density lipoprotein cholesterol as components of the metabolic syndrome are associated with the development of colorectal cancer. <i>European Journal of Epidemiology</i> , 2018 , 33, 1077-1085	12.1	30
100	Temporal trends of the prevalence and incidence of atrial fibrillation and stroke among Asian patients with hypertrophic cardiomyopathy: A nationwide population-based study. <i>International Journal of Cardiology</i> , 2018 , 273, 130-135	3.2	29
99	Evaluation of the association between sleep duration and tooth loss among Korean adults: data from the Korean National Health and Nutrition Examination Survey (KNHANES 2012-2014). <i>BMJ Open</i> , 2018 , 8, e018383	3	7
98	The influence of diabetes and antidiabetic medications on the risk of pancreatic cancer: a nationwide population-based study in Korea. <i>Scientific Reports</i> , 2018 , 8, 9719	4.9	15
97	Dipstick proteinuria predicts all-cause mortality in general population: A study of 17 million Korean adults. <i>PLoS ONE</i> , 2018 , 13, e0199913	3.7	6
96	Oral health behavior as a risk factor for high urinary sodium among Korean women. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2018 , 27, 671-680	1	
95	Risk of mental health problems in adolescents skipping meals: The Korean National Health and Nutrition Examination Survey 2010 to 2012. <i>Nursing Outlook</i> , 2017 , 65, 411-419	2.7	18
94	Association between underweight and tooth loss among Korean adults. <i>Scientific Reports</i> , 2017 , 7, 41524.9	4.9	15
93	Sleep duration is associated with body fat and muscle mass and waist-to-height ratio beyond conventional obesity parameters in Korean adolescent boys. <i>Journal of Sleep Research</i> , 2017 , 26, 444-452	5.8	6
92	Trends in the incidence and prevalence of atrial fibrillation and estimated thromboembolic risk using the CHADS-VASc score in the entire Korean population. <i>International Journal of Cardiology</i> , 2017 , 236, 226-231	3.2	113
91	Cirrhosis is a risk factor for atrial fibrillation: A nationwide, population-based study. <i>Liver International</i> , 2017 , 37, 1660-1667	7.9	36
90	Association between 24-h urinary sodium excretion and obesity in Korean adults: A multicenter study. <i>Nutrition</i> , 2017 , 41, 113-119	4.8	20
89	Trends in the pervasiveness of type 2 diabetes, impaired fasting glucose and co-morbidities during an 8-year-follow-up of nationwide Korean population. <i>Scientific Reports</i> , 2017 , 7, 46656	4.9	31
88	Association between sleep duration and menstrual cycle irregularity in Korean female adolescents. <i>Sleep Medicine</i> , 2017 , 35, 62-66	4.6	21
87	Atrial fibrillation risk in metabolically healthy obesity: A nationwide population-based study. <i>International Journal of Cardiology</i> , 2017 , 240, 221-227	3.2	38
86	Association between gamma-glutamyltransferase and albuminuria in nondiabetic adults with normal renal function. <i>Clinical and Experimental Nephrology</i> , 2017 , 21, 835-841	2.5	2
85	Periodontitis is associated with diabetic retinopathy in non-obese adults. <i>Endocrine</i> , 2017 , 56, 82-89	4	14
84	Cholesterol variability and the risk of mortality, myocardial infarction, and stroke: a nationwide population-based study. <i>European Heart Journal</i> , 2017 , 38, 3560-3566	9.5	113

83	Effectiveness and Safety of Non-Vitamin K Antagonist Oral Anticoagulants in Asian Patients With Atrial Fibrillation. <i>Stroke</i> , 2017 , 48, 3040-3048	6.7	94
82	Elevated serum gamma-glutamyltransferase is associated with an increased risk of oesophageal carcinoma in a cohort of 8,388,256 Korean subjects. <i>PLoS ONE</i> , 2017 , 12, e0177053	3.7	10
81	A possible association between dysphonia and sleep duration: A cross-sectional study based on the Korean National Health and nutrition examination surveys from 2010 to 2012. <i>PLoS ONE</i> , 2017 , 12, e0182286	3.7	3
80	Risk of Ischemic Stroke in Patients With Non-Valvular Atrial Fibrillation Not Receiving Oral Anticoagulants - Korean Nationwide Population-Based Study. <i>Circulation Journal</i> , 2017 , 81, 1158-1164	2.9	28
79	Depression and Mortality in People with Type 2 Diabetes Mellitus, 2003 to 2013: A Nationwide Population-Based Cohort Study. <i>Diabetes and Metabolism Journal</i> , 2017 , 41, 296-302	5	14
78	Association between HOMA-IR and Lung Function in Korean Young Adults based on the Korea National Health and Nutrition Examination Survey. <i>Scientific Reports</i> , 2017 , 7, 11726	4.9	8
77	Normal-to-mildly increased albuminuria predicts the risk for diabetic retinopathy in patients with type 2 diabetes. <i>Scientific Reports</i> , 2017 , 7, 11757	4.9	18
76	Variability in Total Cholesterol Is Associated With the Risk of End-Stage Renal Disease: A Nationwide Population-Based Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 1963-1970	4.9	35
75	Increased Risk of Atrial Fibrillation and Thromboembolism in Patients with Severe Psoriasis: a Nationwide Population-based Study. <i>Scientific Reports</i> , 2017 , 7, 9973	4.9	28
74	Impact of metabolic status on the incidence of psoriasis: a Korean nationwide cohort study. <i>Scientific Reports</i> , 2017 , 7, 1989	4.9	14
73	Association between γ -glutamyltransferase level and incidence of atrial fibrillation: A nationwide population-based study. <i>International Journal of Cardiology</i> , 2017 , 245, 149-155	3.2	11
72	Proteinuria Detected by Urine Dipstick Test as a Risk Factor for Atrial Fibrillation: A Nationwide Population-Based Study. <i>Scientific Reports</i> , 2017 , 7, 6324	4.9	10
71	Relationship between alcohol consumption and age at menopause: The Korea National Health and Nutrition Examination Survey. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017 , 56, 482-486	1.6	5
70	Age threshold for moderate and severe periodontitis among Korean adults without diabetes mellitus, hypertension, metabolic syndrome, and/or obesity. <i>Medicine (United States)</i> , 2017 , 96, e7835	1.8	13
69	Sex-specific association between asthma and hypertension in nationally representative young Korean adults. <i>Scientific Reports</i> , 2017 , 7, 15667	4.9	4
68	Association between oral health behavior and periodontal disease among Korean adults: The Korea national health and nutrition examination survey. <i>Medicine (United States)</i> , 2017 , 96, e6176	1.8	19
67	Mediterranean diet, Dietary Approaches to Stop Hypertension (DASH) style diet, and metabolic health in U.S. adults. <i>Clinical Nutrition</i> , 2017 , 36, 1301-1309	5.9	50
66	Association between the number of natural teeth and diabetic retinopathy among type 2 diabetes mellitus: The Korea national health and nutrition examination survey. <i>Medicine (United States)</i> , 2017 , 96, e8694	1.8	8

65	The Association between Tobacco Smoke and Serum Immunoglobulin E Levels in Korean Adults. <i>Internal Medicine</i> , 2017 , 56, 2571-2577	1.1	11
64	Association between Body Weight Changes and Menstrual Irregularity: The Korea National Health and Nutrition Examination Survey 2010 to 2012. <i>Endocrinology and Metabolism</i> , 2017 , 32, 248-256	3.5	10
63	The Prevalence of "Drinking and Biking" and Associated Risk Factors: The Korea National Health and Nutrition Examination Survey. <i>Journal of Korean Medical Science</i> , 2017 , 32, 1396-1400	4.7	2
62	The relationship between drinking alcohol and esophageal, gastric or colorectal cancer: A nationwide population-based cohort study of South Korea. <i>PLoS ONE</i> , 2017 , 12, e0185778	3.7	50
61	Temporal trends of antithrombotic therapy for stroke prevention in Korean patients with non-valvular atrial fibrillation in the era of non-vitamin K antagonist oral anticoagulants: A nationwide population-based study. <i>PLoS ONE</i> , 2017 , 12, e0189495	3.7	58
60	Secondary Primary Prostate Cancer after Colorectal Cancer: A Nationwide Population-based Cohort Study in Korea. <i>Journal of Cancer Prevention</i> , 2017 , 22, 241-247	3	2
59	Associations between the number of natural teeth and the maternal age at childbirth or history of parity in postmenopausal women: The 2010-2012 Korea national health and nutrition examination survey. <i>Advances in Clinical and Experimental Medicine</i> , 2017 , 26, 627-633	1.8	5
58	A Comparison of Predictability of Physician-Diagnosed Diabetes according to Metabolic Syndrome Components: A Nationwide Population-Based Retrospective Cohort Study. <i>Korean Journal of Family Practice</i> , 2017 , 7, 110-115	0.4	
57	A Comparison of Predictability of Physician-Diagnosed Hypertension according to Major Cardiovascular Disease Risk Factors: A Nationwide Population-Based Retrospective Cohort Study. <i>Korean Journal of Family Practice</i> , 2017 , 7, 527-532	0.4	
56	The Influencing Factors of Influenza Vaccination, Especially Drink Status in South Korean Population: The Fifth Korea National Health and Nutrition Examination Survey 2010-2012. <i>Korean Journal of Family Practice</i> , 2017 , 7, 581-587	0.4	
55	Relationship between delivery history and health-related quality of life in menopausal South Korean women: The Korea National Health and Nutrition Examination Surveys. <i>Maturitas</i> , 2016 , 92, 24-29	5	5
54	Women Who Sleep More Have Reduced Risk of Peptic Ulcer Disease; Korean National Health and Nutrition Examination Survey (2008-2009). <i>Scientific Reports</i> , 2016 , 6, 36925	4.9	9
53	Underweight is a risk factor for atrial fibrillation: A nationwide population-based study. <i>International Journal of Cardiology</i> , 2016 , 215, 449-56	3.2	76
52	Associations between the number of natural teeth in postmenopausal women and duration of lactation: The 2010-2012 Korea National Health and Nutrition Examination Survey. <i>Maturitas</i> , 2016 , 85, 73-8	5	14
51	Males seropositive for hepatitis B surface antigen are at risk of lower bone mineral density: the 2008-2010 Korea National Health and Nutrition Examination Surveys. <i>Hepatology International</i> , 2016 , 10, 470-7	8.8	11
50	The relationship between the number of natural teeth and airflow obstruction: a cross-sectional study using data from the Korean National Health and Nutrition Examination Survey. <i>International Journal of COPD</i> , 2016 , 11, 13-21	3	8
49	Gender Difference in the Epidemiological Association between Metabolic Syndrome and Olfactory Dysfunction: The Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2016 , 11, e0148813	3.7	7
48	Sarcopenia and Hearing Loss in Older Koreans: Findings from the Korea National Health and Nutrition Examination Survey (KNHANES) 2010. <i>PLoS ONE</i> , 2016 , 11, e0150281	3.7	9

47	Insulin Resistance Distribution and Cut-Off Value in Koreans from the 2008-2010 Korean National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2016 , 11, e0154593	3.7	25
46	Association between Consumption of Coffee and the Prevalence of Periodontitis: The 2008-2010 Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2016 , 11, e0158845	3.7	11
45	Disability of Hearing Impairment Is Positively Associated With Urine Albumin/Creatinine Ratio in Korean Adults: The 2011-2012 Korea National Health and Nutrition Examination Survey. <i>Clinical and Experimental Otorhinolaryngology</i> , 2016 , 9, 212-9	3.4	2
44	Glomerular filtration rate affects interpretation of pulmonary function test in a Korean general population: results from the Korea National Health and Nutrition Examination Survey 2010 to 2012. <i>Korean Journal of Internal Medicine</i> , 2016 , 31, 1101-1109	2.5	4
43	The Impact of Diabetes on the Risk of Prostate Cancer Development according to Body Mass Index: A 10-year Nationwide Cohort Study. <i>Journal of Cancer</i> , 2016 , 7, 2061-2066	4.5	16
42	Data Analytic Process of a Nationwide Population-Based Study Using National Health Information Database Established by National Health Insurance Service. <i>Diabetes and Metabolism Journal</i> , 2016 , 40, 79-82	5	186
41	Prediction of the severity and length of hospital stay in infants with acute bronchiolitis using the severity score. <i>Allergy Asthma & Respiratory Disease</i> , 2016 , 4, 429	0.3	4
40	Excessive Consumption of Green Tea as a Risk Factor for Periodontal Disease among Korean Adults. <i>Nutrients</i> , 2016 , 8,	6.7	11
39	Socioeconomic Disparities in the Prevalence of Blepharoptosis in the South Korean Adult Population Based on a Nationwide Cross-Sectional Study. <i>PLoS ONE</i> , 2016 , 11, e0145069	3.7	4
38	Heavy Alcohol Consumption with Alcoholic Liver Disease Accelerates Sarcopenia in Elderly Korean Males: The Korean National Health and Nutrition Examination Survey 2008-2010. <i>PLoS ONE</i> , 2016 , 11, e0163222	3.7	17
37	Associations Between the Periodontal Disease in Women Before Menopause and Menstrual Cycle Irregularity: The 2010-2012 Korea National Health and Nutrition Examination Survey. <i>Medicine (United States)</i> , 2016 , 95, e2791	1.8	14
36	Associations between the number of natural teeth and renal dysfunction. <i>Medicine (United States)</i> , 2016 , 95, e4681	1.8	9
35	Obesity in relation to oral health behaviors: An analysis of the Korea National Health and Nutrition Examination Survey 2008-2010. <i>Experimental and Therapeutic Medicine</i> , 2016 , 12, 3093-3100	2.1	12
34	Differential Association of Metabolic Risk Factors with Open Angle Glaucoma according to Obesity in a Korean Population. <i>Scientific Reports</i> , 2016 , 6, 38283	4.9	14
33	Obesity, metabolic health, and mortality in adults: a nationwide population-based study in Korea. <i>Scientific Reports</i> , 2016 , 6, 30329	4.9	59
32	Association between temporomandibular disorders and obesity. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2016 , 44, 1003-7	3.6	7
31	Dental pain related to quality of life and mental health in South Korean adults. <i>Psychology, Health and Medicine</i> , 2016 , 21, 981-92	2.1	11
30	Evaluation of the association between diabetic retinopathy and the incidence of atrial fibrillation: A nationwide population-based study. <i>International Journal of Cardiology</i> , 2016 , 223, 953-957	3.2	49

29	Severe Periodontitis Is Associated with Insulin Resistance in Non-abdominal Obese Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 4251-4259	5.6	24
28	Diet Quality and Mortality Risk in Metabolically Obese Normal-Weight Adults. <i>Mayo Clinic Proceedings</i> , 2016 , 91, 1372-1383	6.4	29
27	Associations between the number of natural teeth in postmenopausal women and hormone replacement therapy. <i>Maturitas</i> , 2016 , 94, 125-130	5	2
26	Association between socioeconomic status and oral health behaviors: The 2008-2010 Korea national health and nutrition examination survey. <i>Experimental and Therapeutic Medicine</i> , 2016 , 12, 2657-2664	2.1	32
25	Direct Bypass Versus Indirect Bypass in Adult Moyamoya Angiopathy with Symptoms or Hemodynamic Instability: A Meta-analysis of Comparative Studies. <i>World Neurosurgery</i> , 2016 , 94, 273-284	2.1	29
24	Associations Among Oral Hygiene Behavior and Hypertension Prevalence and Control: The 2008 to 2010 Korea National Health and Nutrition Examination Survey. <i>Journal of Periodontology</i> , 2015 , 86, 866-873	4.6	26
23	Association between hemoglobin A1c variability and subclinical coronary atherosclerosis in subjects with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 776-82	3.2	21
22	Effect of maternal age at childbirth on insulin resistance: the 2010 Korean National Health and Nutrition Examination Survey. <i>Clinical Endocrinology</i> , 2015 , 82, 824-30	3.4	4
21	Relationship between olfactory dysfunction and suicidal ideation: The Korea National Health and Nutrition Examination Survey. <i>American Journal of Rhinology and Allergy</i> , 2015 , 29, 268-72	2.4	16
20	Age- and sex-specific relationships between household income, education, and diabetes mellitus in Korean adults: the Korea National Health and Nutrition Examination Survey, 2008-2010. <i>PLoS ONE</i> , 2015 , 10, e0117034	3.7	21
19	The Gender-Dependent Association between Obesity and Age-Related Cataracts in Middle-Aged Korean Adults. <i>PLoS ONE</i> , 2015 , 10, e0124262	3.7	8
18	Insulin Resistance Is Associated with Prevalence of Physician-Diagnosed Urinary Incontinence in Postmenopausal Non-Diabetic Adult Women: Data from the Fourth Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2015 , 10, e0141720	3.7	6
17	Increased liver markers are associated with higher risk of type 2 diabetes. <i>World Journal of Gastroenterology</i> , 2015 , 21, 7478-87	5.6	30
16	Gender differences in the association between food insecurity and insulin resistance among U.S. adults: National Health and Nutrition Examination Survey, 2005-2010. <i>Annals of Epidemiology</i> , 2015 , 25, 643-8	6.4	8
15	Association of Periodontitis With Urinary Albumin Excretion in Korean Adults With Diabetes: The 2012 Korea National Health and Nutrition Examination Survey. <i>Medicine (United States)</i> , 2015 , 94, e1839	1.8	14
14	Association of Hearing Loss and Tinnitus with Health-Related Quality of Life: The Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2015 , 10, e0131247	3.7	38
13	Obesity as a Potential Risk Factor for Blepharoptosis: The Korea National Health and Nutrition Examination Survey 2008-2010. <i>PLoS ONE</i> , 2015 , 10, e0131427	3.7	14
12	Association between Chronic Laryngitis and Particulate Matter Based on the Korea National Health and Nutrition Examination Survey 2008-2012. <i>PLoS ONE</i> , 2015 , 10, e0133180	3.7	14

11	Ambient Temperature and Prevalence of Obesity: A Nationwide Population-Based Study in Korea. <i>PLoS ONE</i> , 2015 , 10, e0141724	3-7	22
10	Association between insulin resistance and periodontitis in Korean adults. <i>Journal of Clinical Periodontology</i> , 2014 , 41, 121-30	7-7	31
9	Association of vitamin B12 deficiency and metformin use in patients with type 2 diabetes. <i>Journal of Korean Medical Science</i> , 2014 , 29, 965-72	4-7	53
8	The associations between serum zinc levels and metabolic syndrome in the Korean population: findings from the 2010 Korean National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2014 , 9, e105990	3-7	38
7	Inverse relationship between high blood 25-hydroxyvitamin D and late stage of age-related macular degeneration in a representative Korean population 2014 , 55, 4823-31		38
6	Association between alcohol consumption and periodontal disease: the 2008 to 2010 Korea National Health and Nutrition Examination Survey. <i>Journal of Periodontology</i> , 2014 , 85, 1521-8	4-6	46
5	Gender difference in the association of metabolic syndrome and its components with age-related cataract: the Korea National Health and Nutrition Examination Survey 2008-2010. <i>PLoS ONE</i> , 2014 , 9, e85068	3-7	22
4	Sarcopenia as a determinant of blood pressure in older Koreans: findings from the Korea National Health and Nutrition Examination Surveys (KNHANES) 2008-2010. <i>PLoS ONE</i> , 2014 , 9, e86902	3-7	73
3	Association between urinary albumin excretion and intraocular pressure in type 2 diabetic patients without renal impairment. <i>PLoS ONE</i> , 2014 , 9, e96335	3-7	3
2	Age-related association of refractive error with intraocular pressure in the Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2014 , 9, e111879	3-7	21
1	Total cholesterol and lipoprotein composition are associated with dry eye disease in Korean women. <i>Lipids in Health and Disease</i> , 2013 , 12, 84	4-4	39