Leslie Citrome

List of Publications by Citations

Source: https://exaly.com/author-pdf/5314670/leslie-citrome-publications-by-citations.pdf

Version: 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 390
 11,889
 55
 90

 papers
 citations
 h-index
 g-index

 518
 14,158
 3.6
 7.34

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
390	Neurocognitive effects of clozapine, olanzapine, risperidone, and haloperidol in patients with chronic schizophrenia or schizoaffective disorder. <i>American Journal of Psychiatry</i> , 2002 , 159, 1018-28	11.9	448
389	Treatment-Resistant Schizophrenia: Treatment Response and Resistance in Psychosis (TRRIP) Working Group Consensus Guidelines on Diagnosis and Terminology. <i>American Journal of Psychiatry</i> , 2017 , 174, 216-229	11.9	408
388	Changes in glucose and cholesterol levels in patients with schizophrenia treated with typical or atypical antipsychotics. <i>American Journal of Psychiatry</i> , 2003 , 160, 290-6	11.9	379
387	Clozapine, olanzapine, risperidone, and haloperidol in the treatment of patients with chronic schizophrenia and schizoaffective disorder. <i>American Journal of Psychiatry</i> , 2002 , 159, 255-62	11.9	335
386	Neurocognitive correlates of the COMT Val(158)Met polymorphism in chronic schizophrenia. <i>Biological Psychiatry</i> , 2002 , 52, 701-7	7.9	286
385	Atypical antipsychotic agents in the treatment of violent patients with schizophrenia and schizoaffective disorder. <i>Archives of General Psychiatry</i> , 2006 , 63, 622-9		248
384	Good Publication Practice for Communicating Company-Sponsored Medical Research: GPP3. <i>Annals of Internal Medicine</i> , 2015 , 163, 461-4	8	207
383	The Use of Long-Acting Injectable Antipsychotics in Schizophrenia: Evaluating the Evidence. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 1-24	4.6	173
382	Effects of clozapine, olanzapine, risperidone, and haloperidol on hostility among patients with schizophrenia. <i>Psychiatric Services</i> , 2001 , 52, 1510-4	3.3	149
381	Adjunctive aripiprazole, olanzapine, or quetiapine for major depressive disorder: an analysis of number needed to harm, and likelihood to be helped or harmed. <i>Postgraduate Medicine</i> , 2010 , 122, 39-48	3.7	128
380	Suvorexant for insomnia: a systematic review of the efficacy and safety profile for this newly approved hypnotic - what is the number needed to treat, number needed to harm and likelihood to be helped or harmed?. <i>International Journal of Clinical Practice</i> , 2014 , 68, 1429-41	2.9	127
379	Overt aggression and psychotic symptoms in patients with schizophrenia treated with clozapine, olanzapine, risperidone, or haloperidol. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 225-8	1.7	126
378	Pathways to aggression in schizophrenia affect results of treatment. <i>Schizophrenia Bulletin</i> , 2011 , 37, 921-9	1.3	122
377	Vilazodone for major depressive disorder: a systematic review of the efficacy and safety profile for this newly approved antidepressant - what is the number needed to treat, number needed to harm and likelihood to be helped or harmed?. <i>International Journal of Clinical Practice</i> , 2012 , 66, 356-68	2.9	121
376	When does a difference make a difference? Interpretation of number needed to treat, number needed to harm, and likelihood to be helped or harmed. <i>International Journal of Clinical Practice</i> , 2013 , 67, 407-11	2.9	121
375	Compelling or irrelevant? Using number needed to treat can help decide. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 117, 412-9	6.5	121
374	Medication nonadherence and treatment outcome in patients with schizophrenia or schizoaffective disorder with suboptimal prior response. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 990-6	4.6	119

373	Antipsychotic-induced weight gain and therapeutic response: a differential association. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 244-51	1.7	117	
372	Heterogeneity of violence in schizophrenia and implications for long-term treatment. <i>International Journal of Clinical Practice</i> , 2008 , 62, 1237-45	2.9	115	
371	Adjunctive divalproex and hostility among patients with schizophrenia receiving olanzapine or risperidone. <i>Psychiatric Services</i> , 2004 , 55, 290-4	3.3	111	
370	Prolactin levels in schizophrenia and schizoaffective disorder patients treated with clozapine, olanzapine, risperidone, or haloperidol. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 57-61	4.6	109	
369	Levomilnacipran for major depressive disorder: a systematic review of the efficacy and safety profile for this newly approved antidepressantwhat is the number needed to treat, number needed to harm and likelihood to be helped or harmed?. <i>International Journal of Clinical Practice</i> , 2013 , <i>67</i> , 1089-104	2.9	104	
368	Lurasidone for schizophrenia: a review of the efficacy and safety profile for this newly approved second-generation antipsychotic. <i>International Journal of Clinical Practice</i> , 2011 , 65, 189-210	2.9	95	
367	Changes in use of valproate and other mood stabilizers for patients with schizophrenia from 1994 to 1998. <i>Psychiatric Services</i> , 2000 , 51, 634-8	3.3	94	
366	Comparison of intramuscular ziprasidone, olanzapine, or aripiprazole for agitation: a quantitative review of efficacy and safety. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1876-85	4.6	89	
365	Lamotrigine as add-on therapy in schizophrenia: results of 2 placebo-controlled trials. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 582-9	1.7	88	
364	Relationship between antipsychotic medication treatment and new cases of diabetes among psychiatric inpatients. <i>Psychiatric Services</i> , 2004 , 55, 1006-13	3.3	88	
363	Brexpiprazole for the maintenance treatment of adults with schizophrenia: an evidence-based review and place in therapy. <i>Neuropsychiatric Disease and Treatment</i> , 2019 , 15, 247-257	3.1	87	
362	Asenapine for schizophrenia and bipolar disorder: a review of the efficacy and safety profile for this newly approved sublingually absorbed second-generation antipsychotic. <i>International Journal of Clinical Practice</i> , 2009 , 63, 1762-84	2.9	87	
361	Sustained-Release Risperidone via Subcutaneous Injection: A Systematic Review of RBP-7000 (PERSERIS) for the Treatment of Schizophrenia. <i>Clinical Schizophrenia and Related Psychoses</i> , 2018 , 12, 130-141	1.6	86	
360	Do guidelines for severe mental illness promote physical health and well-being?. <i>Journal of Psychopharmacology</i> , 2005 , 19, 102-9	4.6	83	
359	The SNAP-25 gene may be associated with clinical response and weight gain in antipsychotic treatment of schizophrenia. <i>Neuroscience Letters</i> , 2005 , 379, 81-9	3.3	82	
358	Cariprazine: chemistry, pharmacodynamics, pharmacokinetics, and metabolism, clinical efficacy, safety, and tolerability. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2013 , 9, 193-206	5.5	78	
357	Lisdexamfetamine for binge eating disorder in adults: a systematic review of the efficacy and safety profile for this newly approved indication - what is the number needed to treat, number needed to harm and likelihood to be helped or harmed?. International Journal of Clinical Practice,	2.9	76	
356	2015 , 69, 410-21 Long-term safety and tolerability of lurasidone in schizophrenia: a 12-month, double-blind, active-controlled study. <i>International Clinical Psychopharmacology</i> , 2012 , 27, 165-76	2.2	76	

355	Standard and higher dose of olanzapine in patients with schizophrenia or schizoaffective disorder: a randomized, double-blind, fixed-dose study. <i>Journal of Clinical Psychopharmacology</i> , 2008 , 28, 392-40	001.7	75
354	Diabetes and schizophrenia 2005: are we any closer to understanding the link?. <i>Journal of Psychopharmacology</i> , 2005 , 19, 56-65	4.6	75
353	Weight gain and changes in metabolic variables following olanzapine treatment in schizophrenia and bipolar disorder. <i>Clinical Drug Investigation</i> , 2011 , 31, 455-82	3.2	74
352	Metabolic syndrome and cardiovascular disease. <i>Journal of Psychopharmacology</i> , 2005 , 19, 84-93	4.6	70
351	A systematic review of psychostimulant treatment of negative symptoms of schizophrenia: challenges and therapeutic opportunities. <i>Schizophrenia Research</i> , 2013 , 147, 241-52	3.6	68
350	Antipsychotics and hyperprolactinaemia: clinical recommendations. <i>Journal of Psychopharmacology</i> , 2008 , 22, 98-103	4.6	68
349	Treatment adherence in schizophrenia: a patient-level meta-analysis of combined CATIE and EUFEST studies. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1158-66	1.2	67
348	Paliperidone palmitate - review of the efficacy, safety and cost of a new second-generation depot antipsychotic medication. <i>International Journal of Clinical Practice</i> , 2010 , 64, 216-39	2.9	67
347	A review of the pharmacology, efficacy and tolerability of recently approved and upcoming oral antipsychotics: an evidence-based medicine approach. <i>CNS Drugs</i> , 2013 , 27, 879-911	6.7	66
346	Unmet needs in the treatment of schizophrenia: new targets to help different symptom domains. <i>Journal of Clinical Psychiatry</i> , 2014 , 75 Suppl 1, 21-6	4.6	66
345	Adjunctive lithium and anticonvulsants for the treatment of schizophrenia: what is the evidence?. <i>Expert Review of Neurotherapeutics</i> , 2009 , 9, 55-71	4.3	63
344	Optimal dosing of atypical antipsychotics in adults: a review of the current evidence. <i>Harvard Review of Psychiatry</i> , 2002 , 10, 280-91	4.1	63
343	Olanzapine plasma concentrations after treatment with 10, 20, and 40 mg/d in patients with schizophrenia: an analysis of correlations with efficacy, weight gain, and prolactin concentration. <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 278-83	1.7	62
342	Pharmacokinetics of aripiprazole and concomitant lithium and valproate. <i>Journal of Clinical Pharmacology</i> , 2005 , 45, 89-93	2.9	62
341	Ziprasidone for schizophrenia and bipolar disorder: a review of the clinical trials. <i>CNS Neuroscience</i> & <i>Therapeutics</i> , 2007 , 13, 137-77		61
340	Oral antipsychotics for the treatment of schizophrenia: heterogeneity in efficacy and tolerability should drive decision-making. <i>Expert Opinion on Pharmacotherapy</i> , 2009 , 10, 1917-28	4	59
339	Guide to the Management of Clozapine-Related Tolerability and Safety Concerns. <i>Clinical Schizophrenia and Related Psychoses</i> , 2016 , 10, 163-177	1.6	58
338	New second-generation long-acting injectable antipsychotics for the treatment of schizophrenia. <i>Expert Review of Neurotherapeutics</i> , 2013 , 13, 767-83	4.3	57

337	Efficacy of iloperidone in schizophrenia: a PANSS five-factor analysis. <i>Schizophrenia Research</i> , 2011 , 131, 75-81	3.6	55
336	Efficacy of the branched-chain amino acids in the treatment of tardive dyskinesia in men. <i>American Journal of Psychiatry</i> , 2003 , 160, 1117-24	11.9	55
335	Iloperidone for schizophrenia: a review of the efficacy and safety profile for this newly commercialised second-generation antipsychotic. <i>International Journal of Clinical Practice</i> , 2009 , 63, 123	3 7 :48	54
334	Recommendations to improve adverse event reporting in clinical trial publications: a joint pharmaceutical industry/journal editor perspective. <i>BMJ, The</i> , 2016 , 355, i5078	5.9	53
333	Quantifying risk: the role of absolute and relative measures in interpreting risk of adverse reactions from product labels of antipsychotic medications. <i>Current Drug Safety</i> , 2009 , 4, 229-37	1.4	53
332	Olanzapine pamoate: a stick in time? A review of the efficacy and safety profile of a new depot formulation of a second-generation antipsychotic. <i>International Journal of Clinical Practice</i> , 2009 , 63, 140-50	2.9	53
331	Weight gain, metabolic parameters, and the impact of race in aggressive inpatients randomized to double-blind clozapine, olanzapine or haloperidol. <i>Schizophrenia Research</i> , 2009 , 110, 95-102	3.6	53
330	Suggestive association between the C825T polymorphism of the G-protein beta3 subunit gene (GNB3) and clinical improvement with antipsychotics in schizophrenia. <i>European Neuropsychopharmacology</i> , 2005 , 15, 525-31	1.2	52
329	Iloperidone, asenapine, and lurasidone: a brief overview of 3 new second-generation antipsychotics. <i>Postgraduate Medicine</i> , 2011 , 123, 153-62	3.7	51
328	Olanzapine: review of safety 2008. Expert Opinion on Drug Safety, 2008, 7, 761-9	4.1	51
327	Schizophrenia, obesity, and antipsychotic medications: what can we do?. <i>Postgraduate Medicine</i> , 2008 , 120, 18-33	3.7	51
326	Early predictors of substantial weight gain in bipolar patients treated with olanzapine. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 316-20	1.7	51
325	GABA(B) receptors, schizophrenia and sleep dysfunction: a review of the relationship and its potential clinical and therapeutic implications. <i>CNS Drugs</i> , 2009 , 23, 681-91	6.7	50
324	Activating and Sedating Adverse Effects of Second-Generation Antipsychotics in the Treatment of Schizophrenia and Major Depressive Disorder: Absolute Risk Increase and Number Needed to Harm. <i>Journal of Clinical Psychopharmacology</i> , 2017 , 37, 138-147	1.7	49
323	Asenapine review, part I: chemistry, receptor affinity profile, pharmacokinetics and metabolism. Expert Opinion on Drug Metabolism and Toxicology, 2014 , 10, 893-903	5.5	47
322	A single-dose, randomized, double-blind, placebo-controlled trial of sublingual asenapine for acute agitation. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 61-8	6.5	47
321	A systematic review of meta-analyses of the efficacy of oral atypical antipsychotics for the treatment of adult patients with schizophrenia. <i>Expert Opinion on Pharmacotherapy</i> , 2012 , 13, 1545-73	4	47
320	Investigational drugs in recent clinical trials for treatment-resistant depression. <i>Expert Review of Neurotherapeutics</i> , 2017 , 17, 593-609	4.3	46

319	Meta-guidelinesIfor the management of patients with schizophrenia. CNS Spectrums, 2013, 18, 150-162	1.8	46
318	Vortioxetine for major depressive disorder: a systematic review of the efficacy and safety profile for this newly approved antidepressant - what is the number needed to treat, number needed to harm and likelihood to be helped or harmed?. <i>International Journal of Clinical Practice</i> , 2014 , 68, 60-82	2.9	45
317	Clinical assessment of lurasidone benefit and risk in the treatment of bipolar I depression using number needed to treat, number needed to harm, and likelihood to be helped or harmed. <i>Journal of Affective Disorders</i> , 2014 , 155, 20-7	6.6	45
316	Relative vs. absolute measures of benefit and risk: what's the difference?. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 121, 94-102	6.5	45
315	Effectiveness of lurasidone in patients with schizophrenia or schizoaffective disorder switched from other antipsychotics: a randomized, 6-week, open-label study. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 170-9	4.6	44
314	Effects of atypical antipsychotics on the syndromal profile in treatment-resistant schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 551-6	4.6	44
313	Dosing of quetiapine in schizophrenia: how clinical practice differs from registration studies. Journal of Clinical Psychiatry, 2005 , 66, 1512-6	4.6	44
312	The psychopharmacology of violence: making sensible decisions. CNS Spectrums, 2014, 19, 411-8	1.8	43
311	Atypical antipsychotics in the treatment of the persistently aggressive psychotic patient: methodological concerns. <i>Schizophrenia Research</i> , 1999 , 35 Suppl, S23-33	3.6	43
310	Cariprazine in schizophrenia: clinical efficacy, tolerability, and place in therapy. <i>Advances in Therapy</i> , 2013 , 30, 114-26	4.1	42
310		2.2	42
	2013, 30, 114-26 The effect of brexpiprazole (OPC-34712) and aripiprazole in adult patients with acute schizophrenia: results from a randomized, exploratory study. <i>International Clinical</i>	2.2	
309	2013, 30, 114-26 The effect of brexpiprazole (OPC-34712) and aripiprazole in adult patients with acute schizophrenia: results from a randomized, exploratory study. <i>International Clinical Psychopharmacology</i> , 2016, 31, 192-201 Vortioxetine for major depressive disorder: An indirect comparison with duloxetine, escitalopram, levomilnacipran, sertraline, venlafaxine, and vilazodone, using number needed to treat, number	2.2	42
309	The effect of brexpiprazole (OPC-34712) and aripiprazole in adult patients with acute schizophrenia: results from a randomized, exploratory study. <i>International Clinical Psychopharmacology</i> , 2016, 31, 192-201 Vortioxetine for major depressive disorder: An indirect comparison with duloxetine, escitalopram, levomilnacipran, sertraline, venlafaxine, and vilazodone, using number needed to treat, number needed to harm, and likelihood to be helped or harmed. <i>Journal of Affective Disorders</i> , 2016, 196, 225-3 Antipsychotic-Related Movement Disorders: Drug-Induced Parkinsonism vs. Tardive Dyskinesia-Key	2.2 6.6 3	4 ²
309 308 307	The effect of brexpiprazole (OPC-34712) and aripiprazole in adult patients with acute schizophrenia: results from a randomized, exploratory study. <i>International Clinical Psychopharmacology</i> , 2016, 31, 192-201 Vortioxetine for major depressive disorder: An indirect comparison with duloxetine, escitalopram, levomilnacipran, sertraline, venlafaxine, and vilazodone, using number needed to treat, number needed to harm, and likelihood to be helped or harmed. <i>Journal of Affective Disorders</i> , 2016, 196, 225-3 Antipsychotic-Related Movement Disorders: Drug-Induced Parkinsonism vs. Tardive Dyskinesia-Key Differences in Pathophysiology and Clinical Management. <i>Neurology and Therapy</i> , 2018, 7, 233-248 Brexpiprazole for schizophrenia and as adjunct for major depressive disorder: a systematic review of the efficacy and safety profile for this newly approved antipsychotic - what is the number	2.2 6.6 3 4.6	4 ² 4 ¹
309 308 307 306	The effect of brexpiprazole (OPC-34712) and aripiprazole in adult patients with acute schizophrenia: results from a randomized, exploratory study. <i>International Clinical Psychopharmacology</i> , 2016 , 31, 192-201 Vortioxetine for major depressive disorder: An indirect comparison with duloxetine, escitalopram, levomilnacipran, sertraline, venlafaxine, and vilazodone, using number needed to treat, number needed to harm, and likelihood to be helped or harmed. <i>Journal of Affective Disorders</i> , 2016 , 196, 225-3 Antipsychotic-Related Movement Disorders: Drug-Induced Parkinsonism vs. Tardive Dyskinesia-Key Differences in Pathophysiology and Clinical Management. <i>Neurology and Therapy</i> , 2018 , 7, 233-248 Brexpiprazole for schizophrenia and as adjunct for major depressive disorder: a systematic review of the efficacy and safety profile for this newly approved antipsychotic - what is the number needed to treat, number needed to harm and likelihood to be helped or harmed?. <i>International international distribution</i> , 2015, 63-75.	2.2 6.6 3 4.6	42 41 41 40
309 308 307 306 305	The effect of brexpiprazole (OPC-34712) and aripiprazole in adult patients with acute schizophrenia: results from a randomized, exploratory study. <i>International Clinical Psychopharmacology</i> , 2016, 31, 192-201 Vortioxetine for major depressive disorder: An indirect comparison with duloxetine, escitalopram, levomilnacipran, sertraline, venlafaxine, and vilazodone, using number needed to treat, number needed to harm, and likelihood to be helped or harmed. <i>Journal of Affective Disorders</i> , 2016, 196, 225-3 Antipsychotic-Related Movement Disorders: Drug-Induced Parkinsonism vs. Tardive Dyskinesia-Key Differences in Pathophysiology and Clinical Management. <i>Neurology and Therapy</i> , 2018, 7, 233-248 Brexpiprazole for schizophrenia and as adjunct for major depressive disorder: a systematic review of the efficacy and safety profile for this newly approved antipsychotic - what is the number needed to treat, number needed to harm and likelihood to be helped or harmed?. <i>International</i> Violent patients in the emergency setting. <i>Psychiatric Clinics of North America</i> , 1999, 22, 789-801 Lurasidone for schizophrenia: a brief review of a new second-generation antipsychotic. <i>Clinical</i>	2.2 6.6 3 4.6 2.9	42 41 41 40 40

(2016-2020)

301	Blood Levels to Optimize Antipsychotic Treatment in Clinical Practice: A Joint Consensus Statement of the American Society of Clinical Psychopharmacology and the Therapeutic Drug Monitoring Task Force of the Arbeitsgemeinschaft fil Neuropsychopharmakologie und	4.6	39	
300	Pharmakopsychiatrie. <i>Journal of Clinical Psychiatry</i> , 2020 , 81, Using oral ziprasidone effectively: the food effect and dose-response. <i>Advances in Therapy</i> , 2009 , 26, 739-48	4.1	38	
299	Risperidone alone versus risperidone plus valproate in the treatment of patients with schizophrenia and hostility. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 356-62	2.2	38	
298	A review of aripiprazole in the treatment of patients with schizophrenia or bipolar I disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2006 , 2, 427-43	3.1	38	
297	Balancing benefits and harms of treatments for acute bipolar depression. <i>Journal of Affective Disorders</i> , 2014 , 169 Suppl 1, S24-33	6.6	37	
296	Use of mood stabilizers among patients with schizophrenia, 1994-2001. <i>Psychiatric Services</i> , 2002 , 53, 1212	3.3	37	
295	Treatments for bipolar disorder: can number needed to treat/harm help inform clinical decisions?. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 175-89	6.5	36	
294	Current guidelines and their recommendations for prolactin monitoring in psychosis. <i>Journal of Psychopharmacology</i> , 2008 , 22, 90-7	4.6	36	
293	Antipsychotics for the treatment of schizophrenia: likelihood to be helped or harmed, understanding proximal and distal benefits and risks. <i>Expert Review of Neurotherapeutics</i> , 2008 , 8, 107	9- 9 1 ³	36	
292	Pharmacokinetics of aripiprazole and concomitant carbamazepine. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 279-83	1.7	36	
291	Schizophrenia, Clinical Antipsychotic Trials of Intervention Effectiveness (CATIE) and number needed to treat: how can CATIE inform clinicians?. <i>International Journal of Clinical Practice</i> , 2006 , 60, 933-40	2.9	36	
290	Metabolic issues in patients with severe mental illness. Southern Medical Journal, 2005, 98, 714-20	0.6	36	
289	Authors' Submission Toolkit: a practical guide to getting your research published. <i>Current Medical Research and Opinion</i> , 2010 , 26, 1967-82	2.5	35	
288	Utilization of valproate: extent of inpatient use in the New York State Office of Mental Health. <i>Psychiatric Quarterly</i> , 1998 , 69, 283-300	4.1	34	
287	Loss aversion in schizophrenia. <i>Schizophrenia Research</i> , 2008 , 103, 121-8	3.6	34	
286	Effectiveness of lurasidone in schizophrenia or schizoaffective patients switched from other antipsychotics: a 6-month, open-label, extension study. <i>CNS Spectrums</i> , 2014 , 19, 330-9	1.8	32	
285	Iloperidone: chemistry, pharmacodynamics, pharmacokinetics and metabolism, clinical efficacy, safety and tolerability, regulatory affairs, and an opinion. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2010 , 6, 1551-64	5.5	32	
284	Managing Agitation Associated with Schizophrenia and Bipolar Disorder in the Emergency Setting. Western Journal of Emergency Medicine, 2016, 17, 165-72	3.3	32	

283	Effectiveness of antipsychotic drugs against hostility in patients with schizophrenia in the Clinical Antipsychotic Trials of Intervention Effectiveness (CATIE) study. <i>CNS Spectrums</i> , 2014 , 19, 374-81	1.8	31
282	Psychopharmacology of aggression in schizophrenia. <i>Schizophrenia Bulletin</i> , 2011 , 37, 930-6	1.3	31
281	A systematic review of duloxetine for osteoarthritic pain: what is the number needed to treat, number needed to harm, and likelihood to be helped or harmed?. <i>Postgraduate Medicine</i> , 2012 , 124, 83-	. 3 37	31
280	Best clinical practice with ziprasidone IM: update after 2 years of experience. <i>CNS Spectrums</i> , 2005 , 10, 1-15	1.8	31
279	Lurasidone: a novel antipsychotic agent for the treatment of schizophrenia and bipolar depression. <i>BJPsych Bulletin</i> , 2015 , 39, 237-41	1.2	30
278	Cariprazine in bipolar disorder: clinical efficacy, tolerability, and place in therapy. <i>Advances in Therapy</i> , 2013 , 30, 102-13	4.1	30
277	Lurasidone in schizophrenia: new information about dosage and place in therapy. <i>Advances in Therapy</i> , 2012 , 29, 815-25	4.1	30
276	Aripiprazole Lauroxil: Pharmacokinetic Profile of This Long-Acting Injectable Antipsychotic in Persons With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2017 , 37, 289-295	1.7	29
275	Pharmacokinetics and Pharmacodynamics of Lurasidone Hydrochloride, a Second-Generation Antipsychotic: A Systematic Review of the Published Literature. <i>Clinical Pharmacokinetics</i> , 2017 , 56, 493	3-5 0 3	29
274	Paliperidone: quo vadis?. International Journal of Clinical Practice, 2007 , 61, 653-62	2.9	29
273	Atypical antipsychotics for acute agitation. New intramuscular options offer advantages. <i>Postgraduate Medicine</i> , 2002 , 112, 85-8, 94-6	3.7	29
272	Cariprazine for the Treatment of Schizophrenia: A Review of this Dopamine D3-Preferring D3/D2 Receptor Partial Agonist. <i>Clinical Schizophrenia and Related Psychoses</i> , 2016 , 10, 109-19	1.6	29
271	Efficacy of ziprasidone against hostility in schizophrenia: Post hoc analysis of randomized, open-label study data. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 638-42	4.6	29
270	A review of real-world data on the effects of aripiprazole on weight and metabolic outcomes in adults. <i>Current Medical Research and Opinion</i> , 2014 , 30, 1629-41	2.5	28
269	New treatments for agitation. <i>Psychiatric Quarterly</i> , 2004 , 75, 197-213	4.1	28
268	Lurasidone for the acute treatment of adults with schizophrenia: what is the number needed to treat, number needed to harm, and likelihood to be helped or harmed?. <i>Clinical Schizophrenia and Related Psychoses</i> , 2012 , 6, 76-85	1.6	28
267	Asenapine review, part II: clinical efficacy, safety and tolerability. <i>Expert Opinion on Drug Safety</i> , 2014 , 13, 803-30	4.1	27
266	Addressing the need for rapid treatment of agitation in schizophrenia and bipolar disorder: focus on inhaled loxapine as an alternative to injectable agents. <i>Therapeutics and Clinical Risk Management</i> , 2013 , 9, 235-45	2.9	27

(2015-2011)

265	Pharmacological management of acute and persistent aggression in forensic psychiatry settings. <i>CNS Drugs</i> , 2011 , 25, 1009-21	6.7	27	
264	Dosing of second-generation antipsychotic medication in a state hospital system. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 388-91	1.7	27	
263	Efficacy of aripiprazole against hostility in schizophrenia and schizoaffective disorder: data from 5 double-blind studies. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 1362-6	4.6	27	
262	Utilization of depot neuroleptic medication in psychiatric inpatients. <i>Psychopharmacology Bulletin</i> , 1996 , 32, 321-6	0.9	27	
261	Binge eating disorder revisited: what's new, what's different, what's next. CNS Spectrums, 2019, 24, 4-13	31.8	26	
260	Inhaled loxapine for agitation revisited: focus on effect sizes from 2 Phase III randomised controlled trials in persons with schizophrenia or bipolar disorder. <i>International Journal of Clinical Practice</i> , 2012 , 66, 318-25	2.9	26	
259	Aerosolised antipsychotic assuages agitation: inhaled loxapine for agitation associated with schizophrenia or bipolar disorder. <i>International Journal of Clinical Practice</i> , 2011 , 65, 330-40	2.9	26	
258	Olanzapine for schizophrenia refractory to typical and atypical antipsychotics: an open-label, prospective trial. <i>Journal of Clinical Psychopharmacology</i> , 2001 , 21, 448-53	1.7	26	
257	THE AMERICAN SOCIETY OF CLINICAL PSYCHOPHARMACOLOGY SURVEY OF PSYCHOPHARMACOLOGISTS' PRACTICE PATTERNS FOR THE TREATMENT OF MOOD DISORDERS. <i>Depression and Anxiety</i> , 2015 , 32, 605-13	8.4	25	
256	A randomized, double-blind, parallel-group, fixed-dose, clinical trial of quetiapine at 600 versus 1200 mg/d for patients with treatment-resistant schizophrenia or schizoaffective disorder. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 160-8	1.7	25	
255	Spirituality, schizophrenia, and state hospitals: program description and characteristics of self-selected attendees of a spirituality therapeutic group. <i>Psychiatric Quarterly</i> , 2010 , 81, 285-92	4.1	25	
254	Iloperidone redux: a dissection of the Drug Approval Package for this newly commercialised second-generation antipsychotic. <i>International Journal of Clinical Practice</i> , 2010 , 64, 707-18	2.9	24	
253	Dose trends for second-generation antipsychotic treatment of schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2009 , 108, 238-44	3.6	24	
252	Differential rates of treatment discontinuation in clinical trials as a measure of treatment effectiveness for olanzapine and comparator atypical antipsychotics for schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 632-7	1.7	24	
251	COMT158 polymorphism and hostility. American Journal of Medical Genetics Part A, 2004, 127B, 28-9		24	
250	Use of lithium, carbamazepine, and valproic acid in a state-operated psychiatric hospital. <i>Journal of Pharmacy Technology</i> , 1995 , 11, 55-9	0.6	24	
249	Incidence of cardiovascular outcomes and diabetes mellitus among users of second-generation antipsychotics. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 1199-206	4.6	24	
248	Patients' Preferences Related to Benefits, Risks, and Formulations of Schizophrenia Treatment. Psychiatric Services, 2015, 66, 719-26	3.3	23	

247	Show me the evidence: using number needed to treat. Southern Medical Journal, 2007, 100, 881-4	0.6	23
246	Quantifying clinical relevance. <i>Innovations in Clinical Neuroscience</i> , 2014 , 11, 26-30	1	23
245	Number needed to treat: what it is and what it isn't, and why every clinician should know how to calculate it. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 412-3	4.6	23
244	The effect of cariprazine on hostility associated with schizophrenia: post hoc analyses from 3 randomized controlled trials. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 109-15	4.6	23
243	Aripiprazole long-acting injectable formulations for schizophrenia: aripiprazole monohydrate and aripiprazole lauroxil. <i>Expert Review of Clinical Pharmacology</i> , 2016 , 9, 169-86	3.8	22
242	Therapeutic improvements expected in the near future for schizophrenia and schizoaffective disorder: an appraisal of phase III clinical trials of schizophrenia-targeted therapies as found in US and EU clinical trial registries. <i>Expert Opinion on Pharmacotherapy</i> , 2016 , 17, 921-36	4	22
241	Lurasidone Dose Escalation in Early Nonresponding Patients With Schizophrenia: A Randomized, Placebo-Controlled Study. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 1672-1680	4.6	22
240	A commentary on the efficacy of olanzapine for the treatment of schizophrenia: the past, present, and future. <i>Neuropsychiatric Disease and Treatment</i> , 2019 , 15, 2559-2569	3.1	21
239	Oral paliperidone extended-release: chemistry, pharmacodynamics, pharmacokinetics and metabolism, clinical efficacy, safety and tolerability. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2012 , 8, 873-88	5.5	21
238	On-label on the table: what the package insert informs us about the tolerability profile of oral atypical antipsychotics, and what it does not. <i>Expert Opinion on Pharmacotherapy</i> , 2012 , 13, 1599-613	4	21
237	Role of sublingual asenapine in treatment of schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2011 , 7, 325-39	3.1	21
236	Olanzapine dosing above the licensed range is more efficacious than lower doses: fact or fiction?. <i>Expert Review of Neurotherapeutics</i> , 2009 , 9, 1045-58	4.3	21
235	Toward convergence in the medication treatment of bipolar disorder and schizophrenia. <i>Harvard Review of Psychiatry</i> , 2005 , 13, 28-42	4.1	21
234	Atypical antipsychotics: revolutionary or incremental advance?. <i>Expert Review of Neurotherapeutics</i> , 2002 , 2, 69-88	4.3	21
233	Brexpiprazole for the Treatment of Schizophrenia: A Review of this Novel Serotonin-Dopamine Activity Modulator. <i>Clinical Schizophrenia and Related Psychoses</i> , 2016 , 9, 177-86	1.6	21
232	Adjunctive nadolol in the treatment of acutely aggressive schizophrenic patients. <i>Journal of Clinical Psychiatry</i> , 1996 , 57, 455-9	4.6	21
231	Characteristics of binge eating disorder in relation to diagnostic criteria. <i>Neuropsychiatric Disease and Treatment</i> , 2016 , 12, 2213-23	3.1	21
230	Investigational drugs for treating agitation in persons with dementia. <i>Expert Opinion on Investigational Drugs</i> , 2016 , 25, 973-83	5.9	21

229	Prevalence, treatment patterns, and stay characteristics associated with hospitalizations for major depressive disorder. <i>Journal of Affective Disorders</i> , 2019 , 249, 378-384	6.6	21
228	Diagnoses associated with use of atypical antipsychotics in a commercial health plan: a claims database analysis. <i>Clinical Therapeutics</i> , 2013 , 35, 1867-75	3.5	20
227	A double-blind, placebo-controlled study of adjunctive nadolol in the management of violent psychiatric patients. <i>Psychopharmacology Bulletin</i> , 1990 , 26, 367-71	0.9	20
226	Brexpiprazole: a new dopamine DEeceptor partial agonist for the treatment of schizophrenia and major depressive disorder. <i>Drugs of Today</i> , 2015 , 51, 397-414	2.5	20
225	New discoveries for an old drug: a review of recent olanzapine research. <i>Postgraduate Medicine</i> , 2020 , 132, 80-90	3.7	20
224	Valbenazine for tardive dyskinesia: A systematic review of the efficacy and safety profile for this newly approved novel medication-What is the number needed to treat, number needed to harm and likelihood to be helped or harmed?. <i>International Journal of Clinical Practice</i> , 2017 , 71, e12964	2.9	19
223	Long-acting injectable antipsychotics update: lengthening the dosing interval and expanding the diagnostic indications. <i>Expert Review of Neurotherapeutics</i> , 2017 , 17, 1029-1043	4.3	19
222	Cost-effectiveness of aripiprazole once-monthly compared with paliperidone palmitate once-monthly injectable for the treatment of schizophrenia in the United States. <i>Journal of Medical Economics</i> , 2014 , 17, 567-76	2.4	19
221	Drug safety evaluation of ziprasidone. Expert Opinion on Drug Safety, 2011, 10, 437-48	4.1	19
220	Effect of aripiprazole lauroxil on agitation and hostility in patients with schizophrenia. <i>International Clinical Psychopharmacology</i> , 2016 , 31, 69-75	2.2	19
219	Cariprazine for acute and maintenance treatment of adults with schizophrenia: an evidence-based review and place in therapy. <i>Neuropsychiatric Disease and Treatment</i> , 2018 , 14, 2563-2577	3.1	19
218	Lisdexamfetamine: chemistry, pharmacodynamics, pharmacokinetics, and clinical efficacy, safety, and tolerability in the treatment of binge eating disorder. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2018 , 14, 229-238	5.5	18
217	Schizoaffective disorder: a review of current research themes and pharmacological management. <i>CNS Drugs</i> , 2011 , 25, 317-31	6.7	18
216	Staff and patient views of the reasons for aggressive incidents: a prospective, incident-based study. <i>Psychiatric Quarterly</i> , 2009 , 80, 167-72	4.1	18
215	The promise of atypical antipsychotics: fewer side effects mean enhanced compliance and improved functioning. <i>Postgraduate Medicine</i> , 2004 , 116, 49-51, 55-9, 63	3.7	18
214	Latest therapies for bipolar disorder. Looking beyond lithium. <i>Postgraduate Medicine</i> , 2005 , 117, 25-6, 29-32, 35-6	3.7	18
213	Incidence, prevalence, and surveillance for diabetes in New York State psychiatric hospitals, 1997-2004. <i>Psychiatric Services</i> , 2006 , 57, 1132-9	3.3	17
212	Managing treatment-resistant schizophrenia: evidence from randomized clinical trials. <i>Journal of Psychiatric Practice</i> , 2002 , 8, 205-15	1.3	17

211	How dosing of ziprasidone in a state hospital system differs from product labeling. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 975-82	4.6	17
210	Hostility in schizophrenia: An integrated analysis of the combined Clinical Antipsychotic Trials of Intervention Effectiveness (CATIE) and the European First Episode Schizophrenia Trial (EUFEST) studies. <i>European Psychiatry</i> , 2016 , 31, 13-9	6	16
209	Impact of real-world ziprasidone dosing on treatment discontinuation rates in patients with schizophrenia or bipolar disorder. <i>Schizophrenia Research</i> , 2009 , 115, 115-20	3.6	16
208	A new rating scale for negative symptoms: the Motor-Affective-Social Scale. <i>Psychiatry Research</i> , 2008 , 160, 346-55	9.9	16
207	Psychopharmacology of Violence: Part II: Beyond the Acute Episode. <i>Psychiatric Annals</i> , 1997 , 27, 696-7	′03 .5	16
206	Deutetrabenazine for tardive dyskinesia: A systematic review of the efficacy and safety profile for this newly approved novel medication-What is the number needed to treat, number needed to harm and likelihood to be helped or harmed?. <i>International Journal of Clinical Practice</i> , 2017 , 71, e1303	2.9 0	15
205	Placing transdermal selegiline for major depressive disorder into clinical context: number needed to treat, number needed to harm, and likelihood to be helped or harmed. <i>Journal of Affective Disorders</i> , 2013 , 151, 409-417	6.6	15
204	Binge-Eating Disorder and Comorbid Conditions: Differential Diagnosis and Implications for Treatment. <i>Journal of Clinical Psychiatry</i> , 2017 , 78 Suppl 1, 9-13	4.6	15
203	Lack of tolerable treatment options for patients with schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 3095-104	3.1	15
202	The importance of a good night's sleep: an open-label trial of the sodium salt of gamma-hydroxybutyric acid in insomnia associated with schizophrenia. <i>Schizophrenia Research</i> , 2010 , 120, 225-6	3.6	15
201	How to search and harvest the medical literature: let the citations come to you, and how to proceed when they do. <i>International Journal of Clinical Practice</i> , 2009 , 63, 1565-70	2.9	15
200	Management of Violence in Schizophrenia. <i>Psychiatric Annals</i> , 2000 , 30, 41-52	0.5	15
199	Adding lithium or anticonvulsants to antipsychotics for the treatment of schizophrenia: useful strategy or exercise in futility?. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 932-3	4.6	15
198	Iloperidone: a clinical overview. <i>Journal of Clinical Psychiatry</i> , 2011 , 72 Suppl 1, 19-23	4.6	15
197	Efficacy of iloperidone in the short-term treatment of schizophrenia: a post hoc analysis of pooled patient data from four phase III, placebo- and active-controlled trials. <i>Human Psychopharmacology</i> , 2012 , 27, 24-32	2.3	14
196	High-dose oral ziprasidone versus conventional dosing in schizophrenia patients with residual symptoms: the ZEBRAS study. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 485-90	1.7	14
195	Patient perspectives in the development and use of long-acting antipsychotics in schizophrenia: focus on olanzapine long-acting injection. <i>Patient Preference and Adherence</i> , 2009 , 3, 345-55	2.4	14
194	Effect of ziprasidone dose on all-cause discontinuation rates in acute schizophrenia and schizoaffective disorder: a post-hoc analysis of 4 fixed-dose randomized clinical trials. <i>Schizophrenia Research</i> , 2009 , 111, 39-45	3.6	14

(2015-1997)

193	New antipsychotic medications: what advantages do they offer?. <i>Postgraduate Medicine</i> , 1997 , 101, 207-10, 213-4	3.7	14	
192	Reviewing CATIE for clinicians: balancing benefit and risk using evidence-based medicine tools. <i>Current Medical Research and Opinion</i> , 2007 , 23, 2551-7	2.5	14	
191	Consensus development conference on antipsychotic drugs and obesity and diabetes: response to consensus statement. <i>Diabetes Care</i> , 2004 , 27, 2087-8; author reply 2089-90	14.6	14	
190	A study of the safety, efficacy, and tolerability of switching from the standard delayed release preparation of divalproex sodium to the extended release formulation in patients with schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 255-9	1.7	14	
189	Measurement of agitation and aggression in adult and aged neuropsychiatric patients: review of definitions and frequently used measurement scales. <i>CNS Spectrums</i> , 2017 , 22, 407-414	1.8	13	
188	A trial evaluating gradual- or immediate-switch strategies from risperidone, olanzapine, or aripiprazole to iloperidone in patients with schizophrenia. <i>Schizophrenia Research</i> , 2014 , 153, 160-8	3.6	13	
187	Olanzapine-fluoxetine combination for the treatment of bipolar depression. <i>Expert Opinion on Pharmacotherapy</i> , 2011 , 12, 2751-8	4	13	
186	Consensus development conference on antipsychotic drugs and obesity and diabetes: response to consensus statement. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 1073-4	4.6	13	
185	Resistance is not futile: treatment-refractory schizophrenia - overview, evaluation and treatment. <i>Expert Opinion on Pharmacotherapy</i> , 2019 , 20, 11-24	4	13	
184	Paliperidone Palmitate for Schizoaffective Disorder: A Review of the Clinical Evidence. <i>Neurology and Therapy</i> , 2015 , 4, 81-91	4.6	12	
183	A review of tolerability and abuse liability of gamma-hydroxybutyric acid for insomnia in patients with schizophrenia. <i>Clinical Therapeutics</i> , 2009 , 31 Pt 1, 1360-73	3.5	12	
182	Datapoints: The ups and downs of dosing second-generation antipsychotics. <i>Psychiatric Services</i> , 2007 , 58, 11	3.3	12	
181	Paliperidone: the evidence of its therapeutic value in schizophrenia. <i>Core Evidence</i> , 2008 , 2, 261-71	4.9	12	
180	Pharmaceutical Innovation in the Treatment of Schizophrenia and Mental Disorders Compared with Other Diseases. <i>Innovations in Clinical Neuroscience</i> , 2016 , 13, 17-25	1	12	
179	Psychopharmacology of Violence: Part I: Assessment and Acute Treatment. <i>Psychiatric Annals</i> , 1997 , 27, 691-695	0.5	12	
178	More inclusive bipolar mixed depression definition by permitting overlapping and non-overlapping mood elevation symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 199-206	6.5	12	
177	Emerging pharmacological therapies in schizophrenia: what's new, what's different, what's next?. <i>CNS Spectrums</i> , 2016 , 21, 1-12	1.8	12	
176	A primer on binge eating disorder diagnosis and management. <i>CNS Spectrums</i> , 2015 , 20 Suppl 1, 44-50; quiz 51	1.8	11	

175	Cognitive impairment in schizophrenia: the great unmet need. <i>CNS Spectrums</i> , 2015 , 20 Suppl 1, 35-9; quiz 40	1.8	11
174	Treatment of bipolar depression: making sensible decisions. <i>CNS Spectrums</i> , 2014 , 19 Suppl 1, 4-11; quiz 1-3, 12	1.8	11
173	Ziprasidone HCl capsules for the adjunctive maintenance treatment of bipolar disorder in adults. <i>Expert Review of Neurotherapeutics</i> , 2010 , 10, 1031-7	4.3	11
172	Reducing inpatient aggression: does paying attention pay off?. Psychiatric Quarterly, 2008, 79, 91-5	4.1	11
171	The dangerous agitated patient. What to do right now. Postgraduate Medicine, 1990, 87, 231-6	3.7	11
170	Antiaggressive effect of quetiapine in a patient with schizoaffective disorder. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 901	4.6	11
169	An International Adult Guideline for Making Clozapine Titration Safer by Using Six Ancestry-Based Personalized Dosing Titrations, CRP, and Clozapine Levels <i>Pharmacopsychiatry</i> , 2021 , 55,	2	11
168	Clinical management of tardive dyskinesia: Five steps to success. <i>Journal of the Neurological Sciences</i> , 2017 , 383, 199-204	3.2	10
167	Lurasidone for schizophrenia: what's different?. Expert Review of Neurotherapeutics, 2012, 12, 265-73	4.3	10
166	Treatment of schizophrenia with depot preparations of fluphenazine, haloperidol, and risperidone among inpatients at state-operated psychiatric facilities. <i>Schizophrenia Research</i> , 2010 , 119, 153-9	3.6	10
165	The many faces of bipolar disorder. How to tell them apart. <i>Postgraduate Medicine</i> , 2005 , 117, 15-6, 19-	·2 3 .7	10
164	Safety of Accutane with possible depression. <i>Postgraduate Medicine</i> , 1998 , 104, 38	3.7	10
163	Schizophrenia: violence and comorbidity. Current Opinion in Psychiatry, 1999, 12, 47-51	4.9	10
162	Patches: Established and Emerging Transdermal Treatments in Psychiatry. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	10
161	Tardive dyskinesia: placing vesicular monoamine transporter type 2 (VMAT2) inhibitors into clinical perspective. <i>Expert Review of Neurotherapeutics</i> , 2018 , 18, 323-332	4.3	9
160	Cariprazine for bipolar depression: What is the number needed to treat, number needed to harm and likelihood to be helped or harmed?. <i>International Journal of Clinical Practice</i> , 2019 , 73, e13397	2.9	9
159	Treatment of early non-response in patients with schizophrenia: assessing the efficacy of antipsychotic dose escalation. <i>BMC Psychiatry</i> , 2015 , 15, 271	4.2	9
158	Stimulant-induced trichotillomania. <i>Substance Abuse</i> , 2010 , 31, 68-70	3.8	9

157	Monotherapy versus polypharmacy for hospitalized psychiatric patients. <i>American Journal of Psychiatry</i> , 2005 , 162, 631; author reply 632-3	11.9	9
156	Long-acting injectable antipsychotics: what, when, and how. CNS Spectrums, 2021, 26, 118-129	1.8	9
155	Pimavanserin for the treatment of Parkinson's disease psychosis: number needed to treat, number needed to harm, and likelihood to be helped or harmed. <i>CNS Spectrums</i> , 2018 , 23, 228-238	1.8	9
154	Relapse prevention: a cost-effectiveness analysis of brexpiprazole treatment in adult patients with schizophrenia in the USA. <i>ClinicoEconomics and Outcomes Research</i> , 2018 , 10, 443-456	1.7	9
153	Effect of aripiprazole lauroxil in patients with acute schizophrenia as assessed by the Positive and Negative Syndrome Scale-supportive analyses from a Phase 3 study. <i>CNS Spectrums</i> , 2018 , 23, 284-290	1.8	8
152	More inclusive bipolar mixed depression definitions by requiring fewer non-overlapping mood elevation symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 189-98	6.5	8
151	Treatment-refractory schizophrenia: what is it and what has been done about it?. <i>Neuropsychiatry</i> , 2011 , 1, 325-347	1.8	8
150	Identification of a naturally occurring 21 bp deletion in alpha 2c noradrenergic receptor gene and cognitive correlates to antipsychotic treatment. <i>Pharmacological Research</i> , 2005 , 51, 381-4	10.2	8
149	Differential diagnosis of psychosis. A brief guide for the primary care physician. <i>Postgraduate Medicine</i> , 1989 , 85, 273-4, 279-80	3.7	8
148	Prevalence of pre-existing risk factors for adverse events associated with atypical antipsychotics among commercially insured and medicaid insured patients newly initiating atypical antipsychotics. <i>Current Drug Safety</i> , 2014 , 9, 227-35	1.4	8
147	Schizophrenia relapse, patient considerations, and potential role of lurasidone. <i>Patient Preference and Adherence</i> , 2016 , 10, 1529-37	2.4	8
146	Efficacy of lurasidone in the treatment of agitation: A post hoc analysis of five short-term studies in acutely ill patients with schizophrenia. <i>General Hospital Psychiatry</i> , 2017 , 47, 75-82	5.6	7
145	Examining the safety, efficacy, and patient acceptability of inhaled loxapine for the acute treatment of agitation associated with schizophrenia or bipolar I disorder in adults. Neuropsychiatric Disease and Treatment, 2019, 15, 2273-2283	3.1	7
144	Evaluating the efficacy of vilazodone in achieving remission in patients with major depressive disorder: post-hoc analyses of a phase IV trial. <i>International Clinical Psychopharmacology</i> , 2015 , 30, 75-8	1 ^{2.2}	7
143	Appraising esketamine nasal spray for the management of treatment-resistant depression in adults: Number needed to treat, number needed to harm, and likelihood to be helped or harmed. <i>Journal of Affective Disorders</i> , 2020 , 271, 228-238	6.6	7
142	Effects of asenapine on agitation and hostility in adults with acute manic or mixed episodes associated with bipolar I disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2017 , 13, 2955-2963	3.1	7
141	Psychiatrists' judgments about antipsychotic benefit and risk outcomes and formulation in schizophrenia treatment. <i>Psychiatric Services</i> , 2014 , 65, 1133-9	3.3	7
140	Oral antipsychotic update: a brief review of new and investigational agents for the treatment of schizophrenia. <i>CNS Spectrums</i> , 2012 , 17 Suppl 1, 1-9	1.8	7

139	Teaching the philosophy and tools of evidence-based medicine: misunderstandings and solutions. <i>International Journal of Clinical Practice</i> , 2009 , 63, 353-9	2.9	7
138	The Tyranny of the P-value: Effect Size Matters. <i>Journal of Microbiology and Biotechnology</i> , 2011 , 21, 91-92	3.3	7
137	Interpreting and applying the EUFEST results using number needed to treat: antipsychotic effectiveness in first-episode schizophrenia. <i>International Journal of Clinical Practice</i> , 2008 , 62, 837-40	2.9	7
136	Ziprasidone versus haloperidol for the treatment of agitation. <i>Annals of Emergency Medicine</i> , 2004 , 44, S22	2.1	7
135	Length of stay and recidivism on a psychiatric intensive care unit. <i>Psychiatric Services</i> , 1994 , 45, 74-6	3.3	7
134	Pharmacokinetic Profile of the Asenapine Transdermal System (HP-3070). <i>Journal of Clinical Psychopharmacology</i> , 2021 , 41, 286-294	1.7	7
133	Effect of Brexpiprazole on Agitation and Hostility in Patients With Schizophrenia: Post Hoc Analysis of Short- and Long-Term Studies. <i>Journal of Clinical Psychopharmacology</i> , 2019 , 39, 597-603	1.7	7
132	Intravenous brexanolone for postpartum depression: what it is, how well does it work, and will it be used?. <i>Therapeutic Advances in Psychopharmacology</i> , 2020 , 10, 2045125320968658	4.9	6
131	Antidepressants and the relief of osteoarthritic pain - findings from a study examining adjunctive duloxetine. <i>International Journal of Clinical Practice</i> , 2012 , 66, 431-3	2.9	6
130	Switching to iloperidone: An omnibus of clinically relevant observations from a 12-week, open-label, randomized clinical trial in 500 persons with schizophrenia. <i>Clinical Schizophrenia and Related Psychoses</i> , 2015 , 8, 183-95	1.6	6
129	Management of depression. <i>Postgraduate Medicine</i> , 1994 , 95, 137-145	3.7	6
128	Olanzapine Plus Samidorphan (ALKS 3831) in Schizophrenia and Comorbid Alcohol Use Disorder: A Phase 2, Randomized Clinical Trial. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	6
127	Relationships between clinical scales and binge eating days in adults with moderate to severe binge eating disorder in two Phase III studies. <i>Neuropsychiatric Disease and Treatment</i> , 2018 , 14, 537-546	3.1	5
126	High dose quetiapine in the treatment of psychosis due to traumatic brain injury: a case report. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 280-1	5.5	5
125	Citability of original research and reviews in journals and their sponsored supplements. <i>PLoS ONE</i> , 2010 , 5, e9876	3.7	5
124	Practice protocols, parameters, pathways, and guidelines: a review. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 1998 , 25, 257-69	3.1	5
123	Atypical antipsychotics, elderly patients, and mortality risk. Southern Medical Journal, 2007, 100, 964-5	0.6	5
122	Efficacy of clozapine, olanzapine, risperidone, and haloperidol in schizophrenia and schizoaffective disorder assessed with nurses observation scale for inpatient evaluation. <i>Schizophrenia Research</i> , 2005 , 76, 127-9	3.6	5

121	Are we treating schizophrenia effectively? Understanding the primary outcomes of the CATIE study. <i>CNS Spectrums</i> , 2006 , 11, 1-13; quiz 14	1.8	5
120	Focus on the clinical ramifications of antipsychotic choice for the risk for developing type 2 diabetes mellitus. <i>International Journal of Neuropsychopharmacology</i> , 2005 , 8, 147-51	5.8	5
119	FC09.05 Clozapine, olanzapine, risperidone, and haloperidol in refractory schizophrenia. <i>European Psychiatry</i> , 2000 , 15, 284s-284s	6	5
118	Beyond PubMed: Searching the "Grey Literature" for Clinical Trial Results. <i>Innovations in Clinical Neuroscience</i> , 2014 , 11, 42-6	1	5
117	Revisiting Tardive Dyskinesia: Focusing on the Basics of Identification and Treatment. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	5
116	Preventing Violence in Patients with Schizophrenia. <i>Current Treatment Options in Psychiatry</i> , 2015 , 2, 182-191	3.1	4
115	"Stat" medication administration predicts hospital discharge. <i>Psychiatric Quarterly</i> , 2009 , 80, 65-73	4.1	4
114	Public-academic partnerships: integrating state psychiatric hospital treatment and clinical research. <i>Psychiatric Services</i> , 2008 , 59, 958-60	3.3	4
113	Did CATIE influence antipsychotic use?. <i>Psychiatric Services</i> , 2008 , 59, 476	3.3	4
112	Testing for diabetes. <i>British Journal of Psychiatry</i> , 2005 , 186, 78	5.4	4
112	Testing for diabetes. <i>British Journal of Psychiatry</i> , 2005 , 186, 78 Violence in Schizophrenia. <i>Journal of Psychiatric Practice</i> , 1999 , 5, 326-335	5.4	4
			<u> </u>
111	Violence in Schizophrenia. <i>Journal of Psychiatric Practice</i> , 1999 , 5, 326-335 A Modified Delphi Consensus Study of the Screening, Diagnosis, and Treatment of Tardive	1.3	<u> </u>
111	Violence in Schizophrenia. <i>Journal of Psychiatric Practice</i> , 1999 , 5, 326-335 A Modified Delphi Consensus Study of the Screening, Diagnosis, and Treatment of Tardive Dyskinesia. <i>Journal of Clinical Psychiatry</i> , 2020 , 81, Efficacy and Safety of HP-3070, an Asenapine Transdermal System, in Patients With Schizophrenia:	1.3 4.6	4
111 110 109	Violence in Schizophrenia. <i>Journal of Psychiatric Practice</i> , 1999 , 5, 326-335 A Modified Delphi Consensus Study of the Screening, Diagnosis, and Treatment of Tardive Dyskinesia. <i>Journal of Clinical Psychiatry</i> , 2020 , 81, Efficacy and Safety of HP-3070, an Asenapine Transdermal System, in Patients With Schizophrenia: A Phase 3, Randomized, Placebo-Controlled Study. <i>Journal of Clinical Psychiatry</i> , 2020 , 82, Advances in the Treatment of Chronic Insomnia: A Narrative Review of New Nonpharmacologic and	1.3 4.6 4.6	4 4
111 110 109 108	Violence in Schizophrenia. <i>Journal of Psychiatric Practice</i> , 1999 , 5, 326-335 A Modified Delphi Consensus Study of the Screening, Diagnosis, and Treatment of Tardive Dyskinesia. <i>Journal of Clinical Psychiatry</i> , 2020 , 81, Efficacy and Safety of HP-3070, an Asenapine Transdermal System, in Patients With Schizophrenia: A Phase 3, Randomized, Placebo-Controlled Study. <i>Journal of Clinical Psychiatry</i> , 2020 , 82, Advances in the Treatment of Chronic Insomnia: A Narrative Review of New Nonpharmacologic and Pharmacologic Therapies. <i>Neuropsychiatric Disease and Treatment</i> , 2021 , 17, 2549-2566 The effectiveness criterion: balancing efficacy against the risks of weight gain. <i>Journal of Clinical</i>	1.3 4.6 4.6 3.1	4 4
111 110 109 108	Violence in Schizophrenia. <i>Journal of Psychiatric Practice</i> , 1999 , 5, 326-335 A Modified Delphi Consensus Study of the Screening, Diagnosis, and Treatment of Tardive Dyskinesia. <i>Journal of Clinical Psychiatry</i> , 2020 , 81, Efficacy and Safety of HP-3070, an Asenapine Transdermal System, in Patients With Schizophrenia: A Phase 3, Randomized, Placebo-Controlled Study. <i>Journal of Clinical Psychiatry</i> , 2020 , 82, Advances in the Treatment of Chronic Insomnia: A Narrative Review of New Nonpharmacologic and Pharmacologic Therapies. <i>Neuropsychiatric Disease and Treatment</i> , 2021 , 17, 2549-2566 The effectiveness criterion: balancing efficacy against the risks of weight gain. <i>Journal of Clinical Psychiatry</i> , 2007 , 68 Suppl 12, 12-7 The treatment of acute agitation associated with schizophrenia or bipolar disorder: investigational drugs in early stages of their clinical development, and their clinical context and potential place in	1.3 4.6 4.6 3.1 4.6	4 4 4

103	Review: Limited evidence on effects of haloperidol alone for rapid tranquillisation in psychosis-induced aggression. <i>Evidence-Based Mental Health</i> , 2013 , 16, 47	11.1	3
102	Does it work, will it work, and is it worth it? A call for papers (and reviewers) regarding effective treatments for psychiatric disorders. <i>International Journal of Clinical Practice</i> , 2011 , 65, 232-233	2.9	3
101	Datapoints: depot antipsychotic use in New York State hospitals, 1994 to 2009. <i>Psychiatric Services</i> , 2010 , 61, 9	3.3	3
100	The Treatment of Acute Agitation in Schizophrenia. CNS Spectrums, 2007, 12, 1-16	1.8	3
99	Re: treatment noncompliance with orally disintegrating olanzapine tablets. <i>Canadian Journal of Psychiatry</i> , 2004 , 49, 412-3; author reply 413	4.8	3
98	Overt Aggression and Psychotic Symptoms in Patients With Schizophrenia Treated With Clozapine, Olanzapine, Risperidone, or Haloperidol. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 1-4	1.7	3
97	Commentary: bipolar disorder is a potentially fatal disease. <i>Postgraduate Medicine</i> , 2005 , 117, 9-11	3.7	3
96	Clinical and administrative consequences of a reduced census on a psychiatric intensive care unit. <i>Psychiatric Quarterly</i> , 1995 , 66, 209-17	4.1	3
95	Impact factor? Shmimpact factor!: the journal impact factor, modern day literature searching, and the publication process. <i>Psychiatry</i> , 2007 , 4, 54-7		3
94	Olanzapine Plus Samidorphan in Subjects with Schizophrenia and Comorbid Alcohol Use Disorder: Rationale and Design for a Phase II, Double-blind, Randomized Study. <i>Innovations in Clinical Neuroscience</i> , 2019 , 16, 15-21	1	3
93	A Guide to the Management of Clozapine-Related Tolerability and Safety Concerns. <i>Clinical Schizophrenia and Related Psychoses</i> , 2016 ,	1.6	3
92	The psychopharmacology of violence with emphasis on schizophrenia, part 1: acute treatment. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 163-4	4.6	3
91	Does antipsychotic combination therapy reduce the risk of hospitalization in schizophrenia?. <i>Expert Opinion on Pharmacotherapy</i> , 2021 , 22, 635-646	4	3
90	Long-acting injectable antipsychotics: what, when, and how - CORRIGENDUM. CNS Spectrums, 2021, 1	1.8	3
89	Asenapine: an atypical antipsychotic with atypical formulations. <i>Therapeutic Advances in Psychopharmacology</i> , 2021 , 11, 20451253211035269	4.9	3
88	Specific Anti-hostility Effects of Atypical Antipsychotics in Persons with Schizophrenia: From Clozapine to Cariprazine. <i>Harvard Review of Psychiatry</i> , 2021 , 29, 20-34	4.1	3
87	Effect of Sublingual Dexmedetomidine vs Placebo on Acute Agitation Associated With Bipolar Disorder: A Randomized Clinical Trial <i>JAMA - Journal of the American Medical Association</i> , 2022 , 327, 727-736	27.4	3
86	Reprint of: Clinical management of tardive dyskinesia: Five steps to success. <i>Journal of the Neurological Sciences</i> , 2018 , 389, 61-66	3.2	2

(2013-2013)

85	P.2.b.018 Post hoc analyses of levomilnacipran SR 40, 80, and 120 mg on functional outcomes in major depressive disorder. <i>European Neuropsychopharmacology</i> , 2013 , 23, S329	1.2	2
84	Review: 15 antipsychotic drugs are more effective than placebo for the treatment of schizophrenia, but vary in their tolerability. <i>Evidence-Based Mental Health</i> , 2014 , 17, 9	11.1	2
83	Egg consumption and risk of type 2 diabetes in men and women: response to Djousslet al. <i>Diabetes Care</i> , 2009 , 32, e73; author reply e74	14.6	2
82	Teaching the philosophy and tools of evidence-based medicine: misunderstandings and solutions. <i>Journal of Evidence-Based Medicine</i> , 2009 , 2, 220-5	6.1	2
81	The role of adherence to medication in the effectiveness of long-term treatment of schizophrenia. <i>European Psychiatry</i> , 2007 , 22, S54-S55	6	2
80	Agitation in schizophrenia: origins and evidence-based treatment. <i>Current Opinion in Psychiatry</i> , 2021 , 34, 216-221	4.9	2
79	Interpreting and Applying the CATIE Results: With CATIE, context is key, when sorting out Phases 1, 1A, 1B, 2E, and 2T. <i>Psychiatry</i> , 2007 , 4, 23-9		2
78	A review of new atypical antipsychotic launches in the United States. <i>Psychiatry</i> , 2010 , 7, 13-5		2
77	New Treatment Targets to Improve Symptoms in Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e22	4.6	2
76	The psychopharmacology of violence with emphasis on schizophrenia, part 2: long-term treatment. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 331-2	4.6	2
75	Assessment of the Impact of Tardive Dyskinesia in Clinical Practice: Consensus Panel Recommendations. <i>Neuropsychiatric Disease and Treatment</i> , 2021 , 17, 1589-1597	3.1	2
74	Cariprazine and akathisia, restlessness, and extrapyramidal symptoms in patients with bipolar depression. <i>Journal of Affective Disorders</i> , 2021 , 288, 191-198	6.6	2
73	Psychiatric Disorders and Diabetes 2016 , 840-858		2
72	NNT and NNH remain helpful in evidence-based medicine. <i>British Journal of Psychiatry</i> , 2016 , 209, 262-3	5.4	2
71	Disclosures and Conflicts of Interest: Solving the Riddle, Wrapped in a Mystery, Inside an Enigma. <i>Clinical Therapeutics</i> , 2019 , 41, 2643-2655	3.5	1
70	146 Efficacy and Safety of the Asenapine Transdermal Patch, HP-3070, for Schizophrenia: A Phase 3, Randomized, Placebo-Controlled, Inpatient Study. <i>CNS Spectrums</i> , 2020 , 25, 293-293	1.8	1
69	169 Dasotraline for Treatment of Adults with Binge-Eating Disorder: Effect on Binge-related Obsessions and Compulsions. <i>CNS Spectrums</i> , 2020 , 25, 307-308	1.8	1
68	Number needed to treat can be helpful: a response to Alphs et al. <i>European</i> Neuropsychopharmacology, 2013 , 23, 1656-7	1.2	1

67	Pharmacologic Treatment of Agitation200-218		1
66	Handbook of Treatment-resistant Schizophrenia 2013,		1
65	Number needed to harm can be clinically useful: a response to Safer and Zito. <i>Journal of Nervous and Mental Disease</i> , 2013 , 201, 1001-2	1.8	1
64	Systematic reviews: much ado about a lot. International Journal of Clinical Practice, 2009, 63, 832-3	2.9	1
63	Personal computers in risk management and incident reporting. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 1995 , 22, 511-519	3.1	1
62	Management of depression. Current options for this highly treatable disorder. <i>Postgraduate Medicine</i> , 1994 , 95, 137-42, 45	3.7	1
61	Polypharmacy of schizophrenia. <i>Psychiatry</i> , 2010 , 7, 17-9		1
60	The Sunshine Act and Transfers of Value: Impact on Non-industry Authorship. <i>Innovations in Clinical Neuroscience</i> , 2014 , 11, 14-6	1	1
59	Antiepileptics in the Treatment of Schizophrenia. <i>Medical Psychiatry</i> , 2008 , 187-206		1
58	Optimizing dosing in atypical neuroleptic monotherapy. <i>Dialogues in Clinical Neuroscience</i> , 2002 , 4, 438-	43 7	1
57	All antipsychotics are equal, but some are more equal than others. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 429-30	4.6	1
56	Dr Correll and Colleagues Reply. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e1062	4.6	1
55	Inaccurate Prescribing Warnings in Electronic Medical Record Systems: Results From an American Society of Clinical Psychopharmacology Membership Survey. <i>Journal of Clinical Psychiatry</i> , 2018 , 80,	4.6	1
54	Tardive Dyskinesia in Older Persons Taking Antipsychotics. <i>Neuropsychiatric Disease and Treatment</i> , 2021 , 17, 3127-3134	3.1	1
53	Pharmacological Interventions for Preventing Violence Among the Mentally Ill with Co-Occurring Personality Disorders 2000 , 193-209		1
52	Lemborexant for the Treatment of Insomnia: Direct and Indirect Comparisons With Other Hypnotics Using Number Needed to Treat, Number Needed to Harm, and Likelihood to Be Helped or Harmed. <i>Journal of Clinical Psychiatry</i> , 2021 , 82,	4.6	1
51	Which role for brexpiprazole, a new dopamine D2 partial agonist, in the treatment of schizophrenia?. <i>Evidence-Based Mental Health</i> , 2016 , 19, e6	11.1	1
50	Real-World Medication Treatment Patterns for Long-Term Care Residents with Dementia-Related Psychosis. <i>Gerontology and Geriatric Medicine</i> , 2021 , 7, 23337214211016565	2.3	1

49	Prevalence of Pre-existing Conditions Relevant for Adverse Events and Potential Drug-Drug Interactions Associated with Augmentation Therapies Among Patients with Treatment-Resistant Depression. <i>Advances in Therapy</i> , 2021 , 38, 4900-4916	4.1	1
48	Excess healthcare resource utilization and healthcare costs among privately and publicly insured patients with major depressive disorder and acute suicidal ideation or behavior in the United States. <i>Journal of Affective Disorders</i> , 2022 , 311, 303-310	6.6	1
47	168 Effect of Dasotraline on Body Weight in Patients with Binge-Eating Disorder. <i>CNS Spectrums</i> , 2020 , 25, 307-307	1.8	0
46	Pharmacotherapy for bipolar depression: comparative efficacy and acceptability is in the eye of the beholder. <i>Evidence-Based Mental Health</i> , 2015 , 18, 88	11.1	О
45	Perceived Burdens and Educational Needs of Caregivers of People with Schizophrenia: Results of a National Survey Study <i>Patient Preference and Adherence</i> , 2022 , 16, 159-168	2.4	О
44	Management of Schizophrenia with Long-Acting Injectable Antipsychotic Medications: An Assessment of the Educational Needs of Clinicians <i>Neuropsychiatric Disease and Treatment</i> , 2022 , 18, 111-123	3.1	O
43	A Combination of Olanzapine and Samidorphan in Adults with Schizophrenia and Bipolar I Disorder: Overview of Clinical Data. <i>CNS Spectrums</i> , 2021 , 26, 170	1.8	0
42	Benefit-Risk Assessment of Galcanezumab Versus Placebo for the Treatment of Episodic and Chronic Migraine Using the Metrics of Number Needed to Treat and Number Needed to Harm. <i>Advances in Therapy</i> , 2021 , 38, 4442-4460	4.1	O
41	Binge Eating Disorder: A Psychiatrist's Commentary on Clinical Considerations. <i>Clinical Therapeutics</i> , 2021 , 43, 7-16	3.5	0
40	An Evidence-Based Review of OLZ/SAM for Treatment of Adults with Schizophrenia or Bipolar I Disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2021 , 17, 2885-2904	3.1	О
39	41 A Modified Delphi Consensus Approach to Clinical Guidelines for Tardive Dyskinesia. <i>CNS Spectrums</i> , 2019 , 24, 197-198	1.8	
38	P.3.d.073 Cariprazine and the reduction of hostility associated with schizophrenia. <i>European Neuropsychopharmacology</i> , 2015 , 25, S523	1.2	
37	145 Incidence and Characteristics of Akathisia and Restlessness During Cariprazine Treatment for Bipolar I Disorder. <i>CNS Spectrums</i> , 2020 , 25, 292-292	1.8	
36	144 Esketamine Nasal Spray for Management of Treatment-Resistant Depression: Number Needed to Treat, Number Needed to Harm, Likelihood to be Helped/Harmed. <i>CNS Spectrums</i> , 2020 , 25, 291-292	1.8	
35	Psychopharmacology of Violence645-653		
34	Vesicular monoamine transporter type 2 inhibition can lead to effective and tolerable management of tardive dyskinesia. <i>Evidence-Based Mental Health</i> , 2018 , 21, e12	11.1	
33	P.3.d.007 Efficacy of cariprazine on PANSS items and Marder factors: post hoc analysis of a double-blind, placebo-controlled trial in schizophrenia. <i>European Neuropsychopharmacology</i> , 2013 , 23, S461-S462	1.2	
32	Psychopharmacological Approaches to Aggression and Violence in Adults with Severe Mental Illness: What Works? What Works Best? 2017 , 1-15		

31	Antidepressant therapy for pain associated with osteoarthritis. <i>PM and R</i> , 2012 , 4, 1024-5	2.2
30	Impact of the CATIE trial on antipsychotic prescribing. Schizophrenia Research, 2012, 138, 295	3.6
29	Dissemination of clinical trial information: multiple audiences, multiple formats169-176	
28	Posters can be a sticking point: Letter in response to comments by Akhras et´al <i>International Journal of Clinical Practice</i> , 2009 , 63, 963-963	2.9
27	Introduction and Overview of the Real World Management of Schizophrenia in the Comorbid Patient. <i>CNS Spectrums</i> , 2010 , 15, 3-5	1.8
26	Layoffs, reductions-in-force, downsizing, rightsizing: the case of a state psychiatric hospital. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 1997 , 24, 523-33	3.1
25	Valproate: do formulations matter?. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2008 , 33, 457; author reply 458	2.2
24	Maintenance treatment with olanzapine reduces relapse in people with bipolar I disorder who have responded to acute olanzapine treatment. <i>Evidence-Based Mental Health</i> , 2006 , 9, 73	11.1
23	Flexible oral olanzapine dosing in acutely agitated people is immediately effective in reducing symptoms. <i>Evidence-Based Mental Health</i> , 2004 , 7, 12	11.1
22	Antihostility Effects of Adjunctive Divalproex. <i>Psychiatric Services</i> , 2004 , 55, 1068-a-1069	3-3
21	Trends in combination antipsychotic use among persons with commercial insurance: a data snapshot. <i>Innovations in Clinical Neuroscience</i> , 2012 , 9, 17-8	1
20	Health care resource use, short-term disability days, and costs associated with states of persistence on antidepressant lines of therapy. <i>Journal of Medical Economics</i> , 2021 , 24, 1299-1308	2.4
19	433 - Burden of Disease Associated with Dementia-related Psychosis and Dementia-related Agitation & Aggression Using a National Long-term Care US Database. <i>International Psychogeriatrics</i> , 2020 , 32, 149-150	3.4
18	Psychopharmacology of Violent Behavior Among People with Severe Mental Disorders. <i>Comprehensive Approach To Psychiatry</i> , 2020 , 253-268	0.7
17	Sensitive and Personalized Determinations of Likelihood of Being Helped or Harmed. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e554	4.6
16	How to efficiently maintain your own electronic resource library. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 207-8	4.6
15	Psychiatric Illness, Psychotropic Medication, and Childhood Obesity 2011 , 265-277	
14	A General Treatment Approach 2013 , 14-19	

13 Psychopharmacological Approaches **2013**, 37-56

12	Somatic Treatments 2013 , 57-60	
11	Adherence: The Great Masquerader of Treatment-Resistance 2013 , 20-28	
10	Dosing of Antipsychotics: What Evidence Do We Use? 2013 , 29-33	
9	Psicofarmacologia e terapia elettroconvulsivante 2014 , 271-289	
8	Using Item 8 of the Abnormal Involuntary Movement Scale (AIMS) to Assess Improvement in Patients with Tardive Dyskinesia. <i>CNS Spectrums</i> , 2021 , 26, 152	1.8
7	Assessing the Benefit-Risk Ratio of Approved Treatments for Bipolar Depression Using Likelihood to be Helped or Harmed (LHH) Analyses. <i>CNS Spectrums</i> , 2021 , 26, 146	1.8
6	Categorical improvements in disease severity in patients with major depressive disorder treated with vilazodone: post hoc analysis of four randomized, placebo-controlled trials. <i>Neuropsychiatric Disease and Treatment</i> , 2016 , 12, 3073-3081	3.1
5	C.10.04 Exploring treatment decision-making for patients with schizophrenia. <i>European Neuropsychopharmacology</i> , 2019 , 29, S596-S597	1.2
4	Psychiatric commentary addressing the article titled "Guidance for switching from off-label antipsychotics to pimavanserin for Parkinson's disease psychosis: an expert consensus". <i>CNS Spectrums</i> , 2018 , 23, 355-357	1.8
3	152 Pimavanserin for the Treatment of Parkinson Disease Psychosis: Number Needed to Treat, Number Needed to Harm, and Likelihood to Be Helped or Harmed. <i>CNS Spectrums</i> , 2018 , 23, 94-95	1.8
2	Introduction: weighing the evidence: weight management insights for treating major mental illness. <i>Journal of Clinical Psychiatry</i> , 2007 , 68 Suppl 12, 4	4.6
1	Effect of the HP-3070 Transdermal System (Secuado) on Symptoms of Hostility in Adults with Schizophrenia CNS Spectrums, 2022, 27, 241	1.8