

Eric C Vonderheid

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5315347/eric-c-vonderheid-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59
papers

4,616
citations

31
h-index

65
g-index

65
ext. papers

5,208
ext. citations

3.3
avg, IF

4.6
L-index

#	Paper	IF	Citations
59	Revisions to the staging and classification of mycosis fungoides and Sezary syndrome: a proposal of the International Society for Cutaneous Lymphomas (ISCL) and the cutaneous lymphoma task force of the European Organization of Research and Treatment of Cancer (EORTC). <i>Blood</i> , 2007 , 110, 1713-22	2.2	1012
58	Clinical end points and response criteria in mycosis fungoides and Sezary syndrome: a consensus statement of the International Society for Cutaneous Lymphomas, the United States Cutaneous Lymphoma Consortium, and the Cutaneous Lymphoma Task Force of the European Organisation for Research and Treatment of Cancer. <i>Journal of Clinical Oncology</i> , 2011 , 29, 2598-607	2.2	407
57	Update on erythrodermic cutaneous T-cell lymphoma: report of the International Society for Cutaneous Lymphomas. <i>Journal of the American Academy of Dermatology</i> , 2002 , 46, 95-106	4.5	374
56	Defining early mycosis fungoides. <i>Journal of the American Academy of Dermatology</i> , 2005 , 53, 1053-63	4.5	356
55	Genomic landscape of cutaneous T cell lymphoma. <i>Nature Genetics</i> , 2015 , 47, 1011-9	36.3	247
54	Long-term efficacy, curative potential, and carcinogenicity of topical mechlorethamine chemotherapy in cutaneous T cell lymphoma. <i>Journal of the American Academy of Dermatology</i> , 1989 , 20, 416-28	4.5	198
53	Aberrant cytokine production by Sezary syndrome patients: cytokine secretion pattern resembles murine Th2 cells. <i>Journal of Investigative Dermatology</i> , 1992 , 99, 90-4	4.3	189
52	Increased interleukin 5 production in eosinophilic Sezary syndrome: regulation by interferon alfa and interleukin 12. <i>Journal of the American Academy of Dermatology</i> , 2001 , 44, 28-32	4.5	161
51	Classification and prediction of survival in patients with the leukemic phase of cutaneous T cell lymphoma. <i>Journal of Experimental Medicine</i> , 2003 , 197, 1477-88	16.6	156
50	Risk of second malignancy after cutaneous T-cell lymphoma. <i>Cancer</i> , 1989 , 63, 1612-5	6.4	104
49	The dominant T cell clone is present in multiple regressing skin lesions and associated T cell lymphomas of patients with lymphomatoid papulosis. <i>Journal of Investigative Dermatology</i> , 1996 , 106, 696-700	4.3	91
48	Radiotherapy for unilesional mycosis fungoides. <i>International Journal of Radiation Oncology Biology Physics</i> , 1998 , 42, 361-4	4	77
47	Infrequent Fas mutations but no Bax or p53 mutations in early mycosis fungoides: a possible mechanism for the accumulation of malignant T lymphocytes in the skin. <i>Journal of Investigative Dermatology</i> , 2002 , 118, 949-56	4.3	77
46	Evaluation of the long-term tolerability and clinical benefit of vorinostat in patients with advanced cutaneous T-cell lymphoma. <i>Clinical Lymphoma and Myeloma</i> , 2009 , 9, 412-6		74
45	Clonal characteristics of cutaneous T cell lymphomas: cytogenetic evidence from blood, lymph nodes, and skin. <i>Journal of Investigative Dermatology</i> , 1982 , 78, 69-75	4.3	67
44	Home UV phototherapy of early mycosis fungoides: long-term follow-up observations in thirty-one patients. <i>Journal of the American Academy of Dermatology</i> , 1993 , 29, 73-7	4.5	66
43	Simplified flow cytometric assessment in mycosis fungoides and Sezary syndrome. <i>American Journal of Clinical Pathology</i> , 2011 , 136, 944-53	1.9	54

42	Mycosis fungoides, nitrogen mustard and skin cancer. <i>British Journal of Dermatology</i> , 1978 , 99, 61-3	4	54
41	The Sèary syndrome: hematologic criteria. <i>Hematology/Oncology Clinics of North America</i> , 2003 , 17, 1367-89, viii	3.1	53
40	Sèary cell counts in erythrodermic cutaneous T-cell lymphoma: implications for prognosis and staging. <i>Leukemia and Lymphoma</i> , 2006 , 47, 1841-56	1.9	52
39	CD158k/KIR3DL2 is a useful marker for identifying neoplastic T-cells in Sèary syndrome by flow cytometry. <i>Cytometry Part B - Clinical Cytometry</i> , 2008 , 74, 156-62	3.4	51
38	On the diagnosis of erythrodermic cutaneous T-cell lymphoma. <i>Journal of Cutaneous Pathology</i> , 2006 , 33 Suppl 1, 27-42	1.7	51
37	Fine-needle aspiration biopsy in the evaluation of lymphadenopathy associated with cutaneous T-cell lymphoma (mycosis fungoides/Sèary syndrome). <i>American Journal of Clinical Pathology</i> , 2000 , 113, 865-71	1.9	45
36	Extracorporeal photopheresis and recombinant interferon alfa 2b in Sezary syndrome. Use of dual marker labeling to monitor therapeutic response. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1994 , 17, 255-63	2.7	45
35	Expression of T-plastin, FoxP3 and other tumor-associated markers by leukemic T-cells of cutaneous T-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2008 , 49, 1190-201	1.9	43
34	Multicolor fluorescence in situ hybridization (SKY) in mycosis fungoides and Sèary syndrome: search for recurrent chromosome abnormalities. <i>Genes Chromosomes and Cancer</i> , 2006 , 45, 383-91	5	43
33	Lymph node classification systems in cutaneous T-cell lymphoma. Evidence for the utility of the Working Formulation of Non-Hodgkin's Lymphomas for Clinical Usage. <i>Cancer</i> , 1994 , 73, 207-18	6.4	37
32	Variable CD7 expression on T cells in the leukemic phase of cutaneous T cell lymphoma (Sèary syndrome). <i>Journal of Investigative Dermatology</i> , 2001 , 117, 654-62	4.3	36
31	Evidence for restricted Vbeta usage in the leukemic phase of cutaneous T cell lymphoma. <i>Journal of Investigative Dermatology</i> , 2005 , 124, 651-61	4.3	32
30	The potential therapeutic role of interleukin-12 in cutaneous T-cell lymphoma. <i>Annals of the New York Academy of Sciences</i> , 1996 , 795, 310-8	6.5	32
29	Prognostic significance of cytomorphology in the cutaneous T-cell lymphomas. <i>Cancer</i> , 1981 , 47, 119-25	6.4	32
28	Mycosis fungoides with CD30-positive cells in the epidermis. <i>American Journal of Dermatopathology</i> , 2000 , 22, 212-6	0.9	28
27	Lymph node histopathologic findings in cutaneous T-cell lymphoma. A prognostic classification system based on morphologic assessment. <i>American Journal of Clinical Pathology</i> , 1992 , 97, 121-9	1.9	25
26	High soluble CD30, CD25, and IL-6 may identify patients with worse survival in CD30+ cutaneous lymphomas and early mycosis fungoides. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 703-10	4.3	23
25	Chemokine receptor expression by leukemic T cells of cutaneous T-cell lymphoma: clinical and histopathological correlations. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 2882-92	4.3	23

24	Frequent low doses of intravenous mechlorethamine for late-stage mycosis fungoides lymphoma. <i>Cancer</i> , 1975 , 36, 1613-8	6.4	22
23	Predictors of response to extracorporeal photopheresis in advanced mycosis fungoides and S \bar{c} ary syndrome. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2010 , 26, 182-91	2.4	19
22	Prognostic factors and risk stratification in early mycosis fungoides. <i>Leukemia and Lymphoma</i> , 2014 , 55, 44-50	1.9	15
21	Lymphomatoid papulosis followed by pityriasis lichenoides: a common pathogenesis?. <i>American Journal of Dermatopathology</i> , 2011 , 33, 835-40	0.9	14
20	Papular mycosis fungoides: a variant of mycosis fungoides or lymphomatoid papulosis?. <i>Journal of the American Academy of Dermatology</i> , 2006 , 55, 177-80	4.5	14
19	CD4CD26 lymphocytes are useful to assess blood involvement and define B ratings in cutaneous T cell lymphoma. <i>Leukemia and Lymphoma</i> , 2018 , 59, 330-339	1.9	12
18	Commentary about papular mycosis fungoides, lymphomatoid papulosis and lymphomatoid pityriasis lichenoides: more similarities than differences. <i>Journal of Cutaneous Pathology</i> , 2016 , 43, 303-12 ¹⁷		12
17	Pityriasis lichenoides: Long-term follow-up study. <i>Pediatric Dermatology</i> , 2018 , 35, 213-219	1.9	11
16	The prognostic significance of delayed hypersensitivity to dinitrochlorobenzene and mechlorethamine hydrochloride in cutaneous T cell lymphoma. <i>Journal of Investigative Dermatology</i> , 1998 , 110, 946-50	4.3	11
15	S \bar{c} ary syndrome coexisting with B-cell chronic lymphocytic leukemia: case report and review of the literature. <i>Dermatology</i> , 2008 , 216, 68-75	4.4	11
14	Treatment planning in cutaneous T-cell lymphoma. <i>Dermatologic Therapy</i> , 2003 , 16, 276-82	2.2	10
13	Erythrodermic cutaneous T cell lymphoma with hypereosinophilic syndrome: Treatment with interferon alfa and extracorporeal photopheresis. <i>International Journal of Dermatology</i> , 2007 , 46, 1198-204 ¹⁷		9
12	Improved sensitivity of T-cell clonality detection in mycosis fungoides by hand microdissection and heteroduplex analysis. <i>Archives of Dermatology</i> , 2003 , 139, 1571-5		9
11	Natural cell-mediated cytotoxicity in cutaneous T-cell lymphomas. <i>Journal of Investigative Dermatology</i> , 1983 , 81, 176-8	4.3	8
10	Treatment of cutaneous T cell lymphoma: 2001. <i>Recent Results in Cancer Research</i> , 2002 , 160, 309-20	1.5	6
9	Prevalence of atopy and staphylococcal superantigen-specific immunoglobulin E (IgE) antibodies and total serum IgE in primary cutaneous T- and B-cell lymphoma. <i>Journal of Dermatology</i> , 2019 , 46, 1170-1178 ⁴	1.6	
8	Evidence linking atopy and staphylococcal superantigens to the pathogenesis of lymphomatoid papulosis, a recurrent CD30+ cutaneous lymphoproliferative disorder. <i>PLoS ONE</i> , 2020 , 15, e0228751	3.7	4
7	Mycosis fungoides of the larynx. <i>Otolaryngology - Head and Neck Surgery</i> , 1992 , 107, 120-3	5.5	4

6	Prognostic Significance of Serum Copper in Patients With Cutaneous T-cell Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019 , 19, 228-238.e4	2	2
5	A histo-immunopathologic and prognostic study of erythrodermic cutaneous T-cell lymphoma. <i>Journal of Cutaneous Pathology</i> , 2019 , 46, 913-924	1.7	1
4	FoxP3-Positive T-Regulatory Cells in Lymph Nodes with Mycosis Fungoides and Sclary Syndrome. <i>Lymphoma</i> , 2014 , 2014, 1-9		1
3	Mycosis Fungoides and Its Relationship to Atopy, Serum Total IgE, and Eosinophil Counts. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021 , 21, 279-288.e7	2	1
2	High-Scatter Lymphocytes in the Blood of Erythrodermic Cutaneous T-Cell Lymphoma: Evidence for Large-Cell Transformation?. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020 , 20, 624-631.e2	2	0
1	Comment on B ratings for erythrodermic cutaneous T-cell lymphoma. <i>European Journal of Cancer</i> , 2018 , 101, 281-283	7.5	