

Eric C Vonderheid

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5315347/eric-c-vonderheid-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59
papers

4,616
citations

31
h-index

65
g-index

65
ext. papers

5,208
ext. citations

3.3
avg, IF

4.6
L-index

#	Paper	IF	Citations
59	Mycosis Fungoides and Its Relationship to Atopy, Serum Total IgE, and Eosinophil Counts. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021 , 21, 279-288.e7	2	1
58	High-Scatter Lymphocytes in the Blood of Erythrodermic Cutaneous T-Cell Lymphoma: Evidence for Large-Cell Transformation?. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020 , 20, 624-631.e2	2	0
57	Evidence linking atopy and staphylococcal superantigens to the pathogenesis of lymphomatoid papulosis, a recurrent CD30+ cutaneous lymphoproliferative disorder. <i>PLoS ONE</i> , 2020 , 15, e0228751	3.7	4
56	Prevalence of atopy and staphylococcal superantigen-specific immunoglobulin E (IgE) antibodies and total serum IgE in primary cutaneous T- and B-cell lymphoma. <i>Journal of Dermatology</i> , 2019 , 46, 1170-1178 ⁴	1.6	1178 ⁴
55	Prognostic Significance of Serum Copper in Patients With Cutaneous T-cell Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019 , 19, 228-238.e4	2	2
54	A histo-immunopathologic and prognostic study of erythrodermic cutaneous T-cell lymphoma. <i>Journal of Cutaneous Pathology</i> , 2019 , 46, 913-924	1.7	1
53	Pityriasis lichenoides: Long-term follow-up study. <i>Pediatric Dermatology</i> , 2018 , 35, 213-219	1.9	11
52	CD4CD26 lymphocytes are useful to assess blood involvement and define B ratings in cutaneous T cell lymphoma. <i>Leukemia and Lymphoma</i> , 2018 , 59, 330-339	1.9	12
51	Comment on B ratings for erythrodermic cutaneous T-cell lymphoma. <i>European Journal of Cancer</i> , 2018 , 101, 281-283	7.5	
50	Commentary about papular mycosis fungoides, lymphomatoid papulosis and lymphomatoid pityriasis lichenoides: more similarities than differences. <i>Journal of Cutaneous Pathology</i> , 2016 , 43, 303-12 ⁷	1.7	12
49	Genomic landscape of cutaneous T cell lymphoma. <i>Nature Genetics</i> , 2015 , 47, 1011-9	36.3	247
48	FoxP3-Positive T-Regulatory Cells in Lymph Nodes with Mycosis Fungoides and S _z ary Syndrome. <i>Lymphoma</i> , 2014 , 2014, 1-9		1
47	Prognostic factors and risk stratification in early mycosis fungoides. <i>Leukemia and Lymphoma</i> , 2014 , 55, 44-50	1.9	15
46	High soluble CD30, CD25, and IL-6 may identify patients with worse survival in CD30+ cutaneous lymphomas and early mycosis fungoides. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 703-10	4.3	23
45	Lymphomatoid papulosis followed by pityriasis lichenoides: a common pathogenesis?. <i>American Journal of Dermatopathology</i> , 2011 , 33, 835-40	0.9	14
44	Simplified flow cytometric assessment in mycosis fungoides and S _z ary syndrome. <i>American Journal of Clinical Pathology</i> , 2011 , 136, 944-53	1.9	54
43	Clinical end points and response criteria in mycosis fungoides and S _z ary syndrome: a consensus statement of the International Society for Cutaneous Lymphomas, the United States Cutaneous Lymphoma Consortium, and the Cutaneous Lymphoma Task Force of the European Organisation for Research and Treatment of Cancer. <i>Journal of Clinical Oncology</i> , 2011 , 29, 2598-607	2.2	407

42	Predictors of response to extracorporeal photopheresis in advanced mycosis fungoides and S�ary syndrome. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2010 , 26, 182-91	2.4	19
41	Evaluation of the long-term tolerability and clinical benefit of vorinostat in patients with advanced cutaneous T-cell lymphoma. <i>Clinical Lymphoma and Myeloma</i> , 2009 , 9, 412-6		74
40	Expression of T-plastin, FoxP3 and other tumor-associated markers by leukemic T-cells of cutaneous T-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2008 , 49, 1190-201	1.9	43
39	S�ary syndrome coexisting with B-cell chronic lymphocytic leukemia: case report and review of the literature. <i>Dermatology</i> , 2008 , 216, 68-75	4.4	11
38	CD158k/KIR3DL2 is a useful marker for identifying neoplastic T-cells in S�ary syndrome by flow cytometry. <i>Cytometry Part B - Clinical Cytometry</i> , 2008 , 74, 156-62	3.4	51
37	Chemokine receptor expression by leukemic T cells of cutaneous T-cell lymphoma: clinical and histopathological correlations. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 2882-92	4.3	23
36	Erythrodermic cutaneous T cell lymphoma with hypereosinophilic syndrome: Treatment with interferon alfa and extracorporeal photopheresis. <i>International Journal of Dermatology</i> , 2007 , 46, 1198-204	1.7	9
35	Revisions to the staging and classification of mycosis fungoides and Sezary syndrome: a proposal of the International Society for Cutaneous Lymphomas (ISCL) and the cutaneous lymphoma task force of the European Organization of Research and Treatment of Cancer (EORTC). <i>Blood</i> , 2007 , 110, 1713-22	2.2	1012
34	Multicolor fluorescence in situ hybridization (SKY) in mycosis fungoides and S�ary syndrome: search for recurrent chromosome abnormalities. <i>Genes Chromosomes and Cancer</i> , 2006 , 45, 383-91	5	43
33	S�ary cell counts in erythrodermic cutaneous T-cell lymphoma: implications for prognosis and staging. <i>Leukemia and Lymphoma</i> , 2006 , 47, 1841-56	1.9	52
32	Papular mycosis fungoides: a variant of mycosis fungoides or lymphomatoid papulosis?. <i>Journal of the American Academy of Dermatology</i> , 2006 , 55, 177-80	4.5	14
31	On the diagnosis of erythrodermic cutaneous T-cell lymphoma. <i>Journal of Cutaneous Pathology</i> , 2006 , 33 Suppl 1, 27-42	1.7	51
30	Defining early mycosis fungoides. <i>Journal of the American Academy of Dermatology</i> , 2005 , 53, 1053-63	4.5	356
29	Evidence for restricted Vbeta usage in the leukemic phase of cutaneous T cell lymphoma. <i>Journal of Investigative Dermatology</i> , 2005 , 124, 651-61	4.3	32
28	Classification and prediction of survival in patients with the leukemic phase of cutaneous T cell lymphoma. <i>Journal of Experimental Medicine</i> , 2003 , 197, 1477-88	16.6	156
27	Improved sensitivity of T-cell clonality detection in mycosis fungoides by hand microdissection and heteroduplex analysis. <i>Archives of Dermatology</i> , 2003 , 139, 1571-5		9
26	Treatment planning in cutaneous T-cell lymphoma. <i>Dermatologic Therapy</i> , 2003 , 16, 276-82	2.2	10
25	The S�ary syndrome: hematologic criteria. <i>Hematology/Oncology Clinics of North America</i> , 2003 , 17, 1367-89, viii	3.1	53

24	Infrequent Fas mutations but no Bax or p53 mutations in early mycosis fungoides: a possible mechanism for the accumulation of malignant T lymphocytes in the skin. <i>Journal of Investigative Dermatology</i> , 2002 , 118, 949-56	4.3	77
23	Update on erythrodermic cutaneous T-cell lymphoma: report of the International Society for Cutaneous Lymphomas. <i>Journal of the American Academy of Dermatology</i> , 2002 , 46, 95-106	4.5	374
22	Treatment of cutaneous T cell lymphoma: 2001. <i>Recent Results in Cancer Research</i> , 2002 , 160, 309-20	1.5	6
21	Variable CD7 expression on T cells in the leukemic phase of cutaneous T cell lymphoma (Sézary syndrome). <i>Journal of Investigative Dermatology</i> , 2001 , 117, 654-62	4.3	36
20	Increased interleukin 5 production in eosinophilic Sézary syndrome: regulation by interferon alfa and interleukin 12. <i>Journal of the American Academy of Dermatology</i> , 2001 , 44, 28-32	4.5	161
19	Fine-needle aspiration biopsy in the evaluation of lymphadenopathy associated with cutaneous T-cell lymphoma (mycosis fungoides/Sézary syndrome). <i>American Journal of Clinical Pathology</i> , 2000 , 113, 865-71	1.9	45
18	Mycosis fungoides with CD30-positive cells in the epidermis. <i>American Journal of Dermatopathology</i> , 2000 , 22, 212-6	0.9	28
17	The prognostic significance of delayed hypersensitivity to dinitrochlorobenzene and mechlorethamine hydrochloride in cutaneous T cell lymphoma. <i>Journal of Investigative Dermatology</i> , 1998 , 110, 946-50	4.3	11
16	Radiotherapy for unilesional mycosis fungoides. <i>International Journal of Radiation Oncology Biology Physics</i> , 1998 , 42, 361-4	4	77
15	The potential therapeutic role of interleukin-12 in cutaneous T-cell lymphoma. <i>Annals of the New York Academy of Sciences</i> , 1996 , 795, 310-8	6.5	32
14	The dominant T cell clone is present in multiple regressing skin lesions and associated T cell lymphomas of patients with lymphomatoid papulosis. <i>Journal of Investigative Dermatology</i> , 1996 , 106, 696-700	4.3	91
13	Lymph node classification systems in cutaneous T-cell lymphoma. Evidence for the utility of the Working Formulation of Non-Hodgkin's Lymphomas for Clinical Usage. <i>Cancer</i> , 1994 , 73, 207-18	6.4	37
12	Extracorporeal photopheresis and recombinant interferon alfa 2b in Sezary syndrome. Use of dual marker labeling to monitor therapeutic response. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1994 , 17, 255-63	2.7	45
11	Home UV phototherapy of early mycosis fungoides: long-term follow-up observations in thirty-one patients. <i>Journal of the American Academy of Dermatology</i> , 1993 , 29, 73-7	4.5	66
10	Mycosis fungoides of the larynx. <i>Otolaryngology - Head and Neck Surgery</i> , 1992 , 107, 120-3	5.5	4
9	Lymph node histopathologic findings in cutaneous T-cell lymphoma. A prognostic classification system based on morphologic assessment. <i>American Journal of Clinical Pathology</i> , 1992 , 97, 121-9	1.9	25
8	Aberrant cytokine production by Sezary syndrome patients: cytokine secretion pattern resembles murine Th2 cells. <i>Journal of Investigative Dermatology</i> , 1992 , 99, 90-4	4.3	189
7	Risk of second malignancy after cutaneous T-cell lymphoma. <i>Cancer</i> , 1989 , 63, 1612-5	6.4	104

6	Long-term efficacy, curative potential, and carcinogenicity of topical mechlorethamine chemotherapy in cutaneous T cell lymphoma. <i>Journal of the American Academy of Dermatology</i> , 1989 , 20, 416-28	4.5	198
5	Natural cell-mediated cytotoxicity in cutaneous T-cell lymphomas. <i>Journal of Investigative Dermatology</i> , 1983 , 81, 176-8	4.3	8
4	Clonal characteristics of cutaneous T cell lymphomas: cytogenetic evidence from blood, lymph nodes, and skin. <i>Journal of Investigative Dermatology</i> , 1982 , 78, 69-75	4.3	67
3	Prognostic significance of cytomorphology in the cutaneous T-cell lymphomas. <i>Cancer</i> , 1981 , 47, 119-25	6.4	32
2	Mycosis fungoides, nitrogen mustard and skin cancer. <i>British Journal of Dermatology</i> , 1978 , 99, 61-3	4	54
1	Frequent low doses of intravenous mechlorethamine for late-stage mycosis fungoides lymphoma. <i>Cancer</i> , 1975 , 36, 1613-8	6.4	22