Hyung Min Kwon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5316006/publications.pdf

Version: 2024-02-01

172207 214527 2,917 114 29 47 citations g-index h-index papers 119 119 119 4305 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | High Neutrophil-to-Lymphocyte Ratio Predicts Stroke-Associated Pneumonia. Stroke, 2018, 49, 1886-1892. | 1.0 | 152 |
| 2 | The pneumonia score: A simple grading scale for prediction of pneumonia after acute stroke. American Journal of Infection Control, 2006, 34, 64-68. | 1.1 | 139 |
| 3 | Metabolic Syndrome as an Independent Risk Factor of Silent Brain Infarction in Healthy People. Stroke, 2006, 37, 466-470. | 1.0 | 138 |
| 4 | Homocysteine as a Predictor of Early Neurological Deterioration in Acute Ischemic Stroke. Stroke, 2014, 45, 871-873. | 1.0 | 128 |
| 5 | The Korean version of the neuropsychiatric inventory: a scoring tool for neuropsychiatric disturbance in dementia patients. Journal of Korean Medical Science, 2000, 15, 609. | 1.1 | 121 |
| 6 | Spinal Cord Infarction after Cervical Transforaminal Epidural Steroid Injection: Case Report and Literature Review. Case Reports in Neurology, 2017, 9, 1-5. | 0.3 | 120 |
| 7 | Stroke awareness decreases prehospital delay after acute ischemic stroke in korea. BMC Neurology, 2011, 11, 2. | 0.8 | 99 |
| 8 | Metabolic syndrome is more associated with intracranial atherosclerosis than extracranial atherosclerosis. European Journal of Neurology, 2007, 14, 379-386. | 1.7 | 71 |
| 9 | Effects ofHsp70.1Gene Knockout on the Mitochondrial Apoptotic Pathway After Focal Cerebral Ischemia. Stroke, 2004, 35, 2195-2199. | 1.0 | 68 |
| 10 | Stroke as the first manifestation of concealed cancer. Journal of the Neurological Sciences, 2007, 258, 80-83. | 0.3 | 57 |
| 11 | Effects of celecoxib on hematoma and edema volumes in primary intracerebral hemorrhage: a multicenter randomized controlled trial. European Journal of Neurology, 2013, 20, 1161-1169. | 1.7 | 54 |
| 12 | Factors Associated With Recurrent Ischemic Stroke in the Medical Group of the SAMMPRIS Trial. JAMA Neurology, 2016, 73, 308. | 4.5 | 54 |
| 13 | Frequency, Risk Factors, and Outcome of Coexistent Small Vessel Disease and Intracranial Arterial Stenosis. JAMA Neurology, 2016, 73, 36. | 4.5 | 54 |
| 14 | Distribution of cerebral microbleeds in the East and West. Neurology, 2019, 92, e1086-e1097. | 1.5 | 53 |
| 15 | Elevated neutrophil to lymphocyte ratio and ischemic stroke risk in generally healthy adults. PLoS ONE, 2017, 12, e0183706. | 1.1 | 52 |
| 16 | Basilar Artery Dolichoectasia Is Associated with Paramedian Pontine Infarction. Cerebrovascular Diseases, 2009, 27, 114-118. | 0.8 | 50 |
| 17 | Serum homocysteine level is related to cerebral small vessel disease in a healthy population. Neurology, 2019, 92, e317-e325. | 1.5 | 49 |
| 18 | Cerebral white matter hyperintensity is associated with intracranial atherosclerosis in a healthy population. Atherosclerosis, 2017, 265, 179-183. | 0.4 | 47 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Advanced Coronary Artery Calcification and Cerebral Small Vessel Diseases in the Healthy Elderly. Circulation Journal, 2011, 75, 451-456. | 0.7 | 46 |
| 20 | Cerebral Microbleeds and Early Recurrent Stroke After Transient Ischemic Attack. JAMA Neurology, 2015, 72, 301. | 4.5 | 46 |
| 21 | High triglyceride-glucose index is associated with subclinical cerebral small vessel disease in a healthy population: a cross-sectional study. Cardiovascular Diabetology, 2020, 19, 53. | 2.7 | 46 |
| 22 | Restless Legs Syndrome in Patients on Hemodialysis: Symptom Severity and Risk Factors. Journal of | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Distal hyperintense vessel sign is associated with neurological deterioration in acute ischaemic stroke. European Journal of Neurology, 2017, 24, 617-623. | 1.7 | 24 |
| 38 | Intensive blood pressure control may not be safe in subacute ischemic stroke by intracranial atherosclerosis. Journal of Hypertension, 2018, 36, 1936-1941. | 0.3 | 24 |
| 39 | Range of glucose as a glycemic variability and 3–month outcome in diabetic patients with acute ischemic stroke. PLoS ONE, 2017, 12, e0183894. | 1.1 | 24 |
| 40 | Imaging Features of Meningeal Inflammatory Myofibroblastic Tumor. American Journal of Neuroradiology, 2009, 30, 1261-1267. | 1.2 | 23 |
| 41 | High triglyceride/HDL cholesterol ratio is associated with silent brain infarcts in a healthy population. BMC Neurology, 2019, 19, 147. | 0.8 | 22 |
| 42 | Different Predictive Factors for Early Neurological Deterioration Based on the Location of Single Subcortical Infarction. Stroke, 2021, 52, 3191-3198. | 1.0 | 22 |
| 43 | Remote Management of Poststroke Patients With a Smartphone-Based Management System Integrated in Clinical Care: Prospective, Nonrandomized, Interventional Study. Journal of Medical Internet Research, 2020, 22, e15377. | 2.1 | 22 |
| 44 | Cerebral Microbleeds on MRI in Patients with Obstructive Sleep Apnea. Journal of Clinical Sleep Medicine, 2017, 13, 65-72. | 1.4 | 21 |
| 45 | Kidney dysfunction and cerebral microbleeds in neurologically healthy adults. PLoS ONE, 2017, 12, e0172210. | 1.1 | 21 |
| 46 | Association between metabolic syndrome and previous ischemic lesions in patients with intracranial atherosclerotic stroke. Clinical Neurology and Neurosurgery, 2008, 110, 215-221. | 0.6 | 20 |
| 47 | Thunderclap Headache as an Initial Manifestation of Phaeochromocytoma. Cephalalgia, 2009, 29, 388-390. | 1.8 | 20 |
| 48 | Clinical relevance of abnormal neuroimaging findings and longâ€ŧerm risk of stroke recurrence. European Journal of Neurology, 2017, 24, 1348-1354. | 1.7 | 20 |
| 49 | Leukoaraiosis is associated with pneumonia after acute ischemic stroke. BMC Neurology, 2017, 17, 51. | 0.8 | 20 |
| 50 | Association between periodic limb movements during sleep and cerebral small vessel disease. Sleep Medicine, 2018, 51, 47-52. | 0.8 | 20 |
| 51 | Cerebral microbleeds are associated with nocturnal reverse dipping in hypertensive patients with ischemic stroke. BMC Neurology, 2014, 14, 8. | 0.8 | 19 |
| 52 | Association of Ambulatory Blood Pressure and Heart Rate With Advanced White Matter Lesions in Ischemic Stroke Patients. American Journal of Hypertension, 2014, 27, 177-183. | 1.0 | 19 |
| 53 | The correlation between cerebral arterial pulsatility and cognitive dysfunction in Alzheimer's disease patients. Journal of the Neurological Sciences, 2017, 373, 285-288. | 0.3 | 18 |
| 54 | Cycloserineâ€induced encephalopathy: evidence on brain MRI. European Journal of Neurology, 2008, 15, e60-1. | 1.7 | 17 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Effects of Temperature and Pressure on Acute Stroke Incidence Assessed Using a Korean Nationwide Insurance Database. Journal of Stroke, 2017, 19, 295-303. | 1.4 | 17 |
| 56 | Cerebral Small Vessel Disease and Stage 1 Hypertension Defined by the 2017 American College of Cardiology/American Heart Association Guidelines. Hypertension, 2019, 73, 1210-1216. | 1.3 | 17 |
| 57 | Ischemic stroke patterns and hemodynamic features in patients with small vertebrobasilar artery. Journal of the Neurological Sciences, 2009, 287, 227-235. | 0.3 | 16 |
| 58 | Association of obesity with cerebral microbleeds in neurologically asymptomatic elderly subjects. Journal of Neurology, 2012, 259, 2599-2604. | 1.8 | 16 |
| 59 | No significant association of aspirin use with cerebral microbleeds in the asymptomatic elderly. Journal of the Neurological Sciences, 2012, 319, 56-58. | 0.3 | 16 |
| 60 | Visceral Fat Is an Independent Predictor of Cerebral Microbleeds in Neurologically Healthy People. Cerebrovascular Diseases, 2016, 42, 90-96. | 0.8 | 16 |
| 61 | The effect of propranolol on cerebrovascular reactivity to visual stimulation in migraine. Journal of the Neurological Sciences, 2011, 305, 136-138. | 0.3 | 15 |
| 62 | Distinct association between cerebral arterial pulsatility and subtypes of cerebral small vessel disease. PLoS ONE, 2020, 15, e0236049. | 1.1 | 15 |
| 63 | Brief Episodes of Newly Developed Intraoperative Atrial Fibrillation Predicts Worse Outcomes in Adult Liver Transplantation. Transplantation Proceedings, 2018, 50, 1142-1146. | 0.3 | 12 |
| 64 | Abdominal fatness and cerebral white matter hyperintensity. Journal of the Neurological Sciences, 2019, 404, 52-57. | 0.3 | 12 |
| 65 | Left ventricular ejection fraction is associated with small vessel disease in ischaemic stroke patients. European Journal of Neurology, 2019, 26, 747-753. | 1.7 | 12 |
| 66 | Systemic immune-inflammation index is associated with white matter hyperintensity volume. Scientific Reports, 2022, 12, 7379. | 1.6 | 11 |
| 67 | | | |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Does Multiple System Atrophy Itself Affect Sleep Structure?. Neurologist, 2009, 15, 274-276. | 0.4 | 9 |
| 74 | Atypical Diffusion-Restricted Lesion in 5-Fluorouracil Encephalopathy: Fig 1 American Journal of Neuroradiology, 2012, 33, E102-E103. | 1.2 | 9 |
| 75 | Serum gamma-glutamyl transferase is associated with silent brain infarcts in a healthy population. Atherosclerosis, 2019, 280, 45-50. | 0.4 | 9 |
| 76 | Causes, Risk Factors, and Clinical Outcomes of Stroke in Korean Young Adults: Systemic Lupus | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | Obesity without metabolic disorder and silent brain infarcts in a neurologically healthy population. International Journal of Obesity, 2020, 44, 362-367. | 1.6 | 5 |
| 92 | Protocol of the Stroke in Korean Young Adults Study: A Multicenter Case–Control Study and Prospective Cohort Study. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 1503-1508. | 0.7 | 4 |
| 93 | Effects of cerebral small vessel disease on the outcomes in cryptogenic stroke with active cancer. Scientific Reports, 2021, 11, 17510. | 1.6 | 4 |
| 94 | Physicians' Attitudes Toward Guidelines for Stroke: A Survey of Korean Neurologists. Journal of Stroke, 2014, 16, 81. | 1.4 | 4 |
| 95 | Prevalence of Antiphospholipid Antibody Positivity and Association of Pretransplant Lupus Anticoagulant Positivity With Early Allograft Dysfunction in Liver Transplantation. Transplantation Proceedings, 2018, 50, 1136-1141. | 0.3 | 3 |
| 96 | Transient isolated ocular motor abnormality related to perilesional edema of an acute medullary microbleed: A case report and review of the literatures. Clinical Neurology and Neurosurgery, 2015, 138, 174-176. | 0.6 | 2 |
| 97 | New Pooled Cohort Risk equations: Application to a recent stroke patient population. Journal of the Neurological Sciences, 2015, 348, 160-165. | 0.3 | 2 |
| 98 | Does Activated Clotting Time Help to Predict Innate Coagulopathy in End-Stage Liver Disease Patients?. Transplantation Proceedings, 2017, 49, 1076-1081. | 0.3 | 2 |
| 99 | Pooled cohort risk equation and subclinical cerebrovascular diseases. European Journal of Neurology, 2020, 27, 793-799. | 1.7 | 2 |
| 100 | Effects of intracranial atherosclerosis and atrial fibrillation on the prognosis of ischemic stroke with active cancer. PLoS ONE, 2021, 16, e0259627. | 1.1 | 2 |
| 101 | Midbrain vasculitic aneurysms. Neurology, 2004, 63, 145-145. | 1.5 | 1 |
| 102 | Pretransplant Resting Heart Rate and Its Association With All-Cause Mortality in Liver Transplant Recipients. Transplantation Proceedings, 2017, 49, 1092-1096. | 0.3 | 1 |
| 103 | Location of Cerebral Microbleeds May Predict Subsequent Stroke after Transient Ischemic Attack. Journal of Stroke, 2016, 18, 236-238. | 1.4 | 1 |
| 104 | Multiple Embolic Infarction Due to a Primary Aortic Intimal Sarcoma. Journal of Stroke, 2016, 18, 358-360. | 1.4 | 1 |
| 105 | The Factors Associated with the Decision of r-tPA Use in Acute Ischemic Stroke Patients Aged 80 Years or Older. Korean Journal of Stroke, 2011, 13, 79. | 0.1 | 1 |
| 106 | Reversible right heart failure after medullary stroke. Lancet, The, 2015, 385, 1364. | 6.3 | 0 |
| 107 | Cancer-Related Stroke., 2017,, 207-212. | | 0 |
| 108 | Relationship Between Cerebral Microbleeds and Aspirin Use Regarding White Matter Hyperintensity Volume. Journal of Neurosonology and Neuroimaging, 2021, 13, 1-6. | 0.0 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | High Erythrocyte Sedimentation Rate is Associated with White Matter Hyperintensity in a Healthy Population. Journal of Neurosonology and Neuroimaging, 2021, 13, 7-13. | 0.0 | О |
| 110 | Long Segment Spinal Cord Infarction after Thoracic Endovascular Aortic Repair Implementation. Journal of Neurosonology and Neuroimaging, 2020, 12, 79-82. | 0.0 | 0 |
| 111 | Vascular Overload Index Predicts Cerebral Small Vessel Disease in a Neurologically Healthy Population. Journal of Neurosonology and Neuroimaging, 2021, 13, 55-63. | 0.0 | O |
| 112 | Successful Treatment of Central Nervous System Vasculitis Associated with Antiphospholipid Syndrome. Journal of Neurosonology and Neuroimaging, 2022, 14, 59-62. | 0.0 | 0 |
| 113 | Atherogenic Index of Plasma Predicts Early Recurrent Ischemic Lesion in Acute Ischemic Stroke. Journal of Neurosonology and Neuroimaging, 2022, 14, 42-50. | 0.0 | O |
| 114 | Childhood Primary Angiitis of the Central Nervous System Presenting as Isolated Middle Cerebral Artery Dissection. Journal of Neurosonology and Neuroimaging, 2022, 14, 67-69. | 0.0 | 0 |