

Peter S Steyger

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5316854/peter-s-steyger-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

3,402
citations

31
h-index

57
g-index

102
ext. papers

3,942
ext. citations

4.7
avg, IF

5.61
L-index

#	Paper	IF	Citations
87	Mechanisms of Ototoxicity and Otoprotection. <i>Otolaryngologic Clinics of North America</i> , 2021 , 54, 1101-1115	1	1
86	Clinical Pharmacogenetics Implementation Consortium Guideline for the Use of Aminoglycosides Based on MT-RNR1 Genotype. <i>Clinical Pharmacology and Therapeutics</i> , 2021 ,	6.1	18
85	Preferential Cochleotoxicity of Cisplatin. <i>Frontiers in Neuroscience</i> , 2021 , 15, 695268	5.1	7
84	A novel long intergenic non-coding RNA, Nostrill, regulates iNOS gene transcription and neurotoxicity in microglia. <i>Journal of Neuroinflammation</i> , 2021 , 18, 16	10.1	6
83	Detecting Novel Ototoxins and Potentiation of Ototoxicity by Disease Settings. <i>Frontiers in Neurology</i> , 2021 , 12, 725566	4.1	2
82	Mechanisms of Aminoglycoside- and Cisplatin-Induced Ototoxicity. <i>American Journal of Audiology</i> , 2021 , 30, 887-900	1.8	9
81	Clinical Considerations for Routine Auditory and Vestibular Monitoring in Patients With Cystic Fibrosis. <i>American Journal of Audiology</i> , 2021 , 30, 800-809	1.8	5
80	CACHD1-deficient mice exhibit hearing and balance deficits associated with a disruption of calcium homeostasis in the inner ear. <i>Hearing Research</i> , 2021 , 409, 108327	3.9	2
79	Reader response: Neurologic complications of coronavirus infections. <i>Neurology</i> , 2020 , 95, 324	6.5	
78	Delivery of therapeutics to the inner ear: The challenge of the blood-labyrinth barrier. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	76
77	Inflammation up-regulates cochlear expression of TRPV1 to potentiate drug-induced hearing loss. <i>Science Advances</i> , 2019 , 5, eaaw1836	14.3	24
76	Scientists with Hearing Loss Changing Perspectives in STEMM. <i>Acoustics Today</i> , 2019 , 15, 66-70	0	
75	Aminoglycoside- and Cisplatin-Induced Ototoxicity: Mechanisms and Otoprotective Strategies. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2019 , 9,	5.4	45
74	Inflammation Potentiates Cochlear Uptake of Ototoxins and Drug-Induced Hearing Loss 2018 , 133-147		
73	Monitoring neonates for ototoxicity. <i>International Journal of Audiology</i> , 2018 , 57, S41-S48	2.6	12
72	Simplified, automated methods for assessing pixel intensities of fluorescently-tagged drugs in cells. <i>PLoS ONE</i> , 2018 , 13, e0206628	3.7	
71	The cumulative effects of intravenous antibiotic treatments on hearing in patients with cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2017 , 16, 401-409	4.1	53

70	Community network for deaf scientists. <i>Science</i> , 2017 , 356, 386-387	33.3	1
69	Effect of gentamicin and levels of ambient sound on hearing screening outcomes in the neonatal intensive care unit: A pilot study. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2017 , 97, 42-50	1.7	13
68	Aminoglycoside-Induced Cochleotoxicity: A Review. <i>Frontiers in Cellular Neuroscience</i> , 2017 , 11, 308	6.1	141
67	Potential Mechanisms Underlying Inflammation-Enhanced Aminoglycoside-Induced Cochleotoxicity. <i>Frontiers in Cellular Neuroscience</i> , 2017 , 11, 362	6.1	16
66	Systemic Delivery and Biodistribution of Cisplatin in Vivo. <i>Molecular Pharmaceutics</i> , 2016 , 13, 2677-82	5.6	19
65	Rhodamine analogues for molecular ruler applications. <i>Dyes and Pigments</i> , 2016 , 126, 46-53	4.6	4
64	Endotoxemia-mediated inflammation potentiates aminoglycoside-induced ototoxicity. <i>Science Translational Medicine</i> , 2015 , 7, 298ra118	17.5	58
63	An integrated view of cisplatin-induced nephrotoxicity and ototoxicity. <i>Toxicology Letters</i> , 2015 , 237, 219-27	4.4	256
62	Effect of sepsis and systemic inflammatory response syndrome on neonatal hearing screening outcomes following gentamicin exposure. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015 , 79, 1915-9	1.7	26
61	Local mechanisms for loud sound-enhanced aminoglycoside entry into outer hair cells. <i>Frontiers in Cellular Neuroscience</i> , 2015 , 9, 130	6.1	19
60	Uptake of fluorescent gentamicin by peripheral vestibular cells after systemic administration. <i>PLoS ONE</i> , 2015 , 10, e0120612	3.7	11
59	Diverse Kir expression contributes to distinct bimodal distribution of resting potentials and vasotone responses of arterioles. <i>PLoS ONE</i> , 2015 , 10, e0125266	3.7	3
58	An evaluation of US patent 2015065565 (A1) for a new class of SGLT2 inhibitors for treatment 1 of type II diabetes mellitus. <i>Expert Opinion on Therapeutic Patents</i> , 2015 , 25, 1349-52	6.8	4
57	Sodium-glucose transporter-2 (SGLT2; SLC5A2) enhances cellular uptake of aminoglycosides. <i>PLoS ONE</i> , 2014 , 9, e108941	3.7	22
56	Bumetanide hyperpolarizes madin-darby canine kidney cells and enhances cellular gentamicin uptake by elevating cytosolic Ca(2+) thus facilitating intermediate conductance Ca(2+)-activated potassium channels. <i>Cell Biochemistry and Biophysics</i> , 2013 , 65, 381-98	3.2	9
55	Temporal and spatial distribution of gentamicin in the peripheral vestibular system after transtympanic administration in guinea pigs. <i>Hearing Research</i> , 2013 , 298, 49-59	3.9	12
54	Preclinical and clinical studies of unrelieved aural fullness following intratympanic gentamicin injection in patients with intractable Ménière's disease. <i>Audiology and Neuro-Otology</i> , 2013 , 18, 297-306	2.2	6
53	Effect of systemic lipopolysaccharide-induced inflammation on cytokine levels in the murine cochlea: a pilot study. <i>Otolaryngology - Head and Neck Surgery</i> , 2013 , 149, 301-3	5.5	13

52	Dimethyl sulfoxide (DMSO) exacerbates cisplatin-induced sensory hair cell death in zebrafish (<i>Danio rerio</i>). <i>PLoS ONE</i> , 2013 , 8, e55359	3.7	23
51	Aminoglycoside-induced hair cell death of inner ear organs causes functional deficits in adult zebrafish (<i>Danio rerio</i>). <i>PLoS ONE</i> , 2013 , 8, e58755	3.7	22
50	Identification of cisplatin-binding proteins using agarose conjugates of platinum compounds. <i>PLoS ONE</i> , 2013 , 8, e66220	3.7	39
49	Uptake of gentamicin by vestibular efferent neurons and superior olivary complex after transtympanic administration in guinea pigs. <i>Hearing Research</i> , 2012 , 283, 169-79	3.9	16
48	Live Cell Imaging of a Fluorescent Gentamicin Conjugate. <i>Natural Product Communications</i> , 2012 , 7, 1934-1938X1200700	4.9	6
47	Platinum-induced ototoxicity in children: a consensus review on mechanisms, predisposition, and protection, including a new International Society of Pediatric Oncology Boston ototoxicity scale. <i>Journal of Clinical Oncology</i> , 2012 , 30, 2408-17	2.2	229
46	Live cell imaging of a fluorescent gentamicin conjugate. <i>Natural Product Communications</i> , 2012 , 7, 317-20.9	2.9	6
45	Infection-mediated vasoactive peptides modulate cochlear uptake of fluorescent gentamicin. <i>Audiology and Neuro-Otology</i> , 2011 , 16, 347-58	2.2	17
44	Acoustic trauma increases cochlear and hair cell uptake of gentamicin. <i>PLoS ONE</i> , 2011 , 6, e19130	3.7	30
43	Systemic aminoglycosides are trafficked via endolymph into cochlear hair cells. <i>Scientific Reports</i> , 2011 , 1, 159	4.9	65
42	TRPA1-mediated accumulation of aminoglycosides in mouse cochlear outer hair cells. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2011 , 12, 729-40	3.3	58
41	Intracellular mechanisms of aminoglycoside-induced cytotoxicity. <i>Integrative Biology (United Kingdom)</i> , 2011 , 3, 879-86	3.7	48
40	Mechanisms Involved in Ototoxicity. <i>Seminars in Hearing</i> , 2011 , 32, 217-228	2	5
39	Calreticulin binds to gentamicin and reduces drug-induced ototoxicity. <i>Toxicological Sciences</i> , 2011 , 124, 378-87	4.4	22
38	Functional hair cell mechanotransducer channels are required for aminoglycoside ototoxicity. <i>PLoS ONE</i> , 2011 , 6, e22347	3.7	168
37	CLIMP-63 is a gentamicin-binding protein that is involved in drug-induced cytotoxicity. <i>Cell Death and Disease</i> , 2010 , 1, e102	9.8	31
36	Competitive antagonism of fluorescent gentamicin uptake in the cochlea. <i>Hearing Research</i> , 2010 , 268, 250-9	3.9	22
35	Comparison of gentamicin distribution in the inner ear following administration via the endolymphatic sac or round window. <i>Laryngoscope</i> , 2010 , 120, 2054-60	3.6	11

34	Evidence-based modification of intratympanic gentamicin injections in patients with intractable vertigo. <i>Otology and Neurotology</i> , 2010 , 31, 642-8	2.6	20
33	Potential of Chemical Ototoxicity by Noise. <i>Seminars in Hearing</i> , 2009 , 30, 38-46	2	17
32	Metabolic imaging of the organ of corti--a window on cochlea bioenergetics. <i>Brain Research</i> , 2009 , 1277, 37-41	3.7	21
31	Trafficking of systemic fluorescent gentamicin into the cochlea and hair cells. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2009 , 10, 205-19	3.3	116
30	Synergistic ototoxicity due to noise exposure and aminoglycoside antibiotics. <i>Noise and Health</i> , 2009 , 11, 26-32	0.9	55
29	A systemic gentamicin pathway across the stria vascularis. <i>Hearing Research</i> , 2008 , 235, 114-24	3.9	55
28	TRPV4 enhances the cellular uptake of aminoglycoside antibiotics. <i>Journal of Cell Science</i> , 2008 , 121, 2871-9	5.3	75
27	Intra-cochlear trafficking of aminoglycosides. <i>Communicative and Integrative Biology</i> , 2008 , 1, 140-2	1.7	10
26	Synergistic Ototoxicity of Noise and Chemical Ototoxins. <i>Perspectives on Hearing and Hearing Disorders Research and Research Diagnostics</i> , 2008 , 12, 48		1
25	Closure of supporting cell scar formations requires dynamic actin mechanisms. <i>Hearing Research</i> , 2007 , 232, 1-19	3.9	23
24	Uptake of fluorescent gentamicin by vertebrate sensory cells in vivo. <i>Hearing Research</i> , 2006 , 213, 64-78	3.9	82
23	Cytoplasmic and intra-nuclear binding of gentamicin does not require endocytosis. <i>Hearing Research</i> , 2005 , 204, 156-69	3.9	72
22	TRPV1 regulators mediate gentamicin penetration of cultured kidney cells. <i>Hearing Research</i> , 2005 , 204, 170-82	3.9	89
21	Co-localization of the vanilloid capsaicin receptor and substance P in sensory nerve fibers innervating cochlear and vertebro-basilar arteries. <i>Neuroscience</i> , 2004 , 124, 919-27	3.9	84
20	Expression of Trk A receptors in the mammalian inner ear. <i>Hearing Research</i> , 2004 , 187, 1-11	3.9	19
19	Vanilloid receptors in hearing: altered cochlear sensitivity by vanilloids and expression of TRPV1 in the organ of corti. <i>Journal of Neurophysiology</i> , 2003 , 90, 444-55	3.2	83
18	Cell type-specific reduction of beta tubulin isotypes synthesized in the developing gerbil organ of Corti. <i>Journal of Neurocytology</i> , 2003 , 32, 185-97		31
17	Uptake of gentamicin by bullfrog saccular hair cells in vitro. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2003 , 4, 565-78	3.3	85

16	Capsaicin stimulation of the cochlea and electric stimulation of the trigeminal ganglion mediate vascular permeability in cochlear and vertebro-basilar arteries: a potential cause of inner ear dysfunction in headache. <i>Neuroscience</i> , 2001 , 103, 189-201	3.9	96
15	Co-existence of tyrosine hydroxylase and calcitonin gene-related peptide in cochlear spiral modiolar artery of guinea pigs. <i>Hearing Research</i> , 2001 , 155, 152-60	3.9	11
14	Extracellular signal-regulated protein kinase activation is required for the anti-hypertrophic effect of atrial natriuretic factor in neonatal rat ventricular myocytes. <i>Journal of Biological Chemistry</i> , 1999 , 274, 24858-64	5.4	75
13	Assessing confocal microscopy systems for purchase. <i>Methods</i> , 1999 , 18, 435-46	4.6	6
12	Myosin Ibeta is located at tip link anchors in vestibular hair bundles. <i>Journal of Neuroscience</i> , 1998 , 18, 4603-15	6.6	60
11	Early education of the deaf. <i>Science</i> , 1998 , 279, 1617	33.3	
10	Calbindin and parvalbumin are early markers of non-mitotically regenerating hair cells in the bullfrog vestibular otolith organs. <i>International Journal of Developmental Neuroscience</i> , 1997 , 15, 417-32 ²⁻⁷		60
9	Intracellular distributions and putative functions of calcium-binding proteins in the bullfrog vestibular otolith organs. <i>Hearing Research</i> , 1997 , 103, 85-100	3.9	30
8	Mitotic and nonmitotic hair cell regeneration in the bullfrog vestibular otolith organs. <i>Annals of the New York Academy of Sciences</i> , 1996 , 781, 59-70	6.5	110
7	Visualization of newt aragonitic otoconial matrices using transmission electron microscopy. <i>Hearing Research</i> , 1995 , 92, 184-91	3.9	20
6	Atomic force microscope observations of otoconia in the newt. <i>Hearing Research</i> , 1995 , 85, 115-21	3.9	8
5	The morphogenic features of otoconia during larval development of <i>Cynops pyrrhogaster</i> , the Japanese red-bellied newt. <i>Hearing Research</i> , 1995 , 84, 61-71	3.9	18
4	Tumour tropism and anti-cancer efficacy of polymer-based doxorubicin prodrugs in the treatment of subcutaneous murine B16F10 melanoma. <i>British Journal of Cancer</i> , 1994 , 70, 636-41	8.7	138
3	Organization of microtubules in cochlear hair cells. <i>Journal of Electron Microscopy Technique</i> , 1990 , 15, 261-79		41
2	Structural Abnormalities in Inner Hair Cells Following Kanamycin-Induced Outer Hair Cell Loss. <i>Lecture Notes in Biomathematics</i> , 1990 , 10-17		3
1	Tubulin and microtubules in cochlear hair cells: comparative immunocytochemistry and ultrastructure. <i>Hearing Research</i> , 1989 , 42, 1-16	3.9	72