## Donald A Jackson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5318562/publications.pdf

Version: 2024-02-01

112 papers 11,220 citations

50276 46 h-index 103 g-index

112 all docs

 $\begin{array}{c} 112 \\ \\ \text{docs citations} \end{array}$ 

112 times ranked 12706 citing authors

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Microplastic contamination in Great Lakes fish. Conservation Biology, 2022, 36, .   | 4.7 | 32        |
| 2  | Bioregions are predominantly climatic for fishes of northern lakes. Global Ecology and Biogeography, 2022, 31, 233-246.   | 5.8 | 5         |
| 3  | Putting the Mantel test back together again. Ecology, 2022, 103, .  | 3.2 | 7         |
| 4  | Weighted stream temperature tolerance index is insensitive to changes in stream fish composition. Freshwater Science, 2022, 41, 386-397.  | 1.8 | 2         |
| 5  | Size spectrum model reveals importance of considering species interactions in a freshwater fisheries management context. Ecosphere, 2022, $13$ , .  | 2.2 | 2         |
| 6  | Salty summertime streamsâ€"road salt contaminated watersheds and estimates of the proportion of impacted species. Facets, 2021, 6, 317-333.   | 2.4 | 23        |
| 7  | Partitioning fish communities into guilds for ecological analyses: an overview of current approaches and future directions. Canadian Journal of Fisheries and Aquatic Sciences, 2021, 78, 984-993.                                  | 1.4 | 14        |
| 8  | Exploratory analysis of multivariate data: Applications of parallel coordinates in ecology. Ecological Informatics, 2021, 64, 101361.   | 5.2 | 7         |
| 9  | Approaches and research needs for advancing the protection and recovery of imperilled freshwater fishes and mussels in Canada $<$ sup $>$ 1 $<$ sup $>$ 2. Canadian Journal of Fisheries and Aquatic Sciences, 2021, 78, 1356-1370. | 1.4 | 9         |
| 10 | Abiotic factors influence species coâ€occurrence patterns of lake fishes. Journal of Animal Ecology, 2021, 90, 2859-2874.   | 2.8 | 3         |
| 11 | Fifteen years of Canada's Species at Risk Act: Evaluating research progress for aquatic species in the Great Lakes– St. Lawrence River basin1. Canadian Journal of Fisheries and Aquatic Sciences, 2021, 78, 1205-1218.             | 1.4 | 5         |
| 12 | Shifting Trophic Control of Fishery–Ecosystem Dynamics Following Biological Invasions. Bulletin of the Ecological Society of America, 2020, 101, e01764.  | 0.2 | 1         |
| 13 | Climate warming moderates the impacts of introduced sportfish on multiple dimensions of prey biodiversity. Global Change Biology, 2020, 26, 4937-4951.  | 9.5 | 15        |
| 14 | Shifting trophic control of fishery–ecosystem dynamics following biological invasions. Ecological Applications, 2020, 30, e02190.   | 3.8 | 13        |
| 15 | Speciesâ€pair associations, null models, and tests of mechanisms structuring ecological communities. Ecosphere, 2019, 10, e02797.   | 2.2 | 19        |
| 16 | Fishing down then up the food web of an invaded lake. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 19995-20001.  | 7.1 | 8         |
| 17 | Linking the ballâ€andâ€cup analogy and ordination trajectories to describe ecosystem stability, resistance, and resilience. Ecosphere, 2019, 10, e02629.  | 2.2 | 38        |
| 18 | Assessing the impacts of imperfect detection on estimates of diversity and community structure through multispecies occupancy modeling. Ecology and Evolution, 2018, 8, 4676-4684.  | 1.9 | 17        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 19 | Long-term directional trajectories among lake crustacean zooplankton communities and water chemistry. Canadian Journal of Fisheries and Aquatic Sciences, 2018, 75, 1926-1939.   | 1.4 | 7         |
| 20 | Impacts of temperature and selected chemical digestion methods on microplastic particles. Environmental Toxicology and Chemistry, 2018, 37, 91-98.   | 4.3 | 235       |
| 21 | Functional diversity and redundancy of freshwater fish communities across biogeographic and environmental gradients. Diversity and Distributions, 2018, 24, 1612-1626.   | 4.1 | 23        |
| 22 | Habitat alteration and habitat fragmentation differentially affect beta diversity of stream fish communities. Landscape Ecology, 2017, 32, 647-662.  | 4.2 | 53        |
| 23 | Determining a More Environmental than Spatial Influence on Structuring Fish Communities and Ecological Boundaries of Fangcheng Coastal Waters, Northern South China Sea. Journal of Coastal Research, 2017, 80, 55-68.                                     | 0.3 | 4         |
| 24 | Long-term spatiotemporal trends and health risk assessment of oyster arsenic levels in coastal waters of northern South China Sea. Environmental Science and Pollution Research, 2017, 24, 20673-20684.  | 5.3 | 4         |
| 25 | Utilizing gradient simulations for quantifying communityâ€level resistance and resilience. Ecosphere, 2017, 8, e01953.   | 2.2 | 7         |
| 26 | The response of amphibian larvae to environmental change is both consistent and variable. Oikos, 2016, 125, 1700-1711.   | 2.7 | 20        |
| 27 | Effects of declining calcium availability on the survival, growth and calcium content of a freshwater crayfish, <i>Orconectes virilis</i> . Freshwater Biology, 2016, 61, 914-922.   | 2.4 | 4         |
| 28 | Effect of lake size, isolation and top predator presence on nested fish community structure. Journal of Biogeography, 2016, 43, 1425-1435.   | 3.0 | 8         |
| 29 | Catch-per-unit-effort and size spectra of lake fish assemblages reflect underlying patterns in ecological conditions and anthropogenic activities across regional and local scales. Canadian Journal of Fisheries and Aquatic Sciences, 2016, 73, 535-546. | 1.4 | 22        |
| 30 | Evaluating the effect of lake calcium concentration on the acquisition of carapace calcium by freshwater crayfish. Hydrobiologia, 2015, 744, 91-100.   | 2.0 | 13        |
| 31 | The vulnerability of species to range expansions by predators can be predicted using historical species associations and body size. Proceedings of the Royal Society B: Biological Sciences, 2015, 282, 20151211.  | 2.6 | 21        |
| 32 | Potential spread of Great Lakes fishes given climate change and proposed dams: an approach using circuit theory to evaluate invasion risk. Landscape Ecology, 2015, 30, 919-935.   | 4.2 | 18        |
| 33 | Window collisions by migratory bird species: urban geographical patterns and habitat associations.<br>Urban Ecosystems, 2015, 18, 1427-1446.   | 2.4 | 63        |
| 34 | The abiotic and biotic factors limiting establishment of predatory fishes at their expanding northern range boundaries in Ontario, Canada. Global Change Biology, 2015, 21, 2227-2237.   | 9.5 | 41        |
| 35 | Ontario freshwater fishes demonstrate differing rangeâ€boundary shifts in a warming climate.<br>Diversity and Distributions, 2014, 20, 123-136.  | 4.1 | 104       |
| 36 | Shaping up model transferability and generality of species distribution modeling for predicting invasions: implications from a study on Bythotrephes longimanus. Biological Invasions, 2014, 16, 2079-2103.  | 2.4 | 15        |

| #  | Article   | IF              | CITATIONS                 |
|----|---|-----------------|---------------------------|
| 37 | Describing Flowering Schedule Shape through Multivariate Ordination. International Journal of Plant Sciences, 2014, 175, 70-79.   | 1.3             | 7                         |
| 38 | Linking temporal changes in crayfish communities to environmental changes in boreal Shield lakes in south-central Ontario. Canadian Journal of Fisheries and Aquatic Sciences, 2014, 71, 21-30.   | 1.4             | 15                        |
| 39 | Metaâ€analysis suggests biotic resistance in freshwater environments is driven by consumption rather than competition. Ecology, 2014, 95, 3259-3270.  | 3.2             | 82                        |
| 40 | Synthesizing reference conditions for highly degraded areas through best professional judgment. Journal of Great Lakes Research, 2014, 40, 37-42.   | 1.9             | 3                         |
| 41 | Projecting impacts of climate change on surface water temperatures of a large subalpine lake: Lake Tahoe, USA. Climatic Change, 2013, 118, 841-855.   | 3.6             | 9                         |
| 42 | Regional-scale patterns in community concordance: testing the roles of historical biogeography versus contemporary abiotic controls in determining stream community composition. Canadian Journal of Fisheries and Aquatic Sciences, 2013, 70, 1141-1150. | 1.4             | 10                        |
| 43 | Interactive effects of calcium decline and predation risk on the potential for a continuing northward range expansion of the rusty crayfish (Orconectes rusticus). Canadian Journal of Zoology, 2013, 91, 328-337.  | 1.0             | 13                        |
| 44 | Long-term changes in fish mercury levels in the historically impacted English-Wabigoon River system (Canada). Journal of Environmental Monitoring, 2012, 14, 2327.  | 2.1             | 20                        |
| 45 | Geology as a Structuring Mechanism of Stream Fish Communities. Transactions of the American Fisheries Society, 2012, 141, 962-974.  | 1.4             | 15                        |
| 46 | Addressing the removal of rare species in multivariate bioassessments: The impact of methodological choices. Ecological Indicators, 2012, 18, 82-90.  | 6.3             | 119                       |
| 47 | Estimating local and regional population sizes for an endangered minnow, redside dace (Clinostomus) Tj ETQq1 1  | 0,784314<br>2.0 | rgBT /Ov <mark>e</mark> r |
| 48 | Impact of species-specific dispersal and regional stochasticity on estimates of population viability in stream metapopulations. Landscape Ecology, 2012, 27, 405-416.   | 4.2             | 17                        |
| 49 | Effects of broad-scale geological changes on patterns in macroinvertebrate assemblages. Journal of the North American Benthological Society, 2011, 30, 459-473.   | 3.1             | 17                        |
| 50 | Random-effects ordination: describing and predicting multivariate correlations and co-occurrences. Ecological Monographs, 2011, 81, 635-663.  | 5.4             | 29                        |
| 51 | Trends of legacy and emerging-issue contaminants in Lake Simcoe fishes. Journal of Great Lakes<br>Research, 2011, 37, 148-159.  | 1.9             | 16                        |
| 52 | Modeling the establishment of invasive species: habitat and biotic interactions influencing the establishment of Bythotrephes longimanus. Biological Invasions, 2011, 13, 2499-2512.  | 2.4             | 16                        |
| 53 | A multi-scale comparison of trait linkages to environmental and spatial variables in fish communities across a large freshwater lake. Oecologia, 2011, 166, 819-831.  | 2.0             | 28                        |
| 54 | Thirty-Year Time Series of PCB Concentrations in a Small Invertivorous Fish (Notropis Hudsonius): An Examination of Post-1990 Trajectory Shifts in the Lower Great Lakes. Ecosystems, 2011, 14, 415-429.  | 3.4             | 21                        |

| #  | Article   | IF        | CITATIONS    |
|----|---|-----------|--------------|
| 55 | Temporal and spatial trends of organochlorines and mercury in fishes from the St. Clair River/Lake St. Clair corridor, Canada. Journal of Great Lakes Research, 2010, 36, 100-112.  | 1.9       | 44           |
| 56 | Communication and cohesion in aquatic science literature. Canadian Journal of Fisheries and Aquatic Sciences, 2009, 66, 701-712.  | 1.4       | 1            |
| 57 | Functionalâ€diversity indices can be driven by methodological choices and species richness. Ecology, 2009, 90, 341-347.   | 3.2       | 102          |
| 58 | Quantifying the potential effects of climate change and the invasion of smallmouth bass on native lake trout populations across Canadian lakes. Ecography, 2009, 32, 517-525.   | 4.5       | 41           |
| 59 | Multispecies crayfish declines in lakes: implications for species distributions and richness. Journal of the North American Benthological Society, 2009, 28, 719-732.   | 3.1       | 48           |
| 60 | UNCERTAINTY ANALYSIS OF DIOXIN-LIKE POLYCHLORINATED BIPHENYLS-RELATED TOXIC EQUIVALENTS IN FISH. Environmental Toxicology and Chemistry, 2008, 27, 997.   | 4.3       | 9            |
| 61 | Empirical modelling of lake waterâ€ŧemperature relationships: a comparison of approaches. Freshwater<br>Biology, 2008, 53, 897-911.   | 2.4       | 64           |
| 62 | Paleoecology of the Greater Phyllopod Bed community, Burgess Shale. Palaeogeography, Palaeoclimatology, Palaeoecology, 2008, 258, 222-256.  | 2.3       | 144          |
| 63 | Functional rarefaction: estimating functional diversity from field data. Oikos, 2008, 117, 286-296.   | 2.7       | 59           |
| 64 | Life history variation parallels phylogeographical patterns in North American walleye (Sander) Tj ETQq0 0 0 rgBT  | /Overlock | 10 Tf 50 382 |
| 65 | Predicting smallmouth bass (Micropterus dolomieu) occurrence across North America under climate change: a comparison of statistical approaches. Canadian Journal of Fisheries and Aquatic Sciences, 2008, 65, 471-481.  | 1.4       | 34           |
| 66 | Composition of Dioxin-like PCBs in Fish:Â An Application for Risk Assessment. Environmental Science & Environmental & | 10.0      | 52           |
| 67 | Fish Assemblages and Environmental Conditions in the Lower Reaches of Northeastern Lake Erie<br>Tributaries. Journal of Great Lakes Research, 2007, 33, 15-27.  | 1.9       | 12           |
| 68 | Are PCB Levels in Fish from the Canadian Great Lakes Still Declining?. Journal of Great Lakes Research, 2007, 33, 592.  | 1.9       | 87           |
| 69 | Will northern fish populations be in hot water because of climate change?. Global Change Biology, 2007, 13, 2052-2064.  | 9.5       | 196          |
| 70 | Reconstructing community relationships: the impact of sampling error, ordination approach, and gradient length. Diversity and Distributions, 2007, 13, 361-371.   | 4.1       | 60           |
| 71 | Estimating dioxinâ€ike polychlorinated biphenyl toxic equivalents from total polychlorinated biphenyl measurements in fish. Environmental Toxicology and Chemistry, 2007, 26, 1622-1628.  | 4.3       | 42           |
| 72 | Replacement of Zebra Mussels by Quagga Mussels in the Canadian Nearshore of Lake Ontario: the Importance of Substrate, Round Goby Abundance, and Upwelling Frequency. Journal of Great Lakes Research, 2006, 32, 11-28.   | 1.9       | 119          |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 73 | Characterizing north temperate lake littoral fish assemblages: a comparison between distance sampling and minnow traps. Canadian Journal of Fisheries and Aquatic Sciences, 2006, 63, 558-568.                               | 1.4 | 13        |
| 74 | Longâ€term changes in legacy trace organic contaminants and mercury in Lake Ontario salmon in relation to source controls, trophodynamics, and climatic variability. Limnology and Oceanography, 2006, 51, 2794-2807.        | 3.1 | 59        |
| 75 | Conspecific attraction during establishment of Least Flycatcher clusters. Journal of Field Ornithology, 2006, 77, 34-38.   | 0.5 | 22        |
| 76 | Quantifying Littoral Vertical Habitat Structure and Fish Community Associations using Underwater Visual Census. Environmental Biology of Fishes, 2006, 75, 395-407.  | 1.0 | 9         |
| 77 | How many principal components? stopping rules for determining the number of non-trivial axes revisited. Computational Statistics and Data Analysis, 2005, 49, 974-997.   | 1.2 | 626       |
| 78 | Robust principal component analysis and outlier detection with ecological data. Environmetrics, 2004, 15, 129-139.   | 1.4 | 71        |
| 79 | GIVING MEANINGFUL INTERPRETATION TO ORDINATION AXES: ASSESSING LOADING SIGNIFICANCE IN PRINCIPAL COMPONENT ANALYSIS. Ecology, 2003, 84, 2347-2363.   | 3.2 | 297       |
| 80 | Predictive Models of Fish Species Distributions: A Note on Proper Validation and Chance Predictions. Transactions of the American Fisheries Society, 2002, 131, 329-336.   | 1.4 | 159       |
| 81 | Illuminating the "black box― a randomization approach for understanding variable contributions in artificial neural networks. Ecological Modelling, 2002, 154, 135-150.  | 2.5 | 935       |
| 82 | A comparison of statistical approaches for modelling fish species distributions. Freshwater Biology, 2002, 47, 1976-1995.  | 2.4 | 205       |
| 83 | What controls who is where in freshwater fish communities – the roles of biotic, abiotic, and spatial factors. Canadian Journal of Fisheries and Aquatic Sciences, 2001, 58, 157-170.  | 1.4 | 186       |
| 84 | What controls who is where in freshwater fish communities $\hat{A}$ — the roles of biotic, abiotic, and spatial factors. Canadian Journal of Fisheries and Aquatic Sciences, 2001, 58, 157-170.                              | 1.4 | 751       |
| 85 | The influence of smallmouth bass ( <i>Micropterus dolomieu</i> ) predation and habitat complexity on the structure of littoral zone fish assemblages. Canadian Journal of Fisheries and Aquatic Sciences, 2001, 58, 342-351. | 1.4 | 112       |
| 86 | The importance of scaling of multivariate analysis in ecological studies. Ecoscience, 2001, 8, 522-526.  | 1.4 | 12        |
| 87 | History and taxonomy: their roles in the core-satellite hypothesis. Oecologia, 2001, 127, 131-142.   | 2.0 | 22        |
| 88 | Spatial isolation and fish communities in drainage lakes. Oecologia, 2001, 127, 572-585.   | 2.0 | 141       |
| 89 | How well do multivariate data sets match? The advantages of a Procrustean superimposition approach over the Mantel test. Oecologia, 2001, 129, 169-178.  | 2.0 | 801       |
| 90 | Environmentally constrained null models: site suitability as occupancy criterion. Oikos, 2001, 93, 110-120.  | 2.7 | 131       |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Fish–Habitat Relationships in Lakes: Gaining Predictive and Explanatory Insight by Using Artificial Neural Networks. Transactions of the American Fisheries Society, 2001, 130, 878-897.                                     | 1.4 | 107       |
| 92  | The influence of smallmouth bass ( <i>Micropterus dolomieu</i> ) predation and habitat comple×ity on the structure of littoral zone fish assemblages. Canadian Journal of Fisheries and Aquatic Sciences, 2001, 58, 342-351. | 1.4 | 97        |
| 93  | Torturing data for the sake of generality: How valid are our regression models?. Ecoscience, 2000, 7, 501-510.   | 1.4 | 121       |
| 94  | An empirical study on estimators for linear regression analyses in fisheries and ecology. Fisheries Research, 2000, 49, 193-206.   | 1.7 | 11        |
| 95  | Selective foraging in the white sucker ( <i>Catostomus commersoni</i> ). Canadian Journal of Zoology, 2000, 78, 1320-1331.   | 1.0 | 22        |
| 96  | Selective foraging in the white sucker ( <i>Catostomus commersoni</i> ). Canadian Journal of Zoology, 2000, 78, 1320-1331.   | 1.0 | 14        |
| 97  | Variable selection in large environmental data sets using principal components analysis.<br>Environmetrics, 1999, 10, 67-77.   | 1.4 | 151       |
| 98  | Variable selection in large environmental data sets using principal components analysis. Environmetrics, 1999, 10, 67-77.  | 1.4 | 5         |
| 99  | COMPOSITIONAL DATA IN COMMUNITY ECOLOGY: THE PARADIGM OR PERIL OF PROPORTIONS?. Ecology, 1997, 78, 929-940.  | 3.2 | 137       |
| 100 | Qualitative and quantitative sampling of lake fish communities. Canadian Journal of Fisheries and Aquatic Sciences, 1997, 54, 2807-2813.   | 1.4 | 153       |
| 101 | Bootstrapping Principal Components Analysis: Reply to Mehlman Et Al Ecology, 1995, 76, 644-645.  | 3.2 | 22        |
| 102 | PROTEST: A PROcrustean Randomization TEST of community environment concordance. Ecoscience, 1995, 2, 297-303.  | 1.4 | 444       |
| 103 | Multivariate analysis of benthic invertebrate communities: the implication of choosing particular data standardizations, measures of association, and ordination methods. Hydrobiologia, 1993, 268, 9-26.                    | 2.0 | 100       |
| 104 | Stopping Rules in Principal Components Analysis: A Comparison of Heuristical and Statistical Approaches. Ecology, 1993, 74, 2204-2214.   | 3.2 | 1,800     |
| 105 | Fish and Benthic Invertebrates: Community Concordance and Community–Environment Relationships. Canadian Journal of Fisheries and Aquatic Sciences, 1993, 50, 2641-2651.  | 1.4 | 137       |
| 106 | Adjusting Mercury Concentration for Fish-Size Covariation: A Multivariate Alternative to Bivariate Regression. Canadian Journal of Fisheries and Aquatic Sciences, 1993, 50, 2388-2396.                                      | 1.4 | 46        |
| 107 | Null Models and Fish Communities: Evidence of Nonrandom Patterns. American Naturalist, 1992, 139, 930-951.   | 2.1 | 117       |
| 108 | Putting Things in Order: The Ups and Downs of Detrended Correspondence Analysis. American Naturalist, 1991, 137, 704-712.  | 2.1 | 91        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Ratios in Aquatic Sciences: Statistical Shortcomings with Mean Depth and the Morphoedaphic Index.<br>Canadian Journal of Fisheries and Aquatic Sciences, 1990, 47, 1788-1795. | 1.4 | 76        |
| 110 | Biogeographic Associations in Fish Assemblages: Local vs. Regional Processes. Ecology, 1989, 70, 1472-1484.   | 3.2 | 167       |
| 111 | Are probability estimates from the permutation model of Mantel's test stable?. Canadian Journal of Zoology, 1989, 67, 766-769.  | 1.0 | 136       |
| 112 | Similarity Coefficients: Measures of Co-Occurrence and Association or Simply Measures of Occurrence?. American Naturalist, 1989, 133, 436-453.                                | 2.1 | 246       |