

# Eleanor M Slade

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5319052/eleanor-m-slade-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78  
papers

3,122  
citations

31  
h-index

54  
g-index

91  
ext. papers

4,075  
ext. citations

5.8  
avg. IF

5.24  
L-index

#	Paper	IF	Citations
78	Identifying the anthropogenic drivers of declines in tropical dung beetle communities and functions. <i>Biological Conservation</i> , <b>2021</b> , 256, 109063	6.2	2
77	Riparian buffers act as microclimatic refugia in oil palm landscapes. <i>Journal of Applied Ecology</i> , <b>2021</b> , 58, 431-442	5.8	9
76	Leech blood-meal invertebrate-derived DNA reveals differences in Bornean mammal diversity across habitats. <i>Molecular Ecology</i> , <b>2021</b> , 30, 3299-3312	5.7	3
75	Drivers of Bornean Orangutan Distribution across a Multiple-Use Tropical Landscape. <i>Remote Sensing</i> , <b>2021</b> , 13, 458	5	3
74	Dung beetles as samplers of mammals in Malaysian Borneo—a test of high throughput metabarcoding of iDNA. <i>PeerJ</i> , <b>2021</b> , 9, e11897	3.1	1
73	Complexity within an oil palm monoculture: The effects of habitat variability and rainfall on adult dragonfly (Odonata) communities. <i>Biotropica</i> , <b>2020</b> , 52, 366-378	2.3	3
72	Litter Inputs, but Not Litter Diversity, Maintain Soil Processes in Degraded Tropical Forests: A Cross-Continental Comparison. <i>Frontiers in Forests and Global Change</i> , <b>2020</b> , 2,	3.7	10
71	Support for the habitat amount hypothesis from a global synthesis of species density studies. <i>Ecology Letters</i> , <b>2020</b> , 23, 674-681	10	67
70	A Research Agenda for Microclimate Ecology in Human-Modified Tropical Forests. <i>Frontiers in Forests and Global Change</i> , <b>2020</b> , 2,	3.7	12
69	Managing Oil Palm Plantations More Sustainably: Large-Scale Experiments Within the Biodiversity and Ecosystem Function in Tropical Agriculture (BEFTA) Programme. <i>Frontiers in Forests and Global Change</i> , <b>2020</b> , 2,	3.7	13
68	Linking dung beetle-mediated functions to interactions in the Atlantic Forest: Sampling design matters. <i>Biotropica</i> , <b>2020</b> , 52, 215-220	2.3	7
67	The environmental impacts of palm oil in context. <i>Nature Plants</i> , <b>2020</b> , 6, 1418-1426	11.5	43
66	Dung beetle-megafauna trophic networks in Singapore's fragmented forests. <i>Biotropica</i> , <b>2020</b> , 52, 818-824	2.3	1
65	Interspecific and intraspecific variation in diet preference in five Atlantic forest dung beetle species. <i>Ecological Entomology</i> , <b>2019</b> , 44, 436-439	2.1	4
64	Biodiversity in tropical plantations is influenced by surrounding native vegetation but not yield: A case study with dung beetles in Amazonia. <i>Forest Ecology and Management</i> , <b>2019</b> , 444, 107-114	3.9	5
63	Top 100 research questions for biodiversity conservation in Southeast Asia. <i>Biological Conservation</i> , <b>2019</b> , 234, 211-220	6.2	16
62	Dung beetle-mammal associations: methods, research trends and future directions. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2019</b> , 286, 20182002	4.4	24

61	FragSAD: A database of diversity and species abundance distributions from habitat fragments. <i>Ecology</i> , <b>2019</b> , 100, e02861	4.6	3
60	When Do More Species Maximize More Ecosystem Services?. <i>Trends in Plant Science</i> , <b>2019</b> , 24, 790-793	13.1	16
59	Effects of Replanting and Retention of Mature Oil Palm Riparian Buffers on Ecosystem Functioning in Oil Palm Plantations. <i>Frontiers in Forests and Global Change</i> , <b>2019</b> , 2,	3.7	9
58	Sexual selection predicts the persistence of populations within altered environments. <i>Ecology Letters</i> , <b>2019</b> , 22, 1629-1637	10	15
57	Movement of Moths Through Riparian Reserves Within Oil Palm Plantations. <i>Frontiers in Forests and Global Change</i> , <b>2019</b> , 2,	3.7	4
56	Extinction filters mediate the global effects of habitat fragmentation on animals. <i>Science</i> , <b>2019</b> , 366, 1236-1239	33.3	86
55	Functionally richer communities improve ecosystem functioning: Dung removal and secondary seed dispersal by dung beetles in the Western Palaearctic. <i>Journal of Biogeography</i> , <b>2019</b> , 46, 70-82	4.1	22
54	Joint species movement modeling: how do traits influence movements?. <i>Ecology</i> , <b>2019</b> , 100, e02622	4.6	16
53	Riparian buffers in tropical agriculture: Scientific support, effectiveness and directions for policy. <i>Journal of Applied Ecology</i> , <b>2019</b> , 56, 85-92	5.8	52
52	Application of oil palm empty fruit bunch effects on soil biota and functions: A case study in Sumatra, Indonesia. <i>Agriculture, Ecosystems and Environment</i> , <b>2018</b> , 256, 105-113	5.7	22
51	Research trends in ecosystem services provided by insects. <i>Basic and Applied Ecology</i> , <b>2018</b> , 26, 8-23	3.2	117
50	Tropical dung beetle morphological traits predict functional traits and show intraspecific differences across land uses. <i>Ecology and Evolution</i> , <b>2018</b> , 8, 8686-8696	2.8	16
49	Spatial and temporal shifts in functional and taxonomic diversity of dung beetles in a human-modified tropical forest landscape. <i>Ecological Indicators</i> , <b>2018</b> , 95, 518-526	5.8	22
48	Evidence of forest restoration success and the conservation value of community-owned forests in Southwest China using dung beetles as indicators. <i>PLoS ONE</i> , <b>2018</b> , 13, e0204764	3.7	2
47	Extinctions of interactions: quantifying a dung beetle network. <i>Ecosphere</i> , <b>2018</b> , 9, e02491	3.1	11
46	Dung beetle assemblages, dung removal and secondary seed dispersal: data from a large-scale, multi-site experiment in the Western Palaearctic. <i>Frontiers of Biogeography</i> , <b>2018</b> , 10,	2.9	5
45	Global dung webs: high trophic generalism of dung beetles along the latitudinal diversity gradient. <i>Ecology Letters</i> , <b>2018</b> , 21, 1229-1236	10	25
44	Higher predation risk for insect prey at low latitudes and elevations. <i>Science</i> , <b>2017</b> , 356, 742-744	33.3	219

43	Unsung heroes: Value coordinating roles in research. <i>Nature</i> , <b>2017</b> , 546, 33	50.4	
42	Effect of dung beetle species richness and chemical perturbation on multiple ecosystem functions. <i>Ecological Entomology</i> , <b>2017</b> , 42, 577-586	2.1	20
41	The database of the PREDICTS (Projecting Responses of Ecological Diversity In Changing Terrestrial Systems) project. <i>Ecology and Evolution</i> , <b>2017</b> , 7, 145-188	2.8	101
40	The importance of species identity and interactions for multifunctionality depends on how ecosystem functions are valued. <i>Ecology</i> , <b>2017</b> , 98, 2626-2639	4.6	33
39	Long-term crop residue application maintains oil palm yield and temporal stability of production. <i>Agronomy for Sustainable Development</i> , <b>2017</b> , 37, 33	6.8	16
38	Dung beetle community dynamics in undisturbed tropical forests: implications for ecological evaluations of land-use change. <i>Insect Conservation and Diversity</i> , <b>2017</b> , 10, 94-106	3.8	25
37	Disentangling the Brown world faecal detritus interaction web: dung beetle effects on soil microbial properties. <i>Oikos</i> , <b>2016</b> , 125, 629-635	4	32
36	Landscape-Scale Implications of the Edge Effect on Soil Fauna Activity in a Temperate Forest. <i>Ecosystems</i> , <b>2016</b> , 19, 534-544	3.9	15
35	Dung beetle species interactions and multifunctionality are affected by an experimentally warmed climate. <i>Oikos</i> , <b>2016</b> , 125, 1607-1616	4	22
34	Effects of soil management practices on soil fauna feeding activity in an Indonesian oil palm plantation. <i>Agriculture, Ecosystems and Environment</i> , <b>2016</b> , 218, 133-140	5.7	42
33	Are riparian forest reserves sources of invertebrate biodiversity spillover and associated ecosystem functions in oil palm landscapes?. <i>Biological Conservation</i> , <b>2016</b> , 194, 176-183	6.2	30
32	Functionally rich dung beetle assemblages are required to provide multiple ecosystem services. <i>Agriculture, Ecosystems and Environment</i> , <b>2016</b> , 218, 87-94	5.7	56
31	The role of dung beetles in reducing greenhouse gas emissions from cattle farming. <i>Scientific Reports</i> , <b>2016</b> , 6, 18140	4.9	54
30	Treating cattle with antibiotics affects greenhouse gas emissions, and microbiota in dung and dung beetles. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2016</b> , 283,	4.4	36
29	Specimens as primary data: museums and 'open science'. <i>Trends in Ecology and Evolution</i> , <b>2015</b> , 30, 237-810.9	10.9	46
28	Ground based LiDAR demonstrates the legacy of management history to canopy structure and composition across a fragmented temperate woodland. <i>Forest Ecology and Management</i> , <b>2015</b> , 335, 255-260	3.9	14
27	MESOCLOSURES – Increasing realism in mesocosm studies of ecosystem functioning. <i>Methods in Ecology and Evolution</i> , <b>2015</b> , 6, 916-924	7.7	8
26	Functional identity and diversity of animals predict ecosystem functioning better than species-based indices. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2015</b> , 282, 20142620	4.4	348

25	BIOFRAG - a new database for analyzing BIOdiversity responses to forest FRAGmentation. <i>Ecology and Evolution</i> , <b>2014</b> , 4, 1524-37	2.8	24
24	Living on the edge: quantifying the structure of a fragmented forest landscape in England. <i>Landscape Ecology</i> , <b>2014</b> , 29, 949-961	4.3	27
23	Macro-moth families differ in their attraction to light: implications for light-trap monitoring programmes. <i>Insect Conservation and Diversity</i> , <b>2014</b> , 7, 453-461	3.8	71
22	Do riparian reserves support dung beetle biodiversity and ecosystem services in oil palm-dominated tropical landscapes?. <i>Ecology and Evolution</i> , <b>2014</b> , 4, 1049-60	2.8	69
21	The PREDICTS database: a global database of how local terrestrial biodiversity responds to human impacts. <i>Ecology and Evolution</i> , <b>2014</b> , 4, 4701-35	2.8	132
20	The importance of microhabitat for biodiversity sampling. <i>PLoS ONE</i> , <b>2014</b> , 9, e114015	3.7	17
19	Life-history traits and landscape characteristics predict macro-moth responses to forest fragmentation. <i>Ecology</i> , <b>2013</b> , 94, 1519-30	4.6	82
18	Macrofauna assemblage composition and soil moisture interact to affect soil ecosystem functions. <i>Acta Oecologica</i> , <b>2013</b> , 47, 30-36	1.7	31
17	Trait-dependent response of dung beetle populations to tropical forest conversion at local and regional scales. <i>Ecology</i> , <b>2013</b> , 94, 180-9	4.6	75
16	Quantifying the sampling error in tree census measurements by volunteers and its effect on carbon stock estimates <b>2013</b> , 23, 936-43		46
15	Quantifying beetle-mediated effects on gas fluxes from dung pats. <i>PLoS ONE</i> , <b>2013</b> , 8, e71454	3.7	58
14	Experimental evidence for the interacting effects of forest edge, moisture and soil macrofauna on leaf litter decomposition. <i>Soil Biology and Biochemistry</i> , <b>2012</b> , 49, 124-131	7.5	118
13	Interacting effects of leaf litter species and macrofauna on decomposition in different litter environments. <i>Basic and Applied Ecology</i> , <b>2012</b> , 13, 423-431	3.2	35
12	Species-rich dung beetle communities buffer ecosystem services in perturbed agro-ecosystems. <i>Journal of Applied Ecology</i> , <b>2012</b> , 49, 1365-1372	5.8	64
11	Woodland recovery after suppression of deer: cascade effects for small mammals, wood mice ( <i>Apodemus sylvaticus</i> ) and bank voles ( <i>Myodes glareolus</i> ). <i>PLoS ONE</i> , <b>2012</b> , 7, e31404	3.7	15
10	Factors affecting soil fauna feeding activity in a fragmented lowland temperate deciduous woodland. <i>PLoS ONE</i> , <b>2012</b> , 7, e29616	3.7	36
9	Biodiversity and ecosystem function of tropical forest dung beetles under contrasting logging regimes. <i>Biological Conservation</i> , <b>2011</b> , 144, 166-174	6.2	110
8	Impacts of logging on density-dependent predation of dipterocarp seeds in a South East Asian rainforest. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2011</b> , 366, 3246-55	5.8	46

7	Dietary Shifts in Relation to Fruit Availability among Masked Palm Civets () in Central China. <i>Journal of Mammalogy</i> , <b>2008</b> , 89, 435-447	1.8	41
6	Frugivory and seed dispersal by the yellow-throated marten, <i>Martes flavigula</i> , in a subtropical forest of China. <i>Journal of Tropical Ecology</i> , <b>2008</b> , 24, 219-223	1.3	21
5	Experimental evidence for the effects of dung beetle functional group richness and composition on ecosystem function in a tropical forest. <i>Journal of Animal Ecology</i> , <b>2007</b> , 76, 1094-104	4.7	209
4	The environmental impacts of palm oil in context		2
3	Designing oil palm landscapes to retain biodiversity using insights from a key ecological indicator group		2
2	Movement of moths through riparian reserves within oil palm plantations		2
1	Riparian buffers can help mitigate biodiversity declines in oil palm agriculture. <i>Frontiers in Ecology and the Environment</i> ,	5.5	0