Dennis Rödder

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5319063/publications.pdf

Version: 2024-02-01

150 papers 5,391 citations

94433 37 h-index 110387 64 g-index

153 all docs

153 docs citations

153 times ranked

7090 citing authors

| # | Article | IF | CITATIONS |
|----|--|-------------------|------------------|
| 1 | First ecological assessment of the endangered Lichtenfelder's Tiger Gecko (Goniurosaurus) Tj ETQq1 1 0.7843 betweenÂislandÂand mainland populations. Amphibia - Reptilia, 2022, 43, 77-91. | 14 rgBT /C 0.5 | Overlock 10 0 |
| 2 | The thermal ecology and physiology of reptiles and amphibians: A user's guide. Journal of Experimental Zoology Part A: Ecological and Integrative Physiology, 2021, 335, 13-44. | 1.9 | 100 |
| 3 | Ecophysiological models for global invaders: Is Europe a big playground for the African clawed frog?. Journal of Experimental Zoology Part A: Ecological and Integrative Physiology, 2021, 335, 158-172. | 1.9 | 5 |
| 4 | Using indicator species to detect high quality habitats in an East African forest biodiversity hotspot. Biodiversity and Conservation, 2021, 30, 903-915. | 2.6 | 3 |
| 5 | Climate change drives mountain butterflies towards the summits. Scientific Reports, 2021, 11, 14382. | 3.3 | 46 |
| 6 | Tracking climate change in the spatial distribution pattern and the phylogeographic structure of Hyrcanian wood frog, <i>Rana pseudodalmatina </i> (Anura: Ranidae). Journal of Zoological Systematics and Evolutionary Research, 2021, 59, 1604-1619. | 1.4 | 10 |
| 7 | The role of Sahara highlands in the diversification and desert colonization of the Bosc's fringeâ€toed lizard. Journal of Biogeography, 2021, 48, 2891-2906. | 3.0 | 8 |
| 8 | Phylogenetic and morphological influence on habitat choice in moistureâ€harvesting horned lizards (<i>Phrynosoma</i> spp.). Ecology and Evolution, 2021, 11, 14146-14161. | 1.9 | 3 |
| 9 | Alborz Heritage: geographic distribution and genetic differentiation of the Iranian Paradactylodon (Amphibia: Hynobiidae). Amphibia - Reptilia, 2020, 41, 519-534. | 0.5 | 13 |
| 10 | The past, current and future habitat range of the Spider-tailed Viper, <i>Pseudocerastes urarachnoides</i> (Serpentes: Viperidae) in western Iran and eastern Iraq as revealed by habitat modelling. Zoology in the Middle East, 2020, 66, 197-205. | 0.6 | 11 |
| 11 | Differential effects of habitat loss on occupancy patterns of the eastern green lizard Lacerta viridis at the core and periphery of its distribution range. PLoS ONE, 2020, 15, e0229600. | 2.5 | 5 |
| 12 | Continuous expansion of the geographic range linked to realized niche expansion in the invasive Mourning gecko Lepidodactylus lugubrisÂ(Duméril & Bibron, 1836). PLoS ONE, 2020, 15, e0235060. | 2.5 | 9 |
| 13 | Snakes of the Pernambuco Endemism Center, Brazil: diversity, natural history and conservation. ZooKeys, 2020, 1002, 115-158. | 1.1 | 9 |
| 14 | Integrative taxonomy reveals three new taxa within the Tylototriton asperrimus complex (Caudata,) Tj ETQq0 0 0 r | gBT /Over | lock 10 Tf 5 |
| 15 | Final countdown for biodiversity hotspots. Conservation Letters, 2019, 12, e12668. | 5.7 | 73 |
| 16 | Ecological trait evolution in amphibian phylogenetic relationships. Ethology Ecology and Evolution, 2019, 31, 526-543. | 1.4 | 6 |
| 17 | Mitochondrial DNA variation and Quaternary range dynamics in the endangered Yellow Spotted Mountain Newt, <i>Neurergus derjugini</i> (Caudata, Salamandridae). Journal of Zoological Systematics and Evolutionary Research, 2019, 57, 580-590. | 1.4 | 16 |
| 18 | BONN: Zoologisches Forschungsmuseum Alexander Koenig in Bonn: Transformation of a Classical Natural History Museum of the Nineteenth Century into a Biodiversity Research Institution. Natural History Collections, 2018, , 153-182. | 0.1 | 0 |

| # | Article | IF | CITATIONS |
|----|---|--------------------|---------------------|
| 19 | Home ranges, activity patterns and habitat preferences of leopards in Luambe National Park and adjacent Game Management Area in the Luangwa Valley, Zambia. Mammalian Biology, 2018, 92, 102-110. | 1.5 | 9 |
| 20 | Evaluating the conservation status of the Black-fronted Francolin (i) Pternistis atrifrons (i). Bird Conservation International, 2018, 28, 653-661. | 1.3 | 4 |
| 21 | Mark-release-recapture meets Species Distribution Models: Identifying micro-habitats of grassland butterflies in agricultural landscapes. PLoS ONE, 2018, 13, e0207052. | 2.5 | 8 |
| 22 | Realized niche and microhabitat selection of the eastern green lizard (<i>Lacerta viridis</i>) at the core and periphery of its distribution range. Ecology and Evolution, 2018, 8, 11322-11336. | 1.9 | 12 |
| 23 | Patterns of species richness and the center of diversity in modern Indo-Pacific larger foraminifera. Scientific Reports, 2018, 8, 8189. | 3.3 | 55 |
| 24 | Landscape genetics indicate recently increased habitat fragmentation in African forestâ€associated chafers. Global Change Biology, 2017, 23, 1988-2004. | 9.5 | 8 |
| 25 | Population structure, distribution and habitat use of the Critically Endangered Angelshark, $\langle scp \rangle \langle i \rangle \langle i \rangle$ in the Canary Islands. Aquatic Conservation: Marine and Freshwater Ecosystems, 2017, 27, 1133-1144. | 2.0 | 32 |
| 26 | Global realized niche divergence in the African clawed frog <i>Xenopus laevis</i> . Ecology and Evolution, 2017, 7, 4044-4058. | 1.9 | 26 |
| 27 | Genetic diversity and Quaternary range dynamics in Iranian and Transcaucasian tortoises. Biological Journal of the Linnean Society, 2017, 121, 627-640. | 1.6 | 10 |
| 28 | The ontogeny of developmental buffering in lizard head shape. Evolution & Development, 2017, 19, 244-252. | 2.0 | 6 |
| 29 | Diversity, biogeography and the global flows of alien amphibians and reptiles. Diversity and Distributions, 2017, 23, 1313-1322. | 4.1 | 87 |
| 30 | Snails in the desert: Species diversification of <i>Theba</i> (Gastropoda: Helicidae) along the Atlantic coast of <scp>NW</scp> Africa. Ecology and Evolution, 2017, 7, 5524-5538. | 1.9 | 8 |
| 31 | Evolutionary analysis of Chironius snakes unveils cryptic diversity and provides clues to diversification in the Neotropics. Molecular Phylogenetics and Evolution, 2017, 116, 108-119. | 2.7 | 12 |
| 32 | Modern morphological methods for tadpole studies. A comparison of micro-CT, and clearing and staining protocols modified for frog larvae. Biotechnic and Histochemistry, 2017, 92, 595-605. | 1.3 | 4 |
| 33 | Pet snakes illegally marketed in Brazil: Climatic viability and establishment risk. PLoS ONE, 2017, 12, e0183143. | 2.5 | 6 |
| 34 | Morphological comparison of five species of poison dart frogs of the genus Ranitomeya (Anura:) Tj ETQq0 0 0 rg e0171669. | gBT /Overlo 2.5 | ock 10 Tf 50 1 9 |
| 35 | Competition and feeding ecology in two sympatric <i>Xenopus</i> species (Anura: Pipidae). PeerJ, 2017, 5, e3130. | 2.0 | 19 |
| 36 | Are invasive populations characterized by a broader diet than native populations?. PeerJ, 2017, 5, e3250. | 2.0 | 36 |

| # | Article | IF | Citations |
|----|---|--------------------|-------------|
| 37 | Integrative Taxonomy of Southeast Asian Snail-Eating Turtles (Geoemydidae: Malayemys) Reveals a New Species and Mitochondrial Introgression. PLoS ONE, 2016, 11, e0153108. | 2.5 | 24 |
| 38 | Impacts of Climate Change on the Global Invasion Potential of the African Clawed Frog Xenopus laevis. PLoS ONE, 2016, 11, e0154869. | 2.5 | 39 |
| 39 | A phylogeographical survey of a highly dispersive spider reveals eastern Asia as a major glacial refugium for Palaearctic fauna. Journal of Biogeography, 2016, 43, 1583-1594. | 3.0 | 34 |
| 40 | Separate histories in both sides of the Mediterranean: phylogeny and niche evolution of ocellated lizards. Journal of Biogeography, 2016, 43, 1242-1253. | 3.0 | 32 |
| 41 | Assessing future habitat availability for coastal lowland anurans in the Brazilian Atlantic rainforest. Studies on Neotropical Fauna and Environment, 2016, 51, 45-55. | 1.0 | 12 |
| 42 | Coupling Satellite Data with Species Distribution and Connectivity Models as a Tool for Environmental Management and Planning in Matrix-Sensitive Species. Environmental Management, 2016, 58, 130-143. | 2.7 | 15 |
| 43 | Drones for butterfly conservation: larval habitat assessment with an unmanned aerial vehicle. Landscape Ecology, 2016, 31, 2385-2395. | 4.2 | 23 |
| 44 | Rapid genetic and ecological differentiation during the northern range expansion of the venomous yellow sac spider <i>Cheiracanthium punctorium</i> in Europe. Evolutionary Applications, 2016, 9, 1229-1240. | 3.1 | 16 |
| 45 | Applying n-dimensional hypervolumes for species delimitation: unexpected molecular, morphological, and ecological diversity in the Leaf-Toed Gecko Phyllodactylus reissii Peters, 1862 (Squamata:) Tj ETQq $1\ 1\ 0.78$ - | 431 4.5 gBT | Overlock 10 |
| 46 | Photography-based taxonomy is inadequate, unnecessary, and potentially harmful for biological sciences. Zootaxa, 2016, 4196, zootaxa.4196.3.9. | 0.5 | 63 |
| 47 | Kenyan endemic bird species at home in novel ecosystem. Ecology and Evolution, 2016, 6, 2494-2505. | 1.9 | 8 |
| 48 | Comprehensive DNA barcoding of the herpetofauna of Germany. Molecular Ecology Resources, 2016, 16, 242-253. | 4.8 | 30 |
| 49 | Composition and natural history notes of the coastal snake assemblage from Northern Bahia, Brazil. ZooKeys, 2016, 611, 93-142. | 1.1 | 7 |
| 50 | Unequal contribution of native South African phylogeographic lineages to the invasion of the African clawed frog, <i>Xenopus laevis</i> , in Europe. PeerJ, 2016, 4, e1659. | 2.0 | 26 |
| 51 | Ecoâ€genomic analysis of the poleward range expansion of the wasp spider <i><scp>A</scp>rgiope bruennichi</i> <scp>A</scp> rgiope description and genomic admixture. Global Change Biology, 2015, 21, 4320-4332. | 9.5 | 54 |
| 52 | Assessing the effects of climate change on distributions of Cape Floristic Region amphibians. South African Journal of Science, 2015, 111, 7. | 0.7 | 18 |
| 53 | A Combination of Divergence and Conservatism in the Niche Evolution of the Moorish Gecko, Tarentola mauritanica (Gekkota: Phyllodactylidae). PLoS ONE, 2015, 10, e0127980. | 2.5 | 37 |
| 54 | Population genetics revisited - towards a multidisciplinary research field. Biological Journal of the Linnean Society, 2015, 115 , $1-12$. | 1.6 | 34 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The Lower Mekong: an insurmountable barrier to amphibians in southern Indochina?. Biological Journal of the Linnean Society, 2015, 114, 905-914. | 1.6 | 24 |
| 56 | Disentangling host, pathogen, and environmental determinants of a recently emerged wildlife disease: lessons from the first 15Âyears of amphibian chytridiomycosis research. Ecology and Evolution, 2015, 5, 4079-4097. | 1.9 | 191 |
| 57 | Habitat suitability, coverage by protected areas and population connectivity for the Siamese crocodile <i>Crocodylus siamensis (i> Schneider, 1801. Aquatic Conservation: Marine and Freshwater Ecosystems, 2015, 25, 544-554.</i> | 2.0 | 14 |
| 58 | Niche shift in four nonâ€native estrildid finches and implications for species distribution models. Ibis, 2015, 157, 75-90. | 1.9 | 24 |
| 59 | Mapping Species Distributions with MAXENT Using a Geographically Biased Sample of Presence Data: A Performance Assessment of Methods for Correcting Sampling Bias. PLoS ONE, 2014, 9, e97122. | 2.5 | 770 |
| 60 | Molecules and models indicate diverging evolutionary effects from parallel altitudinal range shifts in two mountain Ringlet butterflies. Biological Journal of the Linnean Society, 2014, 112, 569-583. | 1.6 | 11 |
| 61 | Home Range and Habitat Selection of the Endangered Euphrates Softshell Turtle <i>Rafetus euphraticus</i> in a Fragmented Habitat in Southwestern Iran. Chelonian Conservation and Biology, 2014, 13, 202-215. | 0.6 | 14 |
| 62 | Reinforcement as a conservation tool – assessing site fidelity and movement of the endangered elongated tortoiseIndotestudo elongata(Blyth, 1854). Journal of Natural History, 2014, 48, 2473-2485. | 0.5 | 3 |
| 63 | Evolutionary History of Wild Barley (Hordeum vulgare subsp. spontaneum) Analyzed Using Multilocus Sequence Data and Paleodistribution Modeling. Genome Biology and Evolution, 2014, 6, 685-702. | 2.5 | 64 |
| 64 | Population signatures of large-scale, long-term disjunction and small-scale, short-term habitat fragmentation in an Afromontane forest bird. Heredity, 2014, 113, 205-214. | 2.6 | 18 |
| 65 | Suitable, reachable but not colonised: seasonal niche duality in an endemic mountainous songbird. Journal of Ornithology, 2014, 155, 657-669. | 1.1 | 26 |
| 66 | Response of nonâ€native <scp>E</scp> uropean terrestrial gastropods to novel climates correlates with biogeographical and biological traits. Global Ecology and Biogeography, 2014, 23, 857-866. | 5.8 | 17 |
| 67 | Assessment of genetic structure, habitat suitability and effectiveness of reserves for future conservation planning of the Euphrates softâ€shelled turtle ⟨i⟩Rafetus euphraticus⟨/i⟩ (Daudin, 1802). Aquatic Conservation: Marine and Freshwater Ecosystems, 2014, 24, 831-840. | 2.0 | 9 |
| 68 | Effects of recent and past climatic shifts on the genetic structure of the high mountain Yellowâ€spotted ringlet butterfly ⟨i⟩Erebia manto⟨/i⟩ (Lepidoptera, Satyrinae): a conservation problem. Global Change Biology, 2014, 20, 2045-2061. | 9.5 | 30 |
| 69 | Evaluating the risk of pesticide exposure for amphibian species listed in Annex II of the European Union Habitats Directive. Biological Conservation, 2014, 176, 64-70. | 4.1 | 21 |
| 70 | Comparative Landscape Genetics of Three Closely Related Sympatric Hesperid Butterflies with Diverging Ecological Traits. PLoS ONE, 2014, 9, e106526. | 2.5 | 42 |
| 71 | Multiple dispersal out of Anatolia: biogeography and evolution of oriental green lizards. Biological Journal of the Linnean Society, 2013, 110, 398-408. | 1.6 | 57 |
| 72 | From southern refugia to the northern range margin: genetic population structure of the common wall lizard, <i>Podarcis muralis</i>). Journal of Biogeography, 2013, 40, 1475-1489. | 3.0 | 40 |

| # | Article | IF | CITATIONS |
|------------|---|------------------------|----------------------|
| 73 | Species distribution models contribute to determine the effect of climate and interspecific interactions in moving hybrid zones. Journal of Evolutionary Biology, 2013, 26, 2487-2496. | 1.7 | 47 |
| 74 | Confronting expert-based and modelled distributions for species with uncertain conservation status: A case study from the corncrake (Crex crex). Biological Conservation, 2013, 167, 161-171. | 4.1 | 48 |
| 7 5 | Notes on a Nest and Emergence of Hatchlings of the Euphrates Softshell Turtle (<i>Rafetus) Tj ETQq1 1 0.78431</i> | 4 rgBT /Ov | erlock 10 Tf |
| 76 | Inferring the effects of past climate fluctuations on the distribution pattern of Iranolacerta (Reptilia,) Tj ETQq0 0 Anzeiger, 2013, 252, 141-148. | 0 rgBT /Ov 0.9 | erlock 10 Tf ! 43 |
| 77 | Habitat characterization and potential distribution of <i>Tylototriton vietnamensis </i> in northern Vietnam. Journal of Natural History, 2013, 47, 1161-1175. | 0.5 | 21 |
| 78 | A Forest Butterfly in Sahara Desert Oases: Isolation Does Not Matter. Journal of Heredity, 2013, 104, 234-247. | 2.4 | 16 |
| 79 | Rapid lizard radiation lacking niche conservatism: ecological diversification within a complex landscape. Journal of Biogeography, 2013, 40, 1807-1818. | 3.0 | 61 |
| 80 | The role of climate for the range limits of parapatric European land salamanders. Ecography, 2013, 36, 1127-1137. | 4.5 | 12 |
| 81 | Quaternary refugia in southwestern Iran: insights from two sympatric moth species (Insecta,) Tj ETQq1 1 0.7843 | 14 _{1.g} BT/C | verlock 10 Ti |
| 82 | Using modern models to test Poynton's predictions. African Journal of Herpetology, 2013, 62, 49-62. | 0.9 | 23 |
| 83 | Traveling through time: The past, present and future biogeographic range of the invasive foraminifera Amphistegina spp. in the Mediterranean Sea. Marine Micropaleontology, 2013, 105, 30-39. | 1.2 | 30 |
| 84 | The genetic signature of ecologically different grassland Lepidopterans. Biodiversity and Conservation, 2013, 22, 2401-2411. | 2.6 | 25 |
| 85 | Continental shelf as potential retreat areas for Australâ€Asian estrildid finches (Passeriformes:) Tj ETQq1 1 0.784 | 314 rgBT / 1.2 | Ogerlock 10 |
| 86 | Notes on the acoustic repertoire of Melanophryniscus klappenbachi Prigioni & Langone, 2000 . Zootaxa, 2013, 3626, 597-600. | 0.5 | 3 |
| 87 | Chelonians in a changing climate: can nest site selection prevent sex ratio skews?. Animal Conservation, 2013, 16, 491-492. | 2.9 | 4 |
| 88 | Heading for New Shores: Projecting Marine Distribution Ranges of Selected Larger Foraminifera. PLoS ONE, 2013, 8, e62182. | 2.5 | 33 |
| 89 | Evaluating the Significance of Paleophylogeographic Species Distribution Models in Reconstructing Quaternary Range-Shifts of Nearctic Chelonians. PLoS ONE, 2013, 8, e72855. | 2.5 | 54 |

Taxonomy of the super-cryptic Hyperolius nasutus group of long reed frogs of Africa (Anura:) Tj ETQq0 0 0 rgBT /Overlock 10 $_{36}^{Tf}$ 50 62 To $_{36}^$

6

90

| # | Article | IF | Citations |
|-----|---|-----------------|-------------|
| 91 | A new species of the genus Calotes Cuvier, 1817 (Squamata: Agamidae) from southern Vietnam. Zootaxa, 2013, 3599, 246-60. | 0.5 | 30 |
| 92 | Two new endemic species of Ameiva (Squamata: Teiidae) from the dry forest of northwestern Peru and additional information on Ameiva concolor Ruthven, 1924 . Zootaxa, 2013, 3745, 263. | 0.5 | 13 |
| 93 | Climate-Driven Range Extension of Amphistegina (Protista, Foraminiferida): Models of Current and Predicted Future Ranges. PLoS ONE, 2013, 8, e54443. | 2.5 | 41 |
| 94 | Cryptic Speciation Patterns in Iranian Rock Lizards Uncovered by Integrative Taxonomy. PLoS ONE, 2013, 8, e80563. | 2.5 | 75 |
| 95 | Contrasting genetic and morphologic responses on recent population decline in two burnet moths (Lepidoptera, Zygaenidae). Conservation Genetics, 2012, 13, 1293-1304. | 1.5 | 9 |
| 96 | "STRANGERS" IN PARADISE: MODELING THE BIOGEOGRAPHIC RANGE EXPANSION OF THE FORAMINIFERA AMPHISTEGINA IN THE MEDITERRANEAN SEA. Journal of Foraminiferal Research, 2012, 42, 234-244. | 0.5 | 59 |
| 97 | Effects of Late-Cenozoic Glaciation on Habitat Availability in Antarctic Benthic Shrimps (Crustacea:) Tj ETQq1 1 0. | 784314 r 2.5 | gBT/Overloo |
| 98 | DISENTANGLING INTERPOLATION AND EXTRAPOLATION UNCERTAINTIES IN SPECIES DISTRIBUTION MODELS: A NOVEL VISUALIZATION TECHNIQUE FOR THE SPATIAL VARIATION OF PREDICTOR VARIABLE COLINEARITY. Biodiversity Informatics, 2012, 8, . | 3.0 | 3 |
| 99 | The advertisement call of Gastrotheca fissipes Boulenger, 1888 (Anura, Hemiphractidae) with comments on its distribution. Zootaxa, 2012, 3312, 62. | 0.5 | 5 |
| 100 | Ongoing invasions of the African clawed frog, Xenopus laevis: a global review. Biological Invasions, 2012, 14, 2255-2270. | 2.4 | 108 |
| 101 | Cryptic niche conservatism among evolutionary lineages of an invasive lizard. Global Ecology and Biogeography, 2012, 21, 198-211. | 5.8 | 61 |
| 102 | Species distribution models for the alien invasive Asian Harlequin ladybird (<i>Harmonia axyridis</i> Journal of Applied Entomology, 2012, 136, 109-123. | 1.8 | 29 |
| 103 | On the brink of extinction? How climate change may affect global chelonian species richness and distribution. Global Change Biology, 2012, 18, 1520-1530. | 9.5 | 104 |
| 104 | Landscape genetics of a recent population extirpation in a burnet moth species. Conservation Genetics, 2012, 13, 247-255. | 1.5 | 7 |
| 105 | Hotspots, Conservation, and Diseases: Madagascar's Megadiverse Amphibians and the Potential Impact of Chytridiomycosis. , 2011, , 255-274. | | 5 |
| 106 | Living on the edge? – On the thermobiology and activity pattern of the large herbivorous desert lizard Uromastyx aegyptia microlepis Blanford, 1875 at Mahazat as-Sayd Protected Area, Saudi Arabia. Journal of Arid Environments, 2011, 75, 636-647. | 2.4 | 25 |
| 107 | Inclusion of habitat availability in species distribution models through multi-temporal remote-sensing data?. , 2011, 21, 3285-3298. | | 51 |
| 108 | Description of the advertisement call of Phasmahyla spectabilis Cruz, Feio & Samp; amp; Nascimento, 2008 (Anura: Phyllomedusinae) with comments on its distribution and reproduction. Zootaxa, 2011, 2767, . | 0.5 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|------------|----------------|
| 109 | Quantitative metrics of overlaps in Grinnellian niches: advances and possible drawbacks. Global Ecology and Biogeography, 2011, 20, 915-927. | 5.8 | 230 |
| 110 | Global warming will affect the genetic diversity and uniqueness of Lycaena helle populations. Global Change Biology, 2011, 17, 194-205. | 9.5 | 68 |
| 111 | Historical stability of diversity patterns in African estrildid finches (Aves: Estrildidae)?. Biological Journal of the Linnean Society, 2011, 102, 455-470. | 1.6 | 11 |
| 112 | Biogeographical dynamics of the Spanish Marbled White Melanargia ines (Lepidoptera: Satyridae) in the Western Mediterranean: does the Atlanto-Mediterranean refuge exist?. Biological Journal of the Linnean Society, 2011, 104, 828-837. | 1.6 | 3 |
| 113 | Climate niche shift in invasive species: the case of the brown anole. Biological Journal of the Linnean Society, 2011, 104, 943-954. | 1.6 | 24 |
| 114 | Predicting the potential distribution of the invasive Common Waxbill Estrilda astrild (Passeriformes:) Tj ETQq0 0 | O rgBT /Ov | erlock 10 Tf 5 |
| 115 | A novel method to calculate climatic niche similarity among species with restricted rangesâ€"the case of terrestrial Lycian salamanders. Organisms Diversity and Evolution, 2011, 11, 409-423. | 1.6 | 11 |
| 116 | From Africa to Europe and back: refugia and range shifts cause high genetic differentiation in the Marbled White butterfly Melanargia galathea. BMC Evolutionary Biology, 2011, 11, 215. | 3.2 | 42 |
| 117 | Applications and future challenges in marine species distribution modeling. Aquatic Conservation: Marine and Freshwater Ecosystems, 2011, 21, 92-100. | 2.0 | 72 |
| 118 | Is Chytridiomycosis an Emerging Infectious Disease in Asia?. PLoS ONE, 2011, 6, e23179. | 2.5 | 76 |
| 119 | Explanative power of variables used in species distribution modelling: an issue of general model transferability or niche shift in the invasive Greenhouse frog (Eleutherodactylus planirostris). Die Naturwissenschaften, 2010, 97, 781-796. | 1.6 | 60 |
| 120 | Potential loss of genetic variability despite well established network of reserves: the case of the Iberian endemic lizard Lacerta schreiberi. Biodiversity and Conservation, 2010, 19, 2651-2666. | 2.6 | 17 |
| 121 | Reinforcing and expanding the predictions of the disturbance vicariance hypothesis in Amazonian harlequin frogs: a molecular phylogenetic and climate envelope modelling approach. Biodiversity and Conservation, 2010, 19, 2125-2146. | 2.6 | 20 |
| 122 | Fading of the last giants: an assessment of habitat availability of the Sunda gharial <i>Tomistoma schlegelii</i> and coverage with protected areas. Aquatic Conservation: Marine and Freshwater Ecosystems, 2010, 20, 678-684. | 2.0 | 13 |
| 123 | Widespread occurrence of the amphibian chytrid fungus in Kenya. Animal Conservation, 2010, 13, 36-43. | 2.9 | 33 |
| 124 | Population demography influences climatic niche evolution: evidence from diploid American <i>Hordeum</i> species (Poaceae). Molecular Ecology, 2010, 19, 1423-1438. | 3.9 | 57 |
| 125 | Biogeography meets conservation: the genetic structure of the endangered lycaenid butterfly Lycaena helle (Denis & Schifferm Å 1/4 ller, 1775). Biological Journal of the Linnean Society, 2010, 101, 155-168. | 1.6 | 35 |
| 126 | Molecules meet macroecologyâ€"combining Species Distribution Models and phylogeographic studies. Zootaxa, 2010, 2426, 54-60. | 0.5 | 14 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 127 | New species of reed frog from the Congo basin with discussion of paraphyly in Cinnamon-belly reed frogs. Zootaxa, 2010, 2501, . | 0.5 | 20 |
| 128 | Potential distribution of threatened Leptopelis spp. (Anura, Arthroleptidae) in Ethiopia derived from climate and land-cover data. Endangered Species Research, 2010, 9, 117-124. | 2.4 | 15 |
| 129 | Foraging mode of Australolacerta rupicola (Fitz Simons, 1933) (Sauria: Lacertidae): evidence of seasonal variation in an extremely active predator?. Journal of Natural History, 2010, 44, 2941-2953. | 0.5 | 3 |
| 130 | Future potential distribution of the emerging amphibian chytrid fungus under anthropogenic climate change. Diseases of Aquatic Organisms, 2010, 92, 201-207. | 1.0 | 59 |
| 131 | Potential Distribution of the Alien Invasive Brown Tree Snake, Boiga irregularis (Reptilia: Colubridae). Pacific Science, 2010, 64, 11-22. | 0.6 | 26 |
| 132 | Review Modelling Future Trends of Relict Species. , 2010, , 373-383. | | 1 |
| 133 | Is the â€~Lost World' Lost? High Endemism of Aphibians and Reptiles on South American TepuÃs in a Changing Climate. , 2010, , 401-416. | | 5 |
| 134 | Population Genetics and Ecological Niche Modelling Reveal High Fragmentation and Potential Future Extinction of the Endangered Relict Butterfly Lycaena helle., 2010,, 417-439. | | 8 |
| 135 | Another case of cryptic diversity in poison frogs (Dendrobatidae: Ameerega)—description of a new species from Bolivia. Zootaxa, 2009, 2028, 20-30. | 0.5 | 13 |
| 136 | The Link Between Rapid Enigmatic Amphibian Decline and the Globally Emerging Chytrid Fungus. EcoHealth, 2009, 6, 358-372. | 2.0 | 56 |
| 137 | Niche shift versus niche conservatism? Climatic characteristics of the native and invasive ranges of the Mediterranean house gecko (<i>Hemidactylus turcicus</i>). Global Ecology and Biogeography, 2009, 18, 674-687. | 5.8 | 179 |
| 138 | First record of human envenomation by Atractaspis congica Peters, 1877 (Squamata: Atractaspididae). Toxicon, 2009, 54, 368-372. | 1.6 | 9 |
| 139 | Translating natural history into geographic space: a macroecological perspective on the North American Slider,Trachemys scripta(Reptilia, Cryptodira, Emydidae). Journal of Natural History, 2009, 43, 2525-2536. | 0.5 | 10 |
| 140 | Will future anthropogenic climate change increase the potential distribution of the alien invasive Cuban treefrog (Anura: Hylidae)?. Journal of Natural History, 2009, 43, 1207-1217. | 0.5 | 34 |
| 141 | Global Amphibian Extinction Risk Assessment for the Panzootic Chytrid Fungus. Diversity, 2009, 1, 52-66. | 1.7 | 141 |
| 142 | Alien Invasive Slider Turtle in Unpredicted Habitat: A Matter of Niche Shift or of Predictors Studied?. PLoS ONE, 2009, 4, e7843. | 2.5 | 158 |
| 143 | Two new Pristimantis (Anura, Strabomantidae) belonging to the myersi group from the Andean slopes of Ecuador. Revue Suisse De Zoologie, 2009, 116, 275-288. | 0.3 | 6 |
| 144 | Environmental gradients explaining the prevalence and intensity of infection with the amphibian chytrid fungus: the host's perspective. Animal Conservation, 2008, 11, 513-517. | 2.9 | 38 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | A new Pristimantis (Anura, Strabomantidae) from Yuruani-tepui, Venezuela. Zootaxa, 2008, 1814, 58. | 0.5 | 7 |
| 146 | Strong genetic cohesiveness between Italy and North Africa in four butterfly species. Biological Journal of the Linnean Society, 0, 99, 818-830. | 1.6 | 36 |
| 147 | Amphibians as indicators of changes in aquatic and terrestrial ecosystems following GM crop cultivation: a monitoring guideline. BioRisk, 0, 8, 39-51. | 0.2 | 23 |
| 148 | Predicting terrestrial dispersal corridors of the invasive African clawed frog Xenopus laevis in Portugal. NeoBiota, 0, 64, 103-118. | 1.0 | 1 |
| 149 | Living under the risk of extinction: population status and conservation needs assessment of a micro–endemic tiger gecko in Vietnam. Animal Biodiversity and Conservation, 0, , 175-188. | 0.5 | 2 |
| 150 | i»¿Assessment of the threat status of the amphibians in Vietnam - Implementation of the One Plan Approach. Nature Conservation, 0, 49, 77-116. | 0.0 | 9 |