

# Eun-Jung Rhee

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5319350/eun-jung-rhee-publications-by-citations.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

272  
papers

6,713  
citations

43  
h-index

65  
g-index

286  
ext. papers

8,012  
ext. citations

4.4  
avg, IF

6.06  
L-index

#	Paper	IF	Citations
272	Relationship between serum uric acid concentration and insulin resistance and metabolic syndrome. <i>Circulation Journal</i> , <b>2005</b> , 69, 928-33	2.9	270
271	Association of oxidative stress with postmenopausal osteoporosis and the effects of hydrogen peroxide on osteoclast formation in human bone marrow cell cultures. <i>Calcified Tissue International</i> , <b>2010</b> , 87, 226-35	3.9	194
270	The relationship between serum resistin, leptin, adiponectin, ghrelin levels and bone mineral density in middle-aged men. <i>Clinical Endocrinology</i> , <b>2005</b> , 63, 131-8	3.4	147
269	Insulin resistance and C-reactive protein as independent risk factors for non-alcoholic fatty liver disease in non-obese Asian men. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2004</b> , 19, 694-8	4	145
268	Regular exercise is associated with a reduction in the risk of NAFLD and decreased liver enzymes in individuals with NAFLD independent of obesity in Korean adults. <i>PLoS ONE</i> , <b>2012</b> , 7, e46819	3.7	128
267	Effects of smoking, alcohol, exercise, education, and family history on the metabolic syndrome as defined by the ATP III. <i>Diabetes Research and Clinical Practice</i> , <b>2005</b> , 67, 70-7	7.4	127
266	2019 Clinical Practice Guidelines for Type 2 Diabetes Mellitus in Korea. <i>Diabetes and Metabolism Journal</i> , <b>2019</b> , 43, 398-406	5	124
265	Combined effect of nonalcoholic fatty liver disease and impaired fasting glucose on the development of type 2 diabetes: a 4-year retrospective longitudinal study. <i>Diabetes Care</i> , <b>2011</b> , 34, 727-9	14.6	110
264	Prevalence of the metabolic syndrome among 40,698 Korean metropolitan subjects. <i>Diabetes Research and Clinical Practice</i> , <b>2004</b> , 65, 143-9	7.4	108
263	Exendin-4 improves steatohepatitis by increasing Sirt1 expression in high-fat diet-induced obese C57BL/6J mice. <i>PLoS ONE</i> , <b>2012</b> , 7, e31394	3.7	100
262	Diabetes in Asians. <i>Endocrinology and Metabolism</i> , <b>2015</b> , 30, 263-9	3.5	84
261	Nicotinamide improves glucose metabolism and affects the hepatic NAD-sirtuin pathway in a rodent model of obesity and type 2 diabetes. <i>Journal of Nutritional Biochemistry</i> , <b>2014</b> , 25, 66-72	6.3	81
260	2015 Korean Guidelines for the Management of Dyslipidemia: Executive Summary (English Translation). <i>Korean Circulation Journal</i> , <b>2016</b> , 46, 275-306	2.2	79
259	2018 Guidelines for the management of dyslipidemia. <i>Korean Journal of Internal Medicine</i> , <b>2019</b> , 34, 723-7	7.1	79
258	SAT-634 The Effect of Continine Verified Smoking on the Development of Diabetes. <i>Journal of the Endocrine Society</i> , <b>2020</b> , 4,	0.4	78
257	Impact of nonalcoholic fatty liver disease on insulin resistance in relation to HbA1c levels in nondiabetic subjects. <i>American Journal of Gastroenterology</i> , <b>2010</b> , 105, 2389-95	0.7	75
256	Thyroid hormone levels and incident chronic kidney disease in euthyroid individuals: the Kangbuk Samsung Health Study. <i>International Journal of Epidemiology</i> , <b>2014</b> , 43, 1624-32	7.8	71

255	High serum vitamin D levels reduce the risk for nonalcoholic fatty liver disease in healthy men independent of metabolic syndrome. <i>Endocrine Journal</i> , <b>2013</b> , 60, 743-52	2.9	67
254	The association of serum adipocyte fatty acid-binding protein with coronary artery disease in Korean adults. <i>European Journal of Endocrinology</i> , <b>2009</b> , 160, 165-72	6.5	65
253	C-reactive protein concentrations are related to insulin resistance and metabolic syndrome as defined by the ATP III report. <i>International Journal of Cardiology</i> , <b>2004</b> , 97, 101-6	3.2	65
252	Circulating osteoprotegerin and receptor activator of NF-kappaB ligand system are associated with bone metabolism in middle-aged males. <i>Clinical Endocrinology</i> , <b>2005</b> , 62, 92-8	3.4	65
251	Relationship of serum osteoprotegerin levels with coronary artery disease severity, left ventricular hypertrophy and C-reactive protein. <i>Clinical Science</i> , <b>2005</b> , 108, 237-43	6.5	63
250	Effects of two common polymorphisms of peroxisome proliferator-activated receptor-gamma gene on metabolic syndrome. <i>Archives of Medical Research</i> , <b>2006</b> , 37, 86-94	6.6	62
249	Activation of peroxisome proliferator-activated receptor gamma by rosiglitazone increases sirt6 expression and ameliorates hepatic steatosis in rats. <i>PLoS ONE</i> , <b>2011</b> , 6, e17057	3.7	61
248	Impact of non-alcoholic fatty liver disease on microalbuminuria in patients with prediabetes and diabetes. <i>Internal Medicine Journal</i> , <b>2010</b> , 40, 437-42	1.6	61
247	Nonalcoholic Fatty Liver Disease in Diabetes. Part I: Epidemiology and Diagnosis. <i>Diabetes and Metabolism Journal</i> , <b>2019</b> , 43, 31-45	5	60
246	The differential effects of age on the association of KLOTTHO gene polymorphisms with coronary artery disease. <i>Metabolism: Clinical and Experimental</i> , <b>2006</b> , 55, 1344-51	12.7	58
245	Lobeglitazone, a Novel Thiazolidinedione, Improves Non-Alcoholic Fatty Liver Disease in Type 2 Diabetes: Its Efficacy and Predictive Factors Related to Responsiveness. <i>Journal of Korean Medical Science</i> , <b>2017</b> , 32, 60-69	4.7	56
244	GLP-1 Receptor Agonist and Non-Alcoholic Fatty Liver Disease. <i>Diabetes and Metabolism Journal</i> , <b>2012</b> , 36, 262-7	5	56
243	Plasma CRP, apolipoprotein A-1, apolipoprotein B and Lpa levels according to thyroid function status. <i>Archives of Medical Research</i> , <b>2004</b> , 35, 540-5	6.6	54
242	Relationship between body composition and bone mineral density (BMD) in perimenopausal Korean women. <i>Clinical Endocrinology</i> , <b>2009</b> , 71, 18-26	3.4	51
241	Relationship between subclinical thyroid dysfunction and femoral neck bone mineral density in women. <i>Archives of Medical Research</i> , <b>2006</b> , 37, 511-6	6.6	51
240	Metabolic and cardiovascular implications of a metabolically healthy obesity phenotype. <i>Endocrinology and Metabolism</i> , <b>2014</b> , 29, 427-34	3.5	49
239	Retinoid metabolism and diabetes mellitus. <i>Diabetes and Metabolism Journal</i> , <b>2012</b> , 36, 167-80	5	48
238	Metabolic syndrome and insulin resistance are associated with abnormal left ventricular diastolic function and structure independent of blood pressure and fasting plasma glucose level. <i>International Journal of Cardiology</i> , <b>2012</b> , 159, 107-11	3.2	47

237	Serum phosphate levels and the risk of cardiovascular disease and metabolic syndrome: a double-edged sword. <i>Diabetes Research and Clinical Practice</i> , <b>2009</b> , 83, 119-25	7.4	47
236	Thyroid dysfunction and their relation to cardiovascular risk factors such as lipid profile, hsCRP, and waist hip ratio in Korea. <i>Korean Journal of Internal Medicine</i> , <b>2003</b> , 18, 146-53	2.5	47
235	Current and emerging pharmacological options for the treatment of nonalcoholic steatohepatitis. <i>Metabolism: Clinical and Experimental</i> , <b>2020</b> , 111S, 154203	12.7	46
234	Metabolic health is a more important determinant for diabetes development than simple obesity: a 4-year retrospective longitudinal study. <i>PLoS ONE</i> , <b>2014</b> , 9, e98369	3.7	45
233	Predictive Value of Triglyceride Glucose Index for the Risk of Incident Diabetes: A 4-Year Retrospective Longitudinal Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0163465	3.7	45
232	Exendin-4 attenuates endoplasmic reticulum stress through a SIRT1-dependent mechanism. <i>Cell Stress and Chaperones</i> , <b>2014</b> , 19, 649-56	4	44
231	AMP-activated protein kinase suppresses the expression of LXR/SREBP-1 signaling-induced ANGPTL8 in HepG2 cells. <i>Molecular and Cellular Endocrinology</i> , <b>2015</b> , 414, 148-55	4.4	43
230	Preventive effects of bitter melon ( <i>Momordica charantia</i> ) against insulin resistance and diabetes are associated with the inhibition of NF- $\kappa$ B and JNK pathways in high-fat-fed OLETF rats. <i>Journal of Nutritional Biochemistry</i> , <b>2015</b> , 26, 234-40	6.3	43
229	Tumor Necrosis Factor- $\alpha$ is a Predictor for the Development of Nonalcoholic Fatty Liver Disease: A 4-Year Follow-Up Study. <i>Endocrinology and Metabolism</i> , <b>2013</b> , 28, 41-5	3.5	43
228	Serum gamma-glutamyl transferase activity predicts future development of metabolic syndrome defined by 2 different criteria. <i>Clinica Chimica Acta</i> , <b>2009</b> , 403, 234-40	6.2	43
227	Association of lipid and lipoprotein profiles with future development of type 2 diabetes in nondiabetic Korean subjects: a 4-year retrospective, longitudinal study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2011</b> , 96, E2050-4	5.6	43
226	Plasma omentin-1 levels are reduced in non-obese women with normal glucose tolerance and polycystic ovary syndrome. <i>European Journal of Endocrinology</i> , <b>2011</b> , 165, 789-96	6.5	43
225	Differences of the association of anti-Müllerian hormone with clinical or biochemical characteristics between women with and without polycystic ovary syndrome. <i>Endocrine Journal</i> , <b>2012</b> , 59, 781-90	2.9	43
224	Increased risk of type 2 diabetes in subjects with both elevated liver enzymes and ultrasonographically diagnosed nonalcoholic fatty liver disease: a 4-year longitudinal study. <i>Archives of Medical Research</i> , <b>2013</b> , 44, 115-20	6.6	42
223	Prevalence of <i>Helicobacter pylori</i> infection and its association with cardiovascular risk factors in Korean adults. <i>International Journal of Cardiology</i> , <b>2005</b> , 102, 411-7	3.2	42
222	Hyperinsulinemia and the development of nonalcoholic Fatty liver disease in nondiabetic adults. <i>American Journal of Medicine</i> , <b>2011</b> , 124, 69-76	2.4	41
221	Serum 1,5-anhydroglucitol concentrations are a reliable index of glycemic control in type 2 diabetes with mild or moderate renal dysfunction. <i>Diabetes Care</i> , <b>2012</b> , 35, 281-6	14.6	41
220	2018 Guidelines for the Management of Dyslipidemia in Korea. <i>Journal of Lipid and Atherosclerosis</i> , <b>2019</b> , 8, 78-131	3	40

219	The association between daily calcium intake and sarcopenia in older, non-obese Korean adults: the fourth Korea National Health and Nutrition Examination Survey (KNHANES IV) 2009. <i>Endocrine Journal</i> , <b>2013</b> , 60, 679-86	2.9	40
218	Circulating osteoprotegerin levels are associated with age, waist-to-hip ratio, serum total cholesterol, and low-density lipoprotein cholesterol levels in healthy Korean women. <i>Metabolism: Clinical and Experimental</i> , <b>2005</b> , 54, 49-54	12.7	40
217	Trends in diabetic retinopathy and related medical practices among type 2 diabetes patients: Results from the National Insurance Service Survey 2006-2013. <i>Journal of Diabetes Investigation</i> , <b>2018</b> , 9, 173-178	3.9	38
216	Thyroid hormones and mortality risk in euthyroid individuals: the Kangbuk Samsung health study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, 2467-76	5.6	38
215	Efficacy and safety of the dipeptidyl peptidase-4 inhibitor gemigliptin compared with sitagliptin added to ongoing metformin therapy in patients with type 2 diabetes inadequately controlled with metformin alone. <i>Diabetes, Obesity and Metabolism</i> , <b>2013</b> , 15, 523-30	6.7	38
214	Exendin-4 regulates lipid metabolism and fibroblast growth factor 21 in hepatic steatosis. <i>Metabolism: Clinical and Experimental</i> , <b>2014</b> , 63, 1041-8	12.7	38
213	Impact of circulating bone-resorbing cytokines on the subsequent bone loss following bone marrow transplantation. <i>Bone Marrow Transplantation</i> , <b>2004</b> , 34, 89-94	4.4	38
212	Six-quark decays of the Higgs boson in supersymmetry with R-parity violation. <i>Physical Review Letters</i> , <b>2007</b> , 99, 211801	7.4	37
211	Glycated haemoglobin as a predictor for metabolic syndrome in non-diabetic Korean adults. <i>Diabetic Medicine</i> , <b>2007</b> , 24, 848-54	3.5	36
210	Reduced lung function is independently associated with increased risk of type 2 diabetes in Korean men. <i>Cardiovascular Diabetology</i> , <b>2012</b> , 11, 38	8.7	35
209	No association of Pro12Ala polymorphism of PPAR-gamma gene with coronary artery disease in Korean subjects. <i>Circulation Journal</i> , <b>2007</b> , 71, 338-42	2.9	35
208	The association between regional arterial stiffness and diabetic retinopathy in type 2 diabetes. <i>Atherosclerosis</i> , <b>2012</b> , 225, 237-41	3.1	34
207	A multicenter, randomized, placebo-controlled, double-blind phase II trial evaluating the optimal dose, efficacy and safety of LC 15-0444 in patients with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , <b>2010</b> , 12, 1113-9	6.7	34
206	Nonalcoholic Fatty Liver Disease and Diabetes: An Epidemiological Perspective. <i>Endocrinology and Metabolism</i> , <b>2019</b> , 34, 226-233	3.5	34
205	Optimal hemoglobin A1C Cutoff Value for Diagnosing type 2 diabetes mellitus in Korean adults. <i>Diabetes Research and Clinical Practice</i> , <b>2013</b> , 99, 231-6	7.4	33
204	Thyroid hormones and coronary artery calcification in euthyroid men and women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2014</b> , 34, 2128-34	9.4	33
203	Metabolic syndrome, insulin resistance and systemic inflammation as risk factors for reduced lung function in Korean nonsmoking males. <i>Journal of Korean Medical Science</i> , <b>2010</b> , 25, 1480-6	4.7	33
202	Efficacy and safety of teneligliptin, a dipeptidyl peptidase-4 inhibitor, combined with metformin in Korean patients with type 2 diabetes mellitus: a 16-week, randomized, double-blind, placebo-controlled phase III trial. <i>Diabetes, Obesity and Metabolism</i> , <b>2015</b> , 17, 309-12	6.7	32

201	Retinoid metabolism and its effects on the vasculature. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , <b>2012</b> , 1821, 230-40	5	32
200	Short-term changes in bone and mineral metabolism following gastrectomy in gastric cancer patients. <i>Bone</i> , <b>2008</b> , 42, 61-7	4.7	32
199	Obesity Fact Sheet in Korea, 2019: Prevalence of Obesity and Abdominal Obesity from 2009 to 2018 and Social Factors. <i>Journal of Obesity and Metabolic Syndrome</i> , <b>2020</b> , 29, 124-132	4.4	32
198	C-Peptide-Based Index Is More Related to Incident Type 2 Diabetes in Non-Diabetic Subjects than Insulin-Based Index. <i>Endocrinology and Metabolism</i> , <b>2016</b> , 31, 320-7	3.5	32
197	The effects of C161-->T polymorphisms in exon 6 of peroxisome proliferator-activated receptor-gamma gene on bone mineral metabolism and serum osteoprotegerin levels in healthy middle-aged women. <i>American Journal of Obstetrics and Gynecology</i> , <b>2005</b> , 192, 1087-93	6.4	31
196	2021 Clinical Practice Guidelines for Diabetes Mellitus of the Korean Diabetes Association. <i>Diabetes and Metabolism Journal</i> , <b>2021</b> , 45, 461-481	5	31
195	Elevated fasting insulin predicts the future incidence of metabolic syndrome: a 5-year follow-up study. <i>Cardiovascular Diabetology</i> , <b>2011</b> , 10, 108	8.7	30
194	Associations between two single nucleotide polymorphisms of adiponectin gene and coronary artery diseases. <i>Endocrine Journal</i> , <b>2006</b> , 53, 671-7	2.9	30
193	Impact of hypothyroidism on the development of non-alcoholic fatty liver disease: A 4-year retrospective cohort study. <i>Clinical and Molecular Hepatology</i> , <b>2015</b> , 21, 372-8	6.9	30
192	1,5-Anhydroglucitol reflects postprandial hyperglycemia and a decreased insulinogenic index, even in subjects with prediabetes and well-controlled type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , <b>2009</b> , 84, 51-7	7.4	29
191	Higher association of coronary artery calcification with non-alcoholic fatty liver disease than with abdominal obesity in middle-aged Korean men: the Kangbuk Samsung Health Study. <i>Cardiovascular Diabetology</i> , <b>2015</b> , 14, 88	8.7	28
190	Serum adipocyte-specific fatty acid-binding protein is associated with nonalcoholic fatty liver disease in apparently healthy subjects. <i>Journal of Nutritional Biochemistry</i> , <b>2011</b> , 22, 289-92	6.3	28
189	The relationship between circulating osteoprotegerin levels and bone mineral metabolism in healthy women. <i>Clinical Endocrinology</i> , <b>2004</b> , 61, 244-9	3.4	28
188	Age, body mass index, current smoking history, and serum insulin-like growth factor-I levels associated with bone mineral density in middle-aged Korean men. <i>Journal of Bone and Mineral Metabolism</i> , <b>2004</b> , 22, 392-8	2.9	27
187	Metabolic health is more closely associated with coronary artery calcification than obesity. <i>PLoS ONE</i> , <b>2013</b> , 8, e74564	3.7	27
186	The risk of metabolic syndrome according to the white blood cell count in apparently healthy Korean adults. <i>Yonsei Medical Journal</i> , <b>2013</b> , 54, 615-20	3	26
185	Waist Circumference as a Marker of Obesity Is More Predictive of Coronary Artery Calcification than Body Mass Index in Apparently Healthy Korean Adults: The Kangbuk Samsung Health Study. <i>Endocrinology and Metabolism</i> , <b>2016</b> , 31, 559-566	3.5	26
184	Favorable influence of subclinical hypothyroidism on the functional outcomes in stroke patients. <i>Endocrine Journal</i> , <b>2010</b> , 57, 23-9	2.9	25

183	The relationship between coronary artery calcification score, plasma osteoprotegerin level and arterial stiffness in asymptomatic type 2 DM. <i>Acta Diabetologica</i> , <b>2010</b> , 47 Suppl 1, 145-52	3.9	25
182	The relationship of body composition and coronary artery calcification in apparently healthy Korean adults. <i>Endocrinology and Metabolism</i> , <b>2013</b> , 28, 33-40	3.5	24
181	Changes in the serum sex steroids, IL-7 and RANKL-OPG system after bone marrow transplantation: influences on bone and mineral metabolism. <i>Bone</i> , <b>2006</b> , 39, 1352-60	4.7	24
180	Increased risk for diabetes development in subjects with large variation in total cholesterol levels in 2,827,950 Koreans: A nationwide population-based study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0176615	3.7	24
179	Association between Serum Albumin, Insulin Resistance, and Incident Diabetes in Nondiabetic Subjects. <i>Endocrinology and Metabolism</i> , <b>2013</b> , 28, 26-32	3.5	23
178	Higher serum free thyroxine levels are associated with coronary artery disease. <i>Endocrine Journal</i> , <b>2008</b> , 55, 819-26	2.9	23
177	Metabolic Obesity Phenotypes and Thyroid Cancer Risk: A Cohort Study. <i>Thyroid</i> , <b>2019</b> , 29, 349-358	6.2	23
176	Serum alkaline phosphatase, body composition, and risk of metabolic syndrome in middle-aged Korean. <i>Endocrine Journal</i> , <b>2013</b> , 60, 321-8	2.9	22
175	Ezetimibe improves hepatic steatosis in relation to autophagy in obese and diabetic rats. <i>World Journal of Gastroenterology</i> , <b>2015</b> , 21, 7754-63	5.6	22
174	Obesity and incidence of diabetes: Effect of absence of metabolic syndrome, insulin resistance, inflammation and fatty liver. <i>Atherosclerosis</i> , <b>2018</b> , 275, 50-57	3.1	22
173	Increased risk of diabetes development in subjects with the hypertriglyceridemic waist phenotype: a 4-year longitudinal study. <i>Endocrinology and Metabolism</i> , <b>2014</b> , 29, 514-21	3.5	21
172	Impact of large-volume liposuction on serum lipids in orientals: a pilot study. <i>Aesthetic Plastic Surgery</i> , <b>2006</b> , 30, 327-32	2	21
171	Comparison of insulin resistance and serum high-sensitivity C-reactive protein levels according to the fasting blood glucose subgroups divided by the newly recommended criteria for fasting hyperglycemia in 10059 healthy Koreans. <i>Metabolism: Clinical and Experimental</i> , <b>2006</b> , 55, 183-7	12.7	21
170	Relative risks of the metabolic syndrome according to the degree of insulin resistance in apparently healthy Korean adults. <i>Clinical Science</i> , <b>2005</b> , 108, 553-9	6.5	21
169	Prevalence and Current Management of Cardiovascular Risk Factors in Korean Adults Based on Fact Sheets. <i>Endocrinology and Metabolism</i> , <b>2020</b> , 35, 85-94	3.5	21
168	Association of Waist-Height Ratio with Diabetes Risk: A 4-Year Longitudinal Retrospective Study. <i>Endocrinology and Metabolism</i> , <b>2016</b> , 31, 127-33	3.5	21
167	Association Between Coronary Artery Calcification and the Hemoglobin Glycation Index: The Kangbuk Samsung Health Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 4634-4641	5.6	20
166	Association Between Glycemic Status and the Risk of Parkinson Disease: A Nationwide Population-Based Study. <i>Diabetes Care</i> , <b>2020</b> , 43, 2169-2175	14.6	20

165	Increased risk of diabetes development in individuals with weight cycling over 4 years: The Kangbuk Samsung Health study. <i>Diabetes Research and Clinical Practice</i> , <b>2018</b> , 139, 230-238	7.4	20
164	Metabolic Health Is More Important than Obesity in the Development of Nonalcoholic Fatty Liver Disease: A 4-Year Retrospective Study. <i>Endocrinology and Metabolism</i> , <b>2015</b> , 30, 522-30	3.5	20
163	Mechanisms of adipose tissue redistribution with rosiglitazone treatment in various adipose depots. <i>Metabolism: Clinical and Experimental</i> , <b>2010</b> , 59, 46-53	12.7	20
162	Identification of adiponectin and its receptors in human osteoblast-like cells and association of T45G polymorphism in exon 2 of adiponectin gene with lumbar spine bone mineral density in Korean women. <i>Clinical Endocrinology</i> , <b>2006</b> , 65, 631-7	3.4	20
161	Obesity Fact Sheet in Korea, 2018: Data Focusing on Waist Circumference and Obesity-Related Comorbidities. <i>Journal of Obesity and Metabolic Syndrome</i> , <b>2019</b> , 28, 236-245	4.4	20
160	Association of urinary RBP4 with insulin resistance, inflammation, and microalbuminuria. <i>European Journal of Endocrinology</i> , <b>2014</b> , 171, 443-9	6.5	19
159	Deficiency of retinaldehyde dehydrogenase 1 induces BMP2 and increases bone mass in vivo. <i>PLoS ONE</i> , <b>2013</b> , 8, e71307	3.7	19
158	Chronic administration of ezetimibe increases active glucagon-like peptide-1 and improves glycemic control and pancreatic beta cell mass in a rat model of type 2 diabetes. <i>Biochemical and Biophysical Research Communications</i> , <b>2011</b> , 407, 153-7	3.4	19
157	Relationship of cotinine-verified and self-reported smoking status with metabolic syndrome in 116,094 Korean adults. <i>Journal of Clinical Lipidology</i> , <b>2017</b> , 11, 638-645.e2	4.9	18
156	The HDL cholesterol/apolipoprotein A-I ratio: an indicator of cardiovascular disease. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , <b>2017</b> , 24, 148-153	4	18
155	Prevalence and Annual Incidence of Thyroid Disease in Korea from 2006 to 2015: A Nationwide Population-Based Cohort Study. <i>Endocrinology and Metabolism</i> , <b>2018</b> , 33, 260-267	3.5	18
154	Increased Cardiovascular Mortality in Subjects With Metabolic Syndrome Is Largely Attributable to Diabetes and Hypertension in 159,971 Korean Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 2606-12	5.6	18
153	The relationship between Receptor Activator of Nuclear Factor-kappaB Ligand (RANKL) gene polymorphism and aortic calcification in Korean women. <i>Endocrine Journal</i> , <b>2010</b> , 57, 541-9	2.9	18
152	Exendin-4 Inhibits Hepatic Lipogenesis by Increasing $\beta$ Catenin Signaling. <i>PLoS ONE</i> , <b>2016</b> , 11, e0166913	3.7	18
151	Impact of hyperinsulinemia on the development of hypertension in normotensive, nondiabetic adults: a 4-year follow-up study. <i>Metabolism: Clinical and Experimental</i> , <b>2013</b> , 62, 532-8	12.7	17
150	Optimal range of HbA1c for the prediction of future diabetes: a 4-year longitudinal study. <i>Diabetes Research and Clinical Practice</i> , <b>2011</b> , 93, 255-259	7.4	17
149	The Relationship between 10-Year Cardiovascular Risk Calculated Using the Pooled Cohort Equation and the Severity of Non-Alcoholic Fatty Liver Disease. <i>Endocrinology and Metabolism</i> , <b>2016</b> , 31, 86-92	3.5	17
148	Serum 1,5-anhydroglucitol is associated with diabetic retinopathy in Type 2 diabetes. <i>Diabetic Medicine</i> , <b>2012</b> , 29, 1184-90	3.5	16



147	The association of Pro12Ala polymorphism of peroxisome proliferator-activated receptor-gamma gene with serum osteoprotegerin levels in healthy Korean women. <i>Experimental and Molecular Medicine</i> , <b>2007</b> , 39, 696-704	12.8	16
146	Visceral-to-Subcutaneous Abdominal Fat Ratio Is Associated with Nonalcoholic Fatty Liver Disease and Liver Fibrosis. <i>Endocrinology and Metabolism</i> , <b>2020</b> , 35, 165-176	3.5	16
145	Non-Alcoholic Fatty Liver Disease in Patients with Type 2 Diabetes Mellitus: A Position Statement of the Fatty Liver Research Group of the Korean Diabetes Association. <i>Diabetes and Metabolism Journal</i> , <b>2020</b> , 44, 382-401	5	16
144	Independent Impact of Diabetes on the Severity of Coronavirus Disease 2019 in 5,307 Patients in South Korea: A Nationwide Cohort Study. <i>Diabetes and Metabolism Journal</i> , <b>2020</b> , 44, 737-746	5	16
143	Weight Cycling and Its Cardiometabolic Impact. <i>Journal of Obesity and Metabolic Syndrome</i> , <b>2017</b> , 26, 237-242	4.4	16
142	Increased risk of subclinical atherosclerosis associated with high visceral adiposity index in apparently healthy Korean adults: the Kangbuk Samsung Health Study. <i>Annals of Medicine</i> , <b>2016</b> , 48, 410-416	1.5	16
141	Impact of systemic inflammation on the relationship between insulin resistance and all-cause and cancer-related mortality. <i>Metabolism: Clinical and Experimental</i> , <b>2018</b> , 81, 52-62	12.7	16
140	Resveratrol, an activator of SIRT1, improves ER stress by increasing clusterin expression in HepG2 cells. <i>Cell Stress and Chaperones</i> , <b>2019</b> , 24, 825-833	4	15
139	Non alcoholic fatty liver disease and risk of incident diabetes in subjects who are not obese. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2019</b> , 29, 489-495	4.5	15
138	Changes in Body Composition According to Age and Sex among Young Non-Diabetic Korean Adults: The Kangbuk Samsung Health Study. <i>Endocrinology and Metabolism</i> , <b>2017</b> , 32, 442-450	3.5	15
137	Pioglitazone Attenuates Palmitate-Induced Inflammation and Endoplasmic Reticulum Stress in Pancreatic $\beta$ Cells. <i>Endocrinology and Metabolism</i> , <b>2018</b> , 33, 105-113	3.5	15
136	Comparison of Serum Adipocytokine Levels according to Metabolic Health and Obesity Status. <i>Endocrinology and Metabolism</i> , <b>2015</b> , 30, 185-94	3.5	15
135	Higher glycated hemoglobin level is associated with increased risk for ischemic stroke in non-diabetic korean male adults. <i>Diabetes and Metabolism Journal</i> , <b>2011</b> , 35, 551-7	5	15
134	Relationship between metabolic syndrome categorized by newly recommended by International Diabetes Federation criteria with plasma homocysteine concentration. <i>Endocrine Journal</i> , <b>2007</b> , 54, 995-1002	7.0	15
133	The relationship between four single nucleotide polymorphisms in the promoter region of the osteoprotegerin gene and aortic calcification or coronary artery disease in Koreans. <i>Clinical Endocrinology</i> , <b>2006</b> , 64, 689-97	3.4	15
132	Sex difference in the relationship between insulin resistance and corrected QT interval in non-diabetic subjects. <i>Circulation Journal</i> , <b>2005</b> , 69, 409-13	2.9	15
131	Increased risk for development of coronary artery calcification in subjects with non-alcoholic fatty liver disease and systemic inflammation. <i>PLoS ONE</i> , <b>2017</b> , 12, e0180118	3.7	15
130	Increased association of coronary artery calcification in apparently healthy Korean adults with hypertriglyceridemic waist phenotype: The Kangbuk Samsung Health Study. <i>International Journal of Cardiology</i> , <b>2015</b> , 194, 78-82	3.2	14

129	Increased risk for development of coronary artery calcification in insulin-resistant subjects who developed diabetes: 4-year longitudinal study. <i>Atherosclerosis</i> , <b>2016</b> , 245, 132-8	3.1	14
128	Increased risk for intracranial arterial stenosis in subjects with coronary artery calcification. <i>Stroke</i> , <b>2015</b> , 46, 151-6	6.7	14
127	The association of unintentional changes in weight, body composition, and homeostasis model assessment index with glycemic progression in non-diabetic healthy subjects. <i>Diabetes and Metabolism Journal</i> , <b>2011</b> , 35, 138-48	5	14
126	Circulating CTRP1 Levels in Type 2 Diabetes and Their Association with FGF21. <i>International Journal of Endocrinology</i> , <b>2016</b> , 2016, 5479627	2.7	14
125	Deficiency of Sphingosine-1-Phosphate Reduces the Expression of Prohibitin and Causes $\beta$ Cell Impairment via Mitochondrial Dysregulation. <i>Endocrinology and Metabolism</i> , <b>2018</b> , 33, 403-412	3.5	14
124	Association between thyroid hormone levels, body composition and insulin resistance in euthyroid subjects with normal thyroid ultrasound: The Kangbuk Samsung Health Study. <i>Clinical Endocrinology</i> , <b>2018</b> , 89, 649-655	3.4	13
123	The role of serum adipocyte fatty acid-binding protein on the development of metabolic syndrome is independent of pro-inflammatory cytokines. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2012</b> , 22, 525-32	4.5	13
122	Repression of sterol regulatory element-binding protein 1-c is involved in the protective effects of exendin-4 in pancreatic $\beta$ cell line. <i>Molecular and Cellular Endocrinology</i> , <b>2012</b> , 362, 242-52	4.4	13
121	Serum ghrelin and leptin levels in adult growth hormone deficiency syndrome. <i>Archives of Medical Research</i> , <b>2006</b> , 37, 612-8	6.6	13
120	Spectrum of insulin sensitivity in the Korean population. <i>Metabolism: Clinical and Experimental</i> , <b>2005</b> , 54, 1644-51	12.7	13
119	The association between dietary cholesterol intake and subclinical atherosclerosis in Korean adults: The Kangbuk Samsung Health Study. <i>Journal of Clinical Lipidology</i> , <b>2017</b> , 11, 432-441.e3	4.9	12
118	Ezetimibe stimulates intestinal glucagon-like peptide 1 secretion via the MEK/ERK pathway rather than dipeptidyl peptidase 4 inhibition. <i>Metabolism: Clinical and Experimental</i> , <b>2015</b> , 64, 633-41	12.7	12
117	The effect of body mass index and fasting glucose on the relationship between blood pressure and incident diabetes mellitus: a 5-year follow-up study. <i>Hypertension Research</i> , <b>2011</b> , 34, 1093-7	4.7	12
116	In normoglycemic Koreans, insulin resistance and adiposity are independently correlated with high blood pressure. <i>Circulation Journal</i> , <b>2004</b> , 68, 898-902	2.9	12
115	Obesity Fact Sheet in Korea, 2020: Prevalence of Obesity by Obesity Class from 2009 to 2018. <i>Journal of Obesity and Metabolic Syndrome</i> , <b>2021</b> , 30, 141-148	4.4	12
114	Waist Circumference and All-Cause Mortality Independent of Body Mass Index in Korean Population from the National Health Insurance Health Checkup 2009-2015. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	11
113	The Risk of Myocardial Infarction and Ischemic Stroke According to Waist Circumference in 21,749,261 Korean Adults: A Nationwide Population-Based Study. <i>Diabetes and Metabolism Journal</i> , <b>2019</b> , 43, 206-221	5	11
112	Association of serum adipocyte-specific Fatty Acid binding protein with Fatty liver index as a predictive indicator of nonalcoholic Fatty liver disease. <i>Endocrinology and Metabolism</i> , <b>2013</b> , 28, 283-7	3.5	11

111	The association of brachial-ankle pulse wave velocity with 30-minute post-challenge plasma glucose levels in Korean adults with no history of type 2 diabetes. <i>Korean Diabetes Journal</i> , <b>2010</b> , 34, 287-93		11
110	Chronic kidney disease and high eGFR according to body composition phenotype in adults with normal BMI. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2016</b> , 26, 1088-1095	4.5	11
109	Increased risk of coronary artery calcification progression in subjects with high baseline Lp(a) levels: The Kangbuk Samsung Health Study. <i>International Journal of Cardiology</i> , <b>2016</b> , 222, 233-237	3.2	11
108	The persistence of fatty liver has a differential impact on the development of diabetes: The Kangbuk Samsung Health Study. <i>Diabetes Research and Clinical Practice</i> , <b>2018</b> , 135, 1-6	7.4	11
107	Adiponectin deletion impairs insulin signaling in insulin-sensitive but not insulin-resistant 3T3-L1 adipocytes. <i>Life Sciences</i> , <b>2015</b> , 132, 93-100	6.8	10
106	Statin eligibility and cardiovascular risk burden assessed by coronary artery calcium score: comparing the two guidelines in a large Korean cohort. <i>Atherosclerosis</i> , <b>2015</b> , 240, 242-9	3.1	10
105	Enhanced A-FABP expression in visceral fat: potential contributor to the progression of NASH. <i>Clinical and Molecular Hepatology</i> , <b>2012</b> , 18, 279-86	6.9	10
104	Encountering COVID-19 as Endocrinologists. <i>Endocrinology and Metabolism</i> , <b>2020</b> , 35, 197-205	3.5	10
103	The relative effects of obesity and insulin resistance on cardiovascular risk factors in nondiabetic and normotensive men. <i>Korean Journal of Internal Medicine</i> , <b>2004</b> , 19, 75-80	2.5	10
102	Association Between Thyroid Dysfunction and Lipid Profiles Differs According to Age and Sex: Results from the Korean National Health and Nutrition Examination Survey. <i>Thyroid</i> , <b>2018</b> , 28, 849-856	6.2	10
101	Restoration of adiponectin expression via the ERK pathway in TNF $\alpha$ -treated 3T3-L1 adipocytes. <i>Molecular Medicine Reports</i> , <b>2014</b> , 10, 905-10	2.9	9
100	Retrospective analysis on the efficacy, safety and treatment failure group of sitagliptin for mean 10-month duration. <i>Diabetes and Metabolism Journal</i> , <b>2011</b> , 35, 290-7	5	9
99	Effects of Cardiovascular Risk Factor Variability on Health Outcomes. <i>Endocrinology and Metabolism</i> , <b>2020</b> , 35, 217-226	3.5	9
98	Increased Risk of Progression of Coronary Artery Calcification in Male Subjects with High Baseline Waist-to-Height Ratio: The Kangbuk Samsung Health Study. <i>Diabetes and Metabolism Journal</i> , <b>2016</b> , 40, 54-61	5	9
97	The Association between Persistent Hypertriglyceridemia and the Risk of Diabetes Development: The Kangbuk Samsung Health Study. <i>Endocrinology and Metabolism</i> , <b>2018</b> , 33, 55-61	3.5	9
96	Additive effect of non-alcoholic fatty liver disease on the development of diabetes in individuals with metabolic syndrome. <i>Diabetes Research and Clinical Practice</i> , <b>2017</b> , 129, 136-143	7.4	8
95	Urinary adiponectin concentration is positively associated with micro- and macro-vascular complications. <i>Cardiovascular Diabetology</i> , <b>2013</b> , 12, 137	8.7	8
94	Exendin-4 Inhibits the Expression of SEPP1 and Fetuin-A via Improvement of Palmitic Acid-Induced Endoplasmic Reticulum Stress by AMPK. <i>Endocrinology and Metabolism</i> , <b>2015</b> , 30, 177-84	3.5	8

93	Activation of AMP-Activated Protein Kinase Attenuates Tumor Necrosis Factor-Induced Lipolysis via Protection of Perilipin in 3T3-L1 Adipocytes. <i>Endocrinology and Metabolism</i> , <b>2014</b> , 29, 553-60	3.5	8
92	Which metabolic syndrome criteria best predict the presence of non-alcoholic fatty liver disease?. <i>Diabetes Research and Clinical Practice</i> , <b>2012</b> , 95, 19-24	7.4	8
91	Chemerin: A Novel Link between Inflammation and Atherosclerosis?. <i>Diabetes and Metabolism Journal</i> , <b>2011</b> , 35, 216-8	5	8
90	Depot-Specific Changes in Fat Metabolism with Aging in a Type 2 Diabetic Animal Model. <i>PLoS ONE</i> , <b>2016</b> , 11, e0148141	3.7	8
89	Associations among Obesity Degree, Glycemic Status, and Risk of Heart Failure in 9,720,220 Korean Adults. <i>Diabetes and Metabolism Journal</i> , <b>2020</b> , 44, 592-601	5	8
88	Increased Risk of Cardiovascular Disease and Mortality in Patients with Diabetes and Coexisting Depression: A Nationwide Population-Based Cohort Study. <i>Diabetes and Metabolism Journal</i> , <b>2021</b> , 45, 379-389	5	8
87	Relationship of retinal vascular caliber variation with intracranial arterial stenosis. <i>Microvascular Research</i> , <b>2016</b> , 108, 64-8	3.7	8
86	Increased burden of coronary artery calcium from elevated blood pressure in low-risk young adults. <i>Atherosclerosis</i> , <b>2019</b> , 282, 188-195	3.1	8
85	Association between abdominal obesity and increased risk for the development of hypertension regardless of physical activity: A nationwide population-based study. <i>Journal of Clinical Hypertension</i> , <b>2018</b> , 20, 1417-1426	2.3	8
84	Decreased muscle mass in Korean subjects with intracranial arterial stenosis: The Kangbuk Samsung Health Study. <i>Atherosclerosis</i> , <b>2017</b> , 256, 89-93	3.1	7
83	Acarbose Add-on Therapy in Patients with Type 2 Diabetes Mellitus with Metformin and Sitagliptin Failure: A Multicenter, Randomized, Double-Blind, Placebo-Controlled Study. <i>Diabetes and Metabolism Journal</i> , <b>2019</b> , 43, 287-301	5	7
82	Decreased Vagal Activity and Deviation in Sympathetic Activity Precedes Development of Diabetes. <i>Diabetes Care</i> , <b>2020</b> , 43, 1336-1343	14.6	7
81	Association of low baseline free thyroxin levels with progression of coronary artery calcification over 4 years in euthyroid subjects: the Kangbuk Samsung Health Study. <i>Clinical Endocrinology</i> , <b>2016</b> , 84, 889-95	3.4	7
80	Being Metabolically Healthy, the Most Responsible Factor for Vascular Health. <i>Diabetes and Metabolism Journal</i> , <b>2018</b> , 42, 19-25	5	7
79	Retinaldehyde dehydrogenase 1 deficiency inhibits PPAR-mediated bone loss and marrow adiposity. <i>Bone</i> , <b>2014</b> , 67, 281-91	4.7	7
78	The Association between Cobalt Deficiency and Endemic Goiter in School-Aged Children. <i>Endocrinology and Metabolism</i> , <b>2014</b> , 29, 307-11	3.5	7
77	The risk of metabolic syndrome according to the high-sensitivity C-reactive protein in apparently healthy Koreans. <i>International Journal of Cardiology</i> , <b>2008</b> , 129, 266-71	3.2	7
76	Triglyceride glucose index predicts coronary artery calcification better than other indices of insulin resistance in Korean adults: the Kangbuk Samsung Health Study. <i>Precision and Future Medicine</i> , <b>2017</b> , 1, 43-51	1.1	7

75	Metabolic syndrome criteria as predictors of subclinical atherosclerosis based on the coronary calcium score. <i>Korean Journal of Internal Medicine</i> , <b>2015</b> , 30, 73-81	2.5	7
74	Protective effect of smoking cessation on subsequent myocardial infarction and ischemic stroke independent of weight gain: A nationwide cohort study. <i>PLoS ONE</i> , <b>2020</b> , 15, e0235276	3.7	7
73	Relationship of glycated hemoglobin A1c, coronary artery calcification and insulin resistance in males without diabetes. <i>Archives of Medical Research</i> , <b>2015</b> , 46, 71-7	6.6	6
72	Baseline glycemic status and mortality in 241,499 Korean metropolitan subjects: A Kangbuk Samsung Health Study. <i>Metabolism: Clinical and Experimental</i> , <b>2016</b> , 65, 68-77	12.7	6
71	The association of baseline adipocytokine levels with glycemic progression in nondiabetic Korean adults in 4 years of follow-up. <i>Diabetes Research and Clinical Practice</i> , <b>2012</b> , 98, 501-7	7.4	6
70	An elevated apolipoprotein B/AI ratio is independently associated with microalbuminuria in male subjects with impaired fasting glucose. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2011</b> , 21, 610-6	4.5	6
69	Comparison of the Predictability of Cardiovascular Disease Risk According to Different Metabolic Syndrome Criteria of American Heart Association/National Heart, Lung, and Blood Institute and International Diabetes Federation in Korean Men. <i>Korean Diabetes Journal</i> , <b>2008</b> , 32, 317		6
68	Metformin, resveratrol, and exendin-4 inhibit high phosphate-induced vascular calcification via AMPK-RANKL signaling. <i>Biochemical and Biophysical Research Communications</i> , <b>2020</b> , 530, 374-380	3.4	6
67	Resolution of fatty liver and weight loss: Independent associations with changes in serum lipids and apolipoproteins. <i>Atherosclerosis</i> , <b>2018</b> , 272, 47-53	3.1	5
66	Age Is the Strongest Effector for the Relationship between Estimated Glomerular Filtration Rate and Coronary Artery Calcification in Apparently Healthy Korean Adults. <i>Endocrinology and Metabolism</i> , <b>2014</b> , 29, 312-9	3.5	5
65	Effect on Glycemic, Blood Pressure, and Lipid Control according to Education Types. <i>Diabetes and Metabolism Journal</i> , <b>2011</b> , 35, 580-6	5	5
64	Relation between Baseline Height and New Diabetes Development: A Nationwide Population-Based Study. <i>Diabetes and Metabolism Journal</i> , <b>2019</b> , 43, 794-803	5	5
63	Comparison of Low-Density Lipoprotein Cholesterol Concentrations by Direct Measurement and by Friedewald Calculation. <i>American Journal of Cardiology</i> , <b>2020</b> , 125, 866-873	3	5
62	Serum lipoprotein(a) levels and insulin resistance have opposite effects on fatty liver disease. <i>Atherosclerosis</i> , <b>2020</b> , 308, 1-5	3.1	5
61	Dose-Dependent Effect of Smoking on Risk of Diabetes Remains after Smoking Cessation: A Nationwide Population-Based Cohort Study in Korea. <i>Diabetes and Metabolism Journal</i> , <b>2021</b> , 45, 539-548	5	5
60	Probucol in Albuminuric Type 2 Diabetes Mellitus Patients on Renin-Angiotensin System Blockade: A 16-Week, Randomized, Double-Blind, Placebo-Controlled Trial. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2016</b> , 36, 2108-14	9.4	5
59	Appropriate Amount of Regular Exercise Is Associated with a Reduced Mortality Risk. <i>Medicine and Science in Sports and Exercise</i> , <b>2018</b> , 50, 2451-2458	1.2	5
58	Exendin-4 improves ER stress-induced lipid accumulation and regulates lipin-1 signaling in HepG2 cells. <i>Cell Stress and Chaperones</i> , <b>2018</b> , 23, 629-638	4	5

57	Effects of Low-density Lipoprotein Cholesterol on Coronary Artery Calcification Progression According to High-density Lipoprotein Cholesterol Levels. <i>Archives of Medical Research</i> , <b>2017</b> , 48, 284-291	6.6	4
56	The Prevalence and Risk of Type 2 Diabetes in Adults with Disabilities in Korea. <i>Endocrinology and Metabolism</i> , <b>2020</b> , 35, 552-561	3.5	4
55	Eligibility for Statin Treatment in Korean Subjects with Reduced Renal Function: An Observational Study. <i>Endocrinology and Metabolism</i> , <b>2016</b> , 31, 402-409	3.5	4
54	Blood Pressure Is the Determinant for the Increased Risk for Intracranial Arterial Stenosis in Subjects with Elevated Glycated Hemoglobin Levels: The Kangbuk Samsung Health Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2016</b> , 25, 2729-2734	2.8	4
53	Vascular Calcification as a Novel Risk Factor for Kidney Function Deterioration in the Nonelderly. <i>Journal of the American Heart Association</i> , <b>2021</b> , 10, e019300	6	4
52	Increased Mortality Burden in Young Asian Subjects with Dysglycemia and Comorbidities. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	3
51	Prevalence of low LDL-cholesterol levels and elevated high-sensitivity C-reactive protein levels in apparently healthy Korean adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2012</b> , 22, 1061-6	4.5	3
50	Insulin resistance contributes more to the increased risk for diabetes development in subjects with low lipoprotein(a) level than insulin secretion. <i>PLoS ONE</i> , <b>2017</b> , 12, e0177500	3.7	3
49	Clusterin Protects Lipotoxicity-Induced Apoptosis via Upregulation of Autophagy in Insulin-Secreting Cells. <i>Endocrinology and Metabolism</i> , <b>2020</b> , 35, 943-953	3.5	3
48	Adipokine Concentrations in Pregnant Korean Women with Normal Glucose Tolerance and Gestational Diabetes Mellitus. <i>Korean Diabetes Journal</i> , <b>2009</b> , 33, 279		3
47	Absence of association between gallstone and coronary artery calcification. <i>Atherosclerosis</i> , <b>2017</b> , 258, 51-55	3.1	2
46	A 52-week extension study of switching from gemigliptin vs sitagliptin to gemigliptin only as add-on therapy for patients with type 2 diabetes who are inadequately controlled with metformin alone. <i>Diabetes, Obesity and Metabolism</i> , <b>2018</b> , 20, 1535-1541	6.7	2
45	Letter: Utility of the Visceral Adiposity Index and Hypertriglyceridemic Waist Phenotype for Predicting Incident Hypertension (Endocrinol Metab 2017;32:221-9, Mohsen Janghorbani et al.). <i>Endocrinology and Metabolism</i> , <b>2017</b> , 32, 396-397	3.5	2
44	Comparison of the alteration of the concentration of C-peptide in 24-h urine according to the combination patterns of hypoglycemic agents in type 2 diabetes patients. <i>Diabetes Research and Clinical Practice</i> , <b>2007</b> , 77 Suppl 1, S208-12	7.4	2
43	Autonomic Imbalance Increases the Risk for Non-alcoholic Fatty Liver Disease. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 752944	5.7	2
42	Clinical Characteristics of Non-Alcoholic Fatty Liver Disease Based on Analyses from the Kangbuk Samsung Health Study. <i>Journal of Korean Diabetes</i> , <b>2017</b> , 18, 81	0.1	2
41	The Influence of Obesity and Metabolic Health on Vascular Health.. <i>Endocrinology and Metabolism</i> , <b>2022</b> , 37, 1-8	3.5	2
40	A Glycemia Risk Index (GRI) of Hypoglycemia and Hyperglycemia for Continuous Glucose Monitoring Validated by Clinician Ratings.. <i>Journal of Diabetes Science and Technology</i> , <b>2022</b> , 193229682211085273	4.1	2

39	The relationship between serum fatty-acid binding protein 4 level and lung function in Korean subjects with normal ventilatory function. <i>BMC Pulmonary Medicine</i> , <b>2016</b> , 16, 34	3.5	1
38	Response: higher glycated hemoglobin level is associated with increased risk for ischemic stroke in non-diabetic korean male adults (diabetes metab j 2011;35:551-7). <i>Diabetes and Metabolism Journal</i> , <b>2012</b> , 36, 81-2	5	1
37	Letter: a retrospective study on the efficacy of a ten-milligram dosage of atorvastatin for treatment of hypercholesterolemia in type 2 diabetes mellitus patients (korean diabetes j 2010;34:359-67). <i>Diabetes and Metabolism Journal</i> , <b>2011</b> , 35, 86-7	5	1
36	Isolation of Density Enrichment Fraction of Adipose-Derived Stem Cells from Stromal Vascular Fraction by Gradient Centrifugation Method. <i>Endocrinology and Metabolism</i> , <b>2010</b> , 25, 103	3.5	1
35	Serum Transferrin Predicts New-Onset Type 2 Diabetes in Koreans: A 4-Year Retrospective Longitudinal Study. <i>Endocrinology and Metabolism</i> , <b>2020</b> , 35, 610-617	3.5	1
34	The Effects of Glucose Lowering Agents on the Secondary Prevention of Coronary Artery Disease in Patients with Type 2 Diabetes. <i>Endocrinology and Metabolism</i> , <b>2021</b> , 36, 977-987	3.5	1
33	The association of serum glycated albumin with the prevalence of diabetic retinopathy in Korean patients with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , <b>2016</b> , 116, 46-53	7.4	1
32	New Model for Predicting the Presence of Coronary Artery Calcification. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	1
31	Best Achievements in Clinical Medicine in Diabetes and Dyslipidemia in 2020. <i>Endocrinology and Metabolism</i> , <b>2021</b> , 36, 41-50	3.5	1
30	Increased Risk of Nonalcoholic Fatty Liver Disease in Individuals with High Weight Variability. <i>Endocrinology and Metabolism</i> , <b>2021</b> , 36, 845-854	3.5	1
29	Baseline homeostasis model assessment of insulin resistance associated with fibrosis progression in patients with nonalcoholic fatty liver disease without diabetes: A cohort study. <i>PLoS ONE</i> , <b>2021</b> , 16, e0255535	3.7	1
28	Increased Risk of Cardiovascular Disease and Mortality in Patients with Diabetes and Coexisting Depression: A Nationwide Population-Based Cohort Study (Diabetes Metab J 2021;45:379-89). <i>Diabetes and Metabolism Journal</i> , <b>2021</b> , 45, 793-794	5	1
27	Changes in Insulin Resistance Index and the Risk of Liver Fibrosis in Patients with Nonalcoholic Fatty Liver Disease without Diabetes: Kangbuk Samsung Health Study. <i>Endocrinology and Metabolism</i> , <b>2021</b> , 36, 1016-1028	3.5	0
26	Recent dyslipidemia guidelines for patients with diabetes mellitus. <i>Precision and Future Medicine</i> , <b>2020</b> , 4, 133-140	1.1	0
25	Retrospective Analysis of the Efficacy of Dapagliflozin in Patients with Type 2 Diabetes in a Primary Clinic in Korea. <i>Endocrinology and Metabolism</i> , <b>2019</b> , 34, 70-79	3.5	
24	Dietary Cholesterol Intake and Serum Cholesterol Concentration: Can We Eat Eggs without Limitation?. <i>Journal of Korean Diabetes</i> , <b>2016</b> , 17, 73	0.1	
23	Response: Comparison of Serum Adipocytokine Levels according to Metabolic Health and Obesity Status (Endocrinol Metab 2015;30:185-94, Tae Hoon Lee et al.). <i>Endocrinology and Metabolism</i> , <b>2015</b> , 30, 416-7	3.5	
22	Response: the relationship of body composition and coronary artery calcification in apparently healthy korean adults (endocrinol metab 2013;28:33-40, jung-hee yu et Al.). <i>Endocrinology and Metabolism</i> , <b>2013</b> , 28, 155-6	3.5	

21	The Effects of Osteoprotegerin Polymorphism on Bone Mineral Metabolism in Korean Women with Perimenopause. <i>Journal of Korean Endocrine Society</i> , <b>2005</b> , 20, 204	
20	Effects of physical activity on cardiovascular outcomes and mortality in Korean patients with diabetes: a nationwide population-based cohort study. <i>Cardiovascular Prevention and Pharmacotherapy</i> , <b>2022</b> , 4, 42-55	0.2
19	Response: Associations among Obesity Degree, Glycemic Status, and Risk of Heart Failure in 9,720,220 Korean Adults (Diabetes Metab J 2020;44:592-601). <i>Diabetes and Metabolism Journal</i> , <b>2020</b> , 44, 781-782	5
18	Diabetes in People with Disabilities: a Call for Action. <i>Cardiovascular Prevention and Pharmacotherapy</i> , <b>2021</b> , 3, 82	0.2
17	Associations among Obesity Degree, Glycemic Status, and Risk of Heart Failure in 9,720,220 Korean Adults. <i>Diabetes and Metabolism Journal</i> , <b>2020</b> , 44, 783-783	5
16	Letter: Association of Z-Score of the Log-Transformed A Body Shape Index with Cardiovascular Disease in People Who Are Obese but Metabolically Healthy: The Korea National Health and Nutrition Examination Survey 2007-2010 (J Obes Metab Syndr 2018;27:158-65). <i>Journal of Obesity</i> <a href="https://doi.org/10.1007/s12225-018-116-1">https://doi.org/10.1007/s12225-018-116-1</a>	4.4
15	Independent Impact of Diabetes on the Severity of Coronavirus Disease 2019 in 5,307 Patients in South Korea: A Nationwide Cohort Study (Diabetes Metab J 2020;44:737-46). <i>Diabetes and Metabolism Journal</i> , <b>2020</b> , 44, 942-943	5
14	Body Weight Change and Cardiovascular Disease: Effect of Weight Gain, Weight Loss, and Weight Cycling. <i>Cardiovascular Prevention and Pharmacotherapy</i> , <b>2021</b> , 3, 73	0.2
13	Insulin Sensitivity and Insulin Secretion Determined by Homeostasis Model Assessment and Future Risk of Diabetes Mellitus in Korean Men (Korean Diabetes J 32(6):498-505, 2008). <i>Korean Diabetes Journal</i> , <b>2009</b> , 33, 75	
12	The Estimation of Glucocard X-METER and Glucocard 01 METER According to International Organization for Standardization (ISO) Guideline. <i>Korean Clinical Diabetes</i> , <b>2010</b> , 11, 67	
11	Diabetes and Heart Failure. <i>Journal of Korean Diabetes</i> , <b>2021</b> , 22, 12-20	0.1
10	PS 11-65 THE ASSOCIATION BETWEEN DIETARY CHOLESTEROL INTAKE AND SUBCLINICAL ATHEROSCLEROSIS. <i>Journal of Hypertension</i> , <b>2016</b> , 34, e351	1.9
9	Diabetes and Heart Failure. <i>Cardiovascular Prevention and Pharmacotherapy</i> , <b>2021</b> , 3, 21	0.2
8	Response: The Association between Persistent Hypertriglyceridemia and the Risk of Diabetes Development: The Kangbuk Samsung Health Study (Endocrinol Metab 2018;33:55-61, Yu Hyun Kwon et al.). <i>Endocrinology and Metabolism</i> , <b>2018</b> , 33, 425-426	3.5
7	Do we need more genetic counselling in pediatric endocrine diseases?. <i>Precision and Future Medicine</i> , <b>2021</b> , 5, 95-96	1.1
6	The Effect of Weight Cycling on Diabetes Mellitus. <i>Journal of Korean Diabetes</i> , <b>2022</b> , 23, 35-42	0.1
5	Protective effect of smoking cessation on subsequent myocardial infarction and ischemic stroke independent of weight gain: A nationwide cohort study <b>2020</b> , 15, e0235276	
4	Protective effect of smoking cessation on subsequent myocardial infarction and ischemic stroke independent of weight gain: A nationwide cohort study <b>2020</b> , 15, e0235276	



- 3 Protective effect of smoking cessation on subsequent myocardial infarction and ischemic stroke independent of weight gain: A nationwide cohort study **2020**, 15, e0235276
- 2 Protective effect of smoking cessation on subsequent myocardial infarction and ischemic stroke independent of weight gain: A nationwide cohort study **2020**, 15, e0235276
- 1 Effects of exercise on reducing diabetes risk in Korean women according to menopausal status. *Cardiovascular Prevention and Pharmacotherapy*, **2022**, 4, 75-86 0.2