

# Haiyan Chu

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5320232/haiyan-chu-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105  
papers

2,197  
citations

27  
h-index

41  
g-index

109  
ext. papers

2,733  
ext. citations

7  
avg, IF

4.74  
L-index

#	Paper	IF	Citations
105	LncRNA MT1JP functions as a ceRNA in regulating FBXW7 through competitively binding to miR-92a-3p in gastric cancer. <i>Molecular Cancer</i> , <b>2018</b> , 17, 87	42.1	166
104	Exosome-transmitted long non-coding RNA PTENP1 suppresses bladder cancer progression. <i>Molecular Cancer</i> , <b>2018</b> , 17, 143	42.1	134
103	Identification of novel piRNAs in bladder cancer. <i>Cancer Letters</i> , <b>2015</b> , 356, 561-7	9.9	91
102	The association analysis of lncRNA HOTAIR genetic variants and gastric cancer risk in a Chinese population. <i>Oncotarget</i> , <b>2015</b> , 6, 31255-62	3.3	91
101	Circulating miR-497 and miR-663b in plasma are potential novel biomarkers for bladder cancer. <i>Scientific Reports</i> , <b>2015</b> , 5, 10437	4.9	87
100	Association of genetic variants in lncRNA H19 with risk of colorectal cancer in a Chinese population. <i>Oncotarget</i> , <b>2016</b> , 7, 25470-7	3.3	68
99	Genetic variants in lncRNA H19 are associated with the risk of bladder cancer in a Chinese population. <i>Mutagenesis</i> , <b>2016</b> , 31, 531-8	2.8	60
98	Genome-wide analysis of long noncoding RNA signature in human colorectal cancer. <i>Gene</i> , <b>2015</b> , 556, 227-34	3.8	53
97	Clinical potential role of circulating microRNAs in early diagnosis of colorectal cancer patients. <i>Carcinogenesis</i> , <b>2014</b> , 35, 2723-30	4.6	51
96	A novel antisense long noncoding RNA regulates the expression of MDC1 in bladder cancer. <i>Oncotarget</i> , <b>2015</b> , 6, 484-93	3.3	50
95	Hsa-miR-196a2 Rs11614913 polymorphism contributes to cancer susceptibility: evidence from 15 case-control studies. <i>PLoS ONE</i> , <b>2011</b> , 6, e18108	3.7	50
94	Global gene expression profiling of human bronchial epithelial cells exposed to airborne fine particulate matter collected from Wuhan, China. <i>Toxicology Letters</i> , <b>2014</b> , 228, 25-33	4.4	48
93	Common genetic variation in ETV6 is associated with colorectal cancer susceptibility. <i>Nature Communications</i> , <b>2016</b> , 7, 11478	17.4	45
92	Genetic variants in noncoding PIWI-interacting RNA and colorectal cancer risk. <i>Cancer</i> , <b>2015</b> , 121, 2044-50	5.4	43
91	Genetic variations in microRNAs and the risk and survival of renal cell cancer. <i>Carcinogenesis</i> , <b>2014</b> , 35, 1629-35	4.6	41
90	miR-107 regulates tumor progression by targeting NF1 in gastric cancer. <i>Scientific Reports</i> , <b>2016</b> , 6, 36531	4.9	40
89	Meta-analysis on the effectiveness of team-based learning on medical education in China. <i>BMC Medical Education</i> , <b>2018</b> , 18, 77	3.3	35

88	Bladder cancer epidemiology and genetic susceptibility. <i>Journal of Biomedical Research</i> , <b>2013</b> , 27, 170-8	1.5	32
87	Genetic variants in m6A modification genes are associated with colorectal cancer risk. <i>Carcinogenesis</i> , <b>2020</b> , 41, 8-17	4.6	30
86	A functional variant in miR-143 promoter contributes to prostate cancer risk. <i>Archives of Toxicology</i> , <b>2016</b> , 90, 403-14	5.8	30
85	An inverse association between tea consumption and colorectal cancer risk. <i>Oncotarget</i> , <b>2017</b> , 8, 37367-37376	3.76	30
84	Circulating MicroRNA-26a in Plasma and Its Potential Diagnostic Value in Gastric Cancer. <i>PLoS ONE</i> , <b>2016</b> , 11, e0151345	3.7	30
83	Expression and prognostic value of microRNA-26a and microRNA-148a in gastric cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2017</b> , 32, 819-827	4	29
82	The prognostic significance of HOTAIR for predicting clinical outcome in patients with digestive system tumors. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2015</b> , 141, 2139-45	4.9	29
81	The HOTAIR, PRNCR1 and POLR2E polymorphisms are associated with cancer risk: a meta-analysis. <i>Oncotarget</i> , <b>2017</b> , 8, 43271-43283	3.3	29
80	Genome-Wide Association Study of Bladder Cancer in a Chinese Cohort Reveals a New Susceptibility Locus at 5q12.3. <i>Cancer Research</i> , <b>2016</b> , 76, 3277-84	10.1	29
79	Hsa-miR-196a2 polymorphism increases the risk of acute lymphoblastic leukemia in Chinese children. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>2014</b> , 759, 16-21	3.3	28
78	A common genetic variation in the promoter of miR-107 is associated with gastric adenocarcinoma susceptibility and survival. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>2014</b> , 769, 35-41	3.3	25
77	KCNMA1 cooperating with PTK2 is a novel tumor suppressor in gastric cancer and is associated with disease outcome. <i>Molecular Cancer</i> , <b>2017</b> , 16, 46	42.1	24
76	Short-term effects of ambient air pollution and childhood lower respiratory diseases. <i>Scientific Reports</i> , <b>2017</b> , 7, 4414	4.9	24
75	Circadian clock pathway genes associated with colorectal cancer risk and prognosis. <i>Archives of Toxicology</i> , <b>2018</b> , 92, 2681-2689	5.8	24
74	Pri-miR-34b/c rs4938723 polymorphism contributes to acute lymphoblastic leukemia susceptibility in Chinese children. <i>Leukemia and Lymphoma</i> , <b>2016</b> , 57, 1436-41	1.9	23
73	The association of rs710886 in lncRNA PCAT1 with bladder cancer risk in a Chinese population. <i>Gene</i> , <b>2017</b> , 627, 226-232	3.8	22
72	LncRNA and its genetic variant rs1902432 are associated with prostate cancer risk. <i>Journal of Cancer</i> , <b>2018</b> , 9, 1414-1420	4.5	22
71	Ambient fine particulate matter (PM) induces oxidative stress and pro-inflammatory response via up-regulating the expression of CYP1A1/1B1 in human bronchial epithelial cells in vitro. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , <b>2019</b> , 839, 40-48	3	22

70	The polymorphisms of IL-4, IL-4R and IL-13 genes and bladder cancer risk in a Chinese population: a case-control study. <i>Molecular Biology Reports</i> , <b>2012</b> , 39, 5349-57	2.8	21
69	A functional variant in TP63 at 3q28 associated with bladder cancer risk by creating an miR-140-5p binding site. <i>International Journal of Cancer</i> , <b>2016</b> , 139, 65-74	7.5	19
68	The MPO -463G>A polymorphism and cancer risk: a meta-analysis based on 43 case-control studies. <i>Mutagenesis</i> , <b>2010</b> , 25, 389-95	2.8	19
67	Genome-wide long non-coding RNAs identified a panel of novel plasma biomarkers for gastric cancer diagnosis. <i>Gastric Cancer</i> , <b>2019</b> , 22, 731-741	7.6	19
66	AdipoQ polymorphisms are associated with type 2 diabetes mellitus: a meta-analysis study. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2013</b> , 29, 532-45	7.5	18
65	Association between obesity and bladder cancer recurrence: A meta-analysis. <i>Clinica Chimica Acta</i> , <b>2018</b> , 480, 41-46	6.2	16
64	Rare variants in BRCA2 and CHEK2 are associated with the risk of urinary tract cancers. <i>Scientific Reports</i> , <b>2016</b> , 6, 33542	4.9	16
63	A genetic variant of miR-148a binding site in the SCRN1 3SUTR is associated with susceptibility and prognosis of gastric cancer. <i>Scientific Reports</i> , <b>2014</b> , 4, 7080	4.9	15
62	Body mass index (BMI) trajectories and risk of colorectal cancer in the PLCO cohort. <i>British Journal of Cancer</i> , <b>2018</b> , 119, 130-132	8.7	15
61	A genetic variant in ERCC2 is associated with gastric cancer prognosis in a Chinese population. <i>Mutagenesis</i> , <b>2013</b> , 28, 441-6	2.8	15
60	The influence of genetic variants of sorafenib on clinical outcomes and toxic effects in patients with advanced renal cell carcinoma. <i>Scientific Reports</i> , <b>2016</b> , 6, 20089	4.9	14
59	Polymorphism rs2682818 in miR-618 is associated with colorectal cancer susceptibility in a Han Chinese population. <i>Cancer Medicine</i> , <b>2018</b> , 7, 1194-1200	4.8	13
58	Functional POR A503V is associated with the risk of bladder cancer in a Chinese population. <i>Scientific Reports</i> , <b>2015</b> , 5, 11751	4.9	13
57	Assessing the effectiveness of problem-based learning of preventive medicine education in China. <i>Scientific Reports</i> , <b>2014</b> , 4, 5126	4.9	13
56	Combinations of single nucleotide polymorphisms identified in genome-wide association studies determine risk for colorectal cancer. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 2661-2669	7.5	12
55	MDM2 SNP309 polymorphism is associated with colorectal cancer risk. <i>Scientific Reports</i> , <b>2014</b> , 4, 4851	4.9	12
54	Hypermethylation of EIF4E promoter is associated with early onset of gastric cancer. <i>Carcinogenesis</i> , <b>2018</b> , 39, 66-71	4.6	12
53	Genetic variants in PI3K/Akt/mTOR pathway genes contribute to gastric cancer risk. <i>Gene</i> , <b>2018</b> , 670, 130-135	3.8	12

52	Association study of genetic variants in estrogen metabolic pathway genes and colorectal cancer risk and survival. <i>Archives of Toxicology</i> , <b>2018</b> , 92, 1991-1999	5.8	12
51	A genetic variation in the CpG island of pseudogene GBAP1 promoter is associated with gastric cancer susceptibility. <i>Cancer</i> , <b>2019</b> , 125, 2465-2473	6.4	11
50	The effects of particulate matters on allergic rhinitis in Nanjing, China. <i>Environmental Science and Pollution Research</i> , <b>2019</b> , 26, 11452-11457	5.1	11
49	Functional annotation of colorectal cancer susceptibility loci identifies MLH1 rs1800734 associated with MSI patients. <i>Gut</i> , <b>2016</b> , 65, 1227-8	19.2	11
48	Effect of PM exposure on circulating fibrinogen and IL-6 levels: A systematic review and meta-analysis. <i>Chemosphere</i> , <b>2021</b> , 271, 129565	8.4	11
47	Remote modulation of lncRNA by risk variant at 16p13 underlying genetic susceptibility to gastric cancer. <i>Science Advances</i> , <b>2020</b> , 6, eaay5525	14.3	10
46	Alternative splicing related genetic variants contribute to bladder cancer risk. <i>Molecular Carcinogenesis</i> , <b>2020</b> , 59, 923-929	5	10
45	Plasma Mesothelin as a Novel Diagnostic and Prognostic Biomarker in Colorectal Cancer. <i>Journal of Cancer</i> , <b>2017</b> , 8, 1355-1361	4.5	10
44	A miR-29c binding site genetic variant in the 3'Suntranslated region of LAMTOR3 gene is associated with gastric cancer risk. <i>Biomedicine and Pharmacotherapy</i> , <b>2015</b> , 69, 70-5	7.5	9
43	Evaluating the effect of multiple genetic risk score models on colorectal cancer risk prediction. <i>Gene</i> , <b>2018</b> , 673, 174-180	3.8	9
42	A genetic variant located in the miR-532-5p-binding site of TGFBR1 is associated with the colorectal cancer risk. <i>Journal of Gastroenterology</i> , <b>2019</b> , 54, 141-148	6.9	9
41	EGFR 35JTR 774T>C polymorphism contributes to bladder cancer risk. <i>Mutagenesis</i> , <b>2013</b> , 28, 49-55	2.8	9
40	Long non-coding RNA FLJ22763 is involved in the progression and prognosis of gastric cancer. <i>Gene</i> , <b>2019</b> , 693, 84-91	3.8	8
39	Genetic variants in RPA1 associated with the response to oxaliplatin-based chemotherapy in colorectal cancer. <i>Journal of Gastroenterology</i> , <b>2019</b> , 54, 939-949	6.9	8
38	Genetic variations in Hippo pathway genes influence bladder cancer risk in a Chinese population. <i>Archives of Toxicology</i> , <b>2020</b> , 94, 785-794	5.8	8
37	Tagging SNPs in the HOTAIR gene are associated with bladder cancer risk in a Chinese population. <i>Gene</i> , <b>2018</b> , 664, 22-26	3.8	8
36	Systematic evaluation of the effects of genetic variants on PIWI-interacting RNA expression across 33 cancer types. <i>Nucleic Acids Research</i> , <b>2021</b> , 49, 90-97	20.1	8
35	Sex hormones and genetic variants in hormone metabolic pathways associated with the risk of colorectal cancer. <i>Environment International</i> , <b>2020</b> , 137, 105543	12.9	7

34	Genetic variation in C12orf51 is associated with prognosis of intestinal-type gastric cancer in a Chinese population. <i>Biomedicine and Pharmacotherapy</i> , <b>2015</b> , 69, 133-8	7.5	7
33	The association analysis of hOGG1 genetic variants and gastric cancer risk in a Chinese population. <i>Oncotarget</i> , <b>2016</b> , 7, 66061-66068	3.3	7
32	Relationship between particulate matter exposure and female breast cancer incidence and mortality: a systematic review and meta-analysis. <i>International Archives of Occupational and Environmental Health</i> , <b>2021</b> , 94, 191-201	3.2	7
31	METTL3 regulates PM-induced cell injury by targeting OSGIN1 in human airway epithelial cells. <i>Journal of Hazardous Materials</i> , <b>2021</b> , 415, 125573	12.8	7
30	Genetic variants in mA regulators are associated with gastric cancer risk. <i>Archives of Toxicology</i> , <b>2021</b> , 95, 1081-1088	5.8	7
29	Evaluation of genome-wide genotyping concordance between tumor tissues and peripheral blood. <i>Genomics</i> , <b>2017</b> , 109, 108-112	4.3	6
28	Evaluation of vulnerable PM-exposure individuals: a repeated-measure study in an elderly population. <i>Environmental Science and Pollution Research</i> , <b>2018</b> , 25, 11833-11840	5.1	6
27	Identification of a novel susceptibility locus at 16q23.1 associated with childhood acute lymphoblastic leukemia in Han Chinese. <i>Human Molecular Genetics</i> , <b>2016</b> , 25, 2873-2880	5.6	6
26	Genetic variant in miR-21 binding sites is associated with colorectal cancer risk. <i>Journal of Cellular and Molecular Medicine</i> , <b>2019</b> , 23, 2012-2019	5.6	6
25	Exosomal circLPAR1 functions in colorectal cancer diagnosis and tumorigenesis through suppressing BRD4 via METTL3-eIF3h interaction.. <i>Molecular Cancer</i> , <b>2022</b> , 21, 49	42.1	6
24	Evaluation of GWAS-Identified Genetic Variants for Gastric Cancer Survival. <i>EBioMedicine</i> , <b>2018</b> , 33, 82-88	8.8	5
23	Vitamin B intake reduces the risk for colorectal cancer: a dose-response analysis. <i>European Journal of Nutrition</i> , <b>2019</b> , 58, 1591-1602	5.2	5
22	Genetic Variations in the 3'Untranslated Regions of Genes Involved in the Cell Cycle and Apoptosis Pathways Affect Bladder Cancer Risk. <i>Cancer Genomics and Proteomics</i> , <b>2018</b> , 15, 67-72	3.3	5
21	Metabolomics identifying biomarkers of PM exposure for vulnerable population: based on a prospective cohort study. <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 14586-14596	5.1	5
20	Genetic variants in N6-methyladenosine are associated with bladder cancer risk in the Chinese population. <i>Archives of Toxicology</i> , <b>2021</b> , 95, 299-309	5.8	5
19	A prospective study of the associations among fine particulate matter, genetic variants, and the risk of colorectal cancer. <i>Environment International</i> , <b>2021</b> , 147, 106309	12.9	4
18	MUC1 is associated with TFF2 methylation in gastric cancer. <i>Clinical Epigenetics</i> , <b>2020</b> , 12, 37	7.7	3
17	Novel CpG-SNPs in the gastric acid secretion pathway GNAI3 and susceptibility to gastric cancer. <i>Gene</i> , <b>2020</b> , 736, 144447	3.8	3

16	Tagging SNPs in the ERCC4 gene are associated with gastric cancer risk. <i>Gene</i> , <b>2013</b> , 521, 50-4	3.8	3
15	Identification of low-frequency variants of UGT1A3 associated with bladder cancer risk by next-generation sequencing. <i>Oncogene</i> , <b>2021</b> , 40, 2382-2394	9.2	3
14	Genetic variants in Ras/Raf/MEK/ERK pathway are associated with gastric cancer risk in Chinese Han population. <i>Archives of Toxicology</i> , <b>2020</b> , 94, 2683-2690	5.8	2
13	A transcriptomic study for identifying cardia- and non-cardia-specific gastric cancer prognostic factors using genetic algorithm-based methods. <i>Journal of Cellular and Molecular Medicine</i> , <b>2020</b> , 24, 9457-9465	5.6	2
12	Association Between MIF-AS rs755622 and Nephrolithiasis Risk in a Chinese Population. <i>Medical Science Monitor</i> , <b>2016</b> , 22, 563-8	3.2	2
11	Fine Particulate Matter Induces Childhood Asthma Attacks via Extracellular Vesicle-Packaged Let-7i-5p-Mediated Modulation of the MAPK Signaling Pathway. <i>Advanced Science</i> , <b>2021</b> , e2102460	13.6	2
10	Genetic variants in circTUBB interacting with smoking can enhance colorectal cancer risk. <i>Archives of Toxicology</i> , <b>2020</b> , 94, 325-333	5.8	2
9	Polymorphism rs4787951 in IL-4R contributes to the increased risk of renal cell carcinoma in a Chinese population. <i>Gene</i> , <b>2019</b> , 685, 242-247	3.8	2
8	Genetic variants in XDH are associated with prognosis for gastric cancer in a Chinese population. <i>Gene</i> , <b>2018</b> , 663, 196-202	3.8	1
7	Functional variants of RPS6KB1 and PIK3R1 in the autophagy pathway genes and risk of bladder cancer. <i>Archives of Toxicology</i> , <b>2021</b> , 1	5.8	0
6	Genetic variations in the CTLA-4 immune checkpoint pathway are associated with colon cancer risk, prognosis, and immune infiltration via regulation of IQCB1 expression. <i>Archives of Toxicology</i> , <b>2021</b> , 95, 2053-2063	5.8	0
5	Identification of common genetic variants associated with serum concentrations of p, pSDDE in non-occupational populations in eastern China. <i>Environment International</i> , <b>2021</b> , 152, 106507	12.9	0
4	Genetic variants in choline metabolism pathway are associated with the risk of bladder cancer in the Chinese population.. <i>Archives of Toxicology</i> , <b>2022</b> , 1	5.8	0
3	Evaluation of genetic variants in nucleosome remodeling and deacetylase (NuRD) complex subunits encoding genes and gastric cancer susceptibility.. <i>Archives of Toxicology</i> , <b>2022</b> , 1	5.8	0
2	Genetic variants in the Hedgehog signaling pathway genes are associated with gastric cancer risk in a Chinese Han population.. <i>Journal of Biomedical Research</i> , <b>2021</b> , 36, 22-31	1.5	
1	Genetic variants in splicing factor genes and susceptibility to bladder cancer. <i>Gene</i> , <b>2022</b> , 809, 146022	3.8	